


# SUPPLY CHAIN MANAGEMENT

Strategy, Planning,  
and Operation

Fifth Edition

Sunil Chopra  
Peter Meindl



*Fifth Edition*

# **SUPPLY CHAIN MANAGEMENT**

**STRATEGY, PLANNING, AND OPERATION**

**Sunil Chopra**

*Kellogg School of Management*

**Peter Meindl**

*Kepos Capital*

**PEARSON**

Boston Columbus Indianapolis New York San Francisco Upper Saddle River  
Amsterdam Cape Town Dubai London Madrid Milan Munich Paris Montreal Toronto  
Delhi Mexico City Sao Paulo Sydney Hong Kong Seoul Singapore Taipei Tokyo

**Editorial Director:** Sally Yagan  
**Editor in Chief:** Donna Battista  
**Senior Acquisitions Editor:** Chuck Synovec  
**Editorial Project Manager:** Mary Kate Murray  
**Editorial Assistant:** Ashlee Bradbury  
**Director of Marketing:** Maggie Moylan  
**Executive Marketing Manager:** Anne Fahlgren  
**Production Project Manager:** Clara Bartunek  
**Manager Central Design:** Jayne Conte  
**Cover Designer:** Suzanne Behnke

**Manager, Rights and Permissions:** Estelle Simpson  
**Cover Art:** Fotolia  
**Media Project Manager:** John Cassar  
**Media Editor:** Sarah Peterson  
**Full-Service Project Management:** Abinaya Rajendran,  
Integra Software Services Pvt. Ltd.  
**Printer/Binder:** Edwards Brothers, Inc.  
**Cover Printer:** Lehigh / Phoenix - Hagerstown  
**Text Font:** Times 10/12 Times Roman

Credits and acknowledgments borrowed from other sources and reproduced, with permission, in this textbook appear on the appropriate page within text.

Microsoft and/or its respective suppliers make no representations about the suitability of the information contained in the documents and related graphics published as part of the services for any purpose. All such documents and related graphics are provided “as is” without warranty of any kind. Microsoft and/or its respective suppliers hereby disclaim all warranties and conditions with regard to this information, including all warranties and conditions of merchantability, whether express, implied or statutory, fitness for a particular purpose, title and non-infringement. In no event shall Microsoft and/or its respective suppliers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of information available from the services.

The documents and related graphics contained herein could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein. Microsoft and/or its respective suppliers may make improvements and/or changes in the product(s) and/or the program(s) described herein at any time. Partial screen shots may be viewed in full within the software version specified.

Microsoft® and Windows® are registered trademarks of the Microsoft Corporation in the U.S.A. and other countries. This book is not sponsored or endorsed by or affiliated with the Microsoft Corporation.

---

**Copyright © 2013, 2010, 2007, 2004, 2001 by Pearson Education, Inc., publishing as Prentice Hall.** All rights reserved. Manufactured in the United States of America. This publication is protected by Copyright, and permission should be obtained from the publisher prior to any prohibited reproduction, storage in a retrieval system, or transmission in any form or by any means, electronic, mechanical, photocopying, recording, or likewise. To obtain permission(s) to use material from this work, please submit a written request to Pearson Education, Inc., Permissions Department, One Lake Street, Upper Saddle River, New Jersey 07458, or you may fax your request to 201-236-3290.

Many of the designations by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and the publisher was aware of a trademark claim, the designations have been printed in initial caps or all caps.

#### **Library of Congress Cataloging-in-Publication Data**

Chopra, Sunil,

Supply chain management : strategy, planning, and operation / Sunil Chopra, Peter Meindl.—5th ed.

p. cm.

ISBN-13: 978-0-13-274395-2 (alk. paper)

ISBN-10: 0-13-274395-7 (alk. paper)

1. Marketing channels—Management. 2. Delivery of goods—Management. 3. Physical distribution of goods—Management. 4. Customer services—Management. 5. Industrial procurement. 6. Materials management.

I. Meindl, Peter. II. Title.

HF5415.13.C533 2013

658.7—dc23

2011037269

10 9 8 7 6 5 4 3 2 1

**PEARSON**

ISBN 10: 0-13-274395-7  
ISBN 13: 978-0-13-274395-2

## Dedication

*I would like to thank my colleagues at Kellogg for all that I have learned from them about logistics and supply chain management. I am grateful for the love and encouragement my parents, Krishan and Pushpa, and sisters, Sudha and Swati, have always provided during every endeavor in my life. I thank my children, Ravi and Rajiv, for the joy they have brought me. Finally, none of this would have been possible without the constant love, caring, and support of my wife, Maria Cristina.*

—Sunil Chopra

*I would like to thank three mentors—Sunil Chopra, Hau Lee, and Gerry Lieberman—who have taught me a great deal. Thank you also to my parents and sister for their love, and to my sons, Jamie and Eric, for making me smile and teaching me what life is truly all about. Most important, I thank my wife, Sarah, who makes life wonderful and whom I love with all of my heart.*

—Pete Meindl

## ABOUT THE AUTHORS

### SUNIL CHOPRA

Sunil Chopra is the IBM Distinguished Professor of Operations Management and Information Systems at the Kellogg School of Management. He has served as the interim dean and senior associate dean for curriculum and teaching, and the codirector of the MMM program, a joint dual-degree program between the Kellogg School of Management and the McCormick School of Engineering at Northwestern University. He has a Ph.D. in operations research from SUNY at Stony Brook. Prior to joining Kellogg, he taught at New York University and spent a year at IBM Research.

Professor Chopra's research and teaching interests are in supply chain and logistics management, operations management, and the design of telecommunication networks. He has won several teaching awards at the MBA and Executive programs of Kellogg. He has authored more than 40 papers and two books.

He has been a department editor for *Management Science* and an associate editor for *Manufacturing & Service Operations Management*, *Operations Research*, and *Decision Sciences Journal*. His recent research has focused on understanding supply chain risk and devising effective risk mitigation strategies. He has also consulted for several firms in the area of supply chain and operations management.



### PETER MEINDL

Peter Meindl is with Kepos Capital. Previously, he was a research officer with Barclays Global Investors, a consultant with the Boston Consulting Group and Mercer Management Consulting, and the director of strategy with i2 Technologies. He holds a Ph.D., M.S., B.S., and B.A. from Stanford, and an M.B.A. from the Kellogg School at Northwestern.

The first edition of this book won the prestigious Book of the Year award in 2002 from the Institute of Industrial Engineers.



# CONTENTS

Preface x

## Part I Building a Strategic Framework to Analyze Supply Chains

### Chapter 1 UNDERSTANDING THE SUPPLY CHAIN 1

- 1.1 What Is a Supply Chain? 1
  - 1.2 The Objective of a Supply Chain 3
  - 1.3 The Importance of Supply Chain Decisions 4
  - 1.4 Decision Phases in a Supply Chain 6
  - 1.5 Process Views of a Supply Chain 8
  - 1.6 Examples of Supply Chains 13
  - 1.7 Summary of Learning Objectives 17
- Discussion Questions 17 • Bibliography 18*

### Chapter 2 SUPPLY CHAIN PERFORMANCE: ACHIEVING STRATEGIC FIT AND SCOPE 19

- 2.1 Competitive and Supply Chain Strategies 19
  - 2.2 Achieving Strategic Fit 21
  - 2.3 Expanding Strategic Scope 32
  - 2.4 Challenges to Achieving and Maintaining Strategic Fit 34
  - 2.5 Summary of Learning Objectives 36
- Discussion Questions 36 • Bibliography 37*

### Chapter 3 SUPPLY CHAIN DRIVERS AND METRICS 38

- 3.1 Financial Measures of Performance 38
  - 3.2 Drivers of Supply Chain Performance 41
  - 3.3 Framework for Structuring Drivers 43
  - 3.4 Facilities 44
  - 3.5 Inventory 47
  - 3.6 Transportation 49
  - 3.7 Information 51
  - 3.8 Sourcing 54
  - 3.9 Pricing 56
  - 3.10 Summary of Learning Objectives 58
- Discussion Questions 59 • Bibliography 59*
- ▶ **CASE STUDY:** Seven-Eleven Japan Co. 60
  - ▶ **CASE STUDY:** Financial Statements for Wal-Mart Stores Inc. 66

## Part II Designing the Supply Chain Network

- Chapter 4 DESIGNING DISTRIBUTION NETWORKS AND APPLICATIONS TO ONLINE SALES 68**
- 4.1 The Role of Distribution in the Supply Chain 68
  - 4.2 Factors Influencing Distribution Network Design 69
  - 4.3 Design Options for a Distribution Network 73
  - 4.4 Online Sales and the Distribution Network 86
  - 4.5 Distribution Networks in Practice 99
  - 4.6 Summary of Learning Objectives 100
    - Discussion Questions 101 • Bibliography 101*
    - ▶ **CASE STUDY:** Blue Nile and Diamond Retailing 102
- Chapter 5 NETWORK DESIGN IN THE SUPPLY CHAIN 108**
- 5.1 The Role of Network Design in the Supply Chain 108
  - 5.2 Factors Influencing Network Design Decisions 109
  - 5.3 Framework for Network Design Decisions 114
  - 5.4 Models for Facility Location and Capacity Allocation 116
  - 5.5 Making Network Design Decisions in Practice 132
  - 5.6 Summary of Learning Objectives 133
    - Discussion Questions 134 • Exercises 134 • Bibliography 139*
    - ▶ **CASE STUDY:** Managing Growth at SportStuff.com 139
    - ▶ **CASE STUDY:** Designing the Production Network at CoolWipes 141
- Chapter 6 DESIGNING GLOBAL SUPPLY CHAIN NETWORKS 143**
- 6.1 The Impact of Globalization on Supply Chain Networks 143
  - 6.2 The Offshoring Decision: Total Cost 145
  - 6.3 Risk Management in Global Supply Chains 148
  - 6.4 Discounted Cash Flows 152
  - 6.5 Evaluating Network Design Decisions Using Decision Trees 153
  - 6.6 To Onshore or Offshore: Evaluation of Global Supply Chain Design Decisions Under Uncertainty 161
  - 6.7 Making Global Supply Chain Design Decisions Under Uncertainty in Practice 170
  - 6.8 Summary of Learning Objectives 170
    - Discussion Questions 171 • Exercises 171*
    - *Bibliography 173*
    - ▶ **CASE STUDY:** BioPharma, Inc. 174
    - ▶ **CASE STUDY:** The Sourcing Decision at Forever Young 176

## Part III Planning and Coordinating Demand and Supply in a Supply Chain

- Chapter 7 DEMAND FORECASTING IN A SUPPLY CHAIN 178**
- 7.1 The Role of Forecasting in a Supply Chain 178
  - 7.2 Characteristics of Forecasts 179

	7.3	Components of a Forecast and Forecasting Methods	180
	7.4	Basic Approach to Demand Forecasting	181
	7.5	Time-Series Forecasting Methods	183
	7.6	Measures of Forecast Error	193
	7.7	Selecting the Best Smoothing Constant	195
	7.8	Forecasting Demand at Tahoe Salt	197
	7.9	The Role of IT in Forecasting	203
	7.10	Risk Management in Forecasting	204
	7.11	Forecasting in Practice	205
	7.12	Summary of Learning Objectives	205
		<i>Discussion Questions</i>	206
		• <i>Exercises</i>	206
		• <i>Bibliography</i>	208
	►	<b>CASE STUDY: Specialty Packaging Corporation, Part A</b>	208
<b>Chapter 8</b>		<b>AGGREGATE PLANNING IN A SUPPLY CHAIN</b>	<b>211</b>
	8.1	The Role of Aggregate Planning in a Supply Chain	211
	8.2	The Aggregate Planning Problem	213
	8.3	Aggregate Planning Strategies	215
	8.4	Aggregate Planning Using Linear Programming	216
	8.5	Aggregate Planning in Excel	224
	8.6	Building a Rough Master Production Schedule	226
	8.7	The Role of IT in Aggregate Planning	227
	8.8	Implementing Aggregate Planning in Practice	228
	8.9	Summary of Learning Objectives	228
		<i>Discussion Questions</i>	229
		• <i>Exercises</i>	229
		• <i>Bibliography</i>	231
	►	<b>CASE STUDY: Specialty Packaging Corporation, Part B</b>	231
<b>Chapter 9</b>		<b>SALES AND OPERATIONS PLANNING: PLANNING SUPPLY AND DEMAND IN A SUPPLY CHAIN</b>	<b>234</b>
	9.1	Responding to Predictable Variability in the Supply Chain	234
	9.2	Managing Supply	235
	9.3	Managing Demand	237
	9.4	Implementing Sales and Operations Planning in Practice	244
	9.5	Summary of Learning Objectives	245
		<i>Discussion Questions</i>	245
		• <i>Exercises</i>	246
		• <i>Bibliography</i>	248
	►	<b>CASE STUDY: Mintendo Game Girl</b>	248
<b>Chapter 10</b>		<b>COORDINATION IN A SUPPLY CHAIN</b>	<b>250</b>
	10.1	Lack of Supply Chain Coordination and the Bullwhip Effect	250
	10.2	The Effect on Performance of Lack of Coordination	252
	10.3	Obstacles to Coordination in a Supply Chain	254
	10.4	Managerial Levers to Achieve Coordination	258
	10.5	Continuous Replenishment and Vendor-Managed Inventories	263
	10.6	Collaborative Planning, Forecasting, and Replenishment	264

- 10.7 Achieving Coordination in Practice 267  
 10.8 Summary of Learning Objectives 269  
*Discussion Questions 269 • Bibliography 270*

## Part IV Planning and Managing Inventories in a Supply Chain

### Chapter 11 **MANAGING ECONOMIES OF SCALE IN A SUPPLY CHAIN: CYCLE INVENTORY 271**

- 11.1 The Role of Cycle Inventory in a Supply Chain 271  
 11.2 Estimating Cycle Inventory–Related Costs in Practice 274  
 11.3 Economies of Scale to Exploit Fixed Costs 276  
 11.4 Economies of Scale to Exploit Quantity Discounts 289  
 11.5 Short-Term Discounting: Trade Promotions 300  
 11.6 Managing Multiechelon Cycle Inventory 305  
 11.7 Summary of Learning Objectives 307  
*Discussion Questions 308 • Exercises 308*  
*• Bibliography 310*  
 ► **CASE STUDY: Delivery Strategy at MoonChem 311**  
*Appendix 11A: Economic Order Quantity 313*

### Chapter 12 **MANAGING UNCERTAINTY IN A SUPPLY CHAIN: SAFETY INVENTORY 314**

- 12.1 The Role of Safety Inventory in a Supply Chain 314  
 12.2 Determining the Appropriate Level of Safety Inventory 316  
 12.3 Impact of Supply Uncertainty on Safety Inventory 327  
 12.4 Impact of Aggregation on Safety Inventory 329  
 12.5 Impact of Replenishment Policies on Safety Inventory 341  
 12.6 Managing Safety Inventory in a Multiechelon Supply Chain 344  
 12.7 The Role of IT in Inventory Management 345  
 12.8 Estimating and Managing Safety Inventory in Practice 346  
 12.9 Summary of Learning Objectives 347  
*Discussion Questions 348 • Exercises 348*  
*• Bibliography 351*  
 ► **CASE STUDY: Managing Inventories at ALKO Inc. 351**  
 ► **CASE STUDY: Should Packaging be Postponed to the DC? 353**  
*Appendix 12A: The Normal Distribution 354*  
*Appendix 12B: The Normal Distribution in Excel 355*  
*Appendix 12C: Expected Shortage Cost per Cycle 356*  
*Appendix 12D: Evaluating Safety Inventory for Slow-Moving Items 357*

### Chapter 13 **DETERMINING THE OPTIMAL LEVEL OF PRODUCT AVAILABILITY 358**

- 13.1 The Importance of the Level of Product Availability 358  
 13.2 Factors Affecting Optimal Level of Product Availability 359  
 13.3 Managerial Levers to Improve Supply Chain Profitability 370



13.4	Setting Product Availability for Multiple Products Under Capacity Constraints	384
13.5	Setting Optimal Levels of Product Availability in Practice	386
13.6	Summary of Learning Objectives	387
	<i>Discussion Questions</i>	388
	• <i>Exercises</i>	388
	• <i>Bibliography</i>	390
	<i>Appendix 13A: Optimal Level of Product Availability</i>	391
	<i>Appendix 13B: An Intermediate Evaluation</i>	391
	<i>Appendix 13C: Expected Profit from an Order</i>	392
	<i>Appendix 13D: Expected Overstock from an Order</i>	393
	<i>Appendix 13E: Expected Understock from an Order</i>	394
	<i>Appendix 13F: Simulation Using Spreadsheets</i>	394

## **Part V Designing and Planning Transportation Networks**

### **Chapter 14 TRANSPORTATION IN A SUPPLY CHAIN 397**

14.1	The Role of Transportation in a Supply Chain	397
14.2	Modes of Transportation and Their Performance Characteristics	399
14.3	Transportation Infrastructure and Policies	403
14.4	Design Options for a Transportation Network	406
14.5	Trade-Offs in Transportation Design	411
14.6	Tailored Transportation	420
14.7	The Role of IT in Transportation	422
14.8	Risk Management in Transportation	423
14.9	Making Transportation Decisions in Practice	424
14.10	Summary of Learning Objectives	424
	<i>Discussion Questions</i>	425
	• <i>Exercises</i>	425
	• <i>Bibliography</i>	426
	► <b>CASE STUDY: Designing the Distribution Network for Michael's Hardware</b>	426

## **Part VI Managing Cross-Functional Drivers in a Supply Chain**

### **Chapter 15 SOURCING DECISIONS IN A SUPPLY CHAIN 428**

15.1	The Role of Sourcing in a Supply Chain	428
15.2	In-House or Outsource	430
15.3	Third- and Fourth-Party Logistics Providers	436
15.4	Using Total Cost to Score and Assess Suppliers	439
15.5	Supplier Selection—Auctions and Negotiations	441
15.6	Contracts, Risk Sharing, and Supply Chain Performance	444
15.7	Design Collaboration	455
15.8	The Procurement Process	457
15.9	Designing a Sourcing Portfolio: Tailored Sourcing	459
15.10	Risk Management in Sourcing	460
15.11	Making Sourcing Decisions in Practice	461

- 15.12 Summary of Learning Objectives 462  
*Discussion Questions* 463 • *Exercises* 463  
 • *Bibliography* 464

## **Chapter 16 PRICING AND REVENUE MANAGEMENT IN A SUPPLY CHAIN 466**

- 16.1 The Role of Pricing and Revenue Management in a Supply Chain 466  
 16.2 Pricing and Revenue Management for Multiple Customer Segments 468  
 16.3 Pricing and Revenue Management for Perishable Assets 475  
 16.4 Pricing and Revenue Management for Seasonal Demand 481  
 16.5 Pricing and Revenue Management for Bulk and Spot Contracts 481  
 16.6 Using Pricing and Revenue Management in Practice 483  
 16.7 Summary of Learning Objectives 485  
*Discussion Questions* 485 • *Exercises* 486  
 • *Bibliography* 487

## **Chapter 17 INFORMATION TECHNOLOGY IN A SUPPLY CHAIN 488**

- 17.1 The Role of IT in a Supply Chain 488  
 17.2 The Supply Chain IT Framework 490  
 17.3 Customer Relationship Management 491  
 17.4 Internal Supply Chain Management 492  
 17.5 Supplier Relationship Management 493  
 17.6 The Transaction Management Foundation 494  
 17.7 The Future of IT in the Supply Chain 495  
 17.8 Risk Management in IT 496  
 17.9 Supply Chain IT in Practice 497  
 17.10 Summary of Learning Objectives 498  
*Discussion Questions* 498 • *Bibliography* 498

## **Chapter 18 SUSTAINABILITY AND THE SUPPLY CHAIN 500**

- 18.1 The Role of Sustainability in a Supply Chain 500  
 18.2 The Tragedy of the Commons 502  
 18.3 Key Metrics for Sustainability 504  
 18.4 Sustainability and Supply Chain Drivers 505  
 18.5 Closed-Loop Supply Chains 508  
 18.6 Summary of Learning Objectives 508  
*Discussion Questions* 509 • *Bibliography* 509

# PREFACE

This book is targeted toward an academic as well as a practitioner audience. On the academic side, it should be appropriate for M.B.A. students, engineering master's students, and senior undergraduate students interested in supply chain management and logistics. It should also serve as a suitable reference for both concepts as well as methodology for practitioners in consulting and industry.

## NEW TO THIS EDITION

The fifth edition has focused on building on the changes that were incorporated in the fourth edition. We have also added changes based on specific reviewer feedback that we believe significantly improve the book and its use by faculty and students.

- We have added several new mini-cases throughout the book. New cases appear in Chapters 3, 5, 6, 12, and 14. Information in other cases has been updated to be current.
- For numerical examples discussed in the book, we have spreadsheets that students can use to understand the concept. The spreadsheets provide the details of the example discussed, but are live which allows the student to try different what-if analyses. These spreadsheets are available at [www.pearsonhighered.com/chopra](http://www.pearsonhighered.com/chopra).
- In Chapter 3, we have added a section on financial metrics and ratios and linked these to the different supply chain drivers and metrics. This chapter allows a faculty member to position the supply chain management as it directly impacts the financial performance of the firm. We have also added a supporting mini-case with which students can dig into Walmart's financials in detail.
- We have enhanced Chapter 6, which focuses on designing global supply chains. In particular, we have included a detailed example in Section 6.6 that looks at the onshoring/offshoring decision as a real option in the context of uncertainty. A mini-case has also been included in the chapter to look at the offshoring/onshoring decision.
- Supply chain coordination (Chapter 17 in the fourth edition) is now part of the module on "Planning and Coordinating Demand and Supply in the Supply Chain." Based on reviewer feedback, we decided it was appropriate to include the collaboration and coordination discussions with the forecasting and sales and operations planning discussions.
- In Chapter 7, we have enhanced the discussions on forecast errors and selecting the best smoothing constant.
- In Chapter 8, we have enhanced the discussions on identifying the aggregate unit and then disaggregating the aggregate plan.
- In Chapter 9, we now have a spreadsheet that allows students to work through the entire sales and operations planning process for the example presented. Spreadsheets are available that allow students to build every table shown in Chapters 7–9.
- In Chapter 11, we have added numerical examples supporting the entire discussion on the rationale for quantity discounts. Supporting spreadsheets are provided for students.
- In Chapter 12, we added numerical examples supporting the value of postponement discussion and a mini-case investigating a decision to potentially postpone packaging.
- In Chapter 13, we have also enhanced and highlighted the discussion on tailored postponement.
- In Chapter 14, we have enhanced the quantitative examples which support the qualitative discussion on the design of transportation networks. Students will also have live spreadsheets available to use with these examples. A mini-case at the end of the chapter allows students to dig even deeper into the quantitative factors in transportation network design.
- In Chapter 15, we have enhanced the discussion on risk sharing and supply chain contracts. Students will also have live spreadsheets with which they can evaluate different risk-sharing options. The chapter also contains an enhanced discussion of tailored sourcing when designing a supplier portfolio.

- A new Chapter 18 focuses on sustainability and the supply chain.
- We have added current examples throughout the book with a particular focus on bringing in more global examples.

The book has grown from a course on supply chain management taught to second-year M.B.A. students at the Kellogg School of Management at Northwestern University. The goal of this class was to cover not only high-level supply chain strategy and concepts, but also to give students a solid understanding of the analytical tools necessary to solve supply chain problems. With this class goal in mind, our objective was to create a book that would develop an understanding of the following key areas and their interrelationships:

- The strategic role of a supply chain
- The key strategic drivers of supply chain performance
- Analytic methodologies for supply chain analysis

Our first objective in this book is for the reader to learn the strategic importance of good supply chain design, planning, and operation for every firm. The reader will be able to understand how good supply chain management can be a competitive advantage, whereas weaknesses in the supply chain can hurt the performance of a firm. We use many examples to illustrate this idea and develop a framework for supply chain strategy.

Within the strategic framework, we identify facilities, inventory, transportation, information, sourcing, and pricing as the key drivers of supply chain performance. Our second goal in the book is to convey how these drivers may be used on a conceptual and practical level during supply chain design, planning, and operation to improve performance. We have included a case on Seven-Eleven Japan that can be used to illustrate how the company uses various drivers to improve supply chain performance. For each driver of supply chain performance, our goal is to provide readers with practical managerial levers and concepts that may be used to improve supply chain performance.

Utilizing these managerial levers requires knowledge of analytic methodologies for supply chain analysis. Our third goal is to give the reader an understanding of these methodologies. Every methodological discussion is illustrated with its application in Excel. In this discussion, we also stress the managerial context in which the methodology is used and the managerial levers for improvement that it supports.

The strategic frameworks and concepts discussed in the book are tied together through a variety of examples that show how a combination of concepts is needed to achieve significant increases in performance.

## FOR INSTRUCTORS

The following supplements are available to adopting instructors.

### Instructor's Resource Center

**REGISTER. REDEEM. LOGIN.** At [www.pearsonhighered.com/irc](http://www.pearsonhighered.com/irc), instructors can access a variety of print, media, and presentation resources that are available with this text in downloadable, digital format. For most texts, resources are also available for course management platforms such as Blackboard, WebCT, and Course Compass.

**NEED HELP?** Our dedicated Technical Support team is ready to assist instructors with questions about the media supplements that accompany this text. Visit <http://247.pearsoned.com/> for answers to frequently asked questions and toll-free user support phone numbers. The supplements are available to adopting instructors. Detailed descriptions are provided on the Instructor's Resource Center.

**INSTRUCTOR'S SOLUTIONS MANUAL** This manual is offered in Microsoft Word, and contains sample syllabi, chapter lecture notes, and solutions to all the end-of-chapter questions. The solution spreadsheets are provided in Microsoft Excel. Where applicable, both the Excel and Word solutions are provided. It is available for download at [www.pearsonhighered.com/chopra](http://www.pearsonhighered.com/chopra)

**TEST ITEM FILE** The file contains true/false questions, multiple-choice questions, and essay/problem questions. It is available for download at [www.pearsonhighered.com/chopra](http://www.pearsonhighered.com/chopra)

**POWERPOINT SLIDES** These slides provide the instructor with individual lecture outlines to accompany the text. The slides include many of the figures and tables from the text. These lecture notes can be used as is, or professors can easily modify them to reflect specific presentation needs. They are available for download at [www.pearsonhighered.com/chopra](http://www.pearsonhighered.com/chopra)

## FOR STUDENTS

The following material is available to students at [www.pearsonhighered.com/chopra](http://www.pearsonhighered.com/chopra):

- Spreadsheets for numerical examples discussed in the book. These provide the details of the example discussed, but are live and allow the student to try different what-if analyses.
- Spreadsheets that allow students to build every table shown in Chapters 7–9.

## ACKNOWLEDGMENTS

We would like to thank the many people who helped us throughout this process. We thank the reviewers whose suggestions significantly improved the book, including Iqbal Ali of the University of Massachusetts, Amherst; Ming Ling Chuang of Western Connecticut State University; Chia-Shin Chung of Cleveland State University; Phillip G. Cohen of San Jacinto College North Campus; Sime Curkovic of Western Michigan University; Chunxing Fan of Tennessee State University; Srinagesh Gavirneni of Cornell University; Richard Germain of the University of Louisville; Dr. Michael R. Godfrey of University of Wisconsin, Oshkosh; Scott E. Grasman of the Missouri University of Science & Technology; Jatinder (Jeet) Gupta of the University of Alabama, Huntsville; James K. Higginson of the University of Waterloo (Ontario); James K. Ho of University of Illinois at Chicago; Patrick Jeffers of Iowa State University; Mehdi Kaighobadi of Florida Atlantic University; Alireza Lari of Fayetteville State University; Bryan Lee of Missouri Western State College; Jianzhi (James) Li of University of Texas–Pan American; Arnold Maltz of Arizona State University; Daniel Marrone of SUNY Farmingdale; Charles Munson of Washington State University; James Noble of the University of Missouri, Columbia; William Roach of Washburn University; Subroto Roy of the University of New Haven; Effie Stavoulaki of Pennsylvania State University; Scott Thorne of Southeast Missouri State University; Frenck Waage of the University of Massachusetts; Chongqi Wu of California State University, East Bay, Boston; and Kefeng Xu of University of Texas at San Antonio.

We are grateful to the students at the Kellogg School of Management who suffered through typo-ridden drafts of earlier versions of the book. Specifically, we thank Christoph Roettelle and Vikas Vats for carefully reviewing several chapters and solving problems at the end of the chapters in early editions. We would also like to thank our editor, Chuck Synovec, and the staff at Prentice Hall, including Clara Bartunek, production project manager; Anne Fahlgren, executive marketing manager; Mary Kate Murray, senior project manager; and Ashlee Bradbury, editorial assistant, for their efforts with the book. Finally, we would like to thank you, our readers, for reading and using this book. We hope it contributes to all of your efforts to improve the performance of companies and supply chains throughout the world. We would be pleased to hear your comments and suggestions for future editions of this text.

**Sunil Chopra**

*Kellogg School of Management Northwestern University*

**Peter Meindl**

*Kepos Capital*

# 1



# Understanding the Supply Chain

## LEARNING OBJECTIVES

After reading this chapter, you will be able to


1. Discuss the goal of a supply chain and explain the impact of supply chain decisions on the success of a firm.
2. Identify the three key supply chain decision phases and explain the significance of each one.
3. Describe the cycle and push/pull views of a supply chain.
4. Classify the supply chain macro processes in a firm.

In this chapter, we provide a conceptual understanding of what a supply chain is and the various issues that need to be considered when designing, planning, or operating a supply chain. We discuss the significance of supply chain decisions and supply chain performance for the success of a firm. We also provide several examples from different industries to emphasize the variety of supply chain issues that companies need to consider at the strategic, planning, and operational levels.

## 1.1 WHAT IS A SUPPLY CHAIN?

A *supply chain* consists of all parties involved, directly or indirectly, in fulfilling a customer request. The supply chain includes not only the manufacturer and suppliers, but also transporters, warehouses, retailers, and even customers themselves. Within each organization, such as a manufacturer, the supply chain includes all functions involved in receiving and filling a customer request. These functions include, but are not limited to, new product development, marketing, operations, distribution, finance, and customer service.

Consider a customer walking into a Wal-Mart store to purchase detergent. The supply chain begins with the customer and his or her need for detergent. The next stage of this supply chain is the Wal-Mart retail store that the customer visits. Wal-Mart stocks its shelves using inventory that may have been supplied from a finished-goods warehouse or a distributor using trucks supplied by a third party. The distributor in turn is stocked by the manufacturer (say, Procter & Gamble [P&G] in this case). The P&G manufacturing plant receives raw material from a variety of suppliers, who may themselves have been supplied by lower-tier suppliers. For example, packaging material may come from Pactiv Corporation (formerly Tenneco Packaging) while Pactiv receives raw materials to manufacture the packaging from other suppliers. This supply chain is illustrated in Figure 1-1, with the arrows corresponding to the direction of physical product flow.



**FIGURE 1-1** Stages of a Detergent Supply Chain

A supply chain is dynamic and involves the constant flow of information, product, and funds between different stages. In our example, Wal-Mart provides the product, as well as pricing and availability information, to the customer. The customer transfers funds to Wal-Mart. Wal-Mart conveys point-of-sales data as well as replenishment orders to the warehouse or distributor, who transfers the replenishment order via trucks back to the store. Wal-Mart transfers funds to the distributor after the replenishment. The distributor also provides pricing information and sends delivery schedules to Wal-Mart. Wal-Mart may send back packaging material to be recycled. Similar information, material, and fund flows take place across the entire supply chain.


In another example, when a customer makes a purchase online from Dell Computer, the supply chain includes, among others, the customer, Dell's Web site, the Dell assembly plant, and all of Dell's suppliers and their suppliers. The Web site provides the customer with information regarding pricing, product variety, and product availability. Having made a product choice, the customer enters the order information and pays for the product. The customer may later return to the Web site to check the status of the order. Stages further up the supply chain use customer order information to fill the request. That process involves an additional flow of information, product, and funds among various stages of the supply chain.

These examples illustrate that the customer is an integral part of the supply chain. In fact, the primary purpose of any supply chain is to satisfy customer needs and, in the process, generate profit for itself. The term *supply chain* conjures up images of product or supply moving from suppliers to manufacturers to distributors to retailers to customers along a chain. This is certainly part of the supply chain, but it is also important to visualize information, funds, and product flows along both directions of this chain. The term *supply chain* may also imply that only one player is involved at each stage. In reality, a manufacturer may receive material from several suppliers and then supply several distributors. Thus, most *supply chains* are actually networks. It may be more accurate to use the term *supply network* or *supply web* to describe the structure of most supply chains, as shown in Figure 1-2.

A typical supply chain may involve a variety of stages, including the following:

- Customers
- Retailers
- Wholesalers/distributors
- Manufacturers
- Component/raw material suppliers

Each stage in a supply chain is connected through the flow of products, information, and funds. These flows often occur in both directions and may be managed by one of the stages or an intermediary.



**FIGURE 1-2** Supply Chain Stages

Each stage in Figure 1-2 need not be present in a supply chain. As discussed in Chapter 4, the appropriate design of the supply chain depends on both the customer's needs and the roles played by the stages involved. For example, Dell has two supply chain structures that it uses to serve its customers. For its corporate clients and also some individuals who want a customized personal computer (PC), Dell builds to order; that is, a customer order initiates manufacturing at Dell. For these customers, Dell does not have a separate retailer, distributor, or wholesaler in the supply chain. Since 2007, Dell has also sold its PCs through Wal-Mart in the United States and the GOME Group, China's largest electronics retailer. Both Wal-Mart and the GOME Group carry Dell machines in inventory. This supply chain thus contains an extra stage (the retailer) compared to the direct sales model also used by Dell. In the case of other retail stores, the supply chain may also contain a wholesaler or distributor between the store and the manufacturer.

## 1.2 THE OBJECTIVE OF A SUPPLY CHAIN

The objective of every supply chain should be to maximize the overall value generated. The *value* (also known as *supply chain surplus*) a supply chain generates is the difference between what the value of the final product is to the customer and the costs the supply chain incurs in filling the customer's request.

$$\text{Supply Chain Surplus} = \text{Customer Value} - \text{Supply Chain Cost}$$

The value of the final product may vary for each customer and can be estimated by the maximum amount the customer is willing to pay for it. The difference between the value of the product and its price remains with the customer as *consumer surplus*. The rest of the supply chain surplus becomes *supply chain profitability*, the difference between the revenue generated from the customer and the overall cost across the supply chain. For example, a customer purchasing a wireless router from Best Buy pays \$60, which represents the revenue the supply chain receives. Customers who purchase the router clearly value it at or above \$60. Thus, part of the supply chain surplus is left with the customer as consumer surplus. The rest stays with the supply chain as profit. Best Buy and other stages of the supply chain incur costs to convey information, produce components, store them, transport them, transfer funds, and so on. The difference between the \$60 that the customer paid and the sum of all costs incurred by the supply chain to produce and distribute the router represents the supply chain profitability. Supply chain profitability is the total profit to be shared across all supply chain stages and intermediaries. The higher the supply chain profitability, the more successful is the supply chain.



For most profit-making supply chains, the supply chain surplus will be strongly correlated with profits. Supply chain success should be measured in terms of supply chain profitability and not in terms of the profits at an individual stage. (In subsequent chapters, we see that a focus on profitability at individual stages may lead to a reduction in overall supply chain profits.) A focus on growing the supply chain surplus pushes all members of the supply chain toward growing the size of the overall pie.

Having defined the success of a supply chain in terms of supply chain profitability, the next logical step is to look for sources of value, revenue, and cost. For any supply chain, there is only one source of revenue: the customer. The value obtained by a customer purchasing detergent at Wal-Mart depends upon several factors, including the functionality of the detergent, how far the customer has to travel to Wal-Mart, and the likelihood of finding the detergent in stock. The customer is the only one providing positive cash flow for the Wal-Mart supply chain. All other cash flows are simply fund exchanges that occur within the supply chain, given that different stages have different owners. When Wal-Mart pays its supplier, it is taking a portion of the funds the customer provides and passing that money on to the supplier. All flows of information, product, or funds generate costs within the supply chain. Thus, the appropriate management of these flows is a key to supply chain success. Effective *supply chain management* involves the management of supply chain assets and product, information, and fund flows to maximize total supply chain surplus. A growth in supply chain surplus increases the size of the total pie, allowing contributing members of the supply chain to benefit.

In this book, we have a strong focus on analyzing all supply chain decisions in terms of their impact on the supply chain surplus. These decisions and their impact can vary for a wide variety of reasons. For instance, consider the difference in the supply chain structure for fast-moving consumer goods observed in the United States and India. U.S. distributors play a much smaller role in this supply chain compared to their Indian counterparts. We argue that the difference in supply chain structure can be explained by the impact a distributor has on the supply chain surplus in the two countries.

Retailing in the United States is largely consolidated, with large chains buying consumer goods from most manufacturers. This consolidation gives retailers sufficient scale that the introduction of an intermediary such as a distributor does little to reduce costs and may actually increase costs because of an additional transaction. In contrast, India has millions of small retail outlets. The small size of Indian retail outlets limits the amount of inventory they can hold, thus requiring frequent replenishment—an order can be compared with the weekly grocery shopping for a family in the United States. The only way for a manufacturer to keep transportation costs low is to bring full truckloads of product close to the market and then distribute locally using “milk runs” with smaller vehicles. The presence of an intermediary who can receive a full truckload shipment, break bulk, and then make smaller deliveries to the retailers is crucial if transportation costs are to be kept low. Most Indian distributors are one-stop shops, stocking everything from cooking oil to soaps and detergents made by a variety of manufacturers. Besides the convenience provided by one-stop shopping, distributors in India are also able to reduce transportation costs for outbound delivery to the retailer by aggregating products across multiple manufacturers during the delivery runs. Distributors in India also handle collections, because their cost of collection is significantly lower than that of each manufacturer collecting from retailers on its own would be. Thus, the important role of distributors in India can be explained by the growth in supply chain surplus that results from their presence. The supply chain surplus argument implies that as retailing in India begins to consolidate, the role of distributors will diminish.

### 1.3 THE IMPORTANCE OF SUPPLY CHAIN DECISIONS

There is a close connection between the design and management of supply chain flows (product, information, and funds) and the success of a supply chain. Wal-Mart, Amazon, and Seven-Eleven Japan are examples of companies that have built their success on superior design, planning, and

operation of their supply chain. In contrast, the failure of many online businesses such as Webvan can be attributed to weaknesses in their supply chain design and planning. The rise and subsequent fall of the bookstore chain Borders illustrates how a failure to adapt its supply chain to a changing environment and customer expectations hurt its performance. Dell Computer is another example of a company that had to revise its supply chain design in response to changing technology and customer needs. We discuss these examples later in this section.

Wal-Mart has been a leader at using supply chain design, planning, and operation to achieve success. From its beginning, the company invested heavily in transportation and information infrastructure to facilitate the effective flow of goods and information. Wal-Mart designed its supply chain with clusters of stores around distribution centers to facilitate frequent replenishment at its retail stores in a cost-effective manner. Frequent replenishment allows stores to match supply and demand more effectively than the competition. Wal-Mart has been a leader in sharing information and collaborating with suppliers to bring down costs and improve product availability. The results are impressive. In its 2010 annual report, the company reported a net income of more than \$14.3 billion on revenues of about \$408 billion. These are dramatic results for a company that reached annual sales of only \$1 billion in 1980. The growth in sales represents an annual compounded growth rate of more than 20 percent.

Seven-Eleven Japan is another example of a company that has used excellent supply chain design, planning, and operation to drive growth and profitability. It has used a very responsive replenishment system along with an outstanding information system to ensure that products are available at each of its convenience stores to match customer needs. Its responsiveness allows it to change the merchandising mix at each store by time of day to precisely match customer demand. As a result, the company has grown from sales of 1 billion yen in 1974 to almost 3 trillion yen in 2009 with profits in 2009 totaling 164 billion yen.

The failure of many online businesses such as Webvan and Kozmo can be attributed to their inability to design appropriate supply chains or manage supply chain flows effectively. Webvan designed a supply chain with large warehouses in several major cities in the United States, from which groceries were delivered to customers' homes. This supply chain design could not compete with traditional supermarket supply chains in terms of cost. Traditional supermarket chains bring product to a supermarket close to the consumer using full truckloads, resulting in very low transportation costs. They turn their inventory relatively fast and let the customer perform most of the picking activity in the store. In contrast, Webvan turned its inventory marginally faster than supermarkets but incurred much higher transportation costs for home delivery and high labor costs to pick customer orders. The result was a company that folded in 2001 within two years of a very successful initial public offering.

As the experience of Borders illustrates, a failure to adapt supply chains to a changing environment can significantly hurt performance. Borders, along with Barnes & Noble, dominated the selling of books and music in the 1990s by implementing the superstore concept. Compared to small local bookstores that dominated the industry prior to that, Borders was able to offer greater variety (about 100,000 titles at superstores relative to fewer than 10,000 titles at a local bookstore) to customers at a lower cost by aggregating operations in large stores. This allowed the company to achieve higher inventory turns than local bookstores with lower operating costs per dollar of sales. In 2004, Borders achieved sales of almost \$4 billion with profits of \$132 million. Its model, however, was already under attack with the growth of Amazon, which offered much greater variety than Borders at lower cost by selling online and stocking its inventories in a few distribution centers. Borders inability to adapt its supply chain to compete with Amazon led to a rapid decline. By 2009, sales had dropped to \$2.8 billion and the company lost \$109 million that year.

Dell is another example of a company that enjoyed tremendous success based on its supply chain design, planning, and operation but then had to adapt its supply chain in response to shifts in technology and customer expectations. Between 1993 and 2006, Dell experienced unprecedented growth of both revenue and profits by structuring a supply chain

### Key Point

Supply chain design, planning, and operation decisions play a significant role in the success or failure of a firm. To stay competitive, supply chains must adapt to changing technology and customer expectations.

that provided customers with customized PCs quickly and at reasonable cost. By 2006, Dell had a net income of more than \$3.5 billion on revenues of just over \$56 billion. This success was based on two key supply chain features that supported rapid, low-cost customization. The first was Dell's decision to sell directly to the end customer, bypassing distributors and retailers. The second key aspect of Dell's supply chain was the centralization of manufacturing and inventories in a few locations where final assembly was postponed until the customer order arrived. As a result, Dell was able to provide a large variety of PC configurations while keeping low levels of component inventories.

In spite of this tremendous success, the changing marketplace presented some new challenges for Dell. Whereas Dell's supply chain was well suited for highly customized PCs, the market shifted to lower levels of customization. Given the growing power of hardware, customers were satisfied with a few model types. Dell reacted by adjusting its supply chain with regard to both direct selling and building to order. The company started selling its PCs through retail chains such as Wal-Mart in the United States and GOME in China. It also outsourced a large fraction of its assembly to low-cost locations, effectively building to stock rather than to customer order. Unlike Borders, Dell is making a significant effort to adapt its supply chain to changing times. It remains to be seen whether these changes will improve Dell's performance.

In the next section, we categorize supply chain decision phases based on the frequency with which they are made and the time frame they take into account.

## 1.4 DECISION PHASES IN A SUPPLY CHAIN

Successful supply chain management requires many decisions relating to the flow of information, product, and funds. Each decision should be made to raise the supply chain surplus. These decisions fall into three categories or phases, depending on the frequency of each decision and the time frame during which a decision phase has an impact. As a result, each category of decisions must consider uncertainty over the decision horizon.

**1. Supply Chain Strategy or Design:** During this phase, a company decides how to structure the supply chain over the next several years. It decides what the chain's configuration will be, how resources will be allocated, and what processes each stage will perform. Strategic decisions made by companies include whether to outsource or perform a supply chain function in-house, the location and capacities of production and warehousing facilities, the products to be manufactured or stored at various locations, the modes of transportation to be made available along different shipping legs, and the type of information system to be utilized. PepsiCo Inc.'s decision in 2009 to purchase two of its largest bottlers is a supply chain design or strategic decision. A firm must ensure that the supply chain configuration supports its strategic objectives and increases the supply chain surplus during this phase. As the PepsiCo CEO announced in a news release on August 4, "while the existing model has served the system very well, the fully integrated beverage business will enable us to bring innovative products and packages to market faster, streamline our manufacturing and distribution systems and react more quickly to

changes in the marketplace.” Supply chain design decisions are typically made for the long term (a matter of years) and are expensive to alter on short notice. Consequently, when companies make these decisions, they must take into account uncertainty in anticipated market conditions over the next few years.

**2. Supply Chain Planning:** For decisions made during this phase, the time frame considered is a quarter to a year. Therefore, the supply chain’s configuration determined in the strategic phase is fixed. This configuration establishes constraints within which planning must be done. The goal of planning is to maximize the supply chain surplus that can be generated over the planning horizon given the constraints established during the strategic or design phase. Companies start the planning phase with a forecast for the coming year (or a comparable time frame) of demand and other factors such as costs and prices in different markets. Planning includes making decisions regarding which markets will be supplied from which locations, the subcontracting of manufacturing, the inventory policies to be followed, and the timing and size of marketing and price promotions. For example, steel giant ArcelorMittal’s decisions regarding markets supplied by a production facility and target production quantities at each location are classified as planning decisions. Planning establishes parameters within which a supply chain will function over a specified period of time. In the planning phase, companies must include uncertainty in demand, exchange rates, and competition over this time horizon in their decisions. Given a shorter time frame and better forecasts than in the design phase, companies in the planning phase try to incorporate any flexibility built into the supply chain in the design phase and exploit it to optimize performance. As a result of the planning phase, companies define a set of operating policies that govern short-term operations.

**3. Supply Chain Operation:** The time horizon here is weekly or daily. During this phase, companies make decisions regarding individual customer orders. At the operational level, supply chain configuration is considered fixed, and planning policies are already defined. The goal of supply chain operations is to handle incoming customer orders in the best possible manner. During this phase, firms allocate inventory or production to individual orders, set a date that an order is to be filled, generate pick lists at a warehouse, allocate an order to a particular shipping mode and shipment, set delivery schedules of trucks, and place replenishment orders. Because operational decisions are being made in the short term (minutes, hours, or days), there is less uncertainty about demand information. Given the constraints established by the configuration and planning policies, the goal during the operation phase is to exploit the reduction of uncertainty and optimize performance.

The design, planning, and operation of a supply chain have a strong impact on overall profitability and success. It is fair to state that a large part of the success of firms such as Wal-Mart and Seven-Eleven Japan can be attributed to their effective supply chain design, planning, and operation.

In later chapters, we develop concepts and present methodologies that can be used at each of the three decision phases described earlier. Most of our discussion addresses the supply chain design and planning phases.

### Key Point

Supply chain decision phases may be categorized as design, planning, or operational, depending on the time frame during which the decisions made apply. Design decisions constrain or enable good planning, which in turn constrains or enables effective operation.

## 1.5 PROCESS VIEWS OF A SUPPLY CHAIN

A supply chain is a sequence of processes and flows that take place within and between different stages and combine to fill a customer need for a product. There are two ways to view the processes performed in a supply chain.


1. **Cycle View:** The processes in a supply chain are divided into a series of cycles, each performed at the interface between two successive stages of a supply chain.
2. **Push/Pull View:** The processes in a supply chain are divided into two categories depending on whether they are executed in response to a customer order or in anticipation of customer orders. *Pull* processes are initiated by a customer order, whereas *push* processes are initiated and performed in anticipation of customer orders.

### Cycle View of Supply Chain Processes


Given the five stages of a supply chain as shown in Figure 1-2, all supply chain processes can be broken down into the following four process cycles, as shown in Figure 1-3:

- Customer order cycle
- Replenishment cycle
- Manufacturing cycle
- Procurement cycle

Each cycle occurs at the interface between two successive stages of the supply chain. Not every supply chain will have all four cycles clearly separated. For example, a grocery supply chain in which a retailer stocks finished-goods inventories and places replenishment orders with a distributor is likely to have all four cycles separated. Dell, in contrast, bypasses the retailer and distributor when it sells directly to customers.



**FIGURE 1-3** Supply Chain Process Cycles



**FIGURE 1-4** Subprocesses in Each Supply Chain Process Cycle

Each cycle consists of six subprocesses as shown in Figure 1-4. Each cycle starts with the supplier marketing the product to customers. A buyer then places an order that is received by the supplier. The supplier supplies the order, which is received by the buyer. The buyer may return some of the product or other recycled material to the supplier or a third party. The cycle of activities then begins all over again.

Depending on the transaction in question, the subprocesses in Figure 1-4 can be applied to the appropriate cycle. When customers shop online at Amazon, they are part of the customer order cycle—with the customer as the buyer and Amazon as the supplier. In contrast, when Amazon orders books from a distributor to replenish its inventory, it is part of the replenishment cycle—with Amazon as the buyer and the distributor as the supplier.

Within each cycle, the goal of the buyer is to ensure product availability and to achieve economies of scale in ordering. The supplier attempts to forecast customer orders and reduce the cost of receiving the order. The supplier then works to fill the order on time and improve efficiency and accuracy of the order fulfillment process. The buyer then works to reduce the cost of the receiving process. Reverse flows are managed to reduce cost and meet environmental objectives.

Even though each cycle has the same basic subprocesses, there are a few important differences among the cycles. In the customer order cycle, demand is external to the supply chain and thus uncertain. In all other cycles, order placement is uncertain but can be projected based on policies followed by the particular supply chain stage. For example, in the procurement cycle, a tire supplier to an automotive manufacturer can predict tire demand precisely once the production schedule at the manufacturer is known. The second difference across cycles relates to the scale of an order. Whereas a customer buys a single car, the dealer orders multiple cars at a time from the manufacturer, and the manufacturer, in turn, orders an even larger quantity of tires from the supplier. As we move from the customer to the supplier, the number of individual orders declines and the size of each order increases. Thus, sharing of information and operating policies across supply chain stages becomes more important as we move further from the end customer.

A cycle view of the supply chain is useful when considering operational decisions because it clearly specifies the roles of each member of the supply chain. The detailed process description of a supply chain in the cycle view forces a supply chain designer to consider the infrastructure required to support these processes. The cycle view is useful, for example, when setting up information systems to support supply chain operations.

**Key Point**


A cycle view of the supply chain clearly defines the processes involved and the owners of each process. This view is useful when considering operational decisions because it specifies the roles and responsibilities of each member of the supply chain and the desired outcome for each process.

**Push/Pull View of Supply Chain Processes**


All processes in a supply chain fall into one of two categories depending on the timing of their execution relative to end customer demand. With pull processes, execution is initiated in response to a customer order. With push processes, execution is initiated in anticipation of customer orders based on a forecast. Pull processes may also be referred to as *reactive processes* because they react to customer demand. Push processes may also be referred to as *speculative processes* because they respond to speculated (or forecasted) rather than actual demand. The *push/pull boundary* in a supply chain separates push processes from pull processes as shown in Figure 1-5. Push processes operate in an uncertain environment because customer demand is not yet known. Pull processes operate in an environment in which customer demand is known. They are, however, often constrained by inventory and capacity decisions that were made in the push phase.

Let us compare a make-to-stock environment like that of L. L. Bean and a build-to-order environment like that of Dell to compare the push/pull view and the cycle view.

L. L. Bean executes all processes in the customer order cycle *after* the customer order arrives. All processes that are part of the customer order cycle are thus pull processes. Order fulfillment takes place from product in inventory that is built up in anticipation of customer orders. The goal of the replenishment cycle is to ensure product availability when a customer order arrives. All processes in the replenishment cycle are performed in anticipation of demand and are thus push processes. The same holds true for processes in the manufacturing and procurement cycles. In fact, raw material such as fabric is often purchased six to nine months before customer demand is expected. Manufacturing itself begins three to six months before the point of sale. The processes in the L. L. Bean supply chain break up into pull and push processes, as shown in Figure 1-6.




**FIGURE 1-5** Push/Pull View of the Supply Chain



**FIGURE 1-6** Push/Pull Processes for the L. L. Bean Supply Chain

For the PCs it sells through Wal-Mart, Dell's order cycles and its push/pull boundary look like that of L. L. Bean with Wal-Mart as the retailer instead of L. L. Bean and Dell as the manufacturer. The situation is different when Dell builds customized computers to order for its customers. In this case, the arrival of a customer order triggers production of the product. The manufacturing cycle is thus part of the customer order fulfillment process in the customer order cycle. There are effectively only two cycles in the Dell supply chain for customized PCs: (1) a customer order and manufacturing cycle and (2) a procurement cycle, as shown in Figure 1-7.

All processes in the customer order and manufacturing cycle at Dell are thus classified as pull processes because they are initiated by customer order arrival. Dell, however, does not place component orders in response to a customer order. Inventory is replenished in anticipation



**FIGURE 1-7** Push/Pull Processes for Dell Supply Chain for Customized PCs



**Key Point**

A push/pull view of the supply chain categorizes processes based on whether they are initiated in response to a customer order (pull) or in anticipation of a customer order (push). This view is useful when considering strategic decisions relating to supply chain design.

of customer demand. All processes in the procurement cycle for Dell are thus classified as push processes, because they are in response to a forecast. For build-to-order PCs, the processes in the Dell supply chain break up into pull and push processes as shown in Figure 1-7.

A push/pull view of the supply chain is very useful when considering strategic decisions relating to supply chain design. The goal is to identify an appropriate push/pull boundary such that the supply chain can match supply and demand effectively.

The paint industry provides another excellent example of the gains from suitably adjusting the push/pull boundary. The manufacture of paint requires production of the base, mixing of suitable colors, and packing. Until the 1980s, all these processes were performed in large factories, and paint cans were shipped to stores. These qualified as push processes, as they were performed to a forecast in anticipation of customer demand. Given the uncertainty of demand, the paint supply chain had great difficulty matching supply and demand. In the 1990s, paint supply chains were restructured such that mixing of colors was done at retail stores after customers placed their orders. In other words, color mixing was shifted from the push to the pull phase of the supply chain even though base preparation and packing of cans were still performed in the push phase. The result is that customers are always able to get the color of their choice, while total paint inventories across the supply chain have declined.

**Supply Chain Macro Processes in a Firm**

All supply chain processes discussed in the two process views and throughout this book can be classified into the following three macro processes, as shown in Figure 1-8:

1. **Customer Relationship Management (CRM):** all processes that focus on the interface between the firm and its customers
2. **Internal Supply Chain Management (ISCM):** all processes that are internal to the firm
3. **Supplier Relationship Management (SRM):** all processes that focus on the interface between the firm and its suppliers

Supplier	Firm	Customer
SRM	ISCM	CRM
<ul style="list-style-type: none"> <li>• Source</li> <li>• Negotiate</li> <li>• Buy</li> <li>• Design Collaboration</li> <li>• Supply Collaboration</li> </ul>	<ul style="list-style-type: none"> <li>• Strategic Planning</li> <li>• Demand Planning</li> <li>• Supply Planning</li> <li>• Fulfillment</li> <li>• Field Service</li> </ul>	<ul style="list-style-type: none"> <li>• Market</li> <li>• Price</li> <li>• Sell</li> <li>• Call Center</li> <li>• Order Management</li> </ul>

**FIGURE 1-8** Supply Chain Macro Processes

## Key Point

Within a firm, all supply chain activities belong to one of three macro processes: CRM, ISCM, and SRM. Integration among the three macro processes is crucial for successful supply chain management.

These three macro processes manage the flow of information, product, and funds required to generate, receive, and fulfill a customer request. The CRM macro process aims to generate customer demand and facilitate the placement and tracking of orders. It includes processes such as marketing, pricing, sales, order management, and call center management. At an industrial distributor such as W.W. Grainger, CRM processes include the preparation of catalogs and other marketing materials, management of the Web site, and management of the call center that takes orders and provides service. The ISCM macro process aims to fulfill demand generated by the CRM process in a timely manner and at the lowest possible cost. ISCM processes include the planning of internal production and storage capacity, preparation of demand and supply plans, and fulfillment of actual orders. At W.W. Grainger, ISCM processes include planning for the location and size of warehouses; deciding which products to carry at each warehouse; preparing inventory management policies; and picking, packing, and shipping actual orders. The SRM macro process aims to arrange for and manage supply sources for various goods and services. SRM processes include the evaluation and selection of suppliers, negotiation of supply terms, and communication regarding new products and orders with suppliers. At W.W. Grainger, SRM processes include the selection of suppliers for various products, negotiation of pricing and delivery terms with suppliers, sharing of demand and supply plans with suppliers, and the placement of replenishment orders.

Observe that all three macro processes are aimed at serving the same customer. For a supply chain to be successful, it is crucial that the three macro processes are well integrated. The importance of this integration is discussed in Chapters 10 and 17. The organizational structure of the firm has a strong influence on the success or failure of the integration effort. In many firms, marketing is in charge of the CRM macro process, manufacturing handles the ISCM macro process, and purchasing oversees the SRM macro process—with little communication among them. It is not unusual for marketing and manufacturing to have different forecasts when making their plans. This lack of integration hurts the supply chain's ability to match supply and demand effectively, leading to dissatisfied customers and high costs. Thus, firms should structure a supply chain organization that mirrors the macro processes and ensures good communication and coordination among the owners of processes that interact with one another.

## 1.6 EXAMPLES OF SUPPLY CHAINS

In this section, we consider several supply chains and raise questions that must be answered during their design, planning, and operation phases. In later chapters, we discuss concepts and present methodologies that can be used to answer these questions.

### Gateway and Apple: Two Different Journeys into Retailing

Gateway was founded in 1985 as a direct sales manufacturer of PCs with no retail footprint. In 1996, Gateway was one of the first PC manufacturers to start selling PCs online. After many years of selling its PCs without a retail infrastructure, Gateway introduced an aggressive strategy of opening Gateway retail stores throughout the United States in the late 1990s. Its stores carried no finished-goods inventory and were primarily focused on helping customers select the right configuration to purchase. All PCs were manufactured to order and shipped to the customer from one of the assembly plants.

Initially, investors rewarded Gateway for this strategy and raised the stock price to more than \$80 per share in late 1999. However, this success did not last. By November 2002, Gateway shares had dropped to less than \$4, and Gateway was losing a significant amount of money. By April 2004, Gateway had closed all its retail outlets and reduced the number of configurations offered to customers. In August 2007, Gateway was purchased by Taiwan's Acer for a price of \$710 million. By 2010, Gateway computers were sold through more than 20 different retail outlets including Best Buy and Costco. As you can imagine, this was quite a transition for the company to experience.

In contrast, Apple has enjoyed tremendous success since it opened its first retail store in 2001. By 2010, Apple had more than 300 stores worldwide, and retail sales represented about 15 percent of the company's total net sales. Unlike Gateway, Apple has always carried product inventory at its stores. Given its product designs, Apple has relatively little variety that it carries in its stores. Each of its stores has a relatively high level of sales with its Regent Street store in London reaching sales of 2,000 pounds per square foot in 2009. In the 2010 annual report, Apple listed retail sales totaling almost \$10 billion, a growth of 47 percent relative to the previous year.

The following questions highlight supply chain decisions that have a bearing on the difference between Apple's and Gateway's performance:

1. Why did Gateway choose not to carry any finished-product inventory at its retail stores? Why did Apple choose to carry inventory at its stores?
2. Should a firm with an investment in retail stores carry any finished-goods inventory? What are the characteristics of products that are most suitable to be carried in finished-goods inventory? What characterizes products that are best manufactured to order?
3. How does product variety affect the level of inventory a retail store must carry?
4. Is a direct selling supply chain without retail stores always less expensive than a supply chain with retail stores?
5. What factors explain the success of Apple retail and the failure of Gateway country stores?

### **Zara: Apparel Manufacturing and Retail**

Zara is a chain of fashion stores owned by Inditex, Spain's largest apparel manufacturer and retailer. In 2009, Inditex reported sales of about 11 billion euros from more than 4,700 retail outlets in about 76 countries. In an industry in which customer demand is fickle, Zara has grown rapidly with a strategy to be highly responsive to changing trends with affordable prices. Whereas design-to-sales cycle times in the apparel industry have traditionally averaged more than six months, Zara has achieved cycle times of four to six weeks. This speed allows Zara to introduce new designs every week and to change 75 percent of its merchandise display every three to four weeks. Thus, Zara's products on display match customer preferences much more closely than the competition. The result is that Zara sells most of its products at full price and has about half the markdowns in its stores compared to the competition.

Zara manufactures its apparel using a combination of flexible and quick sources in Europe (mostly Portugal and Spain) and low-cost sources in Asia. This contrasts with most apparel manufacturers, who have moved most of their manufacturing to Asia. About 40 percent of the manufacturing capacity is owned by Inditex, with the rest outsourced. Products with highly uncertain demand are sourced out of Europe, whereas products that are more predictable are sourced from its Asian locations. More than 40 percent of its finished-goods purchases and most of its in-house production occur after the sales season starts. This compares with less than 20 percent production after the start of a sales season for a typical retailer. This responsiveness and the postponement of decisions until after trends are known allow Zara to reduce inventories and forecast error. Zara has also invested heavily in information technology to ensure that the latest sales data are available to drive replenishment and production decisions.

In 2009, Inditex distributed to stores all over the world from eight distribution centers located in Spain. The group claimed an average delivery time of 24 hours for European stores and up to a maximum of 48 hours for stores in America or Asia from the time the order was

received in the distribution center (DC) to the time it was delivered to the stores. Shipments from the DCs to stores were made several times a week. This allowed store inventory to closely match customer demand.

The following questions raise supply chain issues that are central to Zara's strategy and success:

1. What advantage does Zara gain against the competition by having a very responsive supply chain?
2. Why has Inditex chosen to have both in-house manufacturing and outsourced manufacturing? Why has Inditex maintained manufacturing capacity in Europe even though manufacturing in Asia is much cheaper?
3. Why does Zara source products with uncertain demand from local manufacturers and products with predictable demand from Asian manufacturers?
4. What advantage does Zara gain from replenishing its stores multiple times a week compared to a less frequent schedule? How does the frequency of replenishment affect the design of its distribution system?
5. Do you think Zara's responsive replenishment infrastructure is better suited for online sales or retail sales?

### **W.W. Grainger and McMaster-Carr: MRO Suppliers**

W.W. Grainger and McMaster-Carr sell maintenance, repair, and operations (MRO) products. Both companies have catalogs and Web pages through which orders can be placed. W.W. Grainger also has several hundred stores throughout the United States. Customers can walk into a store, call in an order, or place it via the Web. W.W. Grainger orders are either shipped to the customer or picked up by the customer at one of its stores. McMaster-Carr, on the other hand, ships almost all its orders (though a few customers near its DCs do pick up their own orders). W.W. Grainger has nine DCs that both replenish stores and fill customer orders. McMaster has five DCs from which all orders are filled. Neither McMaster nor W.W. Grainger manufactures any product. They primarily serve the role of a distributor or retailer. Their success is largely linked to their supply chain management ability.

Both firms offer several hundred thousand products to their customers. Grainger stocks about 200,000 stock-keeping units (SKU), whereas McMaster carries about 500,000. Grainger also provides many other products that it does not stock direct from its suppliers. Both firms face the following strategic and operational issues:

1. How many DCs should be built and where should they be located?
2. How should product stocking be managed at the DCs? Should all DCs carry all products?
3. What products should be carried in inventory and what products should be left with the supplier to be shipped directly in response to a customer order?
4. What products should W.W. Grainger carry at a store?
5. How should markets be allocated to DCs in terms of order fulfillment? What should be done if an order cannot be completely filled from a DC? Should there be specified backup locations? How should they be selected?
6. How should replenishment of inventory be managed at the various stocking locations?
7. How should Web orders be handled relative to the existing business? Is it better to integrate the Web business with the existing business or to set up separate distribution?
8. What transportation modes should be used for order fulfillment and stock replenishment?

### **Toyota: A Global Auto Manufacturer**

Toyota Motor Corporation is Japan's top auto manufacturer and has experienced significant growth in global sales over the past two decades. A key issue facing Toyota is the design of its global production and distribution network. Part of Toyota's global strategy is to open factories in every market it serves. Toyota must decide what the production capability of each of the

factories will be, as this has a significant impact on the desired distribution system. At one extreme, each plant can be equipped only for local production. At the other extreme, each plant is capable of supplying every market. Prior to 1996, Toyota used specialized local factories for each market. After the Asian financial crisis in 1996/1997, Toyota redesigned its plants so that it could also export to markets that remain strong when the local market weakens. Toyota calls this strategy “global complementation.”

Whether to be global or local is also an issue for Toyota’s parts plants and product design. Should parts plants be built for local production or should there be few parts plants globally that supply multiple assembly plants? Toyota has worked hard to increase commonality in parts used around the globe. While this helped the company lower costs and improve parts availability, common parts caused significant difficulty when one of the parts had to be recalled. In 2009, Toyota had to recall about 12 million cars using common parts across North America, Europe and Asia causing significant damage to the brand as well as the finances.

Any global manufacturer like Toyota must address the following questions regarding the configuration and capability of the supply chain:

1. Where should the plants be located and what degree of flexibility should be built into each? What capacity should each plant have?
2. Should plants be able to produce for all markets or only specific contingency markets?
3. How should markets be allocated to plants and how frequently should this allocation be revised?
4. What kind of flexibility should be built into the distribution system?
5. How should this flexible investment be valued?
6. What actions may be taken during product design to facilitate this flexibility?

### **Amazon: Online Sales**

Amazon sells books, music, and many other items over the Internet and is one of the pioneers of online consumer sales. Amazon, based in Seattle, Washington, started by filling all orders using books purchased from a distributor in response to customer orders. As it grew, the company added warehouses, allowing it to react more quickly to customer orders. In 2009, Amazon had about 20 warehouses in the United States and another 30 in the rest of the world. It uses the U.S. Postal Service and other package carriers such as UPS and FedEx to send products to customers. Outbound shipping-related costs at Amazon in 2009 were almost \$2 billion.

With the Kindle, Amazon has worked hard to increase sales of digital books. As of 2009, Amazon offered more than 460,000 books in digital form. The company has also added a significant amount of audio and video content for sale in digital form.

Amazon has continued to expand the set of products that it sells online. Besides books and music, Amazon has added many product categories such as toys, apparel, electronics, jewelry, and shoes. In 2009, one of its largest acquisitions was Zappos, a leader in online shoe sales. This acquisition added a lot of product variety. According to the Amazon annual report, this required creating 121,000 product descriptions and uploading more than 2.2 million images to the Web site! In 2010, another interesting acquisition by Amazon was diapers.com. Unlike Zappos, this acquisition added little variety but considerable shipping volumes.

Several questions arise concerning how Amazon is structured and the product categories it continues to add:

1. Why is Amazon building more warehouses as it grows? How many warehouses should it have and where should they be located?
2. What advantages does selling books via the Internet provide over a traditional bookstore? Are there any disadvantages to selling via the Internet?
3. Should Amazon stock every product it sells?
4. What advantage can bricks-and-mortar players derive from setting up an online channel? How should they use the two channels to gain maximum advantage?

5. What advantages/disadvantages does the online channel enjoy in the sale of shoes /diapers relative to a retail store?
6. For what products does the online channel offer the greater advantage relative to retail stores? What characterizes these products?

## 1.7 SUMMARY OF LEARNING OBJECTIVES

**1. Discuss the goal of a supply chain and explain the impact of supply chain decisions on the success of a firm.** The goal of a supply chain should be to maximize overall supply chain surplus. Supply chain surplus is the difference between the value generated for the customer and the total cost incurred across all stages of the supply chain. A focus on the supply chain surplus grows the size of the overall pie for all members of the supply chain. Supply chain decisions have a large impact on the success or failure of each firm because they significantly influence both the revenue generated and the cost incurred. Successful supply chains manage flows of product, information, and funds to provide a high level of product availability to the customer while keeping costs low.

**2. Identify the three key supply chain decision phases and explain the significance of each one.** Supply chain decisions may be characterized as strategic (design), planning, or operational, depending on the time period during which they apply. Strategic decisions relate to supply chain configuration. These decisions have a long-term impact lasting several years. Planning decisions cover a period of a few months to a year and include decisions such as production plans, subcontracting, and promotions over that period. Operational decisions span from minutes to days and include sequencing production and filling specific orders. Strategic decisions define the constraints for planning decisions, and planning decisions define the constraints for operational decisions.

**3. Describe the cycle and push/pull views of a supply chain.** A cycle view of a supply chain divides processes into cycles, each performed at the interface between two successive stages of a supply chain. Each cycle starts with an order placed by one stage of the supply chain and ends when the order is received from the supplier stage. A push/pull view of a supply chain characterizes processes based on their timing relative to that of a customer order. Pull processes are performed in response to a customer order, whereas push processes are performed in anticipation of customer orders.

**4. Classify the supply chain macro processes in a firm.** All supply chain processes can be classified into three macro processes based on whether they are at the customer or supplier interface or are internal to the firm. The CRM macro process consists of all processes at the interface between the firm and the customer that work to generate, receive, and track customer orders. The ISCM macro process consists of all supply chain processes that are internal to the firm and work to plan for and fulfill customer orders. The SRM macro process consists of all supply chain processes at the interface between the firm and its suppliers that work to evaluate and select suppliers and then source goods and services from them.

---

## Discussion Questions

1. Consider the purchase of a can of soda at a convenience store. Describe the various stages in the supply chain and the different flows involved.
2. Why should a firm such as Dell take into account total supply chain profitability when making decisions?
3. What are some strategic, planning, and operational decisions that must be made by an apparel retailer such as The Gap?
4. Consider the supply chain involved when a customer purchases a book at a bookstore. Identify the cycles in this supply chain and the location of the push/pull boundary.
5. Consider the supply chain involved when a customer orders a book from Amazon. Identify the push/pull boundary and two processes each in the push and pull phases.
6. In what way do supply chain flows affect the success or failure of a firm such as Amazon? List two supply chain decisions that have a significant impact on supply chain profitability.

## Bibliography

- Cavinato, Joseph L. "What's Your Supply Chain Type?" *Supply Chain Management Review* (May–June 2002): 60–66.
- Fisher, Marshall L. "What Is the Right Supply Chain for Your Product?" *Harvard Business Review* (March–April 1997): 83–93.
- Fuller, Joseph B., James O'Conner, and Richard Rawlinson. "Tailored Logistics: The Next Advantage." *Harvard Business Review* (May–June 1993): 87–98.
- Kopczak, Laura R., and M. Eric Johnson. "The Supply Chain Management Effect." *Sloan Management Review* (Spring 2003): 27–34.
- Lambert, Douglas M. "The Eight Essential Supply Chain Management Processes." *Supply Chain Management Review* (September 2004): 18–26.
- Lee, Hau L. "Aligning Supply Chain Strategies with Product Uncertainties." *California Management Review* (Spring 2002): 105–119.
- Magretta, Joan. "Fast, Global, and Entrepreneurial: Supply Chain Management, Hong Kong Style." *Harvard Business Review* (September–October 1998): 102–114.
- Magretta, Joan. "The Power of Virtual Integration: An Interview with Dell Computer's Michael Dell." *Harvard Business Review* (March–April 1998): 72–84.
- O'Marah, Kevin. "Winning Tactics: Lessons from the Supply Chain Top 25." *Supply Chain Management Review* (September–October 2010): 14–21.
- Poirier, Charles C., Francis J. Quinn, and Morgan L. Swink. *Diagnosing Greatness: Ten Traits of the Best Supply Chains*. Ft. Lauderdale, FL: J. Ross Publishing, 2009.
- Quinn, Francis J. "Reengineering the Supply Chain: An Interview with Michael Hammer." *Supply Chain Management Review* (Spring 1999): 20–26.
- Robeson, James F., and William C. Copacino, eds. *The Logistics Handbook*. New York: Free Press, 1994.
- Shapiro, Roy D. "Get Leverage from Logistics." *Harvard Business Review* (May–June 1984): 119–127.
- Slone, Reuben E. "Leading a Supply Chain Turnaround." *Harvard Business Review* (October 2004): 114–121.

# 2



## Supply Chain Performance: Achieving Strategic Fit and Scope

### LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Explain why achieving strategic fit is critical to a company's overall success.
2. Describe how a company achieves strategic fit between its supply chain strategy and its competitive strategy.
3. Discuss the importance of expanding the scope of strategic fit across the supply chain.
4. Describe the major challenges that must be overcome to manage a supply chain successfully.

In Chapter 1, we discussed what a supply chain is and the importance of supply chain design, planning, and operation to a firm's success. In this chapter, we define supply chain strategy and explain how creating a strategic fit between a company's competitive strategy and its supply chain strategy affects performance. We also discuss the importance of expanding the scope of strategic fit from one operation within a company to all stages of the supply chain.


### 2.1 COMPETITIVE AND SUPPLY CHAIN STRATEGIES

A company's *competitive strategy* defines, relative to its competitors, the set of customer needs that it seeks to satisfy through its products and services. For example, Wal-Mart aims to provide high availability of a variety of products of reasonable quality at low prices. Most products sold at Wal-Mart are commonplace (everything from home appliances to clothing) and can be purchased elsewhere. What Wal-Mart provides is a low price and product availability. McMaster-Carr sells maintenance, repair, and operations (MRO) products. It offers more than 500,000 products through both a catalog and a Web site. Its competitive strategy is built around providing the customer with convenience, availability, and responsiveness. With this focus on responsiveness, McMaster does not compete based on low price. Clearly, the competitive strategy at Wal-Mart is different from that at McMaster.

We can also contrast Blue Nile, with its online retailing model for diamonds, with Zales, which sells diamond jewelry through retail outlets. Blue Nile has emphasized the variety of diamonds available from its Web site and the fact that its margins are significantly lower than its bricks-and-mortar competition. Customers, however, have to wait to get their jewelry and do not have any opportunity to touch and see it before purchase (Blue Nile does provide a 30-day return period). At Zales, in contrast, a customer can walk into the retail store, be helped by a salesperson, and leave immediately with a diamond ring. The amount of variety available at a Zales store, however, is limited. Whereas Blue Nile offers more than 70,000 stones on its site, a typical Zales store carries less than a thousand.

In each case, the competitive strategy is defined based on how the customer prioritizes product cost, delivery time, variety, and quality. A McMaster-Carr customer places greater emphasis on product variety and response





**FIGURE 2-1** The Value Chain in a Company

time than on cost. A Wal-Mart customer, in contrast, places greater emphasis on cost. A Blue Nile customer, purchasing online, places great emphasis on product variety and cost. A customer purchasing jewelry at Zales is most concerned with fast response time and help in product selection. Thus, a firm's competitive strategy will be defined based on its customers' priorities. Competitive strategy targets one or more customer segments and aims to provide products and services that satisfy these customers' needs.

To see the relationship between competitive and supply chain strategies, we start with the value chain for a typical organization, as shown in Figure 2-1.

The value chain begins with new product development, which creates specifications for the product. Marketing and sales generate demand by publicizing the customer priorities that the products and services will satisfy. Marketing also brings customer input back to new product development. Using new product specifications, operations transforms inputs to outputs to create the product. Distribution either takes the product to the customer or brings the customer to the product. Service responds to customer requests during or after the sale. These are core processes or functions that must be performed for a successful sale. Finance, accounting, information technology, and human resources support and facilitate the functioning of the value chain.

To execute a company's competitive strategy, all these functions play a role, and each must develop its own strategy. Here, *strategy* refers to what each process or function will try to do particularly well.

A *product development* strategy specifies the portfolio of new products that a company will try to develop. It also dictates whether the development effort will be made internally or outsourced. A *marketing and sales* strategy specifies how the market will be segmented and how the product will be positioned, priced, and promoted. A *supply chain strategy* determines the nature of procurement of raw materials, transportation of materials to and from the company, manufacture of the product or operation to provide the service, and distribution of the product to the customer, along with any follow-up service and a specification of whether these processes will be performed in-house or outsourced. Supply chain strategy specifies what the operations, distribution, and service functions, whether performed in-house or outsourced, should do particularly well. Because our focus here is on supply chain strategy, we define it in more detail. Supply chain strategy includes a specification of the broad structure of the supply chain and what many traditionally call "supplier strategy," "operations strategy," and "logistics strategy." For example, Dell's initial decision to sell direct, its 2007 decision to start selling PCs through resellers, and Cisco's decision to use contract manufacturers define the broad structure of their supply chains and are all part of their supply chain strategies. Supply chain strategy also includes design decisions regarding inventory, transportation, operating facilities, and information flows. For example, Amazon's decisions to build warehouses to stock some products and to continue using distributors as a source of other products are part of its supply chain strategy. Similarly, Toyota's decision to have production facilities in each of its major markets is part of its supply chain strategy.

For a firm to succeed, all functional strategies must support one another and the competitive strategy. For example, Seven-Eleven Japan's success can be related to the excellent fit among its functional strategies. Marketing at Seven-Eleven has emphasized convenience in the form of easy

access to stores and availability of a wide range of products and services. New product development at Seven-Eleven is constantly adding products and services, such as bill payment services that draw customers in and exploit the excellent information infrastructure and the fact that customers frequently visit Seven-Eleven. Operations and distribution at Seven-Eleven have focused on having a high density of stores, being very responsive, and providing an excellent information infrastructure. The result is a virtuous cycle in which supply chain infrastructure is exploited to offer new products and service that increase demand, and the increased demand in turn makes it easier for operations to improve the density of stores, responsiveness in replenishment, and the information infrastructure.

In the next section, we elaborate on this notion of fit and seek to answer this question: Given its competitive strategy, what should a company's supply chain try to do particularly well?

## 2.2 ACHIEVING STRATEGIC FIT

*Strategic fit* requires that both the competitive and supply chain strategies of a company have aligned goals. It refers to consistency between the customer priorities that the competitive strategy hopes to satisfy and the supply chain capabilities that the supply chain strategy aims to build. For a company to achieve strategic fit, it must accomplish the following:

1. The competitive strategy and all functional strategies must fit together to form a coordinated overall strategy. Each functional strategy must support other functional strategies and help a firm reach its competitive strategy goal.
2. The different functions in a company must appropriately structure their processes and resources to be able to execute these strategies successfully.
3. The design of the overall supply chain and the role of each stage must be aligned to support the supply chain strategy.

A company may fail either because of a lack of strategic fit or because its overall supply chain design, processes, and resources do not provide the capabilities to support the desired strategic fit. Consider, for example, a situation in which marketing is publicizing a company's ability to provide a large variety of products quickly; simultaneously, distribution is targeting the lowest cost means of transportation. In this situation, it is likely that distribution will delay orders so it can get better transportation economies by grouping orders together or using inexpensive but slow modes of transportation. This action conflicts with marketing's stated goal of providing variety quickly. Similarly, consider a scenario in which a retailer has decided to provide a high level of variety while carrying low levels of inventory but has selected suppliers and carriers based on their low price and not their responsiveness. In this case, the retailer is likely to end up with unhappy customers because of poor product availability.

To elaborate on strategic fit, let us consider the evolution of Dell and its supply chain. Between 1993 and 2006, Dell's competitive strategy was to provide a large variety of customizable products at a reasonable price. Given the focus on customization, Dell's supply chain was designed to be very responsive. Assembly facilities owned by Dell were designed to be flexible and to easily handle the wide variety of configurations requested by customers. A facility that focused on low cost and efficiency by producing large volumes of the same configuration would not have been appropriate in this setting.

The notion of strategic fit also extended to other functions within Dell. Dell PCs were designed to use common components and to allow rapid assembly. This design strategy clearly aligned well with the supply chain's goal of assembling customized PCs in response to customer orders. Dell worked hard to carry this alignment to its suppliers. Given that Dell produced customized products with low levels of inventory, it was crucial that suppliers and carriers be highly responsive. For example, the ability of carriers to merge a PC from Dell with a monitor from Sony allowed Dell not to carry any Sony monitors in inventory.

Starting in 2007, however, Dell altered its competitive strategy and supply chain. While it continued to offer customization, the company also branched out into selling PCs through retail stores such as Wal-Mart. The assortment at retail, however, is very different from the focus on customization in the direct sales channel. Through Wal-Mart, Dell offers a limited variety of desktops and laptops. It is also essential that monitors and other peripherals be available in inventory because a customer buying a PC at Wal-Mart is not willing to wait for the monitor to show up later. Clearly, the flexible and responsive supply chain that aligns well with customer needs for customization does not necessarily align well when customers no longer want customization but prefer low prices. This raises the question of how Dell should adjust the various functional strategies given the change in competitive strategy if it is to maintain strategic fit. One of Dell's initial responses has been to not build everything to order and increase its reliance on contract manufacturers based in low-cost countries for assembly.

### How Is Strategic Fit Achieved?

What does a company need to do to achieve that all-important strategic fit between the supply chain and competitive strategies? A competitive strategy will specify, either explicitly or implicitly, one or more customer segments that a company hopes to satisfy. To achieve strategic fit, a company must ensure that its supply chain capabilities support its ability to satisfy the needs of the targeted customer segments.

There are three basic steps to achieving this strategic fit, which we outline here and then discuss in more detail:

1. **Understanding the Customer and Supply Chain Uncertainty:** First, a company must understand the customer needs for each targeted segment and the uncertainty these needs impose on the supply chain. These needs help the company define the desired cost and service requirements. The supply chain uncertainty helps the company identify the extent of the unpredictability of demand, disruption, and delay that the supply chain must be prepared for.
2. **Understanding the Supply Chain Capabilities:** Each of the many types of supply chains is designed to perform different tasks well. A company must understand what its supply chain is designed to do well.
3. **Achieving Strategic Fit:** If a mismatch exists between what the supply chain does particularly well and the desired customer needs, the company will either need to restructure the supply chain to support the competitive strategy or alter its competitive strategy.

**STEP 1: UNDERSTANDING THE CUSTOMER AND SUPPLY CHAIN UNCERTAINTY** To understand the customer, a company must identify the needs of the customer segment being served. Let us compare Seven-Eleven Japan and a discounter such as Sam's Club (a part of Walmart). When customers go to Seven-Eleven to purchase detergent, they go there for the convenience of a nearby store and are not necessarily looking for the lowest price. In contrast, low price is very important to a Sam's Club customer. This customer may be willing to tolerate less variety and even purchase large package sizes as long as the price is low. Even though customers purchase detergent at both places, the demand varies along certain attributes. In the case of Seven-Eleven, customers are in a hurry and want convenience. In the case of Sam's Club, they want a low price and are willing to spend time getting it. In general, customer demand from different segments varies along several attributes as follows:

- **The Quantity of the Product Needed in Each Lot:** An emergency order for material needed to repair a production line is likely to be small. An order for material to construct a new production line is likely to be large.
- **The Response Time That Customers Are Willing to Tolerate:** The tolerable response time for the emergency order is likely to be short, whereas the allowable response time for the construction order is apt to be long.

- **The Variety of Products Needed:** A customer may place a high premium on the availability of all parts of an emergency repair order from a single supplier. This may not be the case for the construction order.
- **The Service Level Required:** A customer placing an emergency order expects a high level of product availability. This customer may go elsewhere if all parts of the order are not immediately available. This is not apt to happen in the case of the construction order, for which a long lead time is likely.
- **The Price of the Product:** The customer placing the emergency order is apt to be much less sensitive to price than the customer placing the construction order.
- **The Desired Rate of Innovation in the Product:** Customers at a high-end department store expect a lot of innovation and new designs in the store's apparel. Customers at Walmart may be less sensitive to new product innovation.

Each customer in a particular segment will tend to have similar needs, whereas customers in a different segment can have very different needs.

Although we have described the many attributes along which customer demand varies, our goal is to identify one key measure for combining all of these attributes. This single measure then helps define what the supply chain should do particularly well.

**Implied Demand Uncertainty.** At first glance, it may appear that each of the customer need categories should be viewed differently, but in a fundamental sense, each customer need can be translated into the metric of *implied demand uncertainty*, which is demand uncertainty imposed on the supply chain because of the customer needs it seeks to satisfy.

We make a distinction between demand uncertainty and implied demand uncertainty. *Demand uncertainty* reflects the uncertainty of customer demand for a product. *Implied demand uncertainty*, in contrast, is the resulting uncertainty for only the portion of the demand that the supply chain plans to satisfy based on the attributes the customer desires. For example, a firm supplying only emergency orders for a product will face a higher implied demand uncertainty than a firm that supplies the same product with a long lead time, as the second firm has an opportunity to fulfill the orders evenly over the long lead time.

Another illustration of the need for this distinction is the impact of service level. As a supply chain raises its level of service, it must be able to meet a higher and higher percentage of actual demand, forcing it to prepare for rare surges in demand. Thus, raising the service level increases the implied demand uncertainty even though the product's underlying demand uncertainty does not change.

Both the product demand uncertainty and various customer needs that the supply chain tries to fill affect implied demand uncertainty. Table 2-1 illustrates how various customer needs affect implied demand uncertainty.

**Table 2-1** Impact of Customer Needs on Implied Demand Uncertainty

Customer Need	Causes Implied Demand Uncertainty to...
Range of quantity required increases	Increase because a wider range of the quantity required implies greater variance in demand
Lead time decreases	Increase because there is less time in which to react to orders
Variety of products required increases	Increase because demand per product becomes more disaggregate
Number of channels through which product may be acquired increases	Increase because the total customer demand is now disaggregated over more channels
Rate of innovation increases	Increase because new products tend to have more uncertain demand
Required service level increases	Increase because the firm now has to handle unusual surges in demand

**Table 2-2** Correlation Between Implied Demand Uncertainty and Other Attributes

	Low Implied Uncertainty	High Implied Uncertainty
Product margin	Low	High
Average forecast error	10%	40% to 100%
Average stockout rate	1% to 2%	10% to 40%
Average forced season-end markdown	0%	10% to 25%

Source: Adapted from “What Is the Right Supply Chain for Your Product?” Marshall L. Fisher, *Harvard Business Review* (March–April 1997), 83–93.

As each individual customer need contributes to the implied demand uncertainty, we can use implied demand uncertainty as a common metric with which to distinguish different types of demand.

Fisher (1997) pointed out that implied demand uncertainty is often correlated with other characteristics of demand, as shown in Table 2-2. An explanation follows:

1. Products with uncertain demand are often less mature and have less direct competition. As a result, margins tend to be high.
2. Forecasting is more accurate when demand has less uncertainty.
3. Increased implied demand uncertainty leads to increased difficulty in matching supply with demand. For a given product, this dynamic can lead to either a stockout or an oversupply situation. Increased implied demand uncertainty thus leads to both higher oversupply and a higher stockout rate.
4. Markdowns are high for products with greater implied demand uncertainty because oversupply often results.

First, let us take an example of a product with low implied demand uncertainty—such as table salt. Salt has a low margin, accurate demand forecasts, low stockout rates, and virtually no markdowns. These characteristics match well with Fisher’s chart of characteristics for products with highly certain demand.


On the other end of the spectrum, a new cell phone has high implied demand uncertainty. It will likely have a high margin, inaccurate demand forecasts, high stockout rates (if it is successful), and large markdowns (if it is a failure). This too matches well with Table 2-2.

Lee (2002) pointed out that along with demand uncertainty, it is important to consider uncertainty resulting from the capability of the supply chain. For example, when a new component is introduced in the PC industry, the quality yields of the production process tend to be low and breakdowns are frequent. As a result, companies have difficulty delivering according to a well-defined schedule, resulting in high supply uncertainty for PC manufacturers. As the production technology matures and yields improve, companies are able to follow a fixed delivery schedule, resulting in low supply uncertainty. Table 2-3 illustrates how various characteristics of supply sources affect the supply uncertainty.

**Table 2-3** Impact of Supply Source Capability on Supply Uncertainty

Supply Source Capability	Causes Supply Uncertainty to...
Frequent breakdowns	Increase
Unpredictable and low yields	Increase
Poor quality	Increase
Limited supply capacity	Increase
Inflexible supply capacity	Increase
Evolving production process	Increase

Source: Adapted from “Aligning Supply Chain Strategies with Product Uncertainties.” Hau L. Lee, *California Management Review* (Spring 2002), 105–19.



**FIGURE 2-2** The Implied Uncertainty (Demand and Supply) Spectrum

Supply uncertainty is also strongly affected by the life-cycle position of the product. New products being introduced have higher supply uncertainty because designs and production processes are still evolving. In contrast, mature products have less supply uncertainty.

We can create a spectrum of uncertainty by combining the demand and supply uncertainty. This implied uncertainty spectrum is shown in Figure 2-2.

A company introducing a brand-new cell phone based on entirely new components and technology faces high implied demand uncertainty and high supply uncertainty. As a result, the implied uncertainty faced by the supply chain is extremely high. In contrast, a supermarket selling salt faces low implied demand uncertainty and low levels of supply uncertainty, resulting in a low implied uncertainty. Many agricultural products such as coffee are examples of supply chains facing low levels of implied demand uncertainty but significant supply uncertainty based on weather. The supply chain thus has to face an intermediate level of implied uncertainty.

### Key Point

The first step in achieving strategic fit between competitive and supply chain strategies is to understand customers and supply chain uncertainty. Uncertainty from the customer and the supply chain can be combined and mapped on the implied uncertainty spectrum.

**STEP 2: UNDERSTANDING THE SUPPLY CHAIN CAPABILITIES** After understanding the uncertainty that the company faces, the next question is: How does the firm best meet demand in that uncertain environment? Creating strategic fit is all about creating a supply chain strategy that best meets the demand a company has targeted given the uncertainty it faces.

We now consider the characteristics of supply chains and categorize them based on different characteristics that influence their responsiveness and efficiency.

First, we provide some definitions. *Supply chain responsiveness* includes a supply chain's ability to do the following:

- Respond to wide ranges of quantities demanded
- Meet short lead times
- Handle a large variety of products
- Build highly innovative products
- Meet a high service level
- Handle supply uncertainty


These abilities are similar to many of the characteristics of demand and supply that led to high implied uncertainty. The more of these abilities a supply chain has, the more responsive it is.

Responsiveness, however, comes at a cost. For instance, to respond to a wider range of quantities demanded, capacity must be increased, which increases costs. This increase in cost leads to the second definition: *Supply chain efficiency* is the inverse of the cost of making and delivering a product to the customer. Increases in cost lower efficiency. For every strategic choice to increase responsiveness, there are additional costs that lower efficiency.


The *cost-responsiveness efficient frontier* is the curve in Figure 2-3 showing the lowest possible cost for a given level of responsiveness. Lowest cost is defined based on existing technology; not every firm is able to operate on the efficient frontier, which represents the cost-responsiveness performance of the best supply chains. A firm that is not on the efficient frontier can improve both its responsiveness and its cost performance by moving toward the efficient frontier. In contrast, a firm on the efficient frontier can improve its responsiveness only by increasing cost and becoming less efficient. Such a firm must then make a trade-off between efficiency and responsiveness. Of course, firms on the efficient frontier are also continuously improving their processes and changing technology to shift the efficient frontier itself. Given the trade-off between cost and responsiveness, a key strategic choice for any supply chain is the level of responsiveness it seeks to provide.

Supply chains range from those that focus solely on being responsive to those that focus on a goal of producing and supplying at the lowest possible cost. Figure 2-4 shows the responsiveness spectrum and where some supply chains fall on this spectrum.

The more capabilities constituting responsiveness a supply chain has, the more responsive it is. Seven-Eleven Japan replenishes its stores with breakfast items in the morning, lunch items in the afternoon, and dinner items at night. As a result, the available product variety changes by time of day. Seven-Eleven responds quickly to orders, with store managers placing replenishment orders less than 12 hours before they are supplied. This practice makes the Seven-Eleven supply chain very responsive. Another example of a responsive supply chain is W.W. Grainger. The company faces both demand and supply uncertainty; therefore, the supply chain has been designed to deal effectively with both to provide customers with a wide variety of MRO products within 24 hours. An efficient supply chain, in contrast, lowers cost by eliminating some of its responsive capabilities. For example, Sam's Club sells a limited variety of products in large package sizes. The supply chain is capable of low costs, and the focus of this supply chain is clearly on efficiency.



**FIGURE 2-3** Cost-Responsiveness Efficient Frontier



**FIGURE 2-4** The Responsiveness Spectrum

### Key Point

The second step in achieving strategic fit between competitive and supply chain strategies is to understand the supply chain and map it on the responsiveness spectrum.


**STEP 3: ACHIEVING STRATEGIC FIT** After mapping the level of implied uncertainty and understanding the supply chain position on the responsiveness spectrum, the third and final step is to ensure that the degree of supply chain responsiveness is consistent with the implied uncertainty. The goal is to target high responsiveness for a supply chain facing high implied uncertainty, and efficiency for a supply chain facing low implied uncertainty.

For example, the competitive strategy of McMaster-Carr targets customers who value having a large variety of MRO products delivered to them within 24 hours. Given the large variety of products and rapid desired delivery, demand from McMaster-Carr customers can be characterized as having high implied demand uncertainty. McMaster-Carr has the option of designing an efficient or responsive supply chain. An efficient supply chain may carry less inventory and maintain a level load on the warehouse to lower picking and packing costs. If McMaster-Carr made these choices, it would have difficulty supporting the customer's desire for a wide variety of products that are delivered within 24 hours. To serve its customers effectively, McMaster-Carr carries a high level of inventory and picking and packing capacity. Clearly, a responsive supply chain is better suited to meet the needs of customers targeted by McMaster-Carr even if it results in higher costs.

Now, consider a pasta manufacturer such as Barilla. Pasta is a product with relatively stable customer demand, giving it a low implied demand uncertainty. Supply is also quite predictable. Barilla could design a highly responsive supply chain in which pasta is custom made in small batches in response to customer orders and shipped via a rapid transportation mode such as FedEx. This choice would obviously make the pasta prohibitively expensive, resulting in a loss of customers. Barilla therefore is in a much better position if it designs a more efficient supply chain with a focus on cost reduction.

From the preceding discussion, it follows that increasing implied uncertainty from customers and supply sources is best served by increasing responsiveness from the supply chain. This relationship is represented by the "zone of strategic fit" illustrated in Figure 2-5. For a high level of performance, companies should move their competitive strategy (and resulting implied uncertainty) and supply chain strategy (and resulting responsiveness) toward the zone of strategic fit.






**FIGURE 2-5** Finding the Zone of Strategic Fit

The next step in achieving strategic fit is to assign roles to different stages of the supply chain that ensure the appropriate level of responsiveness. It is important to understand that the desired level of responsiveness required across the supply chain may be attained by assigning different levels of responsiveness and efficiency to each stage of the supply chain as illustrated by the following examples.

IKEA is a Swedish furniture retailer with large stores in more than 20 countries. IKEA has targeted customers who want stylish furniture at a reasonable cost. The company limits the variety of styles that it sells through modular design. The large scale of each store and the limited variety of furniture (through modular design) decrease the implied uncertainty faced by the supply chain. IKEA stocks all styles in inventory and serves customers from stock. Thus, it uses inventory to absorb all the uncertainty faced by the supply chain. The presence of inventory at large IKEA stores allows replenishment orders to its manufacturers to be more stable and predictable. As a result, IKEA passes along little uncertainty to its manufacturers, who tend to be located in low-cost countries and focus on efficiency. IKEA provides responsiveness in the supply chain, with the stores absorbing most of the uncertainty and being responsive, and the suppliers absorbing little uncertainty and being efficient.

In contrast, another approach for responsiveness may involve the retailer holding little inventory. In this case, the retailer does not contribute significantly to supply chain responsiveness, and most of the implied demand uncertainty is passed on to the manufacturer. For the supply chain to be responsive, the manufacturer now needs to be flexible and have low response times. An example of this approach is England, Inc., a furniture manufacturer located in Tennessee. Every week, the company makes several thousand sofas and chairs to order, delivering them to furniture stores across the country within three weeks. England Inc.'s retailers allow customers to select from a wide variety of styles and promise relatively quick delivery. This imposes a high level of implied uncertainty on the supply chain. The retailers, however, do not carry much inventory and pass most of the implied uncertainty on to England, Inc. The retailers can thus be efficient because most of the implied uncertainty for the supply chain is absorbed by England, Inc., with its flexible manufacturing process. England, Inc., itself has a choice of how much uncertainty it passes along to its suppliers. By holding more raw material inventories, the company allows its suppliers to focus on efficiency. If it decreases its raw material inventories, its suppliers must become more responsive.



**FIGURE 2-6** Different Roles and Allocations of Implied Uncertainty for a Given Level of Supply Chain Responsiveness

The preceding discussion illustrates that the supply chain can achieve a given level of responsiveness by adjusting the roles of each of its stage. Making one stage more responsive allows other stages to focus on becoming more efficient. The best combination of roles depends on the efficiency and flexibility available at each stage. The notion of achieving a given level of responsiveness by assigning different roles and levels of uncertainty to different stages of the supply chain is illustrated in Figure 2-6. The figure shows two supply chains that face the same implied uncertainty but achieve the desired level of responsiveness with different allocations of uncertainty and responsiveness across the supply chain. Supply Chain I has a very responsive retailer who absorbs most of the uncertainty, allowing (actually requiring) the manufacturer and supplier to be efficient. Supply Chain II, in contrast, has a very responsive manufacturer who absorbs most of the uncertainty, thus allowing the other stages to focus on efficiency.

To achieve complete strategic fit, a firm must also ensure that all its functions maintain consistent strategies that support the competitive strategy. All functional strategies must support the goals of the competitive strategy. All substrategies within the supply chain—such as manufacturing, inventory, and purchasing—must also be consistent with the supply chain’s level of responsiveness. Table 2-4 lists some of the major differences in functional strategy between supply chains that are efficient and those that are responsive.

### Key Point

The final step in achieving strategic fit is to match supply chain responsiveness with the implied uncertainty from demand and supply. The supply chain design and all functional strategies within the firm must also support the supply chain’s level of responsiveness.

**Table 2-4** Comparison of Efficient and Responsive Supply Chains

	Efficient Supply Chains	Responsive Supply Chains
Primary goal	Supply demand at the lowest cost	Respond quickly to demand
Product design strategy	Maximize performance at a minimum product cost	Create <i>modularity</i> to allow postponement of product differentiation
Pricing strategy	Lower margins because price is a prime customer driver	Higher margins because price is not a prime customer driver
Manufacturing strategy	Lower costs through high utilization	Maintain capacity flexibility to buffer against demand/supply uncertainty
Inventory strategy	Minimize inventory to lower cost	Maintain <i>buffer inventory</i> to deal with demand/supply uncertainty
Lead-time strategy	Reduce, but not at the expense of costs	Reduce aggressively, even if the costs are significant
Supplier strategy	Select based on cost and quality	Select based on speed, flexibility, reliability, and quality

Source: Adapted from “What Is the Right Supply Chain for Your Product?” Marshall L. Fisher, *Harvard Business Review* (March–April 1997), 83–93.

### Tailoring the Supply Chain for Strategic Fit

Our previous discussion focused on achieving strategic fit when a firm serves a single market segment and the result is a well-defined and narrow strategic position. While such a scenario holds for firms like IKEA, many firms are required to achieve strategic fit while serving many customer segments with a variety of products across multiple channels. In such a scenario, a “one size fits all” supply chain cannot provide strategic fit, and a tailored supply chain strategy is required. For example, when all its customers valued having customized PCs delivered within days, Dell built a responsive supply chain that aligned well with its strategic position. As Dell added the Wal-Mart channel, whose customers valued low price, its responsive supply chain no longer aligned with this new channel. Dell had to design a more efficient supply chain that was tailored to serve the low-cost channel using contract manufacturers in low-cost countries. Another example is Levi Strauss, which sells both customized and standard-sized jeans. Demand for standard-sized jeans has a much lower demand uncertainty than demand for customized jeans. As a result, Levi Strauss must tailor its supply chain to meet both sets of needs.

In each of the previous examples, the products sold and the customer segments served have different implied demand uncertainty. When devising supply chain strategy in these cases, the key issue for a company is to design a tailored supply chain that is able to be efficient when implied uncertainty is low and responsive when it is high. By tailoring its supply chain, a company can provide responsiveness to fast-growing products, customer segments, and channels while maintaining low cost for mature, stable products and customer segments.

Tailoring the supply chain requires sharing some links in the supply chain with some products, while having separate operations for other links. The links are shared to achieve maximum possible efficiency while providing the appropriate level of responsiveness to each segment. For instance, all products may be made on the same line in a plant, but products requiring a high level of responsiveness may be shipped using a fast mode of transportation such as FedEx. Those products that do not have high responsiveness needs may be sent by slower and less expensive means such as truck, rail, or even ship. In other instances, products requiring high responsiveness may be manufactured using a flexible process, whereas products requiring less responsiveness may be manufactured using a less responsive but more efficient process. The mode of transportation used in both cases, however, may be the same. In other cases, some products may be held at regional warehouses close to the customer, whereas others may be held in a centralized warehouse far from

the customer. W.W. Grainger holds fast-moving items with low implied uncertainty in its decentralized locations close to the customer. It holds slow-moving items with higher implied demand uncertainty in a centralized warehouse. Appropriate tailoring of the supply chain helps a firm achieve varying levels of responsiveness for a low overall cost. The level of responsiveness is tailored to each product, channel, or customer segment. Tailoring of the supply chain is an important concept that we develop further in subsequent chapters.

The concept of tailoring to achieve strategic fit is important in industries such as high-tech and pharmaceuticals wherein innovation is critical and products move through a life cycle. Let us consider changes in demand and supply characteristics over the life cycle of a product. Toward the beginning stages of a product's life cycle:

1. Demand is very uncertain, and supply may be unpredictable.
2. Margins are often high, and time is crucial to gaining sales.
3. Product availability is crucial to capturing the market.
4. Cost is often a secondary consideration.

Consider a pharmaceutical firm introducing a new drug. Initial demand for the drug is highly uncertain, margins are typically high, and product availability is the key to capturing market share. The introductory phase of a product's life cycle corresponds to high implied uncertainty given the high demand uncertainty and the need for a high level of product availability. In such a situation, responsiveness is the most important characteristic of the supply chain.

As the product becomes a commodity product later in its life cycle, the demand and supply characteristics change. At this stage, it is typically the case that

1. Demand has become more certain, and supply is predictable.
2. Margins are lower as a result of an increase in competitive pressure.
3. Price becomes a significant factor in customer choice.

In the case of a pharmaceutical company, these changes occur when demand for the drug stabilizes, production technologies are well developed, and supply is predictable. This stage corresponds to a low level of implied uncertainty. As a result, the supply chain needs to change. In such a situation, efficiency becomes the most important characteristic of the supply chain. The pharmaceutical industry has reacted by building a mix of flexible and efficient capacity whose use is tailored to the product life cycle. New products are typically introduced using flexible capacity that is more expensive but responsive enough to deal with the high level of uncertainty during the early stages of the life cycle. Mature products with high demand are shifted to dedicated capacity that is highly efficient because it handles low levels of uncertainty and enjoys the advantage of high scale. The tailored capacity strategy has allowed pharmaceutical firms to maintain strategic fit for a wide range of products at different stages of their life cycle.

In the next section, we describe how the scope of the supply chain has expanded when achieving strategic fit. We also discuss why expanding the scope of strategic fit is critical to supply chain success.

### Key Point

---

When supplying multiple customer segments with a wide variety of products through several channels, a firm must tailor its supply chain to achieve strategic fit.

### 2.3 EXPANDING STRATEGIC SCOPE

A key issue relating to strategic fit is the scope, in terms of supply chain stages, across which the strategic fit applies. *Scope of strategic fit* refers to the functions within the firm and stages across the supply chain that devise an integrated strategy with an aligned objective. At one extreme, every operation within each functional area devises its own independent strategy with the objective of optimizing its individual performance. In this case, the scope of strategic fit is restricted to an operation in a functional area within a stage of the supply chain. At the opposite extreme, all functional areas across all stages of the supply chain devise aligned strategies that maximize supply chain surplus. In this case, the scope of strategic fit extends to the entire supply chain.

In this section, we discuss how expanding the scope of strategic fit improves supply chain performance. For example, IKEA has achieved great success by expanding its scope of strategic fit to include all functions and stages within the supply chain. Its competitive strategy is to offer a reasonable variety of home furniture and furnishings at low prices. Its stores are large and carry all products in inventory. Its products are designed to be modular and easy to assemble. The large stores and modular design allow IKEA to move final assembly and last-mile delivery (two high-cost operations) to the customer. As a result, all functions within the IKEA supply chain focus on efficiency. Its suppliers concentrate on producing large volumes of a few modules at low cost. Its transportation function focuses on shipping large quantities of high-density unassembled modules at low cost to the large stores. The strategy at every stage and function of the IKEA supply chain is aligned to grow the supply chain surplus.

#### **Intraoperation Scope: The Minimize Local Cost View**

The *intraoperation scope* has each stage of the supply chain devising strategy independently. In such a setting, the resulting collection of strategies typically does not align, resulting in conflict. This limited scope was the dominant practice during the 1950s and 1960s, when each operation within each stage of the supply chain attempted to minimize its own costs. As a result of this narrow scope, the transportation function at many firms may have shipped full truckloads without any regard for the resulting impact on inventories or responsiveness. Historically, it was this localized scope that led sales functions in many consumer goods firms to offer trade promotions to enhance revenue without any consideration for how those promotions impacted production, warehousing, and transportation costs. The resulting lack of alignment diminished the supply chain surplus.

#### **Intrafunctional Scope: The Minimize Functional Cost View**

Over time, managers recognized the weakness of the intraoperation scope and attempted to align all operations within a function. For example, the use of airfreight could be justified only if the resulting savings in inventories and improved responsiveness justified the increased transportation cost. With the *intrafunctional view*, firms attempted to align all operations within a function. All supply chain functions including sourcing, manufacturing, warehousing, and transportation had to align their strategy to minimize total functional cost. As a result, product could be sourced from a higher cost local supplier because the resulting decrease in inventory and transportation costs more than compensated for the higher unit cost.

#### **Interfunctional Scope: The Maximize Company Profit View**

The key weakness of the intrafunctional view is that different functions within a firm may have conflicting objectives. Over time, companies became aware of this weakness as they saw, for example, marketing and sales focusing on revenue generation, and manufacturing and distribution focusing on cost reduction. Actions the two functions took were often in conflict, hurting the firm's overall performance. Companies realized the importance of expanding the scope of

strategic fit and aligning strategy across all functions within the firm. With the interfunctional scope, the goal is to maximize company profit. To achieve this goal, all functional strategies are developed to align with one another and the competitive strategy.

The goal of aligning strategies across functions results in warehouse operations within McMaster-Carr carrying high inventory and excess capacity to ensure that marketing's promise of next-day delivery is always met. The company's profits grow because the increased margin that customers are willing to pay for high reliability more than compensates for the higher inventory and warehouse expense. The company enjoys high profits because all functions align their strategy around the common objective of customer convenience in the form of next-day delivery of a wide variety of MRO products.

### Intercompany Scope: The Maximize Supply Chain Surplus View

The goal of only maximizing company profits can sometimes lead to conflict between stages of a supply chain. For example, both the supplier and the manufacturer in a supply chain may prefer to have the other side hold most of the inventory with the goal of improving their own profits. If the two parties cannot look beyond their own profits, the more powerful party will simply force the other stage to hold inventories without any regard for where inventories are best held. The result is a decrease in the supply chain surplus—the total pie that both parties get to share.

The intercompany scope proposes a different approach. Instead of just forcing the inventory onto the weaker party, the two parties work together to reduce the amount of inventory required. By working together and sharing information, they can reduce inventories and total cost, thus growing the supply chain surplus. The higher the supply chain surplus, the more competitive the supply chain is.

#### Key Point

The intercompany scope of strategic fit is essential today because the competitive playing field has shifted from company versus company to supply chain versus supply chain. A company's partners in the supply chain may well determine the company's success, as the company is intimately tied to its supply chain.

A good example of the intercompany approach is how Wal-Mart and P&G plan promotions jointly. The two companies have a team (with employees from both parties) that works to ensure that the promotion is timed and executed to benefit both sides. Prior to this collaborative effort, promotions at Wal-Mart sometimes required P&G to run its facilities with overtime at high cost. The result was a decrease in the supply chain surplus because the product was sold at a discount at a time when it was being produced at high marginal cost. The collaborative teams now try to grow the supply chain surplus by timing the promotion to have high sales impact while minimizing the marginal cost increase. They work to ensure that the product is produced in such a manner that all promotion demand is met without generating excess unsold inventories.

### Agile Intercompany Scope

Up to this point, we have discussed strategic fit in a static context; that is, the players in a supply chain and the customer needs do not change over time. In reality, the situation is much more dynamic. Product life cycles are getting shorter, and companies must satisfy the changing needs of individual customers. A company may have to partner with many firms, depending on the product being produced and the customer being served. The strategy and operations at firms must be agile enough to maintain strategic fit in a changing environment.

*Agile intercompany scope* refers to a firm's ability to achieve strategic fit when partnering with supply chain stages that change over time. Firms must think in terms of supply chains

**Key Point**

The intercompany scope of strategic fit requires firms to evaluate every action in the context of the entire supply chain. This broad scope increases the size of the surplus to be shared among all stages of the supply chain.

consisting of many players at each stage. For example, a manufacturer may interface with a different set of suppliers and distributors depending on the product being produced and the customer being served. Furthermore, as customer needs vary over time, firms must have the ability to become part of new supply chains while ensuring strategic fit. This level of agility becomes more important as the competitive environment becomes more dynamic.

**2.4 CHALLENGES TO ACHIEVING AND MAINTAINING STRATEGIC FIT**

The key to achieving strategic fit is a company's ability to find a balance between responsiveness and efficiency that best matches the needs of its target customer. In deciding where this balance should be located on the responsiveness spectrum, companies face many challenges. On one hand, these challenges have made it much more difficult for companies to create the ideal balance. On the other hand, they have afforded companies increased opportunities for improving supply chain management. Managers need a solid understanding of the impact of these challenges because they are critical to a company's ability to grow its supply chain surplus.

**Increasing Product Variety and Shrinking Life Cycles**

One of the biggest challenges to maintaining strategic fit is the growth in product variety and the decrease in the life cycle of many products. Greater product variety and shorter life cycles increase uncertainty while reducing the window of opportunity within which the supply chain can achieve fit. The challenge gets magnified when companies continue to increase new products without maintaining the discipline of eliminating older ones. Apple has had great success limiting its product variety while continuing to introduce new products. This has allowed the company the luxury of dealing only with high-demand products for which it becomes easier to design an aligned supply chain. In general, however, firms must design product platforms with common components and maintain a tailored supply chain that contains a responsive solution to handle new products and other low-volume products and a low-cost solution to handle successful high-volume products. Simultaneously, variety must be limited to what truly adds value to the customer. This often requires the continuous elimination of older products.

**Globalization and Increasing Uncertainty**

Globalization has increased both the opportunities and risks for supply chains. The 21st century has started with significant fluctuations in exchange rates, global demand, and the price of crude oil, all factors that impact supply chain performance. In 2008 alone, the euro peaked in value at about \$1.59 and went as low as \$1.25. In 2001, the euro went as low as \$0.85. After demand for automobiles in the United States peaked at more than 17 million vehicles, demand dropped significantly between November 2007 and October 2008. In October 2008, auto sales in the United States dropped by more than 30 percent relative to the same month the previous year. The drop in sales of larger vehicles was much more significant than the drop for smaller, more fuel-efficient cars. Crude oil peaked at more than \$145 a barrel in July 2008 and was less than \$50 a barrel by November 2008.

Supply chains designed to handle these uncertainties have performed much better than those that ignored them. For example, Honda built flexible plants that were a great help in 2008 as demand for SUVs dropped but demand for small cars increased. Honda's flexible plants that

produced both the CRV and small cars on the same line continued strong operations. In contrast, companies that had built plants dedicated to producing only large trucks and SUVs had a lot of difficulty in 2008 as demand dried up. Clearly, firms must account for global risks and uncertainties if they want to maintain strategic fit.

### **Fragmentation of Supply Chain Ownership**

Over the past several decades, most firms have become less vertically integrated. As companies have shed noncore functions, they have been able to take advantage of supplier and customer competencies that they themselves did not have. This new ownership structure, however, has also made aligning and managing the supply chain more difficult. With the chain broken into many owners, each with its own policies and interests, the chain is more difficult to coordinate. This problem could potentially cause each stage of a supply chain to work only toward its own objectives rather than the whole chain's, resulting in the reduction of overall supply chain profitability. Aligning all members of a supply chain has become critical to achieving supply chain fit.

### **Changing Technology and Business Environment**

As customer needs and technology change, firms are forced to constantly rethink their supply chain strategy. A strategy that may have been very successful in one environment can easily become a weakness in a changed setting. Dell is an excellent example of this difficulty. For more than a decade, Dell enjoyed tremendous success with a supply chain strategy based on selling customized PCs direct to customers. These PCs were built to order in flexible facilities. By about 2005, the market had moved toward laptops, and customers started to place less value on customization. As a result, Dell was forced to rethink its supply chain strategy and start selling through retail outlets. Simultaneously, it started to increase the amount of assembly that was outsourced to low-cost contract manufacturers. Another example is that of Blockbuster, which achieved tremendous success in the 1990s with stores that carried more variety of VHS tapes than existing video rental stores. With the growth of DVDs, Netflix used the postal system to ship an even greater variety of films at low cost from centralized distribution centers. The growth in bandwidth allowed Netflix to stream digital content directly to customer homes. Simultaneously, Redbox developed vending machines that allowed some DVDs to be rented at low cost. Blockbuster's inability to adjust to this transformation in technology and the business environment resulted in its bankruptcy in 2010. With a changing environment, companies must constantly evaluate their supply chain strategy to maintain strategic fit.

### **The Environment and Sustainability**

Issues related to the environment and sustainability have grown in relevance and must be accounted for when designing supply chain strategy. In some instances, regulation has been driving changes; in others, change has been driven by the perception of the lack of sustainability as a risk factor. For example, the WEEE (Waste Electrical Electronic Equipment)/RoHS (Restricted Hazardous Substances) directives from the European Union forced cell phone manufacturers to rethink their design and sourcing strategies. Starbucks, in contrast, was forced to focus on local sustainability of its supply sources because a supply failure, especially for higher quality coffee, would have significantly impacted its ability to grow. The company developed sourcing guidelines to ensure that produced coffee met environmental and social performance criteria at each stage of the supply chain. Environmental issues represent a tremendous opportunity to firms that can often add value to customers and lower their own costs along this dimension (for example, with more appropriate packaging). These issues also represent a major challenge because some of the greatest opportunities require coordination across different members of the supply chain. To be successful, firms will need to design a strategy that engages the entire supply chain to identify and address opportunities for improved sustainability.



### Key Point

Many challenges, such as rising product variety and shorter life cycles, have made it increasingly difficult for supply chains to achieve strategic fit. Overcoming these challenges offers a tremendous opportunity for firms to use supply chain management to gain competitive advantage.

## 2.5 SUMMARY OF LEARNING OBJECTIVES

**1. Explain why achieving strategic fit is critical to a company's overall success.** A lack of strategic fit between the competitive and supply chain strategies can result in the supply chain taking actions that are not consistent with customer needs, leading to a reduction in supply chain surplus and decreasing supply chain profitability. Strategic fit requires that all functions within a firm and stages in the supply chain target the same goal, one that is consistent with customer needs.

**2. Describe how a company achieves strategic fit between its supply chain strategy and its competitive strategy.** To achieve strategic fit, a company must first understand the needs of the customers being served, understand the uncertainty of the supply chain, and identify the implied uncertainty. The second step is to understand the supply chain's capabilities in terms of efficiency and responsiveness. The key to strategic fit is ensuring that supply chain responsiveness is consistent with customer needs, supply capabilities, and the resulting implied uncertainty. Tailoring the supply chain is essential to achieving strategic fit when supplying a wide variety of customers with many products through different channels.

**3. Discuss the importance of expanding the scope of strategic fit across the supply chain.** The scope of strategic fit refers to the functions and stages within a supply chain that coordinate strategy and target a common goal. When the scope is narrow, individual functions try to optimize their performance based on their own goals. This practice often results in conflicting actions that reduce the supply chain surplus. As the scope of strategic fit is enlarged to include the entire supply chain, actions are evaluated based on their impact on overall supply chain performance, which helps increase supply chain surplus.

**4. Describe the major challenges that must be overcome to manage a supply chain successfully.** Globalization, increasing product variety, decreasing product life cycles, fragmentation of supply chains, changing technologies, and an increased focus on sustainability represent significant challenges to achieving strategic fit. They also represent great opportunities for firms that can successfully address these challenges with their supply chain strategy.

## Discussion Questions

- How would you characterize the competitive strategy of a high-end department store chain such as Nordstrom? What are the key customer needs that Nordstrom aims to fill?
- Where would you place the demand faced by Nordstrom on the implied demand uncertainty spectrum? Why?
- What level of responsiveness would be most appropriate for Nordstrom's supply chain? What should the supply chain be able to do particularly well?
- How can Nordstrom expand the scope of strategic fit across its supply chain?
- Reconsider the previous four questions for other companies such as Amazon, a supermarket chain, an auto manufacturer, and a discount retailer such as Walmart.
- Give arguments to support the statement that Walmart has achieved good strategic fit between its competitive and supply chain strategies. What challenges does it face as it works to open smaller format stores in urban environments?
- What are some factors that influence implied uncertainty? How does the implied uncertainty differ between an integrated steel mill that measures lead times in months and requires large orders and a steel service center that promises 24-hour lead times and sells orders of any size?
- What is the difference in implied uncertainty faced by a convenience store chain such as Seven-Eleven, a supermarket chain, and a discount retailer such as Costco?
- What are some problems that can arise when each stage of a supply chain focuses solely on its own profits when making decisions? Identify some actions that can help a retailer and a manufacturer work together to expand the scope of strategic fit.

## Bibliography

- Blackwell, Roger D., and Kristina Blackwell. "The Century of the Consumer: Converting Supply Chains into Demand Chains." *Supply Chain Management Review* (Fall 1999): 22–32.
- Bovet, David M., and David G. Frentzel. "The Value Net: Connecting for Profitable Growth." *Supply Chain Management Review* (Fall 1999): 96–104.
- Fine, Charles H. *Clock Speed, Winning Industry Control in the Age of Temporary Advantage*. Reading, MA: Perseus Books, 1999.
- Fisher, Marshall L. "What Is the Right Supply Chain for Your Product?" *Harvard Business Review* (March–April 1997): 83–93.
- Fuller, Joseph B., James O'Conner, and Richard Rawlinson. "Tailored Logistics: The Next Advantage." *Harvard Business Review* (May–June 1993): 87–98.
- Gattorna, John. "Supply Chains Are the Business." *Supply Chain Management Review* (September 2006): 42–49.
- Gilmore, James H., and B. Joseph Pine II. *Markets of One: Creating Customer Unique Value Through Mass Customization*. Boston: Harvard Business School Press, 2000.
- Lee, Hau L. "Aligning Supply Chain Strategies with Product Uncertainties." *California Management Review* (Spring 2002): 105–119.
- Lee, Hau L. "The Triple-A Supply Chain." *Harvard Business Review* (October 2004): 102–112.
- Lee, Hau L. "Don't Tweak Your Supply Chain—Rethink It End to End." *Harvard Business Review* (October 2010): 62–69.
- Magretta, Joan. "Fast, Global, and Entrepreneurial: Supply Chain Management, Hong Kong Style." *Harvard Business Review* (September–October 1998): 102–114.
- Magretta, Joan. "The Power of Virtual Integration: An Interview with Dell Computer's Michael Dell." *Harvard Business Review* (March–April 1998): 72–84.
- Nardone, Robert, and Sean Monahan. "How Unilever Aligned Its Supply Chain and Business Strategies." *Supply Chain Management Review* (November 2007): 44–50.
- Olavson, Thomas, Hau Lee, and Gavin DeNyse. "A Portfolio Approach to Supply Chain Design." *Supply Chain Management Review* (July–August 2010): 20–27.
- Pine, B. Joseph, II. *Mass Customization*. Boston: Harvard Business School Press, 1999.
- Ross, David F. "The Intimate Supply Chain." *Supply Chain Management Review* (July–August 2006): 50–57.
- Shapiro, Roy D. "Get Leverage from Logistics." *Harvard Business Review* (May–June 1984): 119–127.
- Shapiro, Roy D., and James L. Heskett. *Logistics Strategy: Cases and Concepts*. St. Paul, MN: West Publishing Company, 1985.
- Stalk, George, Jr., and Thomas M. Hout. *Competing Against Time*. New York: Free Press, 1990.
- Swan, Daniel, Sanjay Pal, and Matt Lippert. "Finding the Perfect Fit." *Supply Chain Quarterly* (Quarter 04, 2009): 24–33.

# 3



## Supply Chain Drivers and Metrics

### LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Describe key financial measures of firm performance.
2. Identify the major drivers of supply chain performance.
3. Discuss the role of each driver in creating strategic fit between the supply chain strategy and the competitive strategy.
4. Define the key metrics that track the performance of the supply chain in terms of each driver.

In this chapter, our goal is to link key financial measures of firm performance to supply chain performance. We introduce the three logistical drivers—facilities, inventory, and transportation—and the three cross-functional drivers—information, sourcing, and pricing—that determine the performance of any supply chain. We discuss how these drivers are used in the design, planning, and operation of the supply chain. We define several metrics that can be used to gauge the performance of each driver and its impact on financial performance.

### 3.1 FINANCIAL MEASURES OF PERFORMANCE

In Chapter 1, we discussed how growing the supply chain surplus is the ultimate goal of a supply chain. Our premise was that growing the surplus allows for a growth of supply chain profitability, which facilitates an improvement in the financial performance of each member of the supply chain. In this section, we define important financial measures that are reported by a firm and impacted by supply chain performance. In later sections, we then link supply chain drivers and associated metrics to the various financial measures. The definitions of financial measures in this section are taken from Dyckman, Magee, and Pfeiffer (2011).

From a shareholder perspective, return on equity (ROE) is the main summary measure of a firm's performance.

$$ROE = \frac{\text{Net Income}}{\text{Average Shareholder Equity}}$$

Whereas ROE measures the return on investment made by a firm's shareholders, return on assets (ROA) measures the return earned on each dollar invested by the firm in assets.

$$ROA = \frac{\text{Earnings before interest}}{\text{Average total assets}} = \frac{\text{Net income} + [\text{Interest expense} \times (1 - \text{Tax rate})]}{\text{Average total assets}}$$

Consider Amazon.com's financial performance shown in Table 3-1. In 2009, Amazon achieved  $ROE = 902/5,257 = 17.2$  percent { $1,152/6,864 = 16.8$  percent in 2010} and  $ROA = [902 + 34 \times (1 - .35)]/13,813 = 6.7$  percent {[ $1,152 + 39 \times (1 - .35)$ ]/ $18,797 = 6.3$  percent in 2010}. The difference between ROE and ROA is referred to as return on financial leverage (ROFL). In 2009, Amazon had  $ROFL = 17.2 - 6.7 = 10.5$  percent { $16.8 - 6.3 = 10.5$  percent in 2010}. ROFL captures the amount of ROE that can be attributed to financial leverage (accounts payable, debt, etc.). In Amazon's case, a significant portion of the financial leverage in 2009 and 2010 came from accounts payable rather than debt. Thus, an important ratio that defines financial leverage is accounts payable turnover (APT).

$$APT = \frac{\text{Cost of goods sold}}{\text{Accounts payable}}$$

**Table 3-1** Selected Financial Data for Amazon.com Inc.

Year ended December 31 (\$ millions)	2010	2009	2008
Net operating revenues	34,204	24,509	19,166
Cost of goods sold	26,561	18,978	14,896
Gross profit	7,643	5,531	4,270
Selling, general, and administrative expense	6,237	4,402	3,428
Operating income	1,406	1,129	842
Interest expense	39	34	71
Other income (loss) – net	130	66	130
Income before income taxes	1,497	1,161	901
Income taxes	352	253	247
Net income	1,152	902	645
<b>Assets</b>			
Cash and cash equivalents	3,777	3,444	2,769
Short-term investments	4,985	2,922	958
Net receivables	1,783	1,260	1,031
Inventories	3,202	2,171	1,399
Total current assets	13,747	9,797	6,157
Property, plant and equipment	2,414	1,290	854
Goodwill	1,349	1,234	438
Other assets	1,265	1,492	705
Total assets	18,797	13,813	8,314
<b>Liabilities and Stockholder Equity</b>			
Accounts payable	10,372	7,364	4,687
Short-term debt			59
Total current liability	10,372	7,364	4,746
Long-term debt		109	533
Other liabilities	1,561	1,083	363
Total liabilities	11,933	8,556	5,642
Stockholder equity	6,864	5,257	2,672

In Amazon's case, in 2009  $APT = 18,978/7,364 = 2.58$  { $26,561/10,372 = 2.56$  in 2010}. A small APT indicates that Amazon was able to use the money it owed suppliers to finance a considerable fraction of its operations. In 2009, Amazon effectively financed its own operations for about  $52/2.58 = 20.18$  { $52/2.56 = 20.31$  in 2010} weeks with its suppliers' money. A low value of APT helps Amazon improve its financial performance.

ROA can be written as the product of two ratios—profit margin and asset turnover—as shown below:

$$ROA = \frac{\text{Earnings before interest}}{\text{Sales revenue}} (\text{Profit margin}) \times \frac{\text{Sales revenue}}{\text{Total assets}} (\text{Asset turnover})$$

Thus, a firm can increase ROA by growing the profit margin and/or increasing the asset turnover. In 2009, Amazon achieved a profit margin of  $[902 + 34*(1 - .35)]/24,509 = 3.8$  percent { $[1,152 + 39*(1 - .35)]/34,204 = 3.4$  percent in 2010}. Profit margin can be improved by getting better prices or by reducing the various expenses incurred. A responsive supply chain can allow a firm to provide high value to a customer, thus potentially getting higher prices. Good supply chain management can also allow a firm to decrease the expenses incurred to serve customer demand. In Amazon's case, a significant expense is outbound shipping cost. In its 2009 annual report, the company reported outbound shipping costs of \$1.77 billion. After accounting for shipping revenue, the net loss on outbound shipping was reported to be \$849 million, about the same order of magnitude as net income. Clearly, a reduction in outbound shipping costs can have a significant impact on Amazon's profit margin.

The key components of asset turnover are accounts receivable turnover (ART); inventory turnover (INVT); and property, plant and equipment turnover (PPET). These are defined as follows:

$$ART = \frac{\text{Sales revenue}}{\text{Accounts receivable}}; INVT = \frac{\text{Cost of goods sold}}{\text{Inventories}}; PPET = \frac{\text{Sales revenue}}{PP\&E}$$

Amazon achieved accounts receivable turnover of  $24,509/1,260 = 19.45$  { $34,204/1,783 = 19.18$  in 2010} in 2009. Amazon collected its money from sales relatively quickly (in about  $52/19.45 = 2.7$  weeks on average in 2009) after it made a sale. Amazon turned its inventory about  $18,978/2,171 = 8.74$  { $26,561/3,202 = 8.30$  in 2010} times and had  $PPET = 24,509/1,290 = 19.00$  { $34,204/2,414 = 14.17$  in 2010} in 2009. Thus, inventory sat with Amazon in 2009 for about  $52/8.74 = 5.95$  { $52/8.30 = 6.27$  in 2010} weeks on average, and each dollar invested in property, plant and equipment supported about \$19 { $\$14.17$  in 2010} of sales in 2009. Observe that Amazon saw its inventory turns and PPET decrease in 2010 relative to 2009. Amazon can improve its asset turnover by turning its inventory more quickly or using its existing warehousing and technology infrastructure to support a higher level of sales (or decreasing the warehousing and technology infrastructure needed to support the existing level of sales).

Another useful metric is the cash-to-cash (C2C) cycle, which roughly measures the average amount of time from when cash enters the process as cost to when it returns as collected revenue.

$$C2C = - \text{weeks payable} (1/APT) + \text{weeks in inventory} (1/INVT) + \text{weeks receivable} (1/ART)$$

In Amazon's case, we obtain  $C2C = -20.18 + 5.95 + 2.70 = -11.53$  { $-20.31 + 6.27 + 2.71 = -11.33$  in 2010} in 2009. In 2009 and 2010, Amazon was collecting its money from the sale of products more than 11 weeks before it had to pay its suppliers. As we discussed earlier, this allowed Amazon to achieve significant financial leverage without having to take on debt.

There are two important measures, however, that are not explicitly part of a firm's financial statements. They are markdowns and lost sales. *Markdowns* represent the discounts required to convince customers to buy excess inventory. Financial statements show only the revenue received from sales, not the revenue that "could" have been received. For General Motors (GM), one of the biggest problems in the early part of the 21<sup>st</sup> century was the discounts required to move excess inventory from dealer lots. These discounts significantly hurt financial performance. In 2010, one

of the biggest improvements in financial performance for GM was its ability to sell its cars with much smaller discounts because the supply chain had far less excess inventory. *Lost sales* represent customer sales that did not materialize because of the absence of products the customer wanted to buy. Every lost sale corresponds to product margin that is lost. Both markdowns and lost sales reduce net income and arguably represent the biggest impact of supply chain performance on the financial performance of a firm.

Firms like Amazon, Wal-Mart, and Zara that achieve strong financial performance do so in large part because their supply chains allow them to better match supply and demand, thereby reducing markdowns and lost sales. From our brief discussion of Amazon's financial statements, supply chain management activities such as planning, transportation, inventory, and warehousing clearly have a significant impact on financial performance. In the next section, we identify key drivers of supply chain performance that influence the financial performance of a firm.

## 3.2 DRIVERS OF SUPPLY CHAIN PERFORMANCE

The strategic fit discussed in Chapter 2 requires that a company's supply chain achieve the balance between responsiveness and efficiency that best supports the company's competitive strategy. To understand how a company can improve supply chain performance in terms of responsiveness and efficiency, we must examine the logistical and cross-functional drivers of supply chain performance: facilities, inventory, transportation, information, sourcing, and pricing. These drivers interact to determine the supply chain's performance in terms of responsiveness and efficiency. These drivers also impact the financial measures discussed in Section 3.1. The goal is to structure the drivers to achieve the desired level of responsiveness at the lowest possible cost, thus improving the supply chain surplus and the firm's financial performance.

First we define each driver and discuss its impact on the performance of the supply chain.

**1. Facilities** are the actual physical locations in the supply chain network where product is stored, assembled, or fabricated. The two major types of facilities are production sites and storage sites. Decisions regarding the role, location, capacity, and flexibility of facilities have a significant impact on the supply chain's performance. For example, in 2009, Amazon increased the number of warehousing facilities (observe increase in Property, plant and equipment, in Table 3-1) located close to customers to improve its responsiveness. In contrast, Blockbuster tried to improve its efficiency in 2010 by shutting down many facilities even though it reduced responsiveness. Facility costs show up under property, plant and equipment, if facilities are owned by the firm or under selling, general, and administrative if they are leased.

**2. Inventory** encompasses all raw materials, work in process, and finished goods within a supply chain. The inventory belonging to a firm is reported under assets. Changing inventory policies can dramatically alter the supply chain's efficiency and responsiveness. For example, W.W. Grainger makes itself responsive by stocking large amounts of inventory and satisfying customer demand from stock even though the high inventory levels reduce efficiency. Such a practice makes sense for Grainger because its products hold their value for a long time. A strategy using high inventory levels can be dangerous in the fashion apparel business where inventory loses value relatively quickly with changing seasons and trends. Rather than hold high levels of inventory, Spanish apparel retailer Zara has worked hard to shorten new product and replenishment lead times. As a result, the company is very responsive but carries low levels of inventory. Zara thus provides responsiveness at low cost.

**3. Transportation** entails moving inventory from point to point in the supply chain. Transportation can take the form of many combinations of modes and routes, each with its own performance characteristics. Transportation choices have a large impact on supply chain responsiveness and efficiency. For example, a mail-order catalog company can use a faster mode of transportation such as FedEx to ship products, thus making its supply chain more responsive, but also less efficient given the high costs associated with using FedEx. McMaster-Carr and

W.W. Grainger, however, have structured their supply chain to provide next-day service to most of their customers using ground transportation. They are providing a high level of responsiveness at lower cost. Outbound transportation costs of shipping to the customer are typically included in selling, general, and administrative expense, while inbound transportation costs are typically included in the cost of goods sold.

**4. Information** consists of data and analysis concerning facilities, inventory, transportation, costs, prices, and customers throughout the supply chain. Information is potentially the biggest driver of performance in the supply chain because it directly affects each of the other drivers. Information presents management with the opportunity to make supply chains more responsive *and* more efficient. For example, Seven-Eleven Japan has used information to better match supply and demand while achieving production and distribution economies. The result is a high level of responsiveness to customer demand while production and replenishment costs are lowered. Information technology–related expenses are typically included under either operating expense (typically under selling, general, and administrative expense) or assets. For example, in 2009, Amazon included \$1.24 billion in technology expense under operating expense and another \$551 million under fixed assets to be depreciated.

**5. Sourcing** is the choice of who will perform a particular supply chain activity such as production, storage, transportation, or the management of information. At the strategic level, these decisions determine what functions a firm performs and what functions the firm outsources. Sourcing decisions affect both the responsiveness and efficiency of a supply chain. After Motorola outsourced much of its production to contract manufacturers in China, it saw its efficiency improve but its responsiveness suffer because of the long distances. To make up for the drop in responsiveness, Motorola started flying in some of its cell phones from China even though this choice increased transportation cost. Flextronics, an electronics contract manufacturer, is hoping to offer both responsive and efficient sourcing options to its customers. It is trying to make its production facilities in high-cost locations very responsive while keeping its facilities in low-cost countries efficient. Flextronics hopes to become an effective source for all customers using this combination of facilities. Sourcing costs show up in the cost of goods sold, and monies owed to suppliers are recorded under accounts payable.

**6. Pricing** determines how much a firm will charge for the goods and services that it makes available in the supply chain. Pricing affects the behavior of the buyer of the good or service, thus affecting supply chain performance. For example, if a transportation company varies its charges based on the lead time provided by the customers, it is likely that customers who value efficiency will order early and customers who value responsiveness will be willing to wait and order just before they need a product transported. Differential pricing provides responsiveness to customers that value it and low cost to customers that do not value responsiveness as much. Any change in pricing impacts revenues directly but could also affect costs based on the impact of this change on the other drivers.

Our definitions of these drivers attempt to delineate logistics and supply chain management. Supply chain management includes the use of logistical and cross-functional drivers to increase the supply chain surplus. Cross-functional drivers have become increasingly important in raising the supply chain surplus in recent years. While logistics remains a major part, supply chain management is increasingly becoming focused on the three cross-functional drivers.

It is important to realize that these drivers do not act independently but interact to determine the overall supply chain performance. Good supply chain design and operation recognize this interaction and make the appropriate trade-offs to deliver the desired level of responsiveness. Consider, for example, the furniture industry in the United States. Low-cost furniture sourced from Asia is available at many discount retailers. The primary goal of this supply chain is to deliver a low price and acceptable quality. Variety is typically low and retailers such as Wal-Mart stock inventory of finished goods. The low variety and stable replenishment orders allow furniture manufacturers in Asia to focus on efficiency. Given the available inventory, low-cost modes

of transportation from Asia are used. In this instance, relatively low-cost inventory at the retailer allows the supply chain to become efficient by lowering transportation and production costs. In contrast, some U.S. furniture makers have chosen to focus on providing variety. Given the high variety and high prices, keeping inventory of all variants at a retailer would be very expensive. In this case, the supply chain has been designed so that the retailer carries little inventory. Customers place their orders with the retailer by seeing one variant of the furniture and selecting among the various options. The supply chain is made responsive by using information technology to convey order information effectively, structuring flexible manufacturing facilities to be able to produce in small lots, and using responsive transportation to deliver the furniture to the customer. In this instance, responsive facilities, transportation, and information are used to lower inventory costs. As the rest of this chapter will illustrate, the key to achieving strategic fit and strong financial performance across the supply chain is to structure the supply chain drivers appropriately to provide the desired level of responsiveness at the lowest possible cost.

Doheny et al. (2010) point out that supply chain performance affects nearly 35 percent of the financial performance of apparel retailers. As a percentage of sales, they state that markdowns, representing 10–30 percent of sales, and lost sales, representing 5–10 percent of sales, are the dominant drivers of retailers' financial performance. They further state that transportation represents 2–5 percent, warehousing 1–3 percent, store product handling 3–5 percent, and inventory costs 2–5 percent of sales. While the precise fraction will vary for different supply chains, it is evident that supply chain performance along the six drivers has a significant influence on a firm's financial performance.

Before we discuss each of the six drivers in detail, we put these drivers into a framework that helps clarify the role of each in improving supply chain performance.


### 3.3 FRAMEWORK FOR STRUCTURING DRIVERS

Recall from Chapter 2 that the goal of a supply chain strategy is to strike the balance between responsiveness and efficiency that fits with the competitive strategy. To reach this goal, a company must structure the right combination of the three logistical and three cross-functional drivers. The combined impact of these drivers then determines the responsiveness and the profits of the entire supply chain.

We provide a visual framework for supply chain decision making in Figure 3-1. Most companies begin with a competitive strategy and then decide what their supply chain strategy ought to be. The supply chain strategy determines how the supply chain should perform with respect to efficiency and responsiveness. The supply chain must then use the three logistical and three cross-functional drivers to reach the performance level the supply chain strategy dictates and maximize the supply chain profits. Although this framework is generally viewed from the top down, in many instances, a study of the six drivers may indicate the need to change the supply chain strategy and potentially even the competitive strategy.

Consider this framework using Wal-Mart as an example. Wal-Mart's competitive strategy is to be a reliable, low-cost retailer for a wide variety of mass-consumption goods. This strategy dictates that the ideal supply chain will emphasize efficiency but also maintain an adequate level of responsiveness in terms of product availability. Wal-Mart uses the three logistical and three cross-functional drivers effectively to achieve this type of supply chain performance. With the inventory driver, Wal-Mart maintains an efficient supply chain by keeping low levels of inventory. For instance, Wal-Mart pioneered cross-docking, a system in which inventory is not stocked in a warehouse but rather is shipped to stores from the manufacturer with a brief stop at a distribution center (DCs), where product is transferred from inbound trucks from the supplier to outbound trucks to the retail store. This significantly lowers inventory because products are stocked only at stores, not at both stores and warehouses. With respect to inventory, Wal-Mart favors efficiency over responsiveness. On the transportation front, Wal-Mart runs its own fleet, to keep responsiveness high. This increases transportation cost, but the benefits in terms of reduced inventory and improved product





**FIGURE 3-1** Supply Chain Decision-Making Framework

availability justify this cost in Wal-Mart's case. In the case of facilities, Wal-Mart uses centrally located DCs within its network of stores to decrease the number of facilities and increase efficiency at each DC. Wal-Mart builds retail stores only where the demand is sufficient to justify having several of them supported by a DC, thereby increasing efficiency of its transportation assets. Wal-Mart has invested significantly more than its competitors in information technology, allowing the company to feed demand information across the supply chain to suppliers who manufacture only what is being demanded. As a result, Wal-Mart is a leader in its use of the information driver to improve responsiveness and decrease inventory investment. With regard to the sourcing driver, Wal-Mart identifies efficient sources for each product it sells. Wal-Mart feeds them large orders, allowing them to be efficient by exploiting economies of scale. Finally, for the pricing driver, Wal-Mart practices "every day low pricing" (EDLP) for its products. This ensures that customer demand stays steady and does not fluctuate with price variations. The entire supply chain then focuses on meeting this demand in an efficient manner. Wal-Mart uses all the supply chain drivers to achieve the right balance between responsiveness and efficiency so that its competitive strategy and supply chain strategy are in harmony.

We devote the next six sections to a detailed discussion of each of the three logistical and three cross-functional drivers, their roles in the supply chain, and their impact on financial performance.

### 3.4 FACILITIES

In this section, we discuss the role that facilities play in the supply chain and critical facility-related decisions that supply chain managers need to make.

## Role in the Supply Chain

If we think of inventory as *what* is being passed along the supply chain and transportation as *how* it is passed along, then facilities are the *where* of the supply chain. They are the locations to or from which the inventory is transported. Within a facility, inventory is either transformed into another state (manufacturing) or it is stored (warehousing).

## Role in the Competitive Strategy

Facilities are a key driver of supply chain performance in terms of responsiveness and efficiency. For example, companies can gain economies of scale when a product is manufactured or stored in only one location; this centralization increases efficiency. The cost reduction, however, comes at the expense of responsiveness, as many of a company's customers may be located far from the production facility. The opposite is also true. Locating facilities close to customers increases the number of facilities needed and consequently reduces efficiency. If the customer demands and is willing to pay for the responsiveness that having numerous facilities adds, however, then this facilities decision helps meet the company's competitive strategy goals.

---

### EXAMPLE 3-1 Toyota and Honda

Both Toyota and Honda use facilities decisions to be more responsive to their customers. These companies have an end goal of opening manufacturing facilities in every major market that they enter. While there are other benefits to opening local facilities, such as protection from currency fluctuation and trade barriers, the increase in responsiveness plays a large role in Toyota's and Honda's decision to place facilities in their local markets. The flexibility of Honda facilities to assemble both SUVs and cars in the same plant allowed the company to keep costs down in the downturn of 2008. While competitors' SUV production facilities were idle, Honda facilities maintained a high level of utilization.

---

## Components of Facilities Decisions

Decisions regarding facilities are a crucial part of supply chain design. We now identify components of facilities decisions that companies must analyze.

**ROLE** Firms must decide whether production facilities will be flexible, dedicated, or a combination of the two. Flexible capacity can be used for many types of products but is often less efficient, whereas dedicated capacity can be used for only a limited number of products but is more efficient. Firms must also decide whether to design a facility with a product focus or a functional focus. A product-focused facility performs all functions (e.g., fabrication and assembly) needed for producing a single type of product. A functional-focused facility performs a given set of functions (e.g., fabrication or assembly) on many types of products. A product focus tends to result in more expertise about a particular type of product at the expense of the functional expertise that comes from a functional methodology.

For warehouses and DCs, firms must decide whether they will be primarily cross-docking facilities or storage facilities. At cross-docking facilities, inbound trucks from suppliers are unloaded; the product is broken into smaller lots and is quickly loaded onto store-bound trucks. Each store-bound truck carries a variety of products, some from each inbound truck. For storage facilities, firms must decide on the products to be stored at each facility.

**LOCATION** Deciding where a company will locate its facilities constitutes a large part of the design of a supply chain. A basic trade-off here is whether to centralize in order to gain economies of scale or to decentralize to become more responsive by being closer to the customer.

Companies must also consider a host of issues related to the various characteristics of the local area in which the facility is situated. These include macroeconomic factors, quality of workers, cost of workers, cost of facility, availability of infrastructure, proximity to customers, the location of that firm's other facilities, tax effects, and other strategic factors.

**CAPACITY** Companies must also determine a facility's capacity to perform its intended function or functions. A large amount of excess capacity allows the facility to respond to wide swings in the demands placed on it. Excess capacity, however, costs money and therefore can decrease efficiency. A facility with little excess capacity will likely be more efficient per unit of product it produces than one with a lot of unused capacity. The high-utilization facility, however, will have difficulty responding to demand fluctuations. Therefore, a company must make a trade-off to determine the right amount of capacity to have at each of its facilities.

**FACILITY-RELATED METRICS** Facility-related decisions impact both the financial performance of the firm and the supply chain's responsiveness to customers. On the financial side, facilities decisions impact the cost of goods sold and the assets in property plant and equipment. A manager should track the following facility-related metrics that influence supply chain performance:

- **Capacity** measures the maximum amount a facility can process.
- **Utilization** measures the fraction of capacity that is currently being used in the facility. Utilization affects both the unit cost of processing and the associated delays. Unit costs tend to decline (PPET increases) and delays increase with increasing utilization.
- **Processing/setup/down/idle time** measure the fraction of time that the facility was processing units, being set up to process units, unavailable because it was down, or idle because it had no units to process. Ideally, utilization should be limited by demand and not setup or downtime.
- **Production cost per unit** measures the average cost to produce a unit of output. These costs may be measured per unit, per case, or per pound depending on the product.
- **Quality losses** measure the fraction of production lost due to defects. Quality losses hurt both financial performance and responsiveness.
- **Theoretical flow/cycle time of production** measures the time required to process a unit if there are absolutely no delays at any stage.
- **Actual average flow/cycle time** measures the average actual time taken for all units processed over a specified duration such as a week or month. The actual flow/cycle time includes the theoretical and any delays. This metric should be used when setting due dates for orders.
- **Flow time efficiency** is the ratio of the theoretical flow time to the actual average flow time. Low values for flow time efficiency indicate that a large fraction of time is spent waiting.
- **Product variety** measures the number of products/product families processed in a facility. Processing costs and flow times are likely to increase with product variety.
- **Volume contribution of top 20 percent SKUs and customers** measures the fraction of total volume processed by a facility that comes from the top 20 percent SKUs or customers. An 80/20 outcome in which the top 20 percent contribute 80 percent of volume indicates likely benefits from focusing the facility where separate processes are used to process the top 20 percent and the remaining 80 percent.
- **Average production batch size** measures the average amount produced in each production batch. Large batch sizes will decrease production cost but increase inventories.
- **Production service level** measures the fraction of production orders completed on time and in full.

**OVERALL TRADE-OFF: RESPONSIVENESS VERSUS EFFICIENCY** The fundamental trade-off that managers face when making facilities decisions is between the cost of the number, location, capacity, and type of facilities (efficiency) and the level of responsiveness that these facilities

provide the company's customers. Increasing the number of facilities increases facility and inventory costs but decreases transportation costs and reduces response time. Increasing the flexibility or capacity of a facility increases facility costs but decreases inventory costs and response time.

### 3.5 INVENTORY

In this section, we discuss the role that inventory plays in the supply chain and how managers use inventory to drive supply chain performance.

#### Role in the Supply Chain

Inventory exists in the supply chain because of a mismatch between supply and demand. This mismatch is intentional at a steel manufacturer, where it is economical to manufacture in large lots that are then stored for future sales. The mismatch is also intentional at a retail store where inventory is held in anticipation of future demand. An important role that inventory plays in the supply chain is to increase the amount of demand that can be satisfied by having the product ready and available when the customer wants it. Another significant role that inventory plays is to reduce cost by exploiting economies of scale that may exist during production and distribution.

Inventory impacts the assets held, the costs incurred, and responsiveness provided in the supply chain. High levels of inventory in an apparel supply chain improve responsiveness but also leave the supply chain vulnerable to the need for markdowns, lowering profit margins. Low levels of inventory improve inventory turns but may result in lost sales if customers are unable to find products they are ready to buy.

Inventory also has a significant impact on the material flow time in a supply chain. *Material flow time* is the time that elapses between the point at which material enters the supply chain to the point at which it exits. For a supply chain, *throughput* is the rate at which sales occur. If inventory is represented by  $I$ , flow time by  $T$ , and throughput by  $D$ , the three can be related using Little's law as follows:

$$I = DT \quad (3.1)$$

For example, if the flow time of an auto assembly process is 10 hours and the throughput is 60 units an hour, Little's law tells us that the inventory is  $60 \times 10 = 600$  units. If we were able to reduce inventory to 300 units while holding throughput constant, we would reduce our flow time to 5 hours ( $300/60$ ). We note that in this relationship, inventory and throughput must have consistent units.

The logical conclusion here is that inventory and flow time are synonymous in a supply chain because throughput is often determined by customer demand. Managers should use actions that lower the amount of inventory needed without increasing cost or reducing responsiveness, because reduced flow time can be a significant advantage in a supply chain.

#### Role in the Competitive Strategy

The form, location, and quantity of inventory allow a supply chain to range from being very low cost to very responsive. Large amounts of finished goods inventory close to customers allow a supply chain to be responsive but at a high cost. Centralized inventory in raw material form allows a supply chain to lower cost but at the expense of responsiveness. The goal of good supply chain design is to find the right form, location, and quantity of inventory that provides the right level of responsiveness at the lowest possible cost.

**EXAMPLE 3-2 Amazon.com**

Amazon attempts to provide a wide variety of books (among other products) to its customers. Best-selling books are stocked in many regional warehouses close to customers for high responsiveness. Slower moving books are stocked at fewer warehouses to lower the cost of inventory at the expense of some responsiveness. Some of the slowest moving books are not held in inventory but are obtained from the publisher/distributor or printed on demand when requested by a customer. Amazon changes the form, location, and quantity of inventory it holds by the level of sales of a book to provide the right balance of responsiveness and efficiency.

**Components of Inventory Decisions**

We now identify major inventory-related decisions that supply chain managers must make to effectively create more responsive and more efficient supply chains.

**CYCLE INVENTORY** *Cycle inventory* is the average amount of inventory used to satisfy demand between receipts of supplier shipments. The size of the cycle inventory is a result of the production, transportation, or purchase of material in large lots. Companies produce or purchase in large lots to exploit economies of scale in the production, transportation, or purchasing process. With the increase in lot size, however, comes an increase in carrying costs. As an example of a cycle stock decision, consider an online book retailer. This retailer's sales average around 10 truckloads of books a month. The cycle inventory decisions the retailer must make are how much to order for replenishment and how often to place these orders. The e-retailer could order 10 truckloads once each month or it could order one truckload every three days. The basic trade-off supply chain managers face is the cost of holding larger lots of inventory (when cycle inventory is high) versus the cost of ordering product frequently (when cycle inventory is low).

**SAFETY INVENTORY** *Safety inventory* is inventory held in case demand exceeds expectation; it is held to counter uncertainty. If the world were perfectly predictable, only cycle inventory would be needed. Because demand is uncertain and may exceed expectations, however, companies hold safety inventory to satisfy an unexpectedly high demand. Managers face a key decision when determining how much safety inventory to hold. For example, a toy retailer such as Toys "R" Us must calculate its safety inventory for the holiday buying season. If it has too much safety inventory, toys go unsold and may have to be discounted after the holidays. If the company has too little safety inventory, however, then Toys "R" Us loses sales, along with the margin those sales would have brought. Therefore, choosing safety inventory involves making a trade-off between the costs of having too much inventory and the costs of losing sales due to not having enough inventory.

**SEASONAL INVENTORY** *Seasonal inventory* is built up to counter predictable seasonal variability in demand. Companies using seasonal inventory build up inventory in periods of low demand and store it for periods of high demand when they will not have the capacity to produce all that is demanded. Managers face key decisions in determining whether to build seasonal inventory, and if they do build it, in deciding how much to build. If a company can rapidly change the rate of its production system at very low cost, then it may not need seasonal inventory, because the production system can adjust to a period of high demand without incurring large costs. However, if changing the rate of production is expensive (e.g., when workers must be hired or fired), then a company would be wise to establish a smooth production rate and build up its inventory during periods of low demand. Therefore, the basic trade-off supply chain managers face in determining how much seasonal inventory to build is the cost of carrying the additional seasonal inventory versus the cost of having a more flexible production rate.

**LEVEL OF PRODUCT AVAILABILITY** *Level of product availability* is the fraction of demand that is served on time from product held in inventory. A high level of product availability provides a high level of responsiveness but increases cost because much inventory is held but rarely used. In contrast, a low level of product availability lowers inventory holding cost but results in a higher fraction of customers who are not served on time. The basic trade-off when determining the level of product availability is between the cost of inventory to increase product availability and the loss from not serving customers on time.

**INVENTORY-RELATED METRICS** Inventory-related decisions affect the cost of goods sold, the cash-to-cash cycle, and the assets held by the supply chain and its responsiveness to customers. A manager should track the following inventory-related metrics that influence supply chain performance:

- **Cash-to-cash cycle time** is a high-level metric that includes inventories, accounts payable, and receivables.
- **Average inventory** measures the average amount of inventory carried. Average inventory should be measured in units, days of demand, and financial value.
- **Inventory turns** measure the number of times inventory turns over in a year. It is the ratio of average inventory to either the cost of goods sold or sales.
- **Products with more than a specified number of days of inventory** identifies the products for which the firm is carrying a high level of inventory. This metric can be used to identify products that are in oversupply or to identify reasons that justify the high inventory, such as price discounts or being a very slow mover.
- **Average replenishment batch size** measures the average amount in each replenishment order. The batch size should be measured by SKU in terms of both units and days of demand. It can be estimated by averaging over time the difference between the maximum and the minimum inventory (measured in each replenishment cycle) on hand.
- **Average safety inventory** measures the average amount of inventory on hand when a replenishment order arrives. Average safety inventory should be measured by SKU in both units and days of demand. It can be estimated by averaging over time the minimum inventory on hand in each replenishment cycle.
- **Seasonal inventory** measures the difference between the inflow of product (beyond cycle and safety inventory) and its sales that is purchased solely to deal with anticipated spikes in demand.
- **Fill rate** (order/case) measures the fraction of orders/demand that were met on time from inventory. Fill rate should not be averaged over time but over a specified number of units of demand (say, every thousand, million, etc.).
- **Fraction of time out of stock** measures the fraction of time that a particular SKU had zero inventory. This fraction can be used to estimate the lost sales during the stock out period.
- **Obsolete inventory** measures the fraction of inventory older than a specified obsolescence date.

**OVERALL TRADE-OFF: RESPONSIVENESS VERSUS EFFICIENCY** The fundamental trade-off that managers face when making inventory decisions is between responsiveness and efficiency. Increasing inventory generally makes the supply chain more responsive to the customer. A higher level of inventory also facilitates a reduction in production and transportation costs because of improved economies of scale in both functions. This choice, however, increases inventory holding cost.

### 3.6 TRANSPORTATION

In this section, we discuss the role that transportation plays in the supply chain and key transportation-related decisions that supply chain managers must make.

### Role in the Supply Chain

Transportation moves product between different stages in a supply chain and impacts both responsiveness and efficiency. Faster transportation allows a supply chain to be more responsive but reduces its efficiency. The type of transportation a company uses also affects the inventory and facility locations in the supply chain. Dell, for example, flies some components from Asia because doing so allows the company to lower the level of inventory it holds. Clearly, such a practice also increases responsiveness but decreases transportation efficiency because it is more costly than transporting parts by ship.

### Role in the Competitive Strategy

Transportation allows a firm to adjust the location of its facilities and inventory to find the right balance between responsiveness and efficiency. A firm selling high-value items such as pacemakers may use rapid transportation to be responsive while centralizing its facilities and inventory to lower cost. In contrast, a firm selling low-value, high-demand items like light bulbs may carry a fair amount of inventory close to the customer but then use low-cost transportation like sea, rail, and full trucks to replenish this inventory from plants located in low-cost countries.

---

#### EXAMPLE 3-3 Blue Nile

Blue Nile is an online retailer of diamonds that has used responsive transportation with FedEx to ship diamonds to customers in the United States, Canada, and several countries in Europe and Asia. Given the high value of diamonds, Blue Nile offers free shipping for the overnight delivery. Responsive shipping, however, allows Blue Nile to centralize its inventory of diamonds and also eliminate the need for expensive storefronts. In spite of the high transportation costs, Blue Nile has very low costs compared to bricks-and-mortar retailers because of the low facility and inventory expenses. Blue Nile is thus able to offer significantly lower prices than its bricks-and-mortar competition.

---

### Components of Transportation Decisions

We now identify key components of transportation that companies must analyze when designing and operating a supply chain.

**DESIGN OF TRANSPORTATION NETWORK** The transportation network is the collection of transportation modes, locations, and routes along which product can be shipped. A company must decide whether transportation from a supply source will be direct to the demand point or will go through intermediate consolidation points. Design decisions also include whether or not multiple supply or demand points will be included in a single run.

**CHOICE OF TRANSPORTATION MODE** The mode of transportation is the manner in which a product is moved from one location in the supply chain network to another. Companies can choose among air, truck, rail, sea, and pipeline as modes of transport for products. Today, information goods can also be sent via the Internet. Each mode has different characteristics with respect to the speed, size of shipments (individual parcels to pallets to full trucks to entire ships), cost of shipping, and flexibility that lead companies to choose one particular mode over the others.

**TRANSPORTATION-RELATED METRICS** Inbound transportation decisions impact the cost of goods sold while outbound transportation costs are part of the selling, general, and administrative

expenses. Thus, transportation costs affect the profit margin. A manager should track the following transportation-related metrics that influence supply chain performance:

- **Average inbound transportation cost** typically measures the cost of bringing product into a facility as a percentage of sales or cost of goods sold (COGS). Ideally, this cost should be measured per unit brought in, but this can be difficult. The inbound transportation cost is generally included in COGS. It is useful to separate this cost by supplier.
- **Average incoming shipment size** measures the average number of units or dollars in each incoming shipment at a facility.
- **Average inbound transportation cost per shipment** measures the average transportation cost of each incoming delivery. Along with the incoming shipment size, this metric identifies opportunities for greater economies of scale in inbound transportation.
- **Average outbound transportation cost** measures the cost of sending product out of a facility to the customer. Ideally, this cost should be measured per unit shipped, but it is often measured as a percentage of sales. It is useful to separate this metric by customer.
- **Average outbound shipment size** measures the average number of units or dollars on each outbound shipment at a facility.
- **Average outbound transportation cost per shipment** measures the average transportation cost of each outgoing delivery. Along with the outgoing shipment size, this metric identifies opportunities for greater economies of scale in outbound transportation.
- **Fraction transported by mode** measures the fraction of transportation (in units or dollars) using each mode of transportation. This metric can be used to estimate if certain modes are overused or underutilized.

**OVERALL TRADE-OFF: RESPONSIVENESS VERSUS EFFICIENCY** The fundamental trade-off for transportation is between the cost of transporting a given product (efficiency) and the speed with which that product is transported (responsiveness). Using fast modes of transport raises responsiveness and transportation cost but lowers the inventory holding cost.

### 3.7 INFORMATION

In this section, we discuss the role that information plays in the supply chain, as well as key information-related decisions that supply chain managers must make.

#### Role in the Supply Chain

Good information can help improve the utilization of supply chain assets and the coordination of supply chain flows to increase responsiveness and reduce costs. Seven-Eleven Japan uses information to improve product availability while decreasing inventories. Wal-Mart uses information on shipments from suppliers to facilitate cross-docking and lower inventory and transportation expense. Li & Fung, a global trading group supplying time-sensitive consumer goods such as apparel, uses information on its third party manufacturers to source each order from the most appropriate supplier. Airlines routinely use information to offer the right number of seats at a discount price, leaving sufficient seats for business customers making reservations at the last minute and willing to pay a higher price. Each of these examples illustrates the importance of information as a key driver that can be used to provide higher responsiveness while simultaneously improving efficiency.

#### Role in the Competitive Strategy

The right information can help a supply chain better meet customer needs at lower cost. The appropriate investment in information technology improves visibility of transactions and coordination of decisions across the supply chain. Coordination is essential if all stages of the



supply chain are to work together toward a common goal. The goal in general should be to share the minimum amount of information required to achieve coordination because, beyond a certain point, the marginal cost of handling additional information increases, whereas the marginal benefit from the additional information decreases. The following examples illustrate how information can be used to provide customized products and improve supply chain performance.

---

#### **EXAMPLE 3-4 Andersen Windows**

Andersen Windows, a major manufacturer of residential wood windows located in Bayport, Minnesota, has invested in an information system that enables the company to bring customized products to the market rapidly. This system, called “Window of Knowledge,” allows distributors and customers to design windows to custom-fit their needs. Users can select from a library of more than 50,000 components that can be combined in any number of ways. The system immediately gives the customer price quotes and automatically sends the order to the factory if the customer decides to buy. This information investment not only gives the customer a much wider variety of products, it also allows Andersen to be much more responsive to the customer, as it gets the customer’s order to the factory as soon as the order is placed.

---



---

#### **EXAMPLE 3-5 Sunsweet Growers**

Sunsweet Growers, a California-based dried fruit producer, implemented a supply chain sales and operations planning (S&OP) suite to replace its Excel-based planning system. The company has a highly seasonal supply with harvest taking place primarily during September and October. Demand is also seasonal with peak times occurring during the Christmas period. Good planning thus can be very valuable. Sunsweet’s goal when implementing the suite was twofold: Each function should operate with the same data and an early warning capability should alert planners and managers about any potential mismatches in supply and demand. After the implementation, production overruns at Sunsweet dropped from 30 percent to under 15 percent. Forecast accuracy improved by 15 to 20 percent. The early warning system alerts allowed planners to react as much as two to three weeks earlier than before the implementation.

---

### **Components of Information Decisions**

We now consider key components of information that a company must analyze to increase efficiency and improve responsiveness within its supply chain.

**PUSH VERSUS PULL** When designing processes of the supply chain, managers must determine whether these processes are part of the push or pull phase in the chain. We discussed this distinction in Chapter 1, but we mention it again because different types of systems require different types of information. Push systems start with forecasts that are used to build the master production schedule and roll it back, creating schedules for suppliers with part types, quantities, and delivery dates. Pull systems require information on actual demand to be transmitted extremely quickly throughout the entire chain so that production and distribution of products can reflect the real demand accurately.

**COORDINATION AND INFORMATION SHARING** *Supply chain coordination* occurs when all stages of a supply chain work toward the objective of maximizing total supply chain profitability based on shared information. Lack of coordination can result in a significant loss of supply chain surplus. Coordination among different stages in a supply chain requires each stage to share appropriate

information with other stages. For example, if a supplier is to produce the right parts in a timely manner for a manufacturer in a pull system, the manufacturer must share demand and production information with the supplier. Information sharing is thus crucial to the success of a supply chain.

**SALES AND OPERATIONS PLANNING** *Sales and operations planning* (S&OP) is the process of creating an overall supply plan (production and inventories) to meet the anticipated level of demand (sales). The S&OP process starts with sales and marketing communicating their needs to the supply chain, which in turn communicates to sales and marketing whether the needs can be met and at what cost. The goal of S&OP is to come up with an agreed-upon sales, production, and inventory plan that can be used to plan supply chain needs and project revenues and profits. The sales and operations plan becomes a critical piece of information to be shared across the supply chain because it affects both the demand on a firm's suppliers and the supply to its customers.

**ENABLING TECHNOLOGIES** Many technologies exist to share and analyze information in the supply chain. Managers must decide which technologies to use and how to integrate them into their supply chain. Some of these technologies include the following:

1. Electronic data interchange (EDI) was developed in the 1970s to facilitate the placement of instantaneous, paperless purchase orders with suppliers. Its proprietary nature, however, required significant upfront investment and often some translation between the communicating parties. It did make transactions faster and more accurate than when they were paper based.

2. Relative to EDI, the Internet conveys much more information using a standard infrastructure allowing supply chains to improve both efficiency and responsiveness. The beginning of the 21<sup>st</sup> century has seen the Internet become the dominant medium of communication across all the macro processes (CRM, ISCM, and SRM discussed in Chapter 1) that link the supply chain from suppliers to customers.

3. Enterprise resource planning (ERP) systems provide the transactional tracking and global visibility of information from within a company and across its supply chain. This real-time information helps a supply chain improve the quality of its operational decisions. ERP systems keep track of the information, whereas the Internet provides one method with which to view this information. A more detailed discussion of ERP systems is in Chapter 17.

4. Supply chain management (SCM) software uses the information in ERP systems to provide analytical decision support in addition to the visibility of information. ERP systems show a company what is going on, while SCM systems help a company decide what it should do. A more detailed discussion of SCM systems is in Chapter 17.

5. Radio frequency identification (RFID) consists of an active or passive radio frequency (RF) tag applied to the item being tracked and an RF reader/emitter. A passive tag draws energy from the reader, whereas an active tag has its own battery and draws power from it. RFID has many potential uses. It can be used in manufacturing to check availability of the entire bill of materials. The technology can make the receiving of a truck much faster and cheaper. Full implementation of RFID could eliminate the need for manual counting and bar-code scanning at the receiving dock. It can also be used to get an exact count of incoming items and items in storage. RFID technology, however, has yet to reach 100 percent accuracy, and its cost per unit is still high enough to make global acceptance difficult, even at the case level.

**INFORMATION-RELATED METRICS** A manager should track the following information-related metrics that influence supply chain performance:

- **Forecast horizon** identifies how far in advance of the actual event a forecast is made. The forecast horizon must be greater than or equal to the lead time of the decision that is driven by the forecast.

- **Frequency of update** identifies how frequently each forecast is updated. The forecast should be updated somewhat more frequently than a decision will be revisited, so that large changes can be flagged and corrective action taken.
- **Forecast error** measures the difference between the forecast and actual demand. The forecast error is a measure of uncertainty and drives all responses to uncertainty such as safety inventory or excess capacity.
- **Seasonal factors** measure the extent to which the average demand in a season is above or below the average in the year.
- **Variance from plan** identifies the difference between the planned production/inventories and the actual values. These variances can be used to raise flags that identify shortages and surpluses.
- **Ratio of demand variability to order variability** measures the standard deviation of incoming demand and supply orders placed. A ratio less than one potentially indicates the existence of the bullwhip effect, which is discussed in Chapter 10.

**OVERALL TRADE-OFF: COMPLEXITY VERSUS VALUE** Good information clearly helps a firm improve both its efficiency and responsiveness. There is a danger, however, in the assumption that more information is always better. As more information is shared across a supply chain, the complexity and cost of both the required infrastructure and the follow-up analysis grow exponentially. The marginal value provided by the information shared, however, diminishes as more and more information is available. It is thus important to evaluate the minimum information required to accomplish the desired objectives. For example, it may often be enough if aggregate sales are shared between a retailer and a manufacturer instead of detailed point-of-sale data. Aggregate information is cheaper to share and provides most of the value with regard to better production planning. The trade-off between complexity and value is important to consider when setting up the information infrastructure.

### 3.8 SOURCING

In this section, we discuss the role that sourcing plays in the supply chain and key sourcing-related decisions that managers need to make.

#### Role in the Supply Chain

*Sourcing* is the set of business processes required to purchase goods and services. Managers must first decide whether each task will be performed by a responsive or efficient source and then whether the source will be internal to the company or a third party. Sourcing from low-cost countries allows a company like IKEA to provide the basic modules for the furniture it sells at low cost. Sourcing some of its PCs sold at Wal-Mart from China has allowed Dell to lower their cost. Meanwhile, Dell continues to produce in-house those machines for which responsiveness is required. As supply chains have globalized, many more sourcing options now offer both considerable opportunity and potential risks. Thus, sourcing decisions have a significant impact on supply chain performance.

#### Role in the Competitive Strategy

Sourcing decisions are crucial because they affect the level of efficiency and responsiveness the supply chain can achieve. In some instance, firms outsource to responsive third parties if it is too expensive for them to develop this responsiveness on their own. An example is the outsourcing of next-day package delivery by all firms to a few package carriers because it is too expensive for a firm to develop next-day delivery capability on its own. In other instances, firms have kept the responsive process in-house to maintain control. An example is Zara,

which keeps responsive capacity in-house so it can respond quickly to orders as they arrive. Firms also outsource for efficiency if the third party can achieve significant economies of scale or has a lower underlying cost structure for other reasons. The following example illustrates how Cisco has sourced appropriately to be efficient for low-end products and responsive for high-end products.

---

### EXAMPLE 3-6 Cisco

Cisco has outsourced almost all of its manufacturing. It does, however, have a sourcing strategy that varies by product type. For low-end products such as routers for home networks, Cisco aims for efficiency. These routers are produced and packed in China and shipped in bulk for sale in the United States. Cisco aims for the lowest cost manufacturing location and economies of scale in transportation because the targeted market segment values low cost. For high-end products, in contrast, Cisco outsources to contract manufacturers in the United States. These manufacturers are not low cost, but they are responsive and can serve the rapidly evolving needs of the high-end market.

---

### Components of Sourcing Decisions

We now consider key sourcing decisions that are made within a firm.

**IN-HOUSE OR OUTSOURCE** The most significant sourcing decision for a firm is whether to perform a task in-house or outsource it to a third party. Within a task such as transportation, managers must decide whether to outsource all of it, outsource only the responsive component, or outsource only the efficient component. This decision should be driven in part by its impact on the total supply chain surplus. It is best to outsource if the growth in total supply chain surplus is significant with little additional risk.

**SUPPLIER SELECTION** Managers must decide on the number of suppliers they will have for a particular activity. They must then identify the criteria along which suppliers will be evaluated and how they will be selected. For the selection process, managers must decide whether they will use direct negotiations or resort to an auction. If an auction is used, it must be structured to ensure the desired outcome.

**PROCUREMENT** *Procurement* is the process of obtaining goods and services within a supply chain. Managers must structure procurement with a goal of increasing supply chain surplus. For example, a firm should set up procurement for direct materials to ensure good coordination between the supplier and buyer. In contrast, the procurement of MRO products should be structured to ensure that transaction costs are low.

**SOURCING-RELATED METRICS** Sourcing decisions directly impact the cost of goods sold and accounts payable. The performance of the source also impacts quality, inventories, and inbound transportation costs. A manager should track the following sourcing-related metrics that influence supply chain performance:

- **Days payable outstanding** measures the number of days between when a supplier performed a supply chain task and when it was paid.
- **Average purchase price** measures the average price at which a good or service was purchased during the year. The average price should be weighted by the quantity purchased at each price.
- **Range of purchase price** measures the fluctuation in purchase price during a specified period. The goal is to identify if the quantity purchased correlated with the price.

- **Average purchase quantity** measures the average amount purchased per order. The goal is to identify whether a sufficient level of aggregation is occurring across locations when placing an order.
- **Supply quality** measures the quality of product supplied.
- **Supply lead time** measures the average time between when an order is placed and when the product arrives. Long lead times reduce responsiveness and add to the inventory the supply chain must carry.
- **Fraction of on-time deliveries** measures the fraction of deliveries from the supplier that were on time.
- **Supplier reliability** measures the variability of the supplier's lead time as well as the delivered quantity relative to plan. Poor supplier reliability hurts responsiveness and adds to the amount of inventory the supply chain must carry.

**OVERALL TRADE-OFF: INCREASE THE SUPPLY CHAIN SURPLUS** Sourcing decisions should be made to increase the size of the total surplus to be shared across the supply chain. The total surplus is affected by the impact of sourcing on sales, service, production costs, inventory costs, transportation costs, and information costs. Outsourcing to a third party is meaningful if the third party raises the supply chain surplus more than the firm can on its own. In contrast, a firm should keep a supply chain function in-house if the third party cannot increase the supply chain surplus or if the risk associated with outsourcing is significant.

### 3.9 PRICING

In this section, we discuss the role that pricing plays in the supply chain.

#### Role in the Supply Chain

Pricing is the process by which a firm decides how much to charge customers for its goods and services. Pricing affects the customer segments that choose to buy the product, as well as the customer's expectations. This directly affects the supply chain in terms of the level of responsiveness required as well as the demand profile that the supply chain attempts to serve. Pricing is also a lever that can be used to match supply and demand especially when the supply chain is not very flexible. Short-term discounts can be used to eliminate supply surpluses or decrease seasonal demand spikes by moving some of the demand forward. In short, pricing is one of the most significant factors that affect the level and type of demand that the supply chain will face.

#### Role in the Competitive Strategy

Pricing is a significant attribute through which a firm executes its competitive strategy. For example, Costco, a membership-based wholesaler in the United States, has a policy that prices are kept steady but low. Customers expect low prices but are comfortable with a lower level of product availability. The steady prices also ensure that demand stays relatively stable. Costco serves a well-defined segment, and it can thus design an appropriate supply chain. The Costco supply chain aims to be efficient, at the expense of some responsiveness. In contrast, some manufacturing and transportation firms use pricing that varies with the response time desired by the customer. Through their pricing, these firms are targeting a broader set of customers, some of whom need responsiveness while others need efficiency. In this case, it becomes important for these firms to structure a supply chain that can meet the two divergent needs. Amazon uses a menu of shipping options and prices to identify customers who value responsiveness and those who value low cost. This identification allows the company to serve both effectively, as shown in the following example.

---

**EXAMPLE 3-7 Amazon.com**

Amazon offers its customers a large menu of prices for products that are purchased from the company. For example, in July 2008, a person purchasing two books worth \$30 could use standard shipping (ships in 3–5 business days) at a cost of \$4.98, two-day shipping (ships in 2 business days) at a cost of \$13.97, one-day shipping (ships in 1 business day) at a cost of \$22.97 or use free shipping (ships in 7–14 business days). The pricing menu allows Amazon to attract customers with varying levels of desired responsiveness. Whereas customers paying for one-day shipping impose a high degree of uncertainty on Amazon, customers opting for free shipping can be used to level out the workload at the warehouse over time. Amazon can thus use its pricing to provide responsiveness to those who value it while using customers who want a low price to help it improve its efficiency.

---

**Components of Pricing Decisions**

We now describe key components of pricing decisions that affect supply chain performance.

**PRICING AND ECONOMIES OF SCALE** Most supply chain activities display economies of scale. Changeovers make small production runs more expensive per unit than large production runs. Loading and unloading costs make it cheaper to deliver a truckload to one location than four. In each case, the provider of the supply chain activity must decide how to price it appropriately to reflect these economies of scale. A commonly used approach is to offer quantity discounts. Care must be taken to ensure that quantity discounts offered are consistent with the economies of scale in the underlying process. Otherwise, there is a danger of customer orders being driven primarily by the quantity discounts even though the underlying process does not have significant economies of scale.

**EVERYDAY LOW PRICING VERSUS HIGH-LOW PRICING** A firm such as Costco practices everyday low pricing at its warehouse stores, keeping prices steady over time. Costco will go to the extent of not offering any discount on damaged books to ensure its everyday low-pricing strategy. In contrast, most supermarkets practice high-low pricing and offer steep discounts on a subset of their product every week. The Costco pricing strategy results in relatively stable demand. The high-low pricing strategy results in a peak during the discount week, often followed by a steep drop in demand during the following weeks. The two pricing strategies lead to different demand profiles that the supply chain must serve.

**FIXED PRICE VERSUS MENU PRICING** A firm must decide whether it will charge a fixed price for its supply chain activities or have a menu with prices that vary with some other attribute, such as the response time or location of delivery. If marginal supply chain costs or the value to the customer vary significantly along some attribute, it is often effective to have a pricing menu. We have already discussed Amazon as an example of a firm offering a menu that is somewhat consistent with the cost of providing the particular supply chain service. An example of when the pricing menu is somewhat inconsistent is seen at many MRO suppliers. They often allow customers to have their order shipped to them or to be picked up in person. A customer pays an additional shipping fee for home delivery but pays nothing for a personal pickup. The pick, pack, and deliver cost at the warehouse, however, is higher in the case of a personal pickup compared to home delivery. The pricing policy thus can lead to customer behavior that has a negative impact on profits.

**PRICING-RELATED METRICS** Pricing directly affects revenues but can also affect production costs and inventories depending upon its impact on consumer demand. A manager should track

the following pricing-related metrics. With menu pricing, each metric should be tracked separately for each segment in the menu:

- **Profit margin** measures profit as a percentage of revenue. A firm needs to examine a wide variety of profit margin metrics to optimize its pricing, including dimensions such as type of margin (gross, net, etc.), scope (SKU, product line, division, firm), customer type, and others.
- **Days sales outstanding** measures the average time between when a sale is made and when the cash is collected.
- **Incremental fixed cost per order** measures the incremental costs that are independent of the size of the order. These include changeover costs at a manufacturing plant or order processing or transportation costs that are incurred independent of shipment size at a mail-order firm.
- **Incremental variable cost per unit** measures the incremental costs that vary with the size of the order. These include picking costs at a mail-order firm or variable production costs at a manufacturing plant.
- **Average sale price** measures the average price at which a supply chain activity was performed in a given period. The average should be obtained by weighting the price with the quantity sold at that price.
- **Average order size** measures the average quantity per order. The average sale price, order size, incremental fixed cost per order, and incremental variable cost per unit help estimate the contribution from performing the supply chain activity.
- **Range of sale price** measures the maximum and the minimum of sale price per unit over a specified time horizon.
- **Range of periodic sales** measures the maximum and minimum of the quantity sold per period (day/week/month) during a specified time horizon. The goal is to understand any correlation between sales and price and any potential opportunity to shift sales by changing price over time.

**OVERALL TRADE-OFF: INCREASE FIRM PROFITS** All pricing decisions should be made with the objective of increasing firm profits. This requires an understanding of the cost structure of performing a supply chain activity and the value this activity brings to the supply chain. Strategies such as everyday low pricing may foster stable demand that allows for efficiency in the supply chain. Other pricing strategies may lower supply chain costs, defend market share, or even steal market share. Differential pricing may be used to attract customers with varying needs, as long as this strategy helps either increase revenues or shrink costs, preferably both.

### 3.10 SUMMARY OF LEARNING OBJECTIVES

**1. Describe key financial measures of firm performance.** The key financial measures of firm performance include return on equity; return on assets; accounts payable turnover; profit margin; asset turnover, accounts receivable turnover; inventory turns; property, plant and equipment turns; and cash-to-cash cycle.

**2. Identify the major drivers of supply chain performance.** The major drivers of supply chain performance are facilities, inventory, transportation, information, sourcing, and pricing.

**3. Discuss the role of each driver in creating strategic fit between the supply chain strategy and the competitive strategy.** A company achieving strategic fit has found the right balance between responsiveness and efficiency. Each driver affects this balance. Having more facilities generally makes a chain more responsive, while having fewer, central facilities creates higher efficiency. Holding higher levels of inventory increases the responsiveness of a supply

chain, while keeping inventory low increases the chain's efficiency. Using faster modes of transportation increases a chain's responsiveness, while using slower modes generally increases efficiency. Investing in information can vastly improve the supply chain performance on both dimensions. This investment, however, must be made based on the strategic position supported by the other drivers. Appropriate sourcing decisions raise supply chain profits by assigning supply chain functions to the right party, which brings higher economies of scale or a higher level of aggregation of uncertainty. Pricing can be used to attract the right target customer segment. Differential pricing can be used to attract customers who value responsiveness as well as customers who want efficiency. The supply chain can then be structured to provide responsiveness to some customers while improving overall efficiency.

**4. Define the key metrics that track the performance of the supply chain in terms of each driver.** Facility-related metrics are capacity, utilization, theoretical flow/cycle time of production, actual flow/cycle time, flow time efficiency, product variety, volume contribution of top 20 percent SKUs/customers, processing/setup/down/idle time, and average production batch size. Inventory-related metrics are average inventory, products with more than a specified number of days of inventory, average replenishment batch size, average safety inventory, seasonal inventory, fill rate, and fraction of time out of stock. Transportation-related metrics are average inbound transportation cost, average incoming shipment size, average inbound transportation cost per shipment, average outbound transportation cost, average outbound shipment size, average outbound transportation cost per shipment, and fraction transported by mode. Information-related metrics are forecast horizon, forecast error, seasonal factors, variance from plan, and ratio of demand variability to order variability. Sourcing-related metrics are days payable outstanding, average purchase price, range of purchase price, average purchase quantity, fraction on-time deliveries, supply quality, and supply lead time. Pricing-related metrics are profit margin, days sales outstanding, incremental fixed cost per order, incremental variable cost per unit, average sale price, average order size, range of sale price, and range of periodic sales. Each of these metrics directly or indirectly impacts the financial metrics and the responsiveness to customers.

---

## Discussion Questions

1. How could a grocery retailer use inventory to increase the responsiveness of the company's supply chain?
2. How could an auto manufacturer use transportation to increase the efficiency of its supply chain?
3. How could a bicycle manufacturer increase responsiveness through its facilities?
4. How could an industrial supplies distributor use information to increase its responsiveness?
5. Motorola has gone from manufacturing all its cell phones in-house to almost completely outsourcing the manufacturing. What are the pros and cons of the two approaches?
6. How can a home-delivery company like Peapod use pricing of its delivery services to improve its profitability?
7. What are some industries in which products have proliferated and life cycles have shortened? How have the supply chains in these industries adapted?
8. How can the full set of logistical and cross-functional drivers be used to create strategic fit for a PC manufacturer targeting both time-sensitive and price-conscious customers?
9. On which supply chain drivers should a firm trying to shrink its cash-to-cash cycle focus?
10. Would you expect a brick-and-mortar retailer or an online retailer to have a higher asset turnover? Which supply chain drivers impact asset turnover?

---

## Bibliography

- Doheny, Mike, Karl-Hendrik Magnus, Paulo Marchesan, Brian Ruwadi, Chris Turner, and Nursen Ulker. "Driving Productivity in the Apparel Supply Chain." December 17, 2010. Available at [https://operations-extranet.mckinsey.com/html/knowledge/article/20101213\\_apparel\\_supply\\_chain.asp](https://operations-extranet.mckinsey.com/html/knowledge/article/20101213_apparel_supply_chain.asp).
- Dyckman, Thomas R., Robert P. Magee, and Glenn M. Pfeiffer. *Financial Accounting*. Westmont, IL: Cambridge Business Publishers, 2011.
- Hofman, Debra. "The Hierarchy of Supply Chain Metrics." *Supply Chain Management Review* (September 2004): 28–37.



Marien, Edward J. “The Four Supply Chain Enablers.” *Supply Chain Management Review* (March–April 2000): 60–68.

O’Marah, Kevin. “The Top Twenty Five Supply Chains.” *Supply Chain Management Review* (September 2007): 16–22.

Presutti, William D., Jr., and John R. Mawhinney. “The Supply Chain–Finance Link.” *Supply Chain Management Review* (September 2007): 32–38.

Slone, Reuben E., J. Paul Dittman, and John T. Mentzer. *The New Supply Chain Agenda: The Five Steps that Drive Real Value*. Boston: Harvard Business Press, 2010.

## Case Study

### Seven-Eleven Japan Co.

Established by Ito Yokado in 1973, Seven-Eleven Japan set up its first store in Koto-ku, Tokyo, in May 1974. The company was first listed on the Tokyo Stock Exchange in October 1979. On September 1, 2005, Seven & i Holdings Co. Ltd., was established as the holding company for Seven-Eleven Japan, Ito-Yokado, and Denny’s Japan. As a result, detailed financial results for Seven-Eleven Japan have not been available since then and are only reported as the convenience store portion of Seven & i Holdings. Seven-Eleven Japan realized a phenomenal growth between 1985 and 2009. During that period, the number of stores increased from 2,299 to 12,753 and annual sales increased from 386 billion to 2,785 billion yen in Japan. Globally, the firm had over 40,000 convenience stores by January 2011 and was the world’s largest chain in terms of retail outlets. Global revenues for Seven & i from convenience store operations were 1,968 billion yen in 2009 with an operating income of 183.8 billion yen. The firm was present in 38 of Japan’s 47 prefectures and opened 966 stores in Japan while closing 511 stores in 2009. Customer visits to Seven-Eleven outlets totaled 4.1 billion in 2007, averaging almost 35 visits to a Seven-Eleven annually for every person in Japan.

### Company History and Profile

Both Ito-Yokado and Seven-Eleven Japan were founded by Masatoshi Ito. He started his retail empire after World War II, when he joined his mother and elder brother and began to work in a small clothing store in Tokyo. By 1960, he was in sole control, and the single store had grown into a \$3 million company. After a trip to the United States in 1961, Ito became convinced that superstores were the wave of the future. At that time, Japan was still dominated by mom-and-pop stores. Ito’s chain of superstores in the Tokyo area was instantly popular and soon constituted the core of Ito-Yokado’s retail operations.

In 1972, Ito first approached the Southland Corporation about the possibility of opening Seven-Eleven

convenience stores in Japan. After rejecting his initial request, Southland agreed in 1973 to a licensing agreement. In exchange for 0.6 percent of total sales, Southland gave Ito exclusive rights throughout Japan. In May 1974, the first Seven-Eleven convenience store opened in Tokyo.

This new concept was an immediate hit in Japan, and Seven-Eleven Japan experienced tremendous growth. By 1979, there were already 591 Seven-Eleven stores in Japan; by 1984, there were 2,001. Rapid growth continued (Table 3-2), resulting in 12,753 stores by 2009.

On October 24, 1990, the Southland Corporation entered into bankruptcy protection. Southland asked for Ito-Yokado’s help, and on March 5, 1991, IYG Holding was formed by Seven-Eleven Japan (48 percent) and Ito-Yokado (52 percent). IYG acquired 70 percent of Southland’s common stock for a total price of \$430 million.

**Table 3-2** Stores and Annual Sales for Seven-Eleven Japan

Year	Number of Stores	Annual Sales (billion yen)
1974	15	0.7
1979	801	109.8
1984	2,299	386.7
1989	3,954	780.3
1994	5,905	1,392.3
1999	8,153	1,963.9
2000	8,602	2,046.6
2001	9,060	2,114.0
2002	9,690	2,213.2
2003	10,303	2,343.2
2004	10,826	2,440.8
2005	11,310	2,498.7
2006	11,735	2,533.5
2007	12,034	2,574.3
2008	12,298	2,762.5
2009	12,753	2,784.9

**Table 3-3** Financial Figures for Seven & i (2008–2010)

For Fiscal Years Ending February 28/29	2008	2009	2010
Total revenues (billion yen)	5,752.4	5,649.9	5,111.0
Total operating income (billion yen)	281.9	281.9	226.7
Convenience store revenues (billion yen)	2,395.7	2,308.7	1,968.6
Convenience store operating income (billion yen)	201.0	213.4	183.8

In 2005, Seven & i Holdings was established through a stock transfer combining Seven-Eleven Japan, Ito-Yokado, and Denny's Japan. In 2009, convenience store operations from Seven-Eleven Japan and other subsidiaries in North America and China contributed 38.3 percent of total revenues from operations and 80.9 percent of operating income for the Seven & i Holdings Company (see Table 3-3 for details). The relative performance of convenience stores within Japanese operations was even more dominant. The drop in financial performance in 2009 relative to 2008 was attributed largely to the drop of gasoline prices in North America and the stronger yen. The discrepancy between Tables 3-2 and 3-3 results because Table 3-2 reports sales (at both company-owned and franchised stores), whereas Table 3-3 reports revenues for only Seven & i.

### The Convenience Store Industry and Seven-Eleven in Japan

The convenience store sector was one of the few business areas that continued to grow during the prolonged slow-down in Japan toward the end of the 20<sup>th</sup> century and the start of the 21<sup>st</sup> century. From 1991 to 2002, the number of convenience stores in Japan increased from 19,603 to almost 42,000. As a percentage of all retail stores in Japan, this represented an increase from 1.2 percent to 3.2 percent. During that period, annual sales at convenience stores more than doubled, from just over 3 trillion to 6.7 trillion yen. As a percentage of all retail sales in Japan, this represented an increase from 2.2 percent to 5.0 percent.

Japan's convenience store sector gradually consolidated, with larger players growing and smaller operators shutting down. In 2004, the top 10 convenience store chains accounted for approximately 90 percent of Japan's convenience stores. As the chains improved their operating structures and better leveraged economies of scale, smaller operators found it hard to compete.

Seven-Eleven Japan had increased its share of the convenience store market since it opened. In 2008, Seven-Eleven was Japan's leading convenience store operator, accounting for 34.3 percent market share in the convenience store segment. Seven-Eleven was very

effective in terms of same-store sales. In 2004, average daily sales at the four major convenience store chains excluding Seven-Eleven Japan totaled 484,000 yen. Seven-Eleven stores, in contrast, had daily sales of 647,000 yen—more than 30 percent higher than the competition put together. By 2009, average daily sales at Seven-Eleven Japan stores had declined somewhat to 616,000 yen. In 2004, Seven-Eleven's operating income of 165.7 billion yen positioned it as a leader not only of the convenience store sector but also of Japan's retail industry as a whole. In terms of growth, its performance was even more impressive. In 2004, Seven-Eleven accounted for 60 percent of the total net increase in the number of stores among the top 10 convenience store chains in Japan. This growth had been carefully planned, exploiting the core strengths that Seven-Eleven Japan had developed in the areas of information systems and distribution systems.

### The Seven-Eleven Japan Franchise System

Seven-Eleven Japan developed an extensive franchise network and performed a key role in the daily operations of this network. The Seven-Eleven Japan network included both company-owned stores and third-party-owned franchises. In 2004, franchise commissions accounted for more than 68 percent of revenue from operations. To ensure efficiency, Seven-Eleven Japan based its fundamental network expansion policy on a market-dominance strategy. Entry into any new market was built around a cluster of 50 to 60 stores supported by a distribution center. Such clustering gave Seven-Eleven Japan a high-density market presence and allowed it to operate an efficient distribution system. Seven-Eleven Japan, in its 1994 annual report, listed the following six advantages of the market-dominance strategy:

- Boosted distribution efficiency
- Improved brand awareness
- Increased system efficiency
- Enhanced efficiency of franchise support services
- Improved advertising effectiveness
- Prevented competitors' entrance into the dominant area

Adhering to its dominant strategy, Seven-Eleven Japan opened the majority of its new stores in areas with existing clusters of stores. For example, the Aichi prefecture, where Seven-Eleven began opening stores in 2002, saw a large increase in 2004, with 108 new store openings. This represented more than 15 percent of the new Seven-Eleven stores opened in Japan that year.

Seven-Eleven had a limited geographic presence in Japan. In 2009, the company had stores in about 80 percent (37 of 47) of the prefectures within Japan. However, within prefectures where they were present, stores tended to be dense. As the 2004 annual report stated, “Filling in the entire map of Japan is not our priority. Instead, we look for demand where Seven-Eleven stores already exist, based on our fundamental area-dominance strategy of concentrating stores in specific areas.”

With Seven-Eleven franchises being highly sought after, fewer than one of 100 applicants was awarded a franchise (a testament to store profitability). The franchise owner was required to put a significant amount of money up front. Half of this amount was used to prepare the store and train the owner. The rest was used for purchasing the initial stock for the store. In 1994, 45 percent of total gross profits at a store went to Seven-Eleven Japan, and the rest went to the store owner. The responsibilities of the two parties were as follows.

#### Seven-Eleven Japan responsibilities:

- Develop supply and merchandise
- Provide the ordering system
- Pay for the system operation
- Supply accounting services
- Provide advertising
- Install and remodel facilities
- Pay 80 percent of utility costs

#### Franchise owner responsibilities:

- Operate and manage store
- Hire and pay staff
- Order supplies
- Maintain store appearance
- Provide customer service

### Store Information and Contents

Seven-Eleven had 12,753 stores in Japan as of 2009 (see Table 3-2). In 2004, Seven-Eleven Japan changed the standard size of new stores from 125 square meters to

**Table 3-4** Sales by Product Category in 2009

	Percentage of Total Sales
Processed foods	28.3
Fast foods	27.0
Fresh/daily foods	12.1
Nonfoods	32.6

150 square meters, still significantly smaller than the size of most U.S. 7-Eleven stores. In 2009, daily sales at a store averaged 613,000 yen (about \$7,558 in March 2011 at an exchange rate of about 81 yen to a U.S. dollar), which was almost twice the average at a U.S. store.

Seven-Eleven Japan offered its stores a choice from a set of 5,000 SKUs. Each store carried on average about 3,000 SKUs depending on local customer demand. Seven-Eleven Japan emphasized regional merchandizing to cater precisely to local preferences. Each store carried food items, beverages, magazines, and consumer items such as soaps and detergents. The relative sales across product categories in 2009 for Seven-Eleven Japan are given in Table 3-4.

The food items were classified in four broad categories: (1) chilled-temperature items including sandwiches, delicatessen products, and milk; (2) warm-temperature items including box lunches, rice balls, and fresh bread; (3) frozen items including ice cream, frozen foods, and ice cubes; (4) and room-temperature items including canned food, instant noodles, and seasonings. Processed food and fast-food items were big sellers for the stores. In 2009, processed and fast foods contributed about 55 percent of the total sales at each store. More than 1 billion rice balls were sold in 2004; this amounted to each Japanese citizen eating approximately eight Seven-Eleven rice balls a year. The top-selling products in the fast-food category were lunch boxes, rice balls, bread-based products, and pasta. As of February 2004, Seven-Eleven Japan had 290 dedicated manufacturing plants that produced only fast food for their stores.

Other products sold at Seven-Eleven stores included soft drinks, nutritional drinks, alcoholic beverages such as beer and wine, game software, music CDs, and magazines.

Seven-Eleven was focused on increasing the number of original items that were available only at their stores. In 2004, original items accounted for roughly 52 percent of total store sales. In 2007, Seven & i launched Seven Premium private brand products for sale at its

stores. By February 2010, Seven Premium offered 1,035 SKUs, and this number was expected to grow in the future. Private brand products were sold across all store formats and were viewed by the company as an important part of the expansion of synergies across its various retail formats.

## Store Services

Besides products, Seven-Eleven Japan gradually added a variety of services that customers could obtain at its stores. The first service, added in October 1987, was the in-store payment of Tokyo Electric Power bills. The company later expanded the set of utilities for which customers could pay their bills in the stores to include gas, insurance premiums, and telephone. With more convenient operating hours and locations than banks or other financial institutions, the bill payment service attracted millions of additional customers every year. In April 1994, Seven-Eleven Japan began accepting installment payments on behalf of credit companies. It started selling ski-lift pass vouchers in November 1994. In 1995, it began to accept payment for mail-order purchases. This was expanded to include payment for Internet shopping in November 1999. In August 2000, a meal delivery service company, Seven-Meal Service Co. Ltd., was established to serve the aging Japanese population. Seven Bank was set up as the core operating company for Seven & i in financial services. By 2009, virtually every Seven Eleven Japan store had an ATM installed with Seven Bank having more than 14,000 ATMs. The company averaged 114 transactions per ATM per day.

Other services offered at stores include photocopying, ticket sales (including baseball games, express buses, and music concerts) using multifunctional copiers, and being a pick-up location for parcel delivery companies that typically do not leave the parcel outside if the customer is not at home. In 2010, the convenience stores also started offering some government services such as providing certificates of residence. The major thrust for offering these services was to take advantage of the convenient locations of Seven-Eleven stores in Japan. Besides providing additional revenue, the services also got customers to visit the stores more frequently. Several of these services exploited the existing Total Information System (see text following) in the store.

In February 2000, Seven-Eleven Japan established 7dream.com, an e-commerce company. The goal was to exploit the existing distribution system and the fact that stores were easily accessible to most Japanese. Stores served as drop-off and collection points for Japanese

customers. A survey by eSBook (a joint venture among Softbank, Seven-Eleven Japan, Yahoo!Japan, and Tohan, a publisher) discovered that 92 percent of its customers preferred to pick up their online purchases at the local convenience store, rather than have them delivered to their homes. This was understandable given the frequency with which Japanese customers visit their local convenience store; 7dream hoped to build on this preference along with the synergies from the existing distribution system.

In March 2007, Seven-Eleven Japan introduced “Otoriyose-bin” or Internet shopping. The service enabled customers to buy products that were typically not available at the retail stores. Customers were allowed to order on the Web with both pick-up and payment at Seven-Eleven stores. There was no shipping fee charged for this service. The company built Seven Net Shopping, its Internet site aimed at combining the group’s stores and Internet services. In April 2007, “nanaco” electronic money was offered in Seven-Eleven stores. The service allowed customers to prepay and use a card or cell phone to make payments. The service was offered as a convenience to customers making small purchases and was also a reward system offering one yen worth of points for every 100 yen spent by the customer. By the end of 2007, nanaco was used by customers to make more than 30 million payments each month.

Given Japan’s aging population and an increase in the number of women working outside the home (Seven Eleven estimated that in 2009 more than 70 percent of women in their 40s worked outside the home), Seven Eleven wanted to exploit its “close by convenient stores” to better serve its customers. The company attempted to do this by offering “meal solutions” that speeded up cooking at home and services like “home meal delivery.”

## Seven-Eleven Japan’s Integrated Store Information System

From its start, Seven-Eleven Japan sought to simplify its operations by using advanced information technology. Seven-Eleven Japan attributed a significant part of its success to the Total Information System installed in every outlet and linked to headquarters, suppliers, and the Seven-Eleven distribution centers. The first online network linking the head office, stores, and vendors was established in 1979, though the company did not collect point-of-sales (POS) information at that time. In 1982, Seven-Eleven became the first company in Japan to introduce a POS system comprising POS cash registers and terminal control equipment. In 1985, the company

developed, jointly with NEC, personal computers using color graphics that were installed at each store and linked to the POS cash registers. These computers were also on the network linking the store to the head office as well as the vendors. Until July 1991, head office, stores, distribution centers, and suppliers were linked only by a traditional analog network. At that time, an integrated services digital network (ISDN) was installed. Linking more than 5,000 stores, it became one of the world's largest ISDN systems at that time.

The two-way, high-speed, online communication capability of ISDN enabled Seven-Eleven Japan to collect, process, and feed back POS data quickly. Sales data gathered in each store by 11:00 P.M. were processed and ready for analysis the next morning. In 1997, Seven-Eleven Japan introduced its fifth generation of the Total Information System, which was still in use in 2004.

The hardware system at a 1994 Seven-Eleven store included the following:

- **Graphic order terminal:** This was a handheld device with a wide-screen graphic display, used by the store owner or manager to place orders. The items were recorded and brought up in the order in which they were arranged on the shelves. The store manager/owner walked down the aisles and placed orders by item. When placing an order, the store manager had access (from the store computer) to detailed analysis of POS data related to the particular item. This included sales analysis of product categories and SKUs over time, analysis of waste, 10-week sales trends by SKU, 10-day sales trends by SKU, sales trends for new products, sales analysis by day and time, list of slow-moving items, analysis of sales and number of customers over time, contribution of product to sections in store display, and sales growth by product categories. The store manager used this information when placing an order, which was entered directly into the terminal. Once all the orders were placed, the terminal was returned to its slot, at which point the orders were relayed by the store computer to both the appropriate vendor and the Seven-Eleven distribution center.
- **Scanner terminal:** These scanners read bar codes and recorded inventory. They were used to receive products coming in from a distribution center. This was automatically checked against a previously placed order, and the two were reconciled. Before the scanner terminals were introduced, truck drivers waited in the store until the

delivery was checked. Once they were introduced, the driver simply dropped the delivery in the store, and a store clerk received it at a suitable time when there were few customers. The scanner terminals were also used when examining inventory at stores.

- **Store computer:** This linked to the ISDN network, the POS register, the graphic order terminal, and the scanner terminal. It communicated among the various input sources, tracked store inventory and sales, placed orders, provided detailed analysis of POS data, and maintained and regulated store equipment.
- **POS register:** To better understand the functioning of this information network, one needs to consider a sampling of daily operations. As soon as a customer purchased an item and paid at the POS register, the item information was retrieved from the store computer and the time of sale was automatically recorded. In addition, the cashier recorded the age and sex of the customer. To do this, the cashier used five register keys for the categories: under-13, 13–19, 20–29, 30–49, and 50+. This POS data was automatically transmitted online to a host computer. All sales data collected by 11:00 P.M. were organized and ready for analysis by the next morning. The data were evaluated on a company-wide, district, and store basis.

The analyzed and updated data were then sent back to the Seven-Eleven Japan stores via the network. Each store computer automatically updated its product master file to analyze its recent sales and stock movements. The main objective of the analysis was to improve the ordering process. All this information was available on the graphic order terminal used for order placement.

The information system allowed Seven-Eleven stores to better match supply with demand. Store staff could adjust the merchandising mix on the shelves according to consumption patterns throughout the day. For example, popular breakfast items were stocked earlier during the day, while popular dinner items were stocked later in the evening. The identification of slow and nonmoving items allowed a store to convert shelf space to introduce new items. More than 50 percent of the items sold at a Seven-Eleven store changed in the course of a year. This was due partly to seasonal demand and partly to new products. When a new product was introduced, the decision whether to continue stocking it was made within the first three weeks. Each item on the

shelf contributed to sales and margin and did not waste valuable shelf space.

### Seven-Eleven's Distribution System

The Seven-Eleven distribution system tightly linked the entire supply chain for all product categories. The distribution centers and the information network played a key role in that regard. The major objective was to carefully track sales of items and offer short replenishment cycle times. This allowed a store manager to forecast sales corresponding to each order accurately.

From March 1987, Seven-Eleven offered three-times-a-day store delivery of all rice dishes (which comprised most of the fast-food items sold). Bread and other fresh food were delivered twice a day. The distribution system was flexible enough to alter delivery schedules depending on customer demand. For example, ice cream was delivered daily during the summer but only three times a week at other times. The replenishment cycle time for fresh and fast-food items had been shortened to fewer than 12 hours. A store order for rice balls by 10:00 A.M. was delivered before the dinner rush.

As discussed earlier, the store manager used a graphic order terminal to place an order. All stores were given cutoff times for breakfast, lunch, and dinner ordering. When a store placed an order, it was immediately transmitted to the supplier as well as the distribution center. The supplier received orders from all Seven-Eleven stores and started production to fill the orders. The supplier then sent the orders by truck to the distribution center. Each store order was separated so the distribution center could easily assign it to the appropriate store truck using the order information it already had. The key to store delivery was what Seven-Eleven called the combined delivery system. At the distribution center, delivery of like products from different suppliers (e.g., milk and sandwiches) was directed into a single temperature-controlled truck. There were four categories of temperature-controlled trucks: frozen foods, chilled foods, room-temperature processed foods, and warm foods. Each truck made deliveries to multiple retail stores. The number of stores per truck depended on the sales volume. All deliveries were made during off-peak hours and were received using the scanner terminals. The system worked on trust and did not require the delivery person to be present when the store personnel scanned in the delivery. That reduced the delivery time spent at each store.

This distribution system enabled Seven-Eleven to reduce the number of vehicles required for daily delivery service to each store, even though the delivery frequency

of each item was quite high. In 1974, 70 vehicles visited each store every day. By 2006, only 9 were necessary. This dramatically reduced delivery costs and enabled rapid delivery of a variety of fresh foods.

As of February 2004, Seven-Eleven Japan had a total of 290 dedicated manufacturing plants throughout the country that produced only fast food for Seven-Eleven stores. These items were distributed through 293 dedicated distribution centers (DCs) that ensured rapid, reliable delivery. None of these DCs carried any inventory; they merely transferred inventory from supplier trucks to Seven-Eleven distribution trucks. The transportation was provided by Transfleet Ltd., a company set up by Mitsui and Co. for the exclusive use of Seven-Eleven Japan.

### 7-Eleven in the United States

Seven-Eleven had expanded rapidly around the world (Table 3-5). The major growth was in Asia, although the United States continued to be the second largest market for Seven-Eleven. Once Seven-Eleven Japan acquired Southland Corporation, it set about improving operations in the United States. In the initial years, several 7-Eleven stores in the United States were shut down. The number of stores started to grow beginning in 1998.

**Table 3-5** Global Store Distribution for Seven-Eleven in January 2011

Country	Stores
Japan	13,049
United States	6,726
Taiwan	4,790
Thailand	5,840
South Korea	3,150
China	1,717
Malaysia	1,250
Mexico	1,223
Canada	465
Australia	415
Singapore	549
Philippines	567
Norway	173
Sweden	189
Denmark	129
Indonesia	23
Total	40,255

Historically, the distribution structure in the United States was completely different from that in Japan. Stores in the United States were replenished using direct store delivery (DSD) by some manufacturers, with the remaining products delivered by wholesalers. DSD accounted for about half the total volume, with the rest coming from wholesalers.

With the goal of introducing “fresh” products in the United States, 7-Eleven introduced the concept of combined distribution centers (CDCs) around 2000. By 2003, 7-Eleven had 23 CDCs located throughout North America supporting about 80 percent of the store network. CDCs delivered fresh items such as sandwiches, bakery products, bread, produce, and other perishables once a day. A variety of fresh-food suppliers sent product to the CDC throughout the day, where they were sorted for delivery to stores at night. Requests from store managers were sent to the nearest CDC, and by 10:00 P.M., the products were en route to the stores. Relative to Japan, a greater fraction of the food sold, especially hot food such as wings and pizza, was prepared in the store. Fresh-food sales in North America exceeded \$450 million in 2003. During this period, DSD by manufacturers and wholesaler delivery to stores also continued.

This was a period when 7-Eleven worked very hard to introduce new fresh-food items with a goal of competing more directly with the likes of Starbucks than with traditional gas station food marts. 7-Eleven in the United States had more than 63 percent of its sales from non-gasoline products compared to the rest of the industry, for which this number was closer to 35 percent. The goal was to continue to increase sales in the fresh-food and fast-food categories with a special focus on hot foods.

In 2009, revenue in the United States and Canada totaled \$16.0 billion, with about 63 percent coming from merchandise and the rest from the sale of gasoline. The

North American inventory turnover rate in 2004 was about 19, compared to more than 50 in Japan. This, however, represented a significant improvement in North American performance, where inventory turns in 1992 were around 12.

### Study Questions

1. A convenience store chain attempts to be responsive and provide customers with what they need, when they need it, where they need it. What are some different ways that a convenience store supply chain can be responsive? What are some risks in each case?
2. Seven-Eleven’s supply chain strategy in Japan can be described as attempting to micro-match supply and demand using rapid replenishment. What are some risks associated with this choice?
3. What has Seven-Eleven done in its choice of facility location, inventory management, transportation, and information infrastructure to develop capabilities that support its supply chain strategy in Japan?
4. Seven-Eleven does not allow direct store delivery in Japan but has all products flow through its distribution center. What benefit does Seven-Eleven derive from this policy? When is direct store delivery more appropriate?
5. What do you think about the 7dream concept for Seven-Eleven Japan? From a supply chain perspective, is it likely to be more successful in Japan or the United States? Why?
6. Seven-Eleven is attempting to duplicate the supply chain structure that has succeeded in Japan and the United States with the introduction of CDCs. What are the pros and cons of this approach? Keep in mind that stores are also replenished by wholesalers and DSD by manufacturers.
7. The United States has food service distributors that also replenish convenience stores. What are the pros and cons to having a distributor replenish convenience stores versus a company like Seven-Eleven managing its own distribution function?

## Case Study

### Financial Statements for Wal-Mart Stores Inc.

Table 3-6 contains the financial results for Wal-Mart for 2008 and 2009 (declared on January 31 of the following year). Evaluate Wal-Mart’s financial performance based on the various metrics discussed in Section 3.1, such as ROE, ROA, profit margin, asset turns, APT, C2C, ART, INVT, and PPET. Compare the metrics for Wal-Mart with similar metrics for Amazon from Table 3-1. Which metrics does Amazon perform better on? Which metrics does

Wal-Mart perform better on? What supply chain drivers and metrics might explain this difference in performance?

In 2010, Wal-Mart announced that it planned to move into urban areas in the United States by building and operating smaller format stores compared to the large stores it had operated up to that point. Which supply chain metrics will be impacted by this move? How will this move impact the various financial metrics? Why?

**Table 3-6** Selected Financial Data for Walmart Stores Inc.

<b>Year ended January 31 (\$ millions)</b>	<b>2010</b>	<b>2009</b>
Net operating revenues	408,214	404,374
Cost of goods sold	304,657	304,056
Gross profit	103,557	100,318
Selling, general, and administrative expense	79,607	77,520
Operating income	23,950	22,798
Interest expense	2,065	2,184
Other income (loss) – net	181	284
Income before income taxes	22,066	20,898
Income taxes	7,139	7,145
Other expenses	592	353
Net income	14,335	13,400
<b>Assets</b>		
Cash and cash equivalents	7,907	7,275
Short-term investments	-	-
Net receivables	4,144	3,905
Inventories	33,160	34,511
Total current assets	48,331	48,949
Property, plant and equipment	102,307	95,653
Goodwill	16,126	15,260
Other assets	3,942	3,567
Total assets	170,706	163,429
<b>Liabilities and Stockholder Equity</b>		
Accounts payable	50,550	47,638
Short-term debt	4,919	7,669
Other current liability	92	83
Total current liability	55,561	47,638
Long-term debt	36,401	34,549
Other liabilities	7,688	7,808
Total liabilities	99,650	97,747
Stockholder equity	5,257	2,672



# 4



## Designing Distribution Networks and Applications to Online Sales

### LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Identify the key factors to be considered when designing a distribution network.
2. Discuss the strengths and weaknesses of various distribution options.
3. Understand how online sales have affected the design of distribution networks in different industries.

In this chapter, we provide an understanding of the role of distribution within a supply chain and identify factors that should be considered when designing a distribution network. We identify several potential designs for distribution networks and evaluate the strengths and weaknesses of each option. We apply these ideas to discuss the evolution of distribution networks in various industries since the advent of online sales. Our goal is to provide managers with a logical framework for selecting the appropriate distribution network given product, competitive, and market characteristics.

### 4.1 THE ROLE OF DISTRIBUTION IN THE SUPPLY CHAIN

*Distribution* refers to the steps taken to move and store a product from the supplier stage to a customer stage in the supply chain. Distribution occurs between every pair of stages in the supply chain. Raw materials and components are moved from suppliers to manufacturers, whereas finished products are moved from the manufacturer to the end consumer. Distribution is a key driver of the overall profitability of a firm because it affects both the supply chain cost and the customer value directly. In the apparel retail industry, distribution impacts (including its influence on markdowns and lost sales) about 35 percent of the revenue. In India, the outbound distribution cost of cement is about 30 percent of the cost of producing and selling it.

It would be no exaggeration to state that two of the world's most profitable companies, Wal-Mart and Seven-Eleven Japan, have built the success of their entire business around outstanding distribution design and operation. In the case of Wal-Mart, distribution allows the company to provide high availability levels of relatively common products at a very low cost. In the case of Seven-Eleven Japan, effective distribution provides a very high level of customer responsiveness at a reasonable cost.

The process of designing a distribution network has two broad phases. In the first phase, the broad structure of the supply chain network is visualized. This stage includes decisions such as whether the product will be sold directly or go through an intermediary. The second phase then takes the broad structure and converts it into specific locations and their capability, capacity, and demand allocation. This chapter focuses on issues that impact the design of the broad distribution network. Chapters 5 and 6 focus on the second phase that starts with the broad network and results in a specific supply chain network.

The appropriate distribution network can be used to achieve a variety of supply chain objectives ranging from low cost to high responsiveness. As a result, companies in the same industry often select different distribution networks. Next, we discuss industry examples that highlight the variety of distribution network choices and the issues that arise when selecting among these options.

Until 2007, Dell distributed its PCs directly to end consumers, whereas companies such as HP distributed through resellers. Dell customers waited several days to get a PC, whereas customers could walk away with an HP computer from a reseller. Starting in June 2007, Dell also started selling its PCs through retailers such as Wal-Mart. In the late 1990s, Gateway opened Gateway Country stores, wherein customers could examine the products and have salespeople help them configure a PC that suited their needs. Gateway, however, chose to sell no products at the stores; all PCs were shipped directly from the factory to the customer. By April 2004, Gateway closed all its stores because of their poor financial performance. Apple Computer, in contrast, has opened many retail stores that sell computers. These PC companies have chosen different distribution models. How can we evaluate this wide range of distribution choices? Which ones serve the companies and their customers better?

P&G has chosen to distribute directly to large supermarket chains while obligating smaller players to buy P&G products from distributors. Products move directly from P&G to the larger chains but move through an additional stage when going to smaller supermarkets. Texas Instruments, which once used only direct sales, now sells about 30 percent of its volume to 98 percent of its customers through distributors, while serving the remaining 2 percent of customers with 70 percent of the volume directly.<sup>1</sup> What value do these distributors provide? When should a distribution network include an additional stage such as a distributor? Distributors play a much more significant role for consumer goods distribution in a country such as India compared to the United States. Why might this be the case?

W.W. Grainger stocks about 200,000 SKUs that can be sent to customers within a day of order placement. The remaining slower moving products are not stocked but instead are shipped directly from the manufacturer when a customer places an order. It takes several days for the customer to receive the product in this case. Are these distribution choices appropriate? How can they be justified?

As the preceding examples illustrate, firms can make many choices when designing their distribution network. An inappropriate network can have a significant negative effect on the profitability of the firm, as is evident in the failure of companies such as Blockbuster and Webvan. The appropriate choice of distribution network grows the supply chain surplus by satisfying customer needs at the lowest possible cost.

In the next section, we identify performance measures that need to be considered when designing the distribution network.

## 4.2 FACTORS INFLUENCING DISTRIBUTION NETWORK DESIGN

At the highest level, performance of a distribution network should be evaluated along two dimensions:

1. Customer needs that are met
2. Cost of meeting customer needs

Thus, a firm must evaluate the impact on customer service and cost as it compares different distribution network options. The customer needs that are met influence the company's revenues, which along with cost decide the profitability of the delivery network.

Although customer value is impacted by many factors, we focus on those measures that are influenced by the structure of the distribution network:

- Response time
- Product variety
- Product availability

<sup>1</sup> *A Tale of Two Electronic Component Distributors*, Ananth Raman and Bharat P. Rao, Harvard Business School Case 9-697-064, 1997.

- Customer experience
- Time to market
- Order visibility
- Returnability

Response time is the amount of time it takes for a customer to receive an order. Product variety is the number of different products/configurations that are offered by the distribution network. Product availability is the probability of having a product in stock when a customer order arrives. Customer experience includes the ease with which customers can place and receive orders and the extent to which this experience is customized. It also includes purely experiential aspects, such as the possibility of getting a cup of coffee and the value that the sales staff provides. Time to market is the time it takes to bring a new product to the market. Order visibility is the ability of customers to track their orders from placement to delivery. Returnability is the ease with which a customer can return unsatisfactory merchandise and the ability of the network to handle such returns.


It may seem at first that a customer always wants the highest level of performance along all these dimensions. In practice, however, this is not the case. Customers ordering a book at Amazon are willing to wait longer than those who drive to a nearby Barnes & Noble store to get the same book. In contrast, customers can find a much larger variety of books at Amazon compared to the Barnes & Noble store. Thus, Amazon customers trade off fast response times for high levels of variety.

Firms that target customers who can tolerate a long response time require only a few locations that may be far from the customer. These companies can focus on increasing the capacity of each location. In contrast, firms that target customers who value short response times need to locate facilities close to them. These firms must have many facilities, each with a low capacity. Thus, a decrease in the response time customers desire increases the number of facilities required in the network, as shown in Figure 4-1. For example, Barnes & Noble provides its customers with books on the same day but requires hundreds of stores to achieve this goal for most of the United States. Amazon, in contrast, takes a few days to deliver a book to its U.S. customers, but it uses about 20 locations to store its books.


Changing the distribution network design affects the following supply chain costs (notice that these are four of the six supply chain drivers we discussed earlier):

- Inventories
- Transportation
- Facilities and handling
- Information

The other two drivers, sourcing and pricing, also affect the choice of the distribution system; the link will be discussed when relevant. As the number of facilities in a supply chain increases, the inventory and resulting inventory costs also increase (see Chapter 12), as shown in Figure 4-2.




**FIGURE 4-1** Relationship Between Desired Response Time and Number of Facilities




**FIGURE 4-2** Relationship Between Number of Facilities and Inventory Costs

To decrease inventory costs, firms try to consolidate and limit the number of facilities in their supply chain network. For example, with fewer facilities, Amazon is able to turn its inventory about 10 times a year, whereas Barnes & Noble, with hundreds of facilities, achieves only about 3 turns per year.

*Inbound transportation costs* are the costs incurred in bringing material into a facility. *Outbound transportation costs* are the costs of sending material out of a facility. Outbound transportation costs per unit tend to be higher than inbound costs because inbound lot sizes are typically larger. For example, an Amazon warehouse receives full truckload shipments of books on the inbound side, but ships out small packages with only a few books per customer on the outbound side. Increasing the number of warehouse locations decreases the average outbound distance to the customer and makes outbound transportation distance a smaller fraction of the total distance traveled by the product. Thus, as long as inbound transportation economies of scale are maintained, increasing the number of facilities decreases total transportation cost, as shown in Figure 4-3. If the number of facilities is increased to a point where inbound lot sizes are also very small and result in a significant loss of economies of scale in inbound transportation, increasing the number of facilities increases total transportation cost, as shown in Figure 4-3.




**FIGURE 4-3** Relationship Between Number of Facilities and Transportation Cost



**FIGURE 4-4** Relationship Between Number of Facilities and Facility Costs

Facility costs decrease as the number of facilities is reduced, as shown in Figure 4-4, because a consolidation of facilities allows a firm to exploit economies of scale. While Amazon achieved a property, plant, and equipment turnover (PPET) of 19 in 2009, Barnes & Noble had a PPET of just over 7.

Total logistics costs are the sum of inventory, transportation, and facility costs for a supply chain network. As the number of facilities increases, total logistics costs first decrease and then increase as shown in Figure 4-5. Each firm should have *at least* the number of facilities that minimizes total logistics costs. Amazon has more than one warehouse primarily to reduce its logistics costs (and improve response time). If a firm wants to reduce the response time to its customers further, it may have to increase the number of facilities beyond the point that minimizes logistics costs. A firm should add facilities beyond the cost-minimizing point only if managers are confident that the increase in revenues because of better responsiveness is greater than the increase in costs because of the additional facilities.



**FIGURE 4-5** Variation in Logistics Cost and Response Time with Number of Facilities

The customer service and cost components listed earlier are the primary measures used to evaluate different delivery network designs. In general, no distribution network will outperform others along all dimensions. Thus, it is important to ensure that the strengths of the distribution network fit with the strategic position of the firm.

In the next section, we discuss various distribution networks and their relative strengths and weaknesses.

### 4.3 DESIGN OPTIONS FOR A DISTRIBUTION NETWORK

In this section, we discuss distribution network choices from the manufacturer to the end consumer. When considering distribution between any other pair of stages, such as supplier to manufacturer or even a service company serving its customers through a distribution network, many of the same options still apply. Managers must make two key decisions when designing a distribution network:

1. Will product be delivered to the customer location or picked up from a prearranged site?
2. Will product flow through an intermediary (or intermediate location)?

Based on the firm's industry and the answers to these two questions, one of six distinct distribution network designs may be used to move products from factory to customer. These designs are classified as follows:

1. Manufacturer storage with direct shipping
2. Manufacturer storage with direct shipping and in-transit merge
3. Distributor storage with carrier delivery
4. Distributor storage with last-mile delivery
5. Manufacturer/distributor storage with customer pickup
6. Retail storage with customer pickup

#### Manufacturer Storage with Direct Shipping

In this option, product is shipped directly from the manufacturer to the end customer, bypassing the retailer (who takes the order and initiates the delivery request). This option is also referred to as *drop-shipping*. The retailer carries no inventory. Information flows from the customer, via the retailer, to the manufacturer, and product is shipped directly from the manufacturer to customers as shown in Figure 4-6. Online retailers such as eBags and Nordstrom.com use drop-shipping to deliver goods to the end consumer. eBags holds few bags in inventory. Nordstrom carries some products in inventory and uses the drop-ship model for slow-moving footwear. W.W. Grainger also uses drop-shipping to deliver slow-moving items to customers.

The biggest advantage of drop-shipping is the ability to centralize inventories at the manufacturer who can aggregate demand across all retailers that it supplies. As a result, the supply chain is




FIGURE 4-6 Manufacturer Storage with Direct Shipping

able to provide a high level of product availability with lower levels of inventory. A key issue with regard to drop-shipping is the ownership structure of the inventory at the manufacturer. If specified portions of inventory at the manufacturer are allocated to individual retailers, there is little benefit of aggregation even though the inventory is physically aggregated. Benefit of aggregation is achieved only if the manufacturer can allocate at least a portion of the available inventory across retailers on an as-needed basis. The benefits from centralization are highest for high-value, low-demand items with unpredictable demand. The decision of Nordstrom to drop-ship low-demand shoes satisfies these criteria. Similarly, bags sold by eBags tend to have high value and relatively low demand per SKU. The inventory benefits of aggregation are small for items with predictable demand and low value. Thus, drop-shipping does not offer a significant inventory advantage to an online grocer selling a staple item such as detergent. For slow-moving items, inventory turns can increase by a factor of six or higher if drop-shipping is used instead of storage at retail stores.

Drop-shipping also offers the manufacturer the opportunity to postpone customization until after a customer has placed an order. Postponement, if implemented, further lowers inventories by aggregating to the component level. For its customized machines, Dell holds inventories as common components and postpones product customization, thus lowering the level of inventory carried.

Although inventory costs are typically low with drop-shipping, transportation costs are high because the average outbound distance to the end consumer is large, and package carriers are used to ship the product. Package carriers have high shipping costs per unit compared to truckload or less-than-truckload carriers. With drop-shipping, a customer order including items from several manufacturers will involve multiple shipments to the customer. This loss in aggregation of outbound transportation increases cost.

Supply chains save on the fixed cost of facilities when using drop-shipping because all inventories are centralized at the manufacturer. This eliminates the need for other warehousing space in the supply chain. There can be some savings of handling costs as well, because the transfer from manufacturer to retailer no longer occurs. Handling cost savings must be evaluated carefully, however, because the manufacturer is now required to transfer items to the factory warehouse in full cases and then ship out from the warehouse in single units. The inability of a manufacturer to develop single-unit delivery capabilities can have a significant negative effect on handling cost and response time. Handling costs can be reduced significantly if the manufacturer has the capability to ship orders directly from the production line.

A good information infrastructure is needed between the retailers and the manufacturer so that the retailer can provide product availability information to the customer, even though the inventory is located at the manufacturer. The customer should also have visibility into order processing at the manufacturer, even with the order being placed with the retailer. Drop-shipping generally requires significant investment in information infrastructure. The information infrastructure requirement is somewhat simpler for direct sellers like Dell because two stages (retailer and manufacturer) do not need to be integrated.

Response times tend to be long when drop-shipping is used because the order has to be transmitted from the retailer to the manufacturer and shipping distances are generally longer from the manufacturer's centralized site. eBags, for example, states that order processing may take from 1 to 5 days and ground transportation after that may take from 3 to 11 business days. This implies that customer response time at eBags will be 4 to 16 days using ground transportation and drop-shipping.

Another issue is that the response time need not be identical for every manufacturer that is part of a customer order. Given an order containing products from several sources, the customer will receive multiple partial shipments over time, making receiving more complicated for the customer.

Manufacturer storage allows a high level of product variety to be available to the customer. With a drop-shipping model, every product at the manufacturer can be made available to the customer without any limits imposed by shelf space. W.W. Grainger is able to offer hundreds of thousands of slow-moving items from thousands of manufacturers using drop-shipping.

This would be impossible if each product had to be stored by W.W. Grainger. Drop-shipping allows a new product to be available to the market the day the first unit is produced.

Drop-shipping provides a good customer experience in the form of delivery to the customer location. The experience, however, suffers when a single order containing products from several manufacturers is delivered in partial shipments.

Order visibility is important in the context of manufacturer storage, because two stages in the supply chain are involved in every customer order. Failure to provide this capability is likely to have a significant negative effect on customer satisfaction. Order tracking, however, becomes harder to implement in a drop-ship system because it requires complete integration of information systems at both the retailer and the manufacturer. For direct sellers such as Dell, order visibility is simpler to provide.

A manufacturer storage network is likely to have difficulty handling returns, hurting customer satisfaction. The handling of returns is more expensive under drop-shipping because each order may involve shipments from more than one manufacturer. Returns can be handled in two ways. One is for the customer to return the product directly to the manufacturer. The second approach is for the retailer to set up a separate facility (across all manufacturers) to handle returns. The first approach incurs high transportation and coordination costs, whereas the second approach requires investment in a facility to handle returns.

The performance characteristics of drop-shipping along various dimensions are summarized in Table 4-1.

**Table 4-1** Performance Characteristics of Manufacturer Storage with Direct Shipping Network

<b>Cost Factor</b>	<b>Performance</b>
Inventory	Lower costs because of aggregation. Benefits of aggregation are highest for low-demand, high-value items. Benefits are large if product customization can be postponed at the manufacturer.
Transportation	Higher transportation costs because of increased distance and disaggregate shipping.
Facilities and handling	Lower facility costs because of aggregation. Some saving on handling costs if manufacturer can manage small shipments or ship from production line.
Information	Significant investment in information infrastructure to integrate manufacturer and retailer.
<b>Service Factor</b>	<b>Performance</b>
Response time	Long response time of one to two weeks because of increased distance and two stages for order processing. Response time may vary by product, thus complicating receiving.
Product variety	Easy to provide a high level of variety.
Product availability	Easy to provide a high level of product availability because of aggregation at manufacturer.
Customer experience	Good in terms of home delivery but can suffer if order from several manufacturers is sent as partial shipments.
Time to market	Fast, with the product available as soon as the first unit is produced.
Order visibility	More difficult but also more important from a customer service perspective.
Returnability	Expensive and difficult to implement.



Given its performance characteristics, manufacturer storage with direct shipping is best suited for a large variety of low-demand, high-value items for which customers are willing to wait for delivery and accept several partial shipments. Manufacturer storage is also suitable if it allows the manufacturer to postpone customization, thus reducing inventories. It is thus ideal for direct sellers that are able to build-to-order. For drop-shipping to be effective, there should be few sourcing locations per order.

### Manufacturer Storage with Direct Shipping and In-Transit Merge

Unlike pure drop-shipping, under which each product in the order is sent directly from its manufacturer to the end customer, in-transit merge combines pieces of the order coming from different locations so that the customer gets a single delivery. Information and product flows for the in-transit merge network are shown in Figure 4-7. In-transit merge has been used by Dell and can be used by companies implementing drop-shipping. When a customer orders a PC from Dell along with a Sony monitor, the package carrier picks up the PC from the Dell factory and the monitor from the Sony factory; it then merges the two at a hub before making a single delivery to the customer.


As with drop-shipping, the ability to aggregate inventories and postpone product customization is a significant advantage of in-transit merge. In-transit merge allows Dell and Sony to hold all their inventories at the factory. This approach has the greatest benefits for products with high value whose demand is difficult to forecast, particularly if product customization can be postponed.

Although an increase in coordination is required, merge in transit decreases transportation costs relative to drop-shipping by aggregating the final delivery.

Facility and processing costs for the manufacturer and the retailer are similar to those for drop-shipping. The party performing the in-transit merge has higher facility costs because of the merge capability required. Receiving costs at the customer are lower because a single delivery is received. Overall supply chain facility and handling costs are somewhat higher than with drop-shipping.

A sophisticated information infrastructure is needed to allow in-transit merge. In addition to information, operations at the retailer, manufacturers, and the carrier must be coordinated. The investment in information infrastructure is higher than that for drop-shipping.

Response times, product variety, availability, and time to market are similar to drop-shipping. Response times may be marginally higher because of the need to perform the merge. Customer experience is likely to be better than with drop-shipping, because the customer receives only one delivery for an order instead of many partial shipments. Order visibility is an important requirement. Although the initial setup is difficult because it requires integration of manufacturer, carrier, and retailer, tracking itself becomes easier given the merge that occurs at the carrier hub.



**FIGURE 4-7** In-Transit Merge Network

**Table 4-2** Performance Characteristics of In-Transit Merge

<b>Cost Factor</b>	<b>Performance</b>
Inventory	Similar to drop-shipping.
Transportation	Somewhat lower transportation costs than drop-shipping.
Facilities and handling	Handling costs higher than drop-shipping at carrier; receiving costs lower at customer.
Information	Investment is somewhat higher than for drop-shipping.
<b>Service Factor</b>	<b>Performance</b>
Response time	Similar to drop-shipping; may be marginally higher.
Product variety	Similar to drop-shipping.
Product availability	Similar to drop-shipping.
Customer experience	Better than drop-shipping because only a single delivery has to be received.
Time to market	Similar to drop-shipping
Order visibility	Similar to drop-shipping.
Returnability	Similar to drop-shipping.


Returnability is similar to that with drop-shipping. Problems in handling returns are likely, and the reverse supply chain will continue to be expensive and difficult to implement, as with drop-shipping.

The performance of factory storage with in-transit merge is compared with that of drop-shipping in Table 4-2. The main advantages of in-transit merge over drop-shipping are lower transportation cost and improved customer experience. The major disadvantage is the additional effort during the merge itself. Given its performance characteristics, manufacturer storage with in-transit merge is best suited for low- to medium-demand, high-value items the retailer is sourcing from a limited number of manufacturers. Compared to drop-shipping, in-transit merge requires a higher demand from each manufacturer (not necessarily each product) in order to be effective. When there are too many sources, in-transit merge can be difficult to coordinate and implement. In-transit merge is best implemented if there are no more than four or five sourcing locations. The in-transit merge of a Dell PC with a Sony monitor is appropriate because product variety is high, but there are few sourcing locations with relatively large total demand from each sourcing location.

### **Distributor Storage with Carrier Delivery**

Under this option, inventory is not held by manufacturers at the factories but is held by distributors/retailers in intermediate warehouses, and package carriers are used to transport products from the intermediate location to the final customer. Amazon and industrial distributors such as W.W. Grainger and McMaster-Carr have used this approach combined with drop-shipping from a manufacturer (or distributor). Information and product flows when using distributor storage with delivery by a package carrier are shown in Figure 4-8.

Relative to manufacturer storage, distributor storage requires a higher level of inventory because of a loss of aggregation. From an inventory perspective, distributor storage makes sense for products with somewhat higher demand. This is seen in the operations of both Amazon and W.W. Grainger. They stock only the slow- to fast-moving items at their warehouses, with very slow-moving items stocked farther upstream. In some instances, postponement of product differentiation can be implemented with distributor storage, but it does require that the warehouse develop some assembly capability. Distributor storage, however, requires much less



**FIGURE 4-8** Distributor Storage with Carrier Delivery

inventory than a retail network. Amazon achieves about 10 turns of inventory annually using warehouse storage, whereas Barnes & Noble achieves about 3 turns using retail stores.

Transportation costs are somewhat lower for distributor storage compared to manufacturer storage because an economic mode of transportation (e.g., truckloads) can be employed for inbound shipments to the warehouse, which is closer to the customer. Unlike manufacturer storage, under which multiple shipments may need to go out for a single customer order with multiple items, distributor storage allows outbound orders to the customer to be bundled into a single shipment, further reducing transportation cost. Distributor storage provides savings on the transportation of faster moving items relative to manufacturer storage.

Compared to manufacturer storage, facility costs (of warehousing) are somewhat higher with distributor storage because of a loss of aggregation. Processing and handling costs are comparable to manufacturer storage unless the factory is able to ship to the end customer directly from the production line. In that case, distributor storage has higher processing costs. From a facility cost perspective, distributor storage is not appropriate for extremely slow-moving items.

The information infrastructure needed with distributor storage is significantly less complex than that needed with manufacturer storage. The distributor warehouse serves as a buffer between the customer and the manufacturer, decreasing the need to coordinate the two completely. Real-time visibility between customers and the warehouse is needed, whereas real-time visibility between the customer and the manufacturer is not. Visibility between the distributor warehouse and manufacturer can be achieved at a much lower cost than real-time visibility between the customer and manufacturer.

Response time under distributor storage is better than under manufacturer storage because distributor warehouses are, on average, closer to customers, and the entire order is aggregated at the warehouse before being shipped. Amazon, for example, processes most warehouse-stored items within a day and then it takes three to five business days using ground transportation for the order to reach the customer. W.W. Grainger processes customer orders on the same day and has enough warehouses to deliver most orders the next day using ground transport. Warehouse storage limits to some extent the variety of products that can be offered. W.W. Grainger does not store very low-demand items at its warehouse, relying on manufacturers to drop-ship those products to the customer. Customer convenience is high with distributor storage because a single shipment reaches the customer in response to an order. Time to market under distributor storage is somewhat higher than under manufacturer storage because of the need to stock another stage in the supply chain. Order visibility becomes easier than with manufacturer storage because there is a single shipment from the warehouse to the customer and only one stage of the supply chain is involved directly in filling the customer order. Returnability is better than with manufacturer storage because all returns can be processed at the warehouse itself. The customer also has to return only one package, even if the items are from several manufacturers.

The performance of distributor storage with carrier delivery is summarized in Table 4-3. Distributor storage with carrier delivery is well suited for slow- to fast-moving items.

**Table 4-3** Performance Characteristics of Distributor Storage with Carrier Delivery

<b>Cost Factor</b>	<b>Performance</b>
Inventory	Higher than manufacturer storage. Difference is not large for faster moving items but can be large for very slow-moving items.
Transportation	Lower than manufacturer storage. Reduction is highest for faster moving items.
Facilities and handling	Somewhat higher than manufacturer storage. The difference can be large for very slow-moving items.
Information	Simpler infrastructure compared to manufacturer storage.
<b>Service Factor</b>	<b>Performance</b>
Response time	Faster than manufacturer storage.
Product variety	Lower than manufacturer storage.
Product availability	Higher cost to provide the same level of availability as manufacturer storage.
Customer experience	Better than manufacturer storage with drop-shipping.
Time to market	Higher than manufacturer storage.
Order visibility	Easier than manufacturer storage.
Returnability	Easier than manufacturer storage.


Distributor storage also makes sense when customers want delivery faster than is offered by manufacturer storage but do not need it immediately. Distributor storage can handle somewhat lower variety than manufacturer storage but can handle a much higher level of variety than a chain of retail stores.

### **Distributor Storage with Last-Mile Delivery**

Last-mile delivery refers to the distributor/retailer delivering the product to the customer's home instead of using a package carrier. Webvan, Peapod, and Albertsons have used last-mile delivery in the grocery industry. Amazon has launched "local express delivery" to provide same-day delivery to customers. Companies such as Kozmo and Urbanfetch tried to set up home-delivery networks for a variety of products but failed to survive. The automotive spare parts industry is one in which distributor storage with last-mile delivery is the dominant model. It is too expensive for dealers to carry all spare parts in inventory. Thus, original equipment manufacturers (OEMs) tend to carry most spare parts at a local distribution center typically located no more than a couple of hours' drive from their dealers and often managed by a third party. The local distribution center is responsible for delivering needed parts to a set of dealers and makes multiple deliveries per day. Unlike package carrier delivery, last-mile delivery requires the distributor warehouse to be much closer to the customer. Given the limited radius that can be served with last-mile delivery, more warehouses are required compared to when package delivery is used. The warehouse storage with last-mile delivery network is as shown in Figure 4-9.

Distributor storage with last-mile delivery requires higher levels of inventory than the other options (except for retail stores) because it has a lower level of aggregation. From an inventory perspective, warehouse storage with last-mile delivery is suitable for relatively fast-moving items that are needed quickly and for which some level of aggregation is beneficial. Auto parts required by car dealers fit this description.

Among all the distribution networks, transportation costs are highest for last-mile delivery, especially when delivering to individuals. This is because package carriers aggregate delivery across many retailers and are able to obtain better economies of scale than are available to a distributor/retailer attempting last-mile delivery. Delivery costs



**FIGURE 4-9** Distributor Storage with Last-Mile Delivery

(including transportation and processing) can be more than \$20 per home delivery in the grocery industry. Last-mile delivery may be somewhat less expensive in large, dense cities. Transportation costs may also be justifiable for bulky products for which the customer is willing to pay for home delivery. Home delivery of water and large bags of rice has proved quite successful in China, where the high population density has helped decrease delivery costs. Transportation costs of last-mile delivery are best justified in settings where the customer is purchasing in large quantities. This is rare for individual customers, but businesses such as auto dealerships purchase large quantities of spare parts on a daily basis and can thus justify daily delivery. Home delivery to individual customers can be justified for bulky items such as five-gallon jugs of water in the United States and large bags of rice in China. In each instance, last-mile delivery is cheaper and more convenient than customers picking up their own bottles or bags.

Using this option, facility costs are somewhat lower than for a network with retail stores but much higher than for either manufacturer storage or distributor storage with package carrier delivery. Processing costs, however, are much higher than for a network of retail stores because all customer participation is eliminated. A grocery store using last-mile delivery performs all the processing until the product is delivered to the customer's home, unlike a supermarket, where the customer does a lot more work.

The information infrastructure with last-mile delivery is similar to that for distributor storage with package carrier delivery. However, it requires the additional capability of scheduling deliveries.

Response times are faster than using package carriers. Kozmo and Urbanfetch tried to provide same-day delivery, whereas online grocers typically provide next-day delivery. Product variety is generally lower than for distributor storage with carrier delivery. The cost of providing product availability is higher than for every option other than retail stores. The customer experience can be good using this option, particularly for bulky, hard-to-carry items. Time to market is even higher than for distributor storage with package carrier delivery because the new product has to penetrate deeper before it is available to the customer. Order visibility is less of an issue given that deliveries are made within 24 hours. The order-tracking feature does become important to handle exceptions in case of incomplete or undelivered orders. Of all the options discussed, returnability is best with last-mile delivery, because trucks making deliveries can also pick up returns from customers. Returns are still more expensive to handle than at a retail store, where a customer can bring the product back.

The performance characteristics of distributor storage with last-mile delivery are summarized in Table 4-4. In areas with high labor costs, it is hard to justify last-mile delivery to individual consumers on the basis of efficiency or improved margin. It can be justified only if there is a large enough customer segment willing to pay for this convenience. In that case, an effort should be made to couple last-mile delivery with an existing distribution network to exploit economies of scale and improve utilization. An example is Albertsons' use of existing grocery

**Table 4-4** Performance Characteristics of Distributor Storage with Last-Mile Delivery


<b>Cost Factor</b>	<b>Performance</b>
Inventory	Higher than distributor storage with package carrier delivery.
Transportation	Very high cost given minimal scale economies. Higher than any other distribution option.
Facilities and handling	Facility costs higher than manufacturer storage or distributor storage with package carrier delivery, but lower than a chain of retail stores.
Information	Similar to distributor storage with package carrier delivery.
<b>Service Factor</b>	<b>Performance</b>
Response time	Very quick. Same day to next-day delivery.
Product variety	Somewhat less than distributor storage with package carrier delivery but larger than retail stores.
Product availability	More expensive to provide availability than any other option except retail stores.
Customer experience	Very good, particularly for bulky items.
Time to market	Slightly higher than distributor storage with package carrier delivery.
Order visibility	Less of an issue and easier to implement than manufacturer storage or distributor storage with package carrier delivery.
Returnability	Easier to implement than other previous options. Harder and more expensive than a retail network.

store facilities and labor to provide home delivery. A portion of the grocery store serves as a fulfillment center for online orders and as a replenishment center for the grocery store itself. This helps improve utilization and lower the cost of providing this service. Last-mile delivery may be justifiable if customer orders are large enough to provide some economies of scale, and customers are willing to pay for this convenience. Peapod has changed its pricing policies to reflect this idea. Minimum order size is \$60 (with a delivery charge of \$9.95), and delivery charges drop to \$6.95 for orders totaling more than \$100. Peapod offers discounts for deliveries during slower periods based on what its schedule looks like. Last-mile delivery is easier to justify when the customer is a business like an auto dealer purchasing large quantities.

### **Manufacturer or Distributor Storage with Customer Pickup**

In this approach, inventory is stored at the manufacturer or distributor warehouse, but customers place their orders online or on the phone and then travel to designated pickup points to collect their merchandise. Orders are shipped from the storage site to the pickup points as needed. Examples include 7dream.com and Otoriyose-bin, operated by Seven-Eleven Japan, which allow customers to pick up online orders at a designated store. A business-to-business (B2B) example is W.W. Grainger, whose customers can pick up their orders at one of the W.W. Grainger retail outlets. Some items are stored at the pickup location, whereas others may come from a central location. In the case of 7dream.com, the order is delivered from a manufacturer or distributor warehouse to the pickup location. In 2007, Wal-Mart launched its “Site to Store” service that allows customers to order thousands of products online at Walmart.com and have them shipped free to a local Wal-Mart store. Items arrive in stores 7 to 10 business days after the order is processed, and customers receive an e-mail notification when their order is ready for pickup.

The information and product flows shown in Figure 4-10 are similar to those in the Seven-Eleven Japan network. Seven-Eleven has distribution centers where product from



**FIGURE 4-10** Manufacturer or Distributor Warehouse Storage with Consumer Pickup

manufacturers is cross-docked and sent to retail outlets on a daily basis. An online retailer delivering an order through Seven-Eleven can be treated as one of the manufacturers, with deliveries cross-docked and sent to the appropriate Seven-Eleven outlet. Serving as an outlet for online orders allows Seven-Eleven to improve utilization of its existing logistical assets.

Inventory costs using this approach can be kept low, with either manufacturer or distributor storage to exploit aggregation. W.W. Grainger keeps its inventory of fast-moving items at pickup locations, whereas slow-moving items are stocked at a central warehouse or in some cases at the manufacturer.

Transportation cost is lower than for any solution using package carriers because significant aggregation is possible when delivering orders to a pickup site. This allows the use of truckload or less-than-truckload carriers to transport orders to the pickup site. For a company such as Seven-Eleven Japan, the marginal increase in transportation cost is small because trucks are already making deliveries to the stores, and their utilization can be improved by including online orders. As a result, Seven-Eleven Japan allows customers to pick up orders without a shipping fee.

Facility costs are high if new pickup sites have to be built. A solution using existing sites can lower the additional facility costs. This, for example, is the case with 7dream.com, Wal-Mart, and W.W. Grainger, for which the stores already exist. Processing costs at the manufacturer or the warehouse are comparable to those of other solutions. Processing costs at the pickup site are high because each order must be matched with a specific customer when he or she arrives. Creating this capability can increase processing costs significantly if appropriate storage and information systems are not provided. Increased processing cost and potential errors at the pickup site are the biggest hurdle to the success of this approach.

A significant information infrastructure is needed to provide visibility of the order until the customer picks it up. Good coordination is needed among the retailer, the storage location, and the pickup location.

In this case, a response time comparable to that using package carriers can be achieved. Variety and availability comparable to any manufacturer or distributor storage option can be provided. There is some loss of customer experience, because unlike the other options discussed, customers must pick up their own orders. On the other hand, customers who do not want to pay online can pay by cash using this option. In countries like Japan, where Seven-Eleven has more than 10,000 outlets, it can be argued that the loss of customer convenience is small, because most customers are close to a pickup site and can collect an order at their convenience. In some cases, this option is considered more convenient because it does

**Table 4-5** Performance Characteristics of Network with Consumer Pickup Sites

<b>Cost Factor</b>	<b>Performance</b>
Inventory	Can match any other option, depending on the location of inventory.
Transportation	Lower than the use of package carriers, especially if using an existing delivery network.
Facilities and handling	Facility costs can be high if new facilities have to be built. Costs are lower if existing facilities are used. The increase in handling cost at the pickup site can be significant.
Information	Significant investment in infrastructure required
<b>Service Factor</b>	<b>Performance</b>
Response time	Similar to package carrier delivery with manufacturer or distributor storage. Same-day delivery possible for items stored locally at pickup site.
Product variety	Similar to other manufacturer or distributor storage options.
Product availability	Similar to other manufacturer or distributor storage options.
Customer experience	Lower than other options because of the lack of home delivery. Experience is sensitive to capability of pickup location.
Time to market	Similar to manufacturer storage options.
Order visibility	Difficult but essential.
Returnability	Somewhat easier given that pickup location can handle returns.

not require the customer to be at home at the time of delivery. Time to market for new products can be as short as with manufacturer storage.

Order visibility is extremely important for customer pickups. The customer must be informed when the order has arrived, and the order should be easily identified once the customer arrives to pick it up. Such a system is hard to implement because it requires integration of several stages in the supply chain. Returns can potentially be handled at the pickup site, making it easier for customers. From a transportation perspective, return flows can be handled using the delivery trucks.

The performance characteristics of manufacturer or distributor storage with consumer pickup sites are summarized in Table 4-5. The main advantages of a network with consumer pickup sites are that it can lower the delivery cost and expand the set of products sold and customers served online. The major hurdle is the increased handling cost and complexity at the pickup site. Such a network is likely to be most effective if existing retail locations are used as pickup sites, because this type of network improves the economies from existing infrastructure. In particular, such a network can be effective for firms like Seven-Eleven Japan, Wal-Mart, and W.W. Grainger, which have both a network of stores and an online business. Unfortunately, such retail sites are typically designed to allow the customer to do the picking and need to develop the capability of picking a customer-specific order.

### **Retail Storage with Customer Pickup**

In this option, often viewed as the most traditional type of supply chain, inventory is stored locally at retail stores. Customers walk into the retail store or place an order online or by phone and pick it up at the retail store. Examples of companies that offer multiple options of order placement include Albertsons, which uses part of the facility as a grocery store and part as an online fulfillment center. Customers can walk into the store or order online. A B2B example is



W.W. Grainger: Customers can order online, by phone, or in person and pick up their order at one of W.W. Grainger's retail outlets. Albertsons keeps its inventory at the pickup location itself; W.W. Grainger stores some items at the pickup locations, whereas others may come from a central location.

Local storage increases inventory costs because of the lack of aggregation. For fast- to very fast-moving items, however, there is marginal increase in inventory even with local storage. Albertsons uses local storage because most of its products are relatively fast moving and are stocked at the supermarket in any case. Similarly, W.W. Grainger keeps its inventory of fast-moving items at pickup locations, whereas slow-moving items are stocked at a central warehouse.

Transportation cost is much lower than with other solutions because inexpensive modes of transport can be used to replenish product at the retail store. Facility costs are high because many local facilities are required. A minimal information infrastructure is needed if customers walk into the store and place orders. For online orders, however, a significant information infrastructure is needed to provide visibility of the order until the customer picks it up.

Good response times can be achieved with this system because of local storage. For example, both Albertsons and W.W. Grainger offer same-day pickup from their retail locations. Product variety stored locally is lower than under other options. It is more expensive than with all other options to provide a high level of product availability. Customer experience depends on whether or not the customer likes to shop. Time to market is the highest with this option because the new product has to penetrate through the entire supply chain before it is available to customers. Order visibility is extremely important for customer pickups when orders are placed online or by phone. Returns can be handled at the pickup site. Overall, returnability is fairly good using this option.

The performance characteristics of a network with customer pickup sites and local retail storage are summarized in Table 4-6. The main advantage of a network with retail storage is that it can lower delivery costs and provide a faster response than other networks. The major disadvantage is the increased inventory and facility costs. Such a network is best suited for fast-moving items or items for which customers value rapid response.

**Table 4-6** Performance Characteristics of Retail Storage at Consumer Pickup Sites

<b>Cost Factor</b>	<b>Performance</b>
Inventory	Higher than all other options.
Transportation	Lower than all other options.
Facilities and handling	Higher than other options. The increase in handling cost at the pickup site can be significant for online and phone orders.
Information	Some investment in infrastructure required for online and phone orders.
<b>Service Factor</b>	<b>Performance</b>
Response time	Same-day (immediate) pickup possible for items stored locally at pickup site.
Product variety	Lower than all other options.
Product availability	More expensive to provide than all other options.
Customer experience	Related to whether shopping is viewed as a positive or negative experience by customer.
Time to market	Highest among distribution options.
Order visibility	Trivial for in-store orders. Difficult, but essential, for online and phone orders.
Returnability	Easier than other options because retail store can provide a substitute.

## Selecting a Distribution Network Design

A network designer needs to consider product characteristics as well as network requirements when deciding on the appropriate delivery network. The various networks considered earlier have different strengths and weaknesses. In Table 4-7, the various delivery networks are ranked relative to one another along different performance dimensions. A ranking of 1 indicates the best performance along a given dimension; as the relative performance worsens, the ranking number increases.

Only niche companies end up using a single distribution network. Most companies are best served by a combination of delivery networks. The combination used depends on product characteristics and the strategic position that the firm is targeting. The suitability of different delivery designs (from a supply chain perspective) in various situations is shown in Table 4-8.

An excellent example of a hybrid network is that of W.W. Grainger, which combines all the aforementioned options in its distribution network. The network, however, is tailored to match the characteristics of the product and the needs of the customer. Fast-moving and emergency items are stocked locally, and customers can either pick them up or have them shipped, depending on the urgency. Slower moving items are stocked at a national DC and shipped to the customer within a day or two. Very slow-moving items are typically drop-shipped from the manufacturer and carry a longer lead time. Another hybrid network is used by Amazon, which stocks fast-moving items at most of its warehouses, slower moving items at fewer warehouses, and very slow-moving items may be drop-shipped from distributors or publishers.

We can now revisit the examples from the computer industry discussed at the beginning of the chapter. Gateway's decision to create a network of retail stores without exploiting any of the supply chain advantages such a network offers was flawed. To fully exploit the benefits of the retail network, Gateway should have stocked its standard configurations (likely to have high demand) at the retail stores, with all other configurations drop-shipped from the factory (perhaps with local pickup at the retail stores if that was economical). Instead, it drop-shipped all configurations from the factory. Apple has opened several retail stores and actually carries products for sale at these stores. This makes sense given the low variety and high demand for Apple products. In fact, Apple has seen consistent growth in sales and profits through its retail outlets.

**Table 4-7** Comparative Performance of Delivery Network Designs

	Retail Storage with Customer Pickup	Manufacturer Storage with Direct Shipping	Manufacturer Storage with In-Transit Merge	Distributor Storage with Package Carrier Delivery	Distributor Storage with Last-Mile Delivery	Manufacturer Storage with Pickup
Response time	1	4	4	3	2	4
Product variety	4	1	1	2	3	1
Product availability	4	1	1	2	3	1
Customer experience	Varies from 1 to 5	4	3	2	1	5
Time to market	4	1	1	2	3	1
Order visibility	1	5	4	3	2	6
Returnability	1	5	5	4	3	2
Inventory	4	1	1	2	3	1
Transportation	1	4	3	2	5	1
Facility and handling	6	1	2	3	4	5
Information	1	4	4	3	2	5

Key: 1 corresponds to the strongest performance and 6 the weakest performance.

**Table 4-8** Performance of Delivery Networks for Different Product/Customer Characteristics

	Retail Storage with Customer Pickup	Manufacturer Storage with Direct Shipping	Manufacturer Storage with In-Transit Merge	Distributor Storage with Package Carrier Delivery	Distributor Storage with Last-Mile Delivery	Manufacturer Storage with Pickup
High-demand product	+2	-2	-1	0	+1	-1
Medium-demand product	+1	-1	0	+1	0	0
Low-demand product	-1	+1	0	+1	-1	+1
Very low-demand product	-2	+2	+1	0	-2	+1
Many product sources	+1	-1	-1	+2	+1	0
High product value	-1	+2	+1	+1	0	+2
Quick desired response	+2	-2	-2	-1	+1	-2
High product variety	-1	+2	0	+1	0	+2
Low customer effort	-2	+1	+2	+2	+2	-1

Key: +2 = very suitable; +1 = somewhat suitable; 0 = neutral; -1 = somewhat unsuitable; -2 = very unsuitable.

#### 4.4 ONLINE SALES AND THE DISTRIBUTION NETWORK

In this section, we use ideas discussed earlier in the chapter to see how the Internet has affected the structure and performance of various distribution networks. The goal is to understand what drove the successful introduction of online sales in some networks and not others, and how these networks are likely to evolve.

Similar to our consideration with distribution networks, we build a scorecard based on how online sales affect a supply chain's ability to meet customer needs and the cost of meeting those needs. We now detail the contents of each scorecard category.

##### Impact of Online Sales on Customer Service

As with distribution networks considered earlier, we start by studying how online sales affect customer service elements such as response time, product variety, availability, customer experience, time to market, visibility, and returnability. We also look at factors such as direct sales and the ability to offer flexible pricing that help companies selling online.

**RESPONSE TIME TO CUSTOMERS** When selling physical products that cannot be downloaded, online sales take longer to fulfill a customer request than does a retail store because of the shipping time involved. Thus, customers who require a short response time may not use the Internet to order a product. There is no such delay, however, for information goods. The Internet has facilitated almost instantaneous access to movies, music, and books in digital form.

**PRODUCT VARIETY** A company selling online finds it easier to offer a larger selection of products than a bricks-and-mortar store. For example, Netflix offers a much larger selection of movies than any video rental store. Offering the same selection at a store would require a huge location with a correspondingly large amount of inventory.

**PRODUCT AVAILABILITY** By aggregating its inventory, a company selling online improves product availability. Better information on customer preferences also allows firms selling online to improve availability.

**CUSTOMER EXPERIENCE** Online sales affect customer experience in terms of access, customization, and convenience. Unlike most retail stores that are open only during business hours, the Internet allows a customer to place an order at any convenient time. In fact, W.W. Grainger has observed a surge in online orders after their bricks-and-mortar stores close. Online sales also allow a firm to access customers who are geographically distant. Using the Internet, a small specialty retail store located near Chicago can reach customers all over the United States, or even the world. Access to online sales is limited only by the customers' access to the Internet.

The Internet offers an opportunity to create a personalized buying experience for each customer. For example, Amazon displays products that are related to what customers have recently purchased or browsed. Firms that focus on mass customization can use the Internet to help customers select a product that suits their needs. For example, Dell allows customers to customize their computers by using the options available on the Dell Web site.

For both consumers and companies, online sales can increase the ease with which one does business. Customers do not have to leave home or work to make a purchase. For many companies selling online, such as Peapod, information from past purchases is used to significantly speed up order placement for the customer.

**FASTER TIME TO MARKET** A firm can introduce a new product much more quickly online as compared to physical channels. A firm that sells PCs through physical channels must produce enough units to stock the shelves at its distributors and retailers before it starts to see revenue from the new product. A firm selling online, in contrast, makes a new product available online as soon as the first unit is ready to be produced. This is evident at Walmart.com, where larger new TVs go on sale well before they are sold at Wal-Mart stores.

**ORDER VISIBILITY** The Internet makes it possible to provide visibility of order status. From a customer's perspective, it is crucial to provide this visibility because an online order has no physical equivalent to a customer shopping for an item at a retail store.

**RETURNABILITY** Returnability is harder with online orders, which typically arrive from a centralized location. It is much easier to return a product purchased at a retail store. The proportion of returns is also likely to be much higher for online orders because customers are unable to touch and feel the product before their purchase. Going online thus increases the cost of reverse flows.

**DIRECT SALES TO CUSTOMERS** The Internet allows manufacturers and other members of the supply chain that do not have direct contact with customers in traditional channels to get customer feedback and build a relationship with the customer. Social networking channels such as Facebook and Twitter allow firms to directly pitch products and promotions to customers.

**FLEXIBLE PRICING, PRODUCT PORTFOLIO, AND PROMOTIONS** Given the ease of changing prices and assortments online, the Internet allows a company selling online to manage revenues from its available product portfolio much more effectively than do traditional channels. Promotion information can be conveyed to customers quickly and inexpensively using the Internet as long as the business has access to its customer network. Groupon is a company that has used social networking online to push promotions to customers.

**EFFICIENT FUNDS TRANSFER** The Internet and cell phones can enhance the convenience and lower the cost of revenue collection, especially in small amounts. For example, after the earthquake in Haiti in 2010, Mercy Corps transferred \$40 automatically into each Haitian person's account allowing him or her to buy food at local merchants. This was much more efficient than handing out cash or vouchers.

### Impact of Online Sales on Cost

On the cost side, online sales affect inventory, facilities, transportation, and information costs. It is important to observe that the impact in each case is not necessarily positive.

**INVENTORY** Online sales can lower inventory levels by aggregating inventories far from customers if most customers are willing to wait for delivery. For example, Amazon is able to aggregate its inventory of books at a few warehouses. Barnes & Noble, in contrast, needs more inventory because it must carry a significant portion of its stock at retail stores. A key point to note is that the relative benefit of aggregation is small for high-demand items with low variability but large for low-demand items with high variability.

Online sales can lower a firm's inventories if it can postpone the introduction of variety until after the customer order is received. The time lag between when a customer places the order and when he or she expects delivery offers a company selling online a window of opportunity to implement postponement. For example, for its online business, Dell keeps its inventory as components and assembles its PCs after receiving the customer order. The amount of component inventory required is much lower than it would be if Dell kept its inventories in the form of assembled PCs. Similarly, Amazon prints some low-volume books to order, allowing it to reduce inventories.

**FACILITIES** Two basic types of facilities costs must be included in the analysis: (1) costs related to the number and location of facilities in a network and (2) costs associated with the operations that take place in these facilities. A company selling online can reduce network facility costs by centralizing operations, thereby decreasing the number of facilities required. For example, Netflix is able to satisfy demand for DVD rentals from about 50 warehouses, whereas Blockbuster needed thousands of retail outlets to serve customers.

With regard to ongoing operating costs, customer participation in selection and order placement allows a company selling online to lower its resource costs relative to staffing a call center. Online sales can also lower a firm's order fulfillment costs because it does not have to fill an order as soon as it arrives. A retail store or supermarket must staff its sales counters so that more cashiers are available when more customers are shopping. As a result, these stores require greater staffing during peak periods. With online sales, if a reasonable buffer of unfilled orders is maintained, the rate of order fulfillment can be made significantly smoother than the rate at which orders arrive, which reduces the peak load for order fulfillment and thus reduces resource requirements and cost.

On the downside, however, for some products, such as groceries, online sales require the firm to perform tasks currently performed by the customer at retail stores, affecting both handling and transportation costs. In such situations, companies selling online will incur higher handling and delivery costs than a retail store. For example, whereas a customer picks out the required items at a grocery store, an online seller such as Peapod incurs higher handling costs because its employees must pick a customer's order from the warehouse shelves and deliver it to the customer's home.

**TRANSPORTATION** The Internet has significantly lowered the cost of "transporting" information goods in digital form such as movies, music, and books. For nondigital products, aggregating inventories increases outbound transportation relative to inbound transportation. Compared to a business with many retail outlets, an online seller with aggregated inventories tends to have higher transportation costs (across the entire supply chain) per unit because of the increased outbound costs.

**INFORMATION** An online seller can share demand information throughout its supply chain to improve visibility. The Internet may also be used to share planning and forecasting information within the supply chain, further improving coordination. This helps reduce overall supply chain costs and better match supply and demand. Here we see that information is an enabler of many of the benefits of online sales discussed so far.

A company selling online incurs additional information costs, however, to build and maintain the information infrastructure. For example, when Amazon purchased Zappos, it had to add about 120,000 product descriptions and more than 2 million photographs to its Web site.

**Table 4-9** The Online Sales Scorecard

Area	Impact
Response time	
Product variety	
Product availability	
Customer experience	
Time to market	
Order visibility	
Direct sales	
Flexible pricing, portfolio, promotions	
Efficient funds transfer	
Inventory	
Facilities	
Transportation	
Information	

*Key:* +2 = very positive; +1 = positive; 0 = neutral; -1 = negative; -2 = very negative.


The blank B2C online sales scorecard shown in Table 4-9 can be used by a firm to summarize the impact of online sales on each of the areas identified earlier.

The value of setting up online sales is not the same in every industry. Whereas Amazon and Blue Nile have seen their profits increase after going online, Webvan and many other online grocers have gone out of business. The scorecard in Table 4-9 can be used to understand how online sales affect the performance of different supply chain networks. In the next section, we apply the online sales scorecard to several examples.

**Using Online Sales to Sell Computer Hardware: Dell**

The online channel has proved very effective for the sale of computer hardware and by 2009 represented about half the sales in this category. After more than a decade of tremendous success selling its PCs only online, Dell started to sell PCs through retail stores such as Wal-Mart in 2007. Since about 2005, Apple has had considerable success selling its phones and computers through retail stores. This raises the question of the relative value of the online channel and retail stores for selling computer hardware.

To make this comparison, we compare Dell’s supply chain for each channel. As shown in Figure 4-11, when using the online channel, Dell typically starts assembly after receiving a



**FIGURE 4-11** Supply Chains for Dell’s Online and Retail Channels

customer order (shown by the fact that Dell is above the push/pull boundary). For the retail channel, in contrast, Dell assembles the PC in the push phase of the supply chain often well in advance of the final sale.

#### **IMPACT OF ONLINE SALES ON CUSTOMER SERVICE FOR COMPUTER HARDWARE**

The main disadvantage for Dell of selling hardware over the Internet is the delay in fulfilling the customer request. Whereas a longer response time is not a big negative for high-value, customized hardware, it is a disadvantage for Dell when trying to sell its low-cost standardized configurations online.

Dell is able to exploit most of the responsiveness-enhancing opportunities offered by the Internet for customized hardware. The company uses the Internet to offer a wide variety of customized PC configurations with the desired processor, memory, hard drive, and other components. Customization allows Dell to satisfy customers by giving them a product that is close to their specific requirements. The customization options are easy to display over the Internet, allowing Dell to attract customers who value this choice. Dell also uses customized Web pages to enable large business customers to place orders. Clearly, all these capabilities are not as valuable for standardized configurations.

The Internet allows companies like Dell and Apple to bring new products to market quickly. This is particularly important in the computer and cell phone industry wherein products have short life cycles of a few months. Whereas the Internet allows a new product to be offered as soon as it is produced, the retail channel requires the entire supply chain to be stocked before customers can access the product.

The Internet channel has allowed companies like Dell to make price changes quickly and efficiently based on product availability and demand. By being available all day, the online channel allows Dell to serve customers at a much lower cost than retail stores.

Selling online allows Dell to collect payment for its hardware in a matter of days after it is sold. Dell, however, pays its suppliers according to the more traditional schedules in which payment is due in weeks (e.g., 30 days). Given its low levels of inventory, Dell is able to operate its business with negative working capital because it receives payment for its hardware about 44 days before it pays its suppliers for their components. A hardware supply chain including distributors and retailers cannot achieve these results.

#### **IMPACT OF ONLINE SALES ON COST IN THE PC INDUSTRY**

**Inventory Costs.** Its online sales offer Dell the ability to reduce its inventories by aggregating them in a few geographic locations, whereas a chain of retail stores selling computers must carry inventory in each store. Dell is able to further reduce inventories by exploiting the time that elapses from the point at which an online order arrives to the point at which it must be shipped. Dell products and assembly lines are designed so that all components on which customers are offered customization can be assembled in a short period of time. This allows Dell to hold component inventories and postpone assembly until after the customer order has been placed. Postponement and component commonality allow Dell to reduce inventories significantly.

Observe that inventory reduction through aggregation and postponement is much more significant for high-value, customized configurations with low and unpredictable demand compared to low-value, standardized configurations with large and predictable demand.

**Facility Costs.** The online channel allows the Dell supply chain to lower facility costs relative to the retail channel because Dell incurs only the cost of the manufacturing facility and warehousing space for components. A brick-and-mortar retail chain must pay for the distribution warehouses and retail stores as well.

Dell is also able to take advantage of customer participation and save on the cost of call center representatives because customers do all the work when they place an order online.

**Transportation Costs.** As a result of online sales, total transportation costs in the Dell supply chain are higher than in a supply chain selling hardware through distributors and retailers. Dell sends individual PCs to customers from its factories, whereas a manufacturer selling through distributors and retailers sends large shipments on trucks to warehouses and to retailers. The Dell supply chain thus has higher outbound transportation costs. The higher transportation costs for the centralized Dell supply chain are a larger fraction of cost for low-cost, standardized configurations than for high-cost, customized ones.

**Information Costs.** Although Dell has made a significant investment in information technology (IT) to implement its build-to-order model, the majority of these IT costs would be incurred regardless of Dell's online sales status. Therefore, online sales do add incrementally to Dell's information costs, but this is not a significant factor given the benefits.

**IMPACT OF ONLINE SALES ON PERFORMANCE AT DELL** As summarized in the online sales scorecard in Table 4-10, online sales allow Dell to significantly improve its performance for high-value, customized hardware in terms of both responsiveness and cost. For low-cost, standardized hardware, however, the online channel is significantly less attractive because its main strength, inventory reduction through aggregation, is not as valuable for low-cost, standardized configurations. Simultaneously, the weaknesses of the online channel—poorer responsiveness and higher transportation costs—become more significant for low-cost, standardized configurations.

**A TAILORED SUPPLY CHAIN NETWORK FOR HARDWARE USING RETAIL STORES AND THE INTERNET** It may seem at first glance that selling hardware online has significant advantages. A careful study, however, indicates that a hybrid model combining retail stores and the online channel can be very effective. This issue becomes more significant as hardware becomes more of a commodity. The online channel is most effective to sell new products or customized hardware configurations whose demand is hard to forecast with the retail channel selling low-cost, standard configurations whose demand is easier to forecast. Manufacturers should introduce new models on the Internet; as demand for some of them grows, these models should be added to the retail channel. Another option is to introduce recommended configurations of new models at

**Table 4-10** Impact of Online Sales on Performance at Dell

Area	Impact for Customized Hardware	Impact for Standard Low-Cost Hardware
Response time	-1	-2
Product variety	+2	0
Product availability	+1	+1
Customer experience	+2	+1
Time to market	+2	+1
Order visibility	+1	0
Direct sales	+2	+1
Flexible pricing, portfolio, promotions	+2	+1
Efficient funds transfer	+2	+2
Inventory	+2	+1
Facilities	+2	+1
Transportation	-1	-2
Information	0	0

Key: +2 = very positive; +1 = positive; 0 = neutral; -1 = negative; -2 = very negative.



retail stores, while selling all customized configurations on the Internet. The manufacturer is thus able to decrease inventories by aggregating all high-variability production and satisfying that demand online. These models should be built to order using as many common components as is feasible. The standard models can be produced using a low-cost approach even if it involves longer lead time. Selling standardized models through distributors and retail stores allows the supply chain to save on transportation costs, which are a higher fraction of cost for these low-cost configurations. Retailers can be allowed to participate in online sales by having kiosks where customers can configure models of their choice or order standardized models that are out of stock.

A hardware manufacturer can use the tailored approach outlined earlier to take advantage of the strengths of both online sales and traditional retail and distribution channels. Gateway failed in its effort with retail stores because it did not use any of the supply chain strengths of the bricks-and-mortar channel. Instead of just helping people with configuration at its retail stores, Gateway would have served its customers better by also carrying recommended configurations of its PCs in the stores. This would immediately satisfy customers who wanted the recommended configuration, while allowing Gateway to produce the more customized configurations efficiently. In contrast, Apple has been very successful with its retail channel because it sells a relatively low variety of standardized hardware in large volumes at its stores. Dell has also started using the tailored approach with high-value customized hardware such as servers built to order while low-value standardized hardware is produced in low cost countries and sold through retail stores such as Wal-Mart. In the long run, a tailored approach is likely to prevail in the computer hardware and cell phone industry.

### **Using Online Sales to Sell Books: Amazon**

Book supply chains have been transformed with the advent of online sales and the launching of Amazon.com in July 1995. Since then, Amazon has added many categories to its product offerings, including music, toys, electronics, software, and home improvement equipment. Whereas the Internet provided some advantage to Amazon for the sale of physical books, this advantage has magnified with the growth in electronic books (e-books).

**IMPACT OF ONLINE SALES ON CUSTOMER SERVICE IN THE BOOK INDUSTRY** Online sales have not helped profits for traditional books to the same extent as in the customized PC industry. Unlike the PC industry, in which online sales facilitate direct sales by manufacturers, the Internet has not shortened supply chains in the book industry.

For traditional books, Amazon can attract only customers who are willing to wait a few days to get a book. Amazon also cannot attract customers who value the ability to leaf through books. The company tries to counter this problem by providing reviews and other information on books to allow customers to get a feel for the book online.

To counter these drawbacks, Amazon has exploited several opportunities on the Internet to attract customers and increase revenues. Amazon attracts many customers by offering a selection of millions of books. Customers can search for hard-to-find books or those of special interest. A large physical bookstore, in contrast, can carry fewer than a hundred thousand titles. Amazon also uses the Internet to recommend books to customers based on their purchase history. Customers are sent e-mails informing them of new titles that match their interests. Amazon also provides reviews and comments from other customers on the titles available. New titles are quickly introduced and made available online, whereas in a bricks-and-mortar bookstore chain, all retail stores have to be stocked.

Amazon uses the Internet to allow customers to order a book at any time from the comfort of their own home. If customers know the books they want, they can place the order online and the books will be delivered to their door. There is no need to leave the house and spend an hour or two going to a physical bookstore. This fact allows Amazon to attract customers who value this convenience and are willing to wait for delivery.

For e-books, Amazon is able to gain greater advantage using the online channel. For example, customers can download a book in seconds without having to leave home. For people who value time, this experience is superior to buying a traditional book either online or at a bookstore. Product availability is never an issue with e-books, and variety can be added at low marginal cost. In fact, the Internet has allowed the availability of books that are not guaranteed a high enough demand to make them viable for traditional publishers. For very low-volume books, there is no better channel than online as e-books.

**COST IMPACT OF ONLINE SALES ON THE BOOK INDUSTRY** Amazon also uses online sales to lower its inventory and some of its facility costs. For traditional books, transportation costs increase as a result of selling books online. For e-books, however, transportation cost is not a factor given that they can be downloaded efficiently on the Internet.

**Inventory Costs.** Amazon is able to decrease inventories by aggregating physical inventories in a few geographical locations. A bookstore chain, in contrast, has higher inventories because titles are carried at every store. The reduction of inventories from aggregation is most significant for low-demand books with high demand uncertainty. The benefit is less significant for best sellers with demand that is more predictable. Amazon carries medium- to high-demand titles in inventory, whereas it purchases low-demand titles from publishers in response to a customer order. In some instances, Amazon also prints very low-volume titles with print-on-demand technology. This allows the Amazon supply chain to further reduce inventories of low-demand titles. For e-books, Amazon incurs no inventory costs because they do not have to be stored physically.

**Facility Costs.** Its online sales allow Amazon to lower facility costs because it does not need the retail infrastructure that a bookstore chain such as Barnes & Noble must have. Initially, Amazon did not have a warehouse, purchasing all books from distributors. When demand volumes were low, the distributor was a better location to carry inventories because it aggregated demand across other booksellers besides Amazon. As demand has grown, however, Amazon has opened its own warehouses, where it stocks books. Thus, facility costs at Amazon are growing, although they are still much lower than the facility costs for a bookstore chain. For e-books, Amazon needs server capacity to ensure that downloads are quick, but the investment in server capacity is likely to be cheaper than the warehousing required to serve physical demand.

**Transportation Costs.** The Amazon supply chain incurs higher transportation costs than a bookstore chain selling through retail stores. Local bookstores do not have the cost of individually shipping books to customers. Amazon, in contrast, incurs the cost of shipping books to its customers from warehouses. The shipping cost from an Amazon warehouse represents a significant fraction of the cost of a book (it can be even higher than 100 percent for an inexpensive book). As demand has grown, Amazon has opened several warehouses in an effort to get closer to customers, decrease its transportation costs, and improve response time. Transportation costs at Amazon in 2009 were more than \$1.77 billion; after accounting for transportation revenue, the net loss on outbound transportation was \$849 million, a very significant amount. In contrast, the cost of delivering e-books and other digital content to customers is negligible in comparison.

**Information Costs.** As with Dell, setting up online sales takes some additional investment in IT, but this is not incrementally significant compared with the IT that is required to run a bricks-and-mortar business. Therefore, IT costs for online sales are somewhat higher, but not prohibitively so. The cost of IT infrastructure to support download of e-books, however, is more expensive.

**Impact of Online Sales on Performance at Amazon.** Amazon's online sales scorecard is summarized in Table 4-11. A comparison of Tables 4-10 and 4-11 shows that online sales offer far greater advantages when selling computer hardware than when selling physical books. Some key differences between the two products are that (1) product differentiation in hardware can be

**Table 4-11** Impact of Online Sales on Performance at Amazon

Area	Physical books	e-books
Response time	-1	+1
Product variety	+2	+2
Product availability	+1	+2
Customer experience	+1	+1
Time to market	+1	+2
Order visibility	0	0
Direct sales	0	+1
Flexible pricing, portfolio, promotions	+1	+1
Efficient funds transfer	0	0
Inventory	+1	+2
Facilities	+1	+1
Transportation	-2	+1
Information	-1	-1

Key: +2 = very positive; +1 = positive; 0 = neutral; -1 = negative; -2 = very negative.

postponed until after the customer has placed an order, whereas physical books are currently published well in advance of a sale and (2) transportation cost represents a much higher portion of the cost of books and a relatively small portion of the cost of PCs. For e-books, however, the Internet offers tremendous advantage relative to traditional bookstores. Amazon has pushed hard after the release of the Kindle, its e-reader, to encourage customers to buy books online.

Other digital content that Amazon sells includes movies, software, and music. In each instance, the Internet channel offers tremendous advantage relative to physical distribution. With the growth of iTunes at Apple and online sales at Amazon, retail chains built on selling physical formats of music had a difficult time surviving, with most closing by 2010. In the movie business, large DVD retailers like Wal-Mart have continued to do well, but smaller retail formats such as Blockbuster have not survived selling and renting physical DVDs.

**A SUPPLY CHAIN NETWORK FOR BOOKS USING RETAIL STORES AND THE INTERNET** In the 1980s, large bookstore chains such as Borders and Barnes & Noble established themselves at the expense of mom-and-pop bookstores primarily through aggregation. Large retail footprints allowed the two chains to carry a greater variety of books while often achieving lower costs than the small bookstores. Both Borders and Barnes & Noble charged full price for low-demand books, while they provided a greater variety and offered a discount on best sellers. Such an approach was effective until Amazon established a dominant position. Amazon uses the Internet to sell low-volume books much more efficiently than either bookstore chain. With the growth in e-books and other retail formats such as Wal-Mart and Costco selling best sellers, the large bookstore chains are stuck in the middle without any area of dominance. Large bookstore chains are in danger of being squeezed from both ends: other retail formats for best-selling books and online sales for other low-volume books and e-books. Borders was shut down and liquidated in 2011 and Barnes & Noble was facing significant challenges.

### Using the Internet to Sell Groceries: Peapod

The grocery industry saw a spurt in new online sellers in 1998 and 1999, although virtually all have gone out of business. Peapod, one of the oldest online grocers, is one of the few left. Given

this industry's poor track record, one might surmise that this is an industry not well suited for online sales. Despite the lack of success in this industry, Amazon jumped into it in 2010 starting with a pilot in Seattle. Let us take a look with our scorecard to see where, if at all, the Internet offers an advantage in this industry.

Peapod started by supplying orders using employees at grocery stores to pick and deliver orders. The company has now moved to supplying orders from centralized fulfillment centers in Chicago and Washington, D.C., and from large supermarkets with adjacent "warerooms" in other areas. Each fulfillment center is much larger than a supermarket and is comparable to a warehouse. The Peapod and supermarket supply chains are comparable except that for a supermarket, some products come from a warehouse whereas the rest come directly from suppliers.

**IMPACT OF ONLINE SALES ON CUSTOMER SERVICE IN THE GROCERY INDUSTRY** Peapod and other online groceries have tried to sell convenience and the time savings they offer customers. For many people, grocery shopping is a chore that is time consuming and rarely enjoyable. Peapod allows customers to place orders at any time and have them delivered at home, eliminating a trip to the supermarket. This can be a significant convenience, especially in urban areas, where customers have to walk to a supermarket and carry all their groceries home. In a suburban area, the benefit is smaller because people tend to batch their shopping and can drive to supermarkets with relative ease. The convenience of saving time, however, remains quite valuable.

The convenience factor related to access is even more significant if a specialty-food provider goes online. Specialty and ethnic food stores are not as accessible as supermarkets, and people often drive long distances to reach them. Offering these foods on the Internet provides easy access to customers and saves a long drive. Peapod, however, offers less variety than a typical supermarket. Most large supermarkets offer sufficiently large variety to cover the needs of most households.

Peapod is able to increase revenues by creating a personalized shopping experience for customers and delivering customized, one-to-one advertising and promotions. This is done using extensive member profiles that Peapod creates based on online shopping behavior, purchase histories, and surveys. Unlike a supermarket, in which the store does not know what customers have selected until they check out, Peapod can guide online customers based on what they purchase. For example, if a customer buys some pasta, Peapod can suggest a type of pasta sauce or some Parmesan cheese. Over longer periods, Peapod can collect shopping patterns and suggest products that match a customer's preferences. Such suggestions enhance revenues by increasing customers' impulse purchases.

Peapod also adds to its revenues by giving consumer goods companies a forum for targeted interactive advertising and electronic coupons. Peapod increases revenues by selling data on consumer choices to product manufacturers. Consumer choice data available to an online grocer is more valuable than scanner data from a supermarket because scanner data reveals only the customer's final purchases. An online grocer, in contrast, can record the customer's decision process by, for example, recording a customer's substitution patterns for items that are out of stock. With scanner data, a supermarket cannot record substitutions because it has no way of finding out if the customer looked for something that is out of stock.

**IMPACT OF ONLINE SALES ON COSTS IN THE GROCERY INDUSTRY** Peapod and other online grocers use online sales to lower some facility costs and, to an extent, inventory costs. Picking costs and transportation costs, however, are much higher than for traditional supermarkets.

**Inventory Costs.** Compared to a supermarket chain, an online grocer such as Peapod can lower inventories by aggregating the inventory in a few large replenishment centers. The degree of aggregation, however, is less than that achieved by Amazon for books or Dell for hardware, because Peapod needs fulfillment centers in every urban area it serves to get food to customers in acceptable condition.

The benefits of aggregation are further diminished by the fact that the majority of products sold at a supermarket are staple items with steady demand. Thus, aggregation provides a marginal benefit in terms of improved forecast accuracy and reduced inventories (see Chapter 12). The benefits of aggregation are higher for specialty, low-demand items with high demand uncertainty. These products constitute a small fraction of overall sales at a supermarket. Thus, aggregation allows e-grocers to lower their inventory costs only marginally compared to a typical supermarket. If online grocers focused primarily on specialty items such as ethnic foods, the inventory benefits of aggregation would be larger.

**Facility Costs.** Peapod's online sales allow it to lower facility costs because it needs only warehouse facilities and can save on the cost of retail outlets such as supermarkets. Processing costs at Peapod to fulfill an order, however, are significantly higher than those for a supermarket and overwhelm the savings from needing fewer facilities. Peapod saves on checkout clerks compared to a supermarket but must pick the customer order, a task the customer performs at a supermarket and one that is much more time consuming than checkout. Thus, online sales result in a loss of customer participation compared to a supermarket and raise overall facility costs.

**Transportation.** An online grocer such as Peapod has significantly higher transportation costs than a supermarket. Supermarkets have the advantage of having to bear only inbound transportation cost for products, with customers providing transportation from the supermarket to their homes. Inbound transportation costs tend to be low because supermarkets have large deliveries that enable them to exploit economies of scale in transportation. Peapod, in contrast, has to bear inbound transportation cost to its fulfillment centers and then outbound delivery costs from the fulfillment centers to customer homes. Outbound delivery costs are high, because individual orders must be delivered to each customer's home. The task becomes all the more problematic given the different temperature requirements for different types of food.

Compared to computers and even books, groceries have a low value-to-weight/volume ratio. For example, paper towels and bathroom tissues have very low value but occupy a lot of space in a truck. Thus, transportation costs are a significant fraction of the cost incurred by online grocers. This makes it difficult for an online grocer to compete with a supermarket on prices.

**Information Costs.** Again, the IT infrastructure required for online sales increases costs. In the case of an online grocer, this is somewhat more significant than with the other online channels we have been discussing, because an online grocer takes on a wider range of functions that shoppers do themselves. Therefore, IT costs are higher for an online grocer. As in the other examples, however, IT costs are not a deal breaker for this business model.

**IMPACT OF ONLINE SALES ON PERFORMANCE AT PEAPOD** Online sales offer some revenue-enhancement opportunities in the grocery industry. Costs, however, are significantly higher for an online grocer than for a supermarket, as we can see from Table 4-12. A comparison of Tables 4-10, 4-11, and 4-12 shows that online sales offer fewer benefits when selling groceries compared to books and computer hardware. Supermarkets are large enough to enjoy most of the inventory benefits that aggregation offers, without having the additional delivery cost incurred by an online grocer. Online grocers cannot compete with supermarkets on price and can succeed only if there are enough people willing to pay a premium for the convenience of home delivery. Online grocers, however, can provide some cost advantage when selling specialty groceries, whose demand tends to be low and uncertain.

**VALUE OF ONLINE SALES TO A TRADITIONAL GROCERY CHAIN** Traditional supermarket chains can benefit by using the online channel to complement the strengths of their existing network. The online channel can be used to offer convenience to customers who are willing to pay for it. Supermarkets can be used to target customers who value lower prices.

**Table 4-12** Impact of Online Sales on Performance at Peapod

Area	Impact
Response time	-1
Product variety	0
Product availability	0
Customer experience	+1
Time to market	0
Order visibility	-1
Direct sales	0
Flexible pricing, portfolio, promotions	+1
Efficient funds transfer	0
Inventory	0
Facilities	-1
Transportation	-2
Information	-1

Key: +2 = very positive; +1 = positive; 0 = neutral; -1 = negative; -2 = very negative.

A supermarket chain with online sales has the opportunity to offer an entire array of services at differing prices based on the amount of work the customer does. The cheapest service involves customers walking into the supermarket and shopping for the products they want. In this case, the customer picks the order from the shelves and provides outbound transportation for it. For an additional charge, a supermarket might allow customers to place orders online to be picked up at a later time. The supermarket personnel would pick the order from the shelves, but the customer would provide outbound transportation. The most expensive service is when the customer places orders online for home delivery. In this case, the supermarket chain is responsible for both picking the order from the shelves and delivering it to the customer's home. The varying services and prices would allow supermarket chains to efficiently satisfy the needs of a variety of customers.

Among the supermarket chains, Albertsons has taken the lead in combining online sales with physical supermarkets. It has renamed some of its stores Albertsons.com. Half the store remains a traditional supermarket, while the other half is used to fulfill online grocery orders. This allows the firm to exploit economies of scale on inbound transportation while keeping delivery distances to customers short on the outbound side. Customers are allowed to pick up their orders at the store or have the order delivered to their home. Based on our analysis, the Albertsons model is likely to be the most effective method for combining online sales with existing supermarkets in the grocery industry, whereas pure online grocers are likely to be less effective.

As we have mentioned earlier, the online channel is also more effective for specialty grocers. In fact, Amazon has set up a specialty grocery area on its Web site to go after this market. Amazon has also entered the home delivery grocery market, but it remains to be seen how successful it will be.

### Using the Internet to Rent Movies: Netflix

Founded in 1997, Netflix had grown to more than 20 million subscribers by 2011 and was the world's largest subscription service sending DVDs by mail and streaming movies and television episodes over the Internet. For \$7.99 a month, customers could obtain unlimited streaming of Netflix's digital library and for another \$7.99 per month they could have any of more than

100,000 DVD titles delivered to their home by mail. The growth of Netflix was one of the major factors that drove DVD rental chain Blockbuster into bankruptcy in 2010.

**IMPACT OF ONLINE SALES ON CUSTOMER SERVICE FOR NETFLIX** Netflix attracted customers with its staggering selection and an excellent recommendation engine that allowed customers to access titles they were likely to enjoy. Whereas a typical Blockbuster store offered 3,000 titles, Netflix had more than 100,000 titles available. Netflix claimed that 95 percent of its customers received their DVDs within 24 hours of being shipped. In February 2000, Netflix introduced CineMatch, a program that made recommendations based on a customer's rental history and preferences coupled with ratings from other users with similar interests. Netflix had more than 3 billion movie ratings from members, with about 4 million movies being rated per day. The rating system had proven to be especially accurate, and 60 percent of all Netflix users selected their movies based on recommendations tailored to their individual tastes.<sup>2</sup> The company used its recommendation technology to keep the DVD shipments moving and a greater number of its older DVD titles in circulation.

For its digital content, Netflix allowed video streaming through a variety of devices including set-top boxes from Roku, Microsoft Xbox, Sony Play Station 3, and high-definition televisions from Sony and LG. The use of the Internet to view digital content had grown at a considerable rate. It was estimated that 48 percent of customers watched more than 15 minutes of streaming content in the fourth quarter of 2009, up from 28 percent the previous year.<sup>3</sup> This proportion was likely to grow in the future.

A challenge for Netflix was the delay the studios wanted to build in before allowing new movies to be available at Netflix. Given that the studios gained more revenue from DVD sales, they had negotiated a four-week delay from when the DVD was first available for sale to when it was available on Netflix. This was an artificial delay designed to support DVD sales through outlets like Wal-Mart.

**IMPACT OF ONLINE SALES ON COSTS AT NETFLIX** Netflix used the Internet to significantly lower its facility and inventory costs relative to Blockbuster.

**Inventory Costs.** Netflix aggregated its inventory at about 60 distribution centers in 2010. This allowed Netflix to hold significantly less inventory than Blockbuster, which held most of its inventory at thousands of retail stores. In 2009, about 70 percent of the DVDs shipped by Netflix were titles with release dates older than 13 weeks.<sup>4</sup> Movie studios were happy that customers could view their older catalog (which otherwise provided little revenue) and thus offered Netflix these DVDs at cost and shared in the revenue that Netflix earned. Not having to pay for older DVDs further lowered inventory costs at Netflix. In 2009, Netflix carried only \$37 million in inventories (on sales of \$1.67 billion), while Blockbuster carried \$639 million in inventories (on sales of \$4.06 billion).

**Facility Costs.** Netflix had significantly lower facility costs than Blockbuster because it aggregated its operations in fewer than 60 distribution centers, while Blockbuster had thousands of stores it had to pay for. Whereas \$266 million in property and equipment at Netflix supported \$1.67 billion of sales in 2009, Blockbuster required \$2.37 billion in property and equipment to support \$4.06 billion of sales.

**Transportation Costs.** Transportation costs at Netflix were considerably higher than at Blockbuster. The Netflix CFO was quoted as stating that the company spent about \$600 million in shipping DVDs in 2009. As people moved from DVDs to streaming, transportation costs were

<sup>2</sup> Clive Thompson, "If You Liked This, You're Sure to Love That," *New York Times*, November 21, 2008, <http://www.nytimes.com/2008/11/23/magazine/23Netflix-t.html>.

<sup>3</sup> Netflix 2009 Annual Report.

<sup>4</sup> *Ibid.*

**Table 4-13** Impact of Online Sales on Netflix Performance Relative to Blockbuster

Area	Impact for DVDs	Impact for Digital Content
Response time	-1	+2
Product variety	+2	+2
Product availability	+1	+2
Customer experience	+1	+1
Time to market	-1	-1
Order visibility	0	0
Direct sales	0	0
Flexible pricing, portfolio, promotions	+1	+1
Efficient funds transfer	0	0
Inventory	+2	+2
Facilities	+1	+1
Transportation	-2	0
Information	-1	-1

Key: +2 = very positive; +1 = positive; 0 = neutral; -1 = negative; -2 = very negative.

likely to reduce. In fact, Netflix's strategy was to buy more digital content using its savings in transportation costs as subscribers moved toward watching more content online.

**Information Costs.** Information costs are higher to support the Netflix operations relative to Blockbuster. With the growth in digital streaming, information costs are likely to increase.

**Impact of Online Sales on Performance at Netflix.** Netflix has significant advantages renting movies over the physical distribution channel of Blockbuster as shown in Table 4-13. These advantages are most pronounced for the wide selection of older movies that studios have in their catalogs. For newer movies, DVD vending machines from Redbox provide an effective channel with relatively low cost. In 2010, Blockbuster considered replacing its stores with thousands of vending machines as a major part of its recovery strategy. These vending machines carry only a few hundred titles consisting of new movies and popular children's videos. They allow customers to go online and reserve movies at specific machines using a credit card. The result is a virtual aggregation of inventories, which improves the matching of supply and demand and reduces inventory expense. They are typically installed in existing retail infrastructure such as grocery stores. Thus, the marginal increase in property, plant, and equipment is small.

While Netflix exploited the Internet very effectively to mail DVDs from centralized DCs, it will find more challenges as it switches to being primarily a streaming service. It will face strong competition from the likes of Amazon, Apple, Google, and Hulu. The primary challenge for the streaming supply chain is sourcing content because the supply chain has relatively low investment in other assets. Netflix will find it harder to maintain a competitive advantage in this space unlike its competition with Blockbuster.

## 4.5 DISTRIBUTION NETWORKS IN PRACTICE

**1. The ownership structure of the distribution network can have as big an impact as the type of distribution network.** The bulk of this chapter deals with different types of physical networks and subsequent flows to distribute products successfully. However, equally important is who owns each stage in the distribution network. Distribution networks that have exactly



the same physical flow but different ownership structures can have vastly different performance. For example, a manufacturer that owns its distribution network can control the network's actions. However, if the manufacturer does not own the distribution network, as is more often the case, a wide variety of issues need to be taken into account to optimize over the network. Obviously, an independent distributor wants to optimize its own enterprise, not necessarily the entire supply chain. Attempting to optimize over a distribution network with multiple enterprises requires great skill in coordinating the incentives of each of the players and in creating the right relationships. Be sure to consider the impact of both the physical flows and the ownership structure when designing a distribution network.

**2. It is important to have adaptable distribution networks.** Distribution networks must be able to adapt to changing technology and environments. An inability to adapt can be very damaging in these times of rapid change. For example, Blockbuster in the movie rental business and Borders in the bookselling business had great success with a network of retail stores. Their inability to adapt to the arrival of the Internet, however, allowed competitors like Amazon and Netflix to gain market share at their expense. If either Blockbuster or Borders had adapted to take advantage of the Internet to create a tailored distribution network, it can be argued that they could have continued their dominance. Wal-Mart is an example of a company that through trial and error adapted its distribution network to take advantage of the Internet along with its existing retail store network.

**3. Product price, commoditization, and criticality affect the type of distribution system preferred by customers.** Interactions between a buyer and a seller take time and resources. As a result, it is much more convenient for a buyer to deal with a single enterprise that can deliver a full line of products. For high-value, specialized, or critical products, customers are willing to have a relationship solely around that particular product. For low-value, commoditized products like office supplies, however, most customers prefer a one-stop shop. Thus, while customers are willing to order laptops directly from the manufacturer, they prefer to deal with a stationary supplier or store when looking to buy pens, paper, or staplers. Whereas Apple has been successful with stores selling only Apple products, it is highly unlikely that a stapler manufacturer could succeed without distributing through general stationary stores.

**4. Integrate the Internet with the existing physical network.** To extract maximum benefit from the online channel for physical goods, firms should integrate it with their existing supply chain networks. Separating the two networks often results in inefficiencies within the supply chain. This coupling of the online channel with the existing physical network has been referred to as “clicks-and-mortar.”

Albertsons' use of its physical assets to satisfy both online orders and people who want to shop in a supermarket is an effective integration of online sales within a supply chain network. Another example of an effective clicks-and-mortar strategy is Wal-Mart, which allows customers to pick up online orders at its retail stores. The Internet is used to expand the variety available to customers at a Wal-Mart store. Wal-Mart stores stock popular items, whereas customers can order online the colors or sizes that may not be available in the store. This allows the Wal-Mart to centralize low-demand items while increasing the variety available to customers and extracting the maximum benefit from integrating its online sales with its physical network.

## 4.6 SUMMARY OF LEARNING OBJECTIVES

**1. Identify the key factors to be considered when designing a distribution network.** A manager must consider the customer needs to be met and the cost of meeting these needs when designing the distribution network. Some key customer needs to be considered include response time, product variety/availability, convenience, order visibility, and returnability. Important costs that managers must consider include inventories, transportation, facilities and handling, and

information. Increasing the number of facilities decreases the response time and transportation cost but increases inventory and facility cost.

**2. Discuss the strengths and weaknesses of various distribution options.** Distribution networks that ship directly to the customer are better suited for a large variety of high-value products that have low and uncertain demand. These networks carry low levels of inventory but incur high transportation cost and provide a slow response time. Distribution networks that carry local inventory are suitable for products with high demand, especially if transportation is a large fraction of total cost. These networks incur higher inventory cost but lower transportation cost and provide a faster response time.

**3. Understand how online sales have affected the design of distribution networks in different industries.** The rise of online sales has affected both customer service and costs in supply chains. Online sales allow a firm to offer greater product variety and improve product availability by centralizing inventories. This is especially beneficial for low-volume, high-variety products. The online channel also improves the customer experience by providing 24-hour access and allowing a more customized experience. Selling a product online, however, increases the response time relative to a retail store. A company selling online reduces facility costs if there is no significant loss of customer participation. Transportation costs increase, however, and this is particularly significant for low-value products with predictable demand. Online sales have been most effective for high-value products with uncertain demand, when customers are willing to wait some time before delivery. The Internet is particularly effective for products like music, movies, and books that can be digitized because the two major disadvantages of distributing physical products online—long response times and high transportation cost—disappear.

---

## Discussion Questions

1. What differences in the retail environment may justify the fact that the fast-moving consumer goods supply chain in India has far more distributors than it has in the United States?
2. A specialty chemical company is considering expanding its operations into Brazil, where five companies dominate the consumption of specialty chemicals. What sort of distribution network should this company utilize?
3. A distributor has heard that one of the major manufacturers from which it buys is considering going direct to the consumer. What can the distributor do about this? What advantages can it offer the manufacturer that the manufacturer is unlikely to be able to reproduce?
4. What types of distribution networks are typically best suited for commodity items?
5. What type of network is best suited to highly differentiated products?
6. In the future, do you see the value added by distributors decreasing, increasing, or staying about the same?
7. Why has the online channel been more successful in the PC industry compared to the grocery industry? In the future, how valuable is the online channel likely to be in the PC industry?
8. Is the online channel likely to be more beneficial in the early part or the mature part of a product's life cycle? Why?
9. Consider the sale of home improvement products at Home Depot or a chain of hardware stores such as True Value. Which can extract the greater benefit from going online? Why?
10. Amazon sells books, music, electronics, software, toys, and home improvement products online. In which product category does going online offer the greatest advantage compared to a retail store chain? In which product category does the online channel offer the smallest advantage (or a potential cost disadvantage) compared to a retail store chain? Why?
11. Why should an online seller such as Amazon build more warehouses as its sales volume grows?

---

## Bibliography

- Chopra, Sunil. "Designing the Delivery Network for a Supply Chain." *Transportation Research, Part E* (2003): 39, 123–140.
- Chopra, Sunil. "Movie Rental Business: Blockbuster, Netflix, and Redbox." Kellogg School of Management Case # 5-310-507, 2010.
- Chopra, Sunil, and Jan Van Mieghem. "Which e-Business Is Right for Your Supply Chain?" *Supply Chain Management Review* (July–August 2000): 32–40.
- Evans, Philip, and Thomas S. Wurster. "Getting Real About Virtual Commerce." *Harvard Business Review* (November–December 1999): 84–94.

- Kalyanam, Kirthi, and Ward Hanson. *Internet Marketing and e-Commerce*. Cincinnati, OH: South-Western Publishing, 2007.
- Lee, Hau L., and Seungjin Whang. "Winning the Last Mile of e-Commerce." *Sloan Management Review* (Summer 2001): 54–62.
- Olavson, Thomas, Hau Lee, and Gavin DeNyse. "A Portfolio Approach to Supply Chain Design." *Supply Chain Management Review* (July–August 2010): 20–27.
- Poirier, Charles C. "The Convergence of Business & Technology." *Supply Chain Management Review* (Fall 1999): 52–58.
- Raman, Ananth, and Bharat P. Rao. *A Tale of Two Electronic Component Suppliers*. Harvard Business School Case 9–697–064, 1997.
- Ricker, Fred R., and Ravi Kalakota. "Order Fulfillment: The Hidden Key to e-Commerce Success." *Supply Chain Management Review* (Fall 1999): 60–70.
- Salcedo, Simon, and Ann Grackin. "The e-Value Chain." *Supply Chain Management Review* (Winter 2000): 63–70.
- Willcocks, Leslie P., and Robert Plant. "Pathways to e-Business Leadership: Getting from Bricks to Clicks." *Sloan Management Review* (Spring 2001): 50–59.
- Shapiro, Carl, and Hal R. Varian. *Information Rules: A Strategic Guide to the Network Economy*. Boston: Harvard Business School Press, 1999.
- "The e-Enabled Supply Chain." Global Supplement, *Supply Chain Management Review* (Fall 1999).
- Turban, Efraim, Jae Lee, David King, and H. Michael Chung. *Electronic Commerce: A Managerial Perspective*. Upper Saddle River, NJ: Prentice Hall, 2000.

## CASE STUDY

### Blue Nile and Diamond Retailing<sup>1</sup>

A customer walks into your jewelry store with printouts of diamond selections from Blue Nile, a company that is the largest retailer of diamonds online. The list price for the customer's desired diamond is only \$100 above your total cost for a stone of the same characteristics. Do you let the customer walk or come down in price to compete?<sup>2</sup>

This is a dilemma that has faced many jewelers. Some argue that jewelers should lower prices on stones to keep the customer. Future sales and add-on sales such as custom designs, mountings, and repairs can then be used to make additional margins. Others argue that cutting prices to compete sends a negative signal to loyal customers from the past who may be upset by the fact that they were not given the best price.

As the economy tightened during the holiday season of 2007, the differences in performance between Blue Nile and bricks-and-mortar retailers were startling. In January 2008, Blue Nile reported a 24 percent jump in sales during its fourth quarter. For the same quarter, Tiffany posted a 2 percent drop in domestic same-store sales, and Zales reported a 9 percent drop. The chief operating officer of Blue Nile, Diane Irvine, stated, "This business is all about taking market share. We look at this type of environment as one of opportunity."

### The Diamond Retailing Industry in 2008

For both wholesalers and retailers in the diamond industry, 2008 was turning into a very difficult year. It was so bad at the supply end that the dealers' trade association, the World Federation of Diamond Bourses, issued an appeal for the diamond producers to reduce the supply of new gems entering the market in an effort to reduce supply.

However, the world's largest producer, De Beers, appeared unmoved, refusing to give any commitment to curtail production. The company had recently opened the Voorspoed mine in South Africa, which, when fully operational, could add 800,000 carats a year into an already oversupplied market. Historically, De Beers had exerted tremendous control over the supply of diamonds, going so far as to purchase large quantities of rough diamonds from other producers. In 2005, the European Commission forced De Beers to phase out its agreement to buy diamonds from ALROSA, the world's second largest diamond producer, which accounted for most of the diamond production in Russia. Russia was the second largest producer of diamonds in the world after Botswana.

While discount retailers such as Wal-Mart and Costco continued to thrive, the situation was difficult

<sup>1</sup> This case was written jointly with Professor Roby Thomas of Elmhurst College.

<sup>2</sup> Stacey King, "The Internet: Retailers' New Challenge," *Professional Jeweller Magazine*, August 1999.

for traditional jewelry retailers. Friedman's filed for Chapter 11 bankruptcy protection in January 2008, followed by Chicago-based Whitehall in June. When it filed for bankruptcy, Friedman was the third largest jewelry chain in North America with 455 stores, while Whitehall ranked fifth with 375 stores in April 2008. In February 2008, Zales announced a plan to close more than 100 stores in 2008. This shakeup offered an opportunity for other players to move in and try to gain market share.

With the weakening economy, the third and fourth quarters of 2008 were particularly hard on diamond retailers. Even historically successful players like Blue Nile, Tiffany, and Zales saw a decline in sales and a significant drop in their share price. As customers tightened their belts and cut back on discretionary spending, high-cost purchases such as diamond jewelry were often the first to be postponed. The situation worsened as competition for the shrinking number of customers became fiercer. In such a difficult environment, it was hard to judge which factors could best help different jewelry retailers succeed.

## Blue Nile

In December 1998, Mark Vadon, a young consultant, was shopping for an engagement ring and stumbled across a company called Internet Diamonds, run by Seattle jeweler Doug Williams. Vadon not only bought a ring but also went into business with Williams in early 1999. The company changed its name to Blue Nile by the end of 1999 because the new name “sounded elegant and upscale,” according to Vadon.

On its Web site, Blue Nile articulated its philosophy as follows: “Offer high-quality diamonds and fine jewelry at outstanding prices. When you visit our Web site, you'll find extraordinary jewelry, useful guidance, and easy-to-understand jewelry education that's perfect for your occasion.”

Many customers (especially men) liked the low-pressure selling tactics that focused on education. Besides explaining the four Cs—cut, color, clarity, and carat—Blue Nile allowed customers to “build your own ring.” Starting with the cut they preferred, customers could determine ranges along each of the four Cs and price. Blue Nile then displayed all stones in inventory that fit the customer's desired profile.

Customers selected the stone of their choice, followed by the setting they liked best. Blue Nile also allowed customers to have their questions resolved on the phone by sales reps who did not work on commission. This low-pressure selling approach had great appeal to a segment of the population. In a *BusinessWeek* article<sup>3</sup> in 2008, Web entrepreneur Jason Calacanis was quoted as saying that shopping for his engagement ring (for which he spent “tens of thousands of dollars”) on Blue Nile “was the best shopping experience he never had.”

The company focused on providing good value to its customers. Whereas retail jewelers routinely marked up diamonds by up to 50 percent, Blue Nile kept a lower markup of 20 to 30 percent. Blue Nile believed that it could afford the lower markup because of lower inventory and warehousing expense. Unlike jewelry retailers who maintained stores in high-priced areas, Blue Nile had a single warehouse in the United States where it stocked its entire inventory.

The company strategy was not without hurdles because some customers did not care as much about underpricing the competition. For example, some customers preferred “a piece of fine jewelry in a robin's egg blue box with Tiffany on it”<sup>4</sup> to getting a price discount. Also, it was not entirely clear that customers would be willing to spend thousands of dollars on an item they had not seen or touched. To counter this issue, Blue Nile offered a 30-day money back guarantee on items in original condition.

In 2007, the company launched Web sites in Canada and the United Kingdom and opened an office in Dublin with local customer service and fulfillment operations. The Dublin office offered free shipping to several countries in Western Europe. The U.S. facility handled international shipping to some countries in the Asia-Pacific region. International sales had increased from \$17 million in 2007 to more than \$33 million in 2009 despite poor economic conditions.

By 2007, Blue Nile had sold more than 70,000 rings larger than a carat with 25 orders totaling more than \$100,000. In June 2007, the company sold a single diamond for \$1.5 million. *Forbes* called it perhaps “the largest consumer purchase in Web history—and also the most unlikely.”<sup>5</sup> The stone, larger than 10 carats, had a diameter roughly the size of a penny.

<sup>3</sup> Jay Greene, “Blue Nile: No Diamond in the Rough,” *BusinessWeek e.biz*, May 2000.

<sup>4</sup> King, “The Internet: Retailers' New Challenge.”

<sup>5</sup> Victoria Murphy Barret, “The Digital Diamond District,” *Forbes.com*, October 2007.

(Continued)

Blue Nile did not have the stone in inventory, but its network of suppliers quickly located one on a plane en route from a dealer in New York to a retailer in Italy. The stone was rerouted to Blue Nile headquarters in Seattle and transported in a Brinks armored carrier to the buyer. The whole process took only three days!

In November 2008, Blue Nile offered more than 75,000 diamonds on its site. Of these diamonds, more than 30,000 were one carat or larger with prices up to \$1.9 million. Almost 43,000 diamonds on the Blue Nile Web site were priced higher than \$2,500. In 2010, the company CEO Diane Irvine was quoted saying “We’re not positioned as a discounter. We are selling a very high-end product but selling it for much less.”

In 2007, the company had sales of almost \$320 million with a net income of more than \$22 million. By November 17, 2008, however, its stock had fallen from a high of more than \$100 in October 2007 to less than \$23. In the third quarter of 2008, the company saw its first decline in sales with its reported sales of \$65.4 million being 2.9 percent less than the same quarter in 2007. In an upbeat announcement, the company stated, “Blue Nile is well positioned to generate profitability and cash flow even in difficult market conditions. We remain confident in our ability to continue to gain market share and to emerge from this economic downturn in an even stronger

competitive position”; however, 2008 turned out to be a challenging year with net sales dropping by just under 10 percent and operating income falling by more than 25 percent. In 2009, however, both sales and income had improved for Blue Nile (see Table 4-14).

## Zales

The first Zales Jewelers was established by Morris (M. B.) Zale, William Zale, and Ben Lipsky in 1924. Their marketing strategy was to offer a credit plan of “a penny down and a dollar a week.” Their success allowed them to grow to 12 stores in Oklahoma and Texas by 1941. Over the next four decades, the company grew to hundreds of stores by buying up other stores and smaller chains.

In 1986, the company was purchased in a leveraged buyout by Peoples Jewelers of Canada and Swarovski International. In 1992, its debt pushed Zales into Chapter 11 bankruptcy for a year. It became a public company again in that decade and operated nearly 2,400 stores by 2005. The company’s divisions included Piercing Pagoda, which ran mall-based kiosks selling jewelry to teenagers; Zales Jewelers, which sold diamond jewelry for working-class mall shoppers; and the upscale Gordon’s. Bailey Banks & Biddle Fine Jewelers, which offered even pricier products out of fancier malls, was sold by Zale in November 2007.

**Table 4-14** Select Financial Data for Blue Nile, Inc. (in thousands of dollars)

	<b>2008</b>	<b>2009</b>
Net sales	295,329	302,134
Cost of sales	235,333	236,790
Gross profit	59,996	65,344
Selling, general, and administrative expenses	44,005	45,997
Operating income	15,991	19,347
<b>Current Assets</b>		
Cash and cash equivalents	54,451	78,149
Trade accounts receivable	984	1,594
Other accounts receivable	725	241
Inventories	18,834	19,434
Total current assets	76,733	115,844
Property and equipment, net	7,558	7,332
Other assets	89	145
Total assets	89,665	130,415

Three years of declining market share, lost mostly to discounters such as Wal-Mart and Costco, put pressure on Zales to decide on a makeover by 2005. Zales dumped the lower value 10-karat gold jewelry and modest quality diamonds. The goal was to make the jeweler more upscale and fashion conscious, moving away from its promotion-driven, lower end reputation. Unfortunately, the move was a disaster. There were delays in bringing in new merchandise, and same-store sales dropped. The company lost many of its traditional customers without winning the new ones it desired. It was soon passed by Akron, Ohio-based Sterling (a subsidiary of the Signet Group) as the largest jeweler in the United States. The chief executive officer of Zale Corporation was forced to resign by early 2006.

In August 2006, under a new CEO, Zales started a transition to return to its role as a promotional retailer focused on diamond fashion jewelry and diamond rings. The transition involved selling nearly \$50 million in discontinued inventory from its upscale strategy and an expenditure of \$120 million on new inventory. As a result of the inventory write-downs, Zales lost \$26.4 million in its quarter ending July 31, 2006.

The company had some success with its new strategy but was hurt by the rise in fuel prices and falling home prices in 2007 that made its middle-class customers feel less secure. Its core customers hesitated to buy jewelry as they battled higher prices for food and fuel. Zales reported a profit of \$1.5 million in the quarter

ending July 31, 2007, but same-store sales fell by 0.5 percent. In February 2008, the company announced a plan to close approximately 105 stores, reduce inventory by \$100 million, and reduce staff in company headquarters by about 20 percent. The goal of this plan was to enhance the company's profitability and improve its overall effectiveness. However, the company lost more than \$200 million in 2008 (Table 4-15).

## Tiffany

Tiffany opened in 1837 as a stationery and fancy goods emporium in New York City. It published its first catalog in 1845. The company enjoyed tremendous success, with its silver designs in particular becoming popular all over the world. In 1886, Tiffany introduced its now famous "Tiffany setting" for solitaire engagement rings. The Tiffany brand was so strong that it helped set diamond and platinum purity standards used all over the world. In 1950, Truman Capote published his best seller *Breakfast at Tiffany's*, which was released as a successful film in 1961. After more than a century of tremendous success with its jewelry and other products, the company went public in 1987.

Tiffany's high-end products included diamond rings, wedding bands, gemstone jewelry, and gemstone bands with diamonds as the primary gemstone. The company also sold non-gemstone, gold, platinum, and sterling silver jewelry. Other products included watches and high-end

**Table 4-15** Select Financial Data for Zale Corporation  
(in thousands of dollars)

	<b>July 2008</b>	<b>July 2009</b>
Revenues	2,138,041	1,779,744
Cost of sales	1,089,553	948,572
Selling, general, and administrative expenses	969,769	934,249
Operating earnings	7,172	(208,964)
<b>Current Assets</b>		
Cash and cash equivalents	61,342	24,987
Other current assets	106,340	51,973
Inventories	799,181	740,257
Total current assets	966,863	817,217
Property and equipment, net	297,887	238,138
Other assets	35,946	29,480
Total assets	1,415,260	1,230,972

(Continued)

(Continued)

items for the home such as crystal and sterling silver serving trays. Besides its own designs, Tiffany also sold jewelry designed by Elsa Peretti, Paloma Picasso, the late Jean Schlumberger, and architect Frank Gehry.

By 2010, Tiffany had 220 stores and boutiques all over the world with about 80 of them in the United States. Of its global outlets, Tiffany had more than 50 in Japan and almost 45 in the rest of the Asia-Pacific region. Stores ranged from 1,300 to 18,000 square feet with an average of 7,100 square feet. Its flagship store in New York contributed about 10 percent of the company's sales in 2007. Besides retail outlets, Tiffany also sold products through a Web site and catalogs. The company, however, did not offer any engagement jewelry through its Web site as of 2010. Its high-end products, including jewelry, were sold primarily through the retail stores. The direct channel focused on what Tiffany referred to as "D" items, which consisted primarily of non-gemstone, sterling silver jewelry with an average price of \$200 in 2007. Category D sales represented about 58 percent of total sales for the direct channel. In contrast, more than half the retail sales came from high-end products such as diamond rings and gemstone jewelry with an average sale price in 2007 higher than \$3,000.

Tiffany maintained its own manufacturing facilities in Rhode Island and New York but also continued to source from third parties. In 2007, the company sourced almost 60 percent of its jewelry from internal

manufacturing facilities. Tiffany had a retail service center in New Jersey that focused on receiving product from all over the world and replenishing its retail stores. The company had a separate customer fulfillment center for processing direct-to-customer orders.

Until 2003, the company did not purchase any rough diamonds, focusing entirely on the purchase of polished stones. Since then, the company established diamond-processing operations in Canada, South Africa, Botswana, Namibia, Belgium, China, and Vietnam. In 2007, approximately 40 percent of the diamonds used by Tiffany were produced from rough diamonds purchased by the company. Not all rough diamonds could be cut and polished to the quality standards of Tiffany. Diamonds that failed to meet Tiffany's standards were then sold to third parties at market price, sometimes at a loss.

In 2007, 86 percent of Tiffany's net sales came from jewelry, with approximately 48 percent of net sales coming from products containing diamonds of various sizes.<sup>6</sup> Products containing one or more diamonds of one carat or larger accounted for more than 10 percent of net sales in 2007. Select financial details of Tiffany's performance over this period are shown in Table 4-16.

The Tiffany brand's association with quality, luxury, and exclusivity was an important part of its success. No other diamond and jewelry retailer enjoyed margins anywhere near those enjoyed by Tiffany. In its

**Table 4-16** Select Financial Data for Tiffany & Co.  
(in thousands of dollars)

	2008	2009
Net sales	2,848,859	2,709,704
Cost of sales	1,202,417	1,179,485
Gross profit	1,646,442	1,530,219
Selling, general, and administrative expenses	1,153,944	1,080,727
Operating income	394,659	440,492
<b>Current Assets</b>		
Cash and cash equivalents	160,445	785,702
Trade accounts receivable	164,447	158,706
Inventories	1,601,236	1,427,855
Total current assets	2,048,734	2,445,666
Property and equipment, net	741,048	685,101
Other assets	145,984	173,768
Total assets	3,102,283	3,488,360

<sup>6</sup> Tiffany Annual Report, March 2008.

annual reports, the company listed the strong brand as a major risk factor because any dilution in its brand image would have a significant negative impact on its margins.

### Study Questions

1. What are some key success factors in diamond retailing? How do Blue Nile, Zales, and Tiffany compare on those dimensions?
2. What do you think of the fact that Blue Nile carries more than 30,000 stones priced at \$2,500 or higher while almost 60 percent of the products sold from the Tiffany Web site are priced at around \$200? Which of the two product categories is better suited to the strengths of the online channel?
3. What do you think of Tiffany's decision to not sell diamonds online?
4. Given that Tiffany stores have thrived with their focus on selling high-end jewelry, what do you think caused the failure of Zales with its upscale strategy in 2006?
5. Which of the three companies do you think is best structured to deal with weak economic times?
6. What advice would you give to each of the three companies regarding its strategy and structure?

Arunai Engineering College



# 5



## Network Design in the Supply Chain

### LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Understand the role of network design in a supply chain.
2. Identify factors influencing supply chain network design decisions.
3. Develop a framework for making network design decisions.
4. Use optimization for facility location and capacity allocation decisions.

In this chapter, we start with the broad supply chain design discussed in Chapter 4 and focus on the fundamental questions of facility location, capacity allocation, and market allocation when designing a supply chain network. We identify and discuss the various factors that influence the facility location, capacity, and market allocation decisions. We then establish a framework and discuss various solution methodologies for network design decisions in a supply chain.

### 5.1 THE ROLE OF NETWORK DESIGN IN THE SUPPLY CHAIN

Supply chain *network design decisions* include the assignment of facility role; location of manufacturing-, storage-, or transportation-related facilities; and the allocation of capacity and markets to each facility. Supply chain network design decisions are classified as follows:

1. **Facility role:** What role should each facility play? What processes are performed at each facility?
2. **Facility location:** Where should facilities be located?
3. **Capacity allocation:** How much capacity should be allocated to each facility?
4. **Market and supply allocation:** What markets should each facility serve? Which supply sources should feed each facility?

Network design decisions have a significant impact on performance because they determine the supply chain configuration and set constraints within which the other supply chain drivers can be used either to decrease supply chain cost or to increase responsiveness. All network design decisions affect one another and must be made taking this fact into consideration. Decisions concerning the role of each facility are significant because they determine

the amount of flexibility the supply chain has in changing the way it meets demand. For example, Toyota has plants located worldwide in each market that it serves. Before 1997, each plant was capable of serving only its local market. This hurt Toyota when the Asian economy went into a recession in the late 1990s. The local plants in Asia had idle capacity that could not be used to serve other markets that were experiencing excess demand. Toyota has added flexibility to each plant to be able to serve markets other than the local one. This additional flexibility helps Toyota deal more effectively with changing global market conditions. Similarly, the flexibility of Honda's U.S. plants to produce both SUVs and cars in the same plant was helpful in 2008 when SUV demand dropped but small car demand did not.

Facility location decisions have a long-term impact on a supply chain's performance because it is expensive to shut down a facility or move it to a different location. A good location decision can help a supply chain be responsive while keeping its costs low. Toyota, for example, built its first U.S. assembly plant in Lexington, Kentucky, in 1988 and has continued to build new plants in the United States since then. The U.S. plants proved profitable for Toyota when the yen strengthened and cars produced in Japan were too expensive to be cost competitive with cars produced in the United States. Local plants allowed Toyota to be responsive to the U.S. market while keeping costs low.

Whereas capacity allocation can be altered more easily than location, capacity decisions do tend to stay in place for several years. Allocating too much capacity to a location results in poor utilization and, as a result, higher costs. Allocating too little capacity results in poor responsiveness if demand is not satisfied or high cost if demand is filled from a distant facility.

The allocation of supply sources and markets to facilities has a significant impact on performance because it affects total production, inventory, and transportation costs incurred by the supply chain to satisfy customer demand. This decision should be reconsidered on a regular basis so that the allocation can be changed as production and transportation costs, market conditions, or plant capacities change. Of course, the allocation of markets and supply sources can be changed only if the facilities are flexible enough to serve different markets and receive supply from different sources.

Network design decisions must be revisited as market conditions change or when two companies merge. For example, as its subscriber base grew, Netflix added about 60 DCs by 2010 across the United States to lower transportation cost and improve responsiveness. With the growth in video streaming and the corresponding drop in DVD rentals, Netflix anticipated closing some of its DCs as DVD rental demand started to drop. Changing the location and demand allocation of DCs with changing demand has been critical to maintaining low cost and responsiveness at Netflix.

Following a merger, consolidating some facilities and changing the location and role of others can often help reduce cost and improve responsiveness because of the redundancies and differences in markets served by either of the two separate firms. Network design decisions may also need to be revisited if factor costs such as transportation have changed significantly. In 2008, P&G announced that it would rethink its distribution network, which was implemented when the "cost of oil was \$10 per barrel."

We focus on developing a framework as well as methodologies that can be used for network design in a supply chain.

## 5.2 FACTORS INFLUENCING NETWORK DESIGN DECISIONS

In this section we examine a wide variety of factors that influence network design decisions in supply chains.

### Strategic Factors

A firm's competitive strategy has a significant impact on network design decisions within the supply chain. Firms that focus on cost leadership tend to find the lowest cost location for their manufacturing facilities, even if that means locating far from the markets they serve. Electronic manufacturing service providers such as Foxconn and Flextronics have been successful in providing low-cost electronics assembly by locating their factories in low-cost countries such as

China. In contrast, firms that focus on responsiveness tend to locate facilities closer to the market and may select a high-cost location if this choice allows the firm to react quickly to changing market needs. Zara, the Spanish apparel manufacturer, has a large fraction of its production capacity in Portugal and Spain despite the higher cost there. The local capacity allows the company to respond quickly to changing fashion trends in Europe. This responsiveness has allowed Zara to become one of the fastest growing apparel retailers in the world.

Convenience store chains aim to provide easy access to customers as part of their competitive strategy. Convenience store networks thus include many stores that cover an area, with each store being relatively small. In contrast, discount stores such as Sam's Club or Costco use a competitive strategy that focuses on providing low prices. Thus, their networks have large stores, and customers often have to travel many miles to get to one. The geographic area covered by one Sam's Club store may include dozens of convenience stores.

Global supply chain networks can best support their strategic objectives with facilities in different countries playing different roles. For example, Zara has production facilities in Europe as well as Asia. Its production facilities in Asia focus on low cost and primarily produce standardized, low-value products that sell in large amounts. The European facilities focus on being responsive and primarily produce cutting-edge designs whose demand is unpredictable. This combination of facilities allows Zara to produce a wide variety of products in the most profitable manner.

### Technological Factors

Characteristics of available production technologies have a significant impact on network design decisions. If production technology displays significant economies of scale, a few high-capacity locations are most effective. This is the case in the manufacture of computer chips, for which factories require a large investment and the output is relatively inexpensive to transport. As a result, most semiconductor companies build a few high-capacity facilities.

In contrast, if facilities have lower fixed costs, many local facilities are preferred because this helps lower transportation costs. For example, bottling plants for Coca-Cola do not have a high fixed cost. To reduce transportation costs, Coca-Cola sets up many bottling plants all over the world, each serving its local market.

### Macroeconomic Factors

*Macroeconomic factors* include taxes, tariffs, exchange rates, and shipping costs that are not internal to an individual firm. As global trade has increased, macroeconomic factors have had a significant influence on the success or failure of supply chain networks. Thus, it is imperative that firms take these factors into account when making network design decisions.

**TARIFFS AND TAX INCENTIVES** *Tariffs* refer to any duties that must be paid when products and/or equipment are moved across international, state, or city boundaries. Tariffs have a strong influence on location decisions within a supply chain. If a country has high tariffs, companies either do not serve the local market or set up manufacturing plants within the country to save on duties. High tariffs lead to more production locations within a supply chain network, with each location having a lower allocated capacity. As tariffs have decreased with the World Trade Organization and regional agreements such as NAFTA (North America), the European Union, and MERCOSUR (South America), global firms have consolidated their global production and distribution facilities.

*Tax incentives* are a reduction in tariffs or taxes that countries, states, and cities often provide to encourage firms to locate their facilities in specific areas. Many countries vary incentives from city to city to encourage investments in areas with lower economic development. Such incentives are often a key factor in the final location decision for many plants. BMW built its U.S. factory in Spartanburg, South Carolina, mainly because of the tax incentives offered by that state.

Developing countries often create *free trade zones* in which duties and tariffs are relaxed as long as production is used primarily for export. This creates a strong incentive for global firms to set up plants in these countries to be able to exploit their low labor costs. In China, for example, the establishment of a free trade zone near Guangzhou led to many global firms locating facilities there in the 1990s.

A large number of developing countries also provide additional tax incentives based on training, meals, transportation, and other facilities offered to the workforce. Tariffs may also vary based on the product's level of technology. China, for example, waived tariffs entirely for "high-tech" products, in an effort to encourage companies to locate there and bring in state-of-the-art technology. Motorola located a large chip manufacturing plant in China to take advantage of the reduced tariffs and other incentives available to high-tech products.

Many countries also place minimum requirements on local content and limits on imports to help develop local manufacturers. Such policies lead global companies to set up local facilities and source from local suppliers. For example, the Spanish company Gamesa was a dominant supplier of wind turbines to China, owning about a third of the market share in 2005. In that year, China declared that wind farms had to buy equipment in which at least 70 percent of content was local. This forced players like Gamesa and GE that wanted a piece of the Chinese market to train local suppliers and source from them. In 2009, China revoked the local content requirements. By then, Chinese suppliers had sufficiently large scale to achieve some of the lowest costs in the world. These suppliers also sold parts to Gamesa's Chinese competitors who developed into dominant global players.

**EXCHANGE-RATE AND DEMAND RISK** Fluctuations in exchange rates are common and have a significant impact on the profits of any supply chain serving global markets. For example, the dollar fluctuated between a high of 124 yen in 2007 and a low of 81 yen in 2010. A firm that sells its product in the United States with production in Japan is exposed to the risk of appreciation of the yen. The cost of production is incurred in yen, whereas revenues are obtained in dollars. Thus, an increase in the value of the yen increases the production cost in dollars, decreasing the firm's profits. In the 1980s, many Japanese manufacturers faced this problem when the yen appreciated in value because most of their production capacity was located in Japan. The appreciation of the yen decreased their revenues (in terms of yen) from large overseas markets, and they saw their profits decline. Most Japanese manufacturers responded by building production facilities all over the world. The dollar fluctuated between 0.63 and 1.15 euros in the six years between 2002 and 2008, dropping to 0.63 euro in July 2008. The drop in the dollar was particularly negative for European automakers such as Daimler, BMW, and Porsche, which export many vehicles to the United States. It was reported that every one-cent rise in the euro cost BMW and Mercedes roughly \$75 million each per year. By June 2010, however, the dollar had reached as high as 0.83 euro.

Exchange-rate risks may be handled using financial instruments that limit, or hedge against, the loss due to fluctuations. Suitably designed supply chain networks, however, offer the opportunity to take advantage of exchange-rate fluctuations and increase profits. An effective way to do this is to build some overcapacity into the network and make the capacity flexible so that it can be used to supply different markets. This flexibility allows the firm to react to exchange-rate fluctuations by altering production flows within the supply chain to maximize profits.

Companies must also take into account fluctuations in demand caused by changes in the economies of different countries. For example, 2009 was a year in which the economies of the United States and Western Europe shrank (real GDP in the United States decreased by 2.4 percent) while that in China grew by more than 8 percent and in India by about 7 percent. During this period, global companies with presence in China and India and the flexibility to divert resources from shrinking to growing markets did a lot better than those that did not have either presence in these markets or the flexibility. As the economies of Brazil, China, and India continue to grow, global supply chains will have to build more local presence in these countries along with the flexibility to serve multiple markets.

**FREIGHT AND FUEL COSTS** Fluctuations in freight and fuel costs have a significant impact on the profits of any global supply chain. For example, in 2010 alone, the Baltic Dry Index, which measures changes in the cost to transport raw materials such as metals, grains, and fossil fuels, peaked at 4,187 in May and hit a low of 1,709 in July. Crude oil prices were as low as about \$31 per barrel in February 2009 and increased to about \$90 per barrel by December 2010. It can be difficult to deal with this extent of price fluctuation even with supply chain flexibility. Such fluctuations are best dealt with by hedging prices on commodity markets or signing suitable long-term contracts. During the first decade of the 21st century, a significant fraction of Southwest Airline's profits were attributed to fuel hedges it had purchased at good prices.

When designing supply chain networks, companies must account for fluctuations in exchange rates, demand, and freight and fuel costs.

### Political Factors

The political stability of the country under consideration plays a significant role in location choice. Companies prefer to locate facilities in politically stable countries where the rules of commerce and ownership are well defined. While political risk is hard to quantify, there are some indices like the global political risk index (GPRI) that companies can use when investing in emerging markets. The GPRI is evaluated by a consulting firm (Eurasia Group) and aims to measure the capacity of a country to withstand shocks or crises along four categories: government, society, security, and economy.

### Infrastructure Factors


The availability of good infrastructure is an important prerequisite to locating a facility in a given area. Poor infrastructure adds to the cost of doing business from a given location. In the 1990s, global companies located their factories in China near Shanghai, Tianjin, or Guangzhou—even though these locations did not have the lowest labor or land costs—because these locations had good infrastructure. Key infrastructure elements to be considered during network design include availability of sites and labor, proximity to transportation terminals, rail service, proximity to airports and seaports, highway access, congestion, and local utilities.

### Competitive Factors

Companies must consider competitors' strategy, size, and location when designing their supply chain networks. A fundamental decision firms make is whether to locate their facilities close to or far from competitors. The form of competition and factors such as raw material or labor availability influence this decision.

**POSITIVE EXTERNALITIES BETWEEN FIRMS** *Positive externalities* occur when the collocation of multiple firms benefits all of them. Positive externalities lead to competitors locating close to each other. For example, retail stores tend to locate close to each other because doing so increases overall demand, thus benefiting all parties. By locating together in a mall, competing retail stores make it more convenient for customers, who need drive to only one location to find everything they are looking for. This increases the total number of customers who visit the mall, increasing demand for all stores located there.

Another example of positive externality occurs when the presence of a competitor leads to the development of appropriate infrastructure in a developing area. In India, Suzuki was the first foreign auto manufacturer to set up a manufacturing facility. The company went to considerable effort and built a local supplier network. Given the well-established supplier base in India, Suzuki's competitors have also built assembly plants there, because they now find it more effective to build cars in India rather than import them to the country.



**FIGURE 5-1** Two Firms Locating on a Line

**LOCATING TO SPLIT THE MARKET** When there are no positive externalities, firms locate to be able to capture the largest possible share of the market. A simple model first proposed by Hotelling explains the issues behind this decision.<sup>1</sup>

When firms do not control price but compete on distance from the customer, they can maximize market share by locating close to each other and splitting the market. Consider a situation in which customers are uniformly located along the line segment between 0 and 1 and two firms compete based on their distance from the customer as shown in Figure 5-1. A customer goes to the closer firm and customers who are equidistant from the two firms are evenly split between them.

If total demand is 1, Firm 1 locates at point  $a$ , and Firm 2 locates at point  $1 - b$ , the demand at the two firms,  $d_1$  and  $d_2$ , is given by

$$d_1 = a + \frac{1 - b - a}{2} \quad \text{and} \quad d_2 = \frac{1 + b - a}{2}$$

Both firms maximize their market share if they move closer to each other and locate at  $a = b = 1/2$ .

Observe that when both firms locate in the middle of the line segment ( $a = b = 1/2$ ), the average distance that customers have to travel is  $1/4$ . If one firm locates at  $1/4$  and the other at  $3/4$ , the average distance customers have to travel drops to  $1/8$  (customers between 0 and  $1/2$  come to Firm 1 located at  $1/4$  while customers between  $1/2$  and 1 come to Firm 2 located at  $3/4$ ). This set of locations, however, is not an equilibrium because it gives both firms an incentive to try to increase market share by moving to the middle (closer to  $1/2$ ). The result of competition is for both firms to locate close together even though doing so increases the average distance to the customer.

If the firms compete on price and the customer incurs the transportation cost, it may be optimal for the two firms to locate as far apart as possible,<sup>2</sup> with Firm 1 locating at 0 and Firm 2 locating at 1. Locating far from each other minimizes price competition and helps the firms split the market and maximize profits.

### Customer Response Time and Local Presence

Firms that target customers who value a short response time must locate close to them. Customers are unlikely to come to a convenience store if they have to travel a long distance to get there. It is thus best for a convenience store chain to have many stores distributed in an area so that most people have a convenience store close to them. In contrast, customers shop for larger quantity of goods at supermarkets and are willing to travel longer distances to get to one. Thus, supermarket chains tend to have stores that are larger than convenience stores and not as densely distributed. Most towns have fewer supermarkets than convenience stores. Discounters such as Sam's Club target customers who are even less time sensitive. These stores are even larger than supermarkets and there are fewer of them in an area. W.W. Grainger uses about 400 facilities all over the United States to provide same-day delivery of maintenance and repair supplies to many of its customers. McMaster-Carr, a competitor, targets customers who are willing to wait for

<sup>1</sup> Jean Tirole, *The Theory of Industrial Organization* (Cambridge, MA: The MIT Press, 1997), 279.

<sup>2</sup> *Ibid.*

next-day delivery. McMaster-Carr has only five facilities throughout the United States and is able to provide next-day delivery to a large number of customers.

If a firm is delivering its product to customers, use of a rapid means of transportation allows it to build fewer facilities and still provide a short response time. This option, however, increases transportation cost. Moreover, there are many situations in which the presence of a facility close to a customer is important. A coffee shop is likely to attract customers who live or work nearby. No faster mode of transport can serve as a substitute and be used to attract customers who are far away from the coffee shop.

### **Logistics and Facility Costs**

Logistics and facility costs incurred within a supply chain change as the number of facilities, their location, and capacity allocation change. Companies must consider inventory, transportation, and facility costs when designing their supply chain networks.

Inventory and facility costs increase as the number of facilities in a supply chain increases. Transportation costs decrease as the number of facilities increases. If the number of facilities increases to the point at which inbound economies of scale are lost, then transportation costs increase. For example, with few facilities Amazon has lower inventory and facility costs than Barnes & Noble, which has hundreds of stores. Barnes & Noble, however, has lower transportation costs.

The supply chain network design is also influenced by the transformation occurring at each facility. When there is a significant reduction in material weight or volume as a result of processing, it may be better to locate facilities closer to the supply source rather than the customer. For example, when iron ore is processed to make steel, the amount of output is a small fraction of the amount of ore used. Locating the steel factory close to the supply source is preferred because it reduces the distance that the large quantity of ore has to travel.

Total logistics costs are the sum of the inventory, transportation, and facility costs. The facilities in a supply chain network should at least equal the number that minimizes total logistics cost. A firm may increase the number of facilities beyond this point to improve the response time to its customers. This decision is justified if the revenue increase from improved response outweighs the increased cost from additional facilities.

In the next section we discuss a framework for making network design decisions.

## **5.3 FRAMEWORK FOR NETWORK DESIGN DECISIONS**

The goal when designing a supply chain network is to maximize the firm's profits while satisfying customer needs in terms of demand and responsiveness. To design an effective network, a manager must consider all the factors described in Section 5.2 and those discussed in Chapter 4. Global network design decisions are made in four phases as shown in Figure 5-2. We describe each phase in greater detail.

### **Phase I: Define a Supply Chain Strategy/Design**

The objective of the first phase of network design is to define a firm's broad supply chain design. This includes determining the stages in the supply chain and whether each supply chain function will be performed in-house or outsourced (see Chapter 4).

Phase I starts with a clear definition of the firm's competitive strategy as the set of customer needs that the supply chain aims to satisfy. The supply chain strategy then specifies what capabilities the supply chain network must have to support the competitive strategy (see Chapter 2). Next, managers must forecast the likely evolution of global competition and whether competitors in each market will be local or global players. Managers must also identify constraints on available capital and whether growth will be accomplished by acquiring existing facilities, building new facilities, or partnering.




FIGURE 5-2 Framework for Network Design Decisions

Based on the competitive strategy of the firm, its resulting supply chain strategy, an analysis of the competition, any economies of scale or scope, and any constraints, managers must determine the broad supply chain design for the firm.

### Phase II: Define the Regional Facility Configuration

The objective of the second phase of network design is to identify regions where facilities will be located, their potential roles, and their approximate capacity.

An analysis of Phase II starts with a forecast of the demand by country or region. Such a forecast must include a measure of the size of the demand and a determination of the homogeneity or variability of customer requirements across different regions. Homogeneous requirements favor large consolidated facilities, whereas requirements that vary across countries favor smaller, localized facilities.

The next step is for managers to identify whether economies of scale or scope can play a significant role in reducing costs, given available production technologies. If economies of scale or scope are significant, it may be better to have a few facilities serving many markets. For example, semiconductor manufacturers such as Advanced Micro Devices have few plants for their global markets, given the economies of scale in production. If economies of scale or scope is not significant, it may be better for each market to have its own facility.



Next, managers must identify demand risk, exchange-rate risk, and political risk associated with regional markets. They must also identify regional tariffs, any requirements for local production, tax incentives, and any export or import restrictions for each market. The tax and tariff information is used to identify the best location to extract a major share of the profits. In general, it is best to obtain the major share of profits at the location with the lowest tax rate.

Managers must identify competitors in each region and make a case for whether a facility needs to be located close to or far from a competitor's facility. The desired response time for each market and logistics costs at an aggregate level in each region must also be identified.

Based on all this information, managers identify the regional facility configuration for the supply chain network using network design models discussed in the next section. The regional configuration defines the approximate number of facilities in the network, regions where facilities will be set up, and whether a facility will produce all products for a given market or a few products for all markets in the network.

### Phase III: Select a Set of Desirable Potential Sites

The objective of Phase III is to select a set of desirable potential sites within each region where facilities are to be located. Sites should be selected based on an analysis of infrastructure availability to support the desired production methodologies. *Hard infrastructure requirements* include the availability of suppliers, transportation services, communication, utilities, and warehousing facilities. *Soft infrastructure requirements* include the availability of a skilled workforce, workforce turnover, and the community receptivity to business and industry.

### Phase IV: Location Choices

The objective of Phase IV is to select a precise location and capacity allocation for each facility. Attention is restricted to the desirable potential sites selected in Phase III. The network is designed to maximize total profits, taking into account the expected margin and demand in each market, various logistics and facility costs, and the taxes and tariffs at each location.

In the next section, we discuss methodologies for making facility location and capacity allocation decisions during Phases II to IV.

## 5.4 MODELS FOR FACILITY LOCATION AND CAPACITY ALLOCATION

A manager's goal when locating facilities and allocating capacity should be to maximize the overall profitability of the resulting supply chain network while providing customers with the appropriate responsiveness. Revenues come from the sale of product, whereas costs arise from facilities, labor, transportation, material, and inventories. The profits of the firm are also affected by taxes and tariffs. Ideally, profits after tariffs and taxes should be maximized when designing a supply chain network.

A manager must consider many trade-offs during network design. For example, building many facilities to serve local markets reduces transportation cost and provides a fast response time, but it increases the facility and inventory costs incurred by the firm.

Managers use network design models in two situations. First, these models are used to decide on locations where facilities will be established and the capacity to be assigned to each facility. Managers must make this decision considering a time horizon over which locations and capacities will not be altered (typically in years). Second, these models are used to assign current demand to the available facilities and identify lanes along which product will be transported. Managers must consider this decision at least on an annual basis as demand, prices, exchange rates, and tariffs change. In both cases, the goal is to maximize the profit while satisfying customer needs. The following information ideally is available in making the design decision:

- Location of supply sources and markets
- Location of potential facility sites

- Demand forecast by market
- Facility, labor, and material costs by site
- Transportation costs between each pair of sites
- Inventory costs by site and as a function of quantity
- Sale price of product in different regions
- Taxes and tariffs
- Desired response time and other service factors

Given this information, either gravity models or network optimization models may be used to design the network. We organize the models according to the phase of the network design framework at which each model is likely to be useful.

## Phase II: Network Optimization Models

During Phase II of the network design framework (see Figure 5-2), a manager considers regional demand, tariffs, economies of scale, and aggregate factor costs to decide the regions where facilities are to be located. As an example, consider SunOil, a manufacturer of petrochemical products with worldwide sales. The vice president of supply chain is considering several options to meet demand. One possibility is to set up a facility in each region. The advantage of such an approach is that it lowers transportation cost and also helps avoid duties that may be imposed if product is imported from other regions. The disadvantage of this approach is that plants are sized to meet local demand and may not fully exploit economies of scale. An alternative approach is to consolidate plants in just a few regions. This improves economies of scale but increases transportation cost and duties. During Phase II, the manager must consider these quantifiable trade-offs along with nonquantifiable factors such as the competitive environment and political risk.

Network optimization models are useful for managers considering regional configuration during Phase II. The first step is to collect the data in a form that can be used for a quantitative model. For SunOil, the vice president of supply chain decides to view the worldwide demand in terms of five regions—North America, South America, Europe, Africa, and Asia. The data collected are shown in Figure 5-3.

Annual demand for each of the five regions is shown in cells B9:F9. Cells B4:F8 contain the variable production, inventory, and transportation cost (including tariffs and duties) of producing in one region to meet demand in each individual region. All costs are in thousands of dollars. For example, as shown in cell C4, it costs \$92,000 (including duties) to produce 1 million units in North America and sell them in South America. As shown in cell G4, it costs \$6,000,000 in annualized fixed cost to build a low-capacity plant in North America. Observe that the data collected at this stage are at a fairly aggregate level.

There are fixed as well as variable costs associated with facilities, transportation, and inventories at each facility. Fixed costs are those that are incurred no matter how much is produced or shipped from a facility. Variable costs are those that are incurred in proportion to the quantity produced or shipped from a given facility. Facility, transportation, and inventory costs

	A	B	C	D	E	F	G	H	I	J	
1	<b>Inputs - Costs, Capacities, Demands</b>										
2		Demand Region					Fixed	Low	Fixed	High	
3	Supply Region	N. America	S. America	Europe	Asia	Africa	Cost (\$)	Capacity	Cost (\$)	Capacity	
4	N. America	81	92	101	130	115	6,000	10	9,000	20	
5	S. America	117	77	108	98	100	4,500	10	6,750	20	
6	Europe	102	105	95	119	111	6,500	10	9,750	20	
7	Asia	115	125	90	59	74	4,100	10	6,150	20	
8	Africa	142	100	103	105	71	4,000	10	6,000	20	
9	Demand	12	8	14	16	7					

**FIGURE 5-3** Cost Data (in '000s of dollars) and Demand Data (in millions of units) for SunOil

generally display economies of scale, and the marginal cost decreases as the quantity produced at a facility increases. In the models we consider, however, all variable costs grow linearly with the quantity produced or shipped.

SunOil is considering two plant sizes in each location. Low-capacity plants can produce 10 million units a year, whereas high-capacity plants can produce 20 million units a year, as shown in cells H4:H8 and J4:J8, respectively. High-capacity plants exhibit some economies of scale and have fixed costs that are less than twice the fixed costs of a low-capacity plant, as shown in cells I4:I8. All fixed costs are annualized. The vice president wants to know what the lowest cost network should look like. To answer this question, we next discuss the capacitated plant location model, which can be used in this setting.

**THE CAPACITATED PLANT LOCATION MODEL** The capacitated plant location network optimization model requires the following inputs:

- $n$  = number of potential plant locations/capacity (each level of capacity will count as a separate location)
- $m$  = number of markets or demand points
- $D_j$  = annual demand from market  $j$
- $K_i$  = potential capacity of plant  $i$
- $f_i$  = annualized fixed cost of keeping plant  $i$  open
- $c_{ij}$  = cost of producing and shipping one unit from plant  $i$  to market  $j$  (cost includes production, inventory, transportation, and tariffs)

The supply chain team's goal is to decide on a network design that maximizes profits after taxes. For the sake of simplicity, however, we assume that all demand must be met and taxes on earnings are ignored. The model thus focuses on minimizing the cost of meeting global demand. It can, however, be modified to include profits and taxes. Define the following decision variables:

- $y_i$  = 1 if plant  $i$  is open, 0 otherwise
- $x_{ij}$  = quantity shipped from plant  $i$  to market  $j$

The problem is then formulated as the following integer program:

$$\text{Min} \quad \sum_{i=1}^n f_i y_i + \sum_{i=1}^n \sum_{j=1}^m c_{ij} x_{ij}$$

subject to

$$\sum_{i=1}^n x_{ij} = D_j \quad \text{for } j=1, \dots, m \quad (5.1)$$

$$\sum_{j=1}^m x_{ij} \leq K_i y_i \quad \text{for } i=1, \dots, n \quad (5.2)$$

$$y_i \in \{0, 1\} \quad \text{for } i=1, \dots, n, x_{ij} \geq 0 \quad (5.3)$$

The objective function minimizes the total cost (fixed + variable) of setting up and operating the network. The constraint in Equation 5.1 requires that the demand at each regional market be satisfied. The constraint in Equation 5.2 states that no plant can supply more than its capacity. (Clearly, the capacity is 0 if the plant is closed and  $K_i$  if it is open. The product of terms,  $K_i y_i$ , captures this effect.) The constraint in Equation 5.3 enforces that each plant is either open ( $y_i = 1$ )

	A	B	C	D	E	F	G	H	I	J	
1	<b>Inputs - Costs, Capacities, Demands</b>										
2		Demand Region					Fixed	Low	Fixed	High	
3	Supply Region	Production and Transportation Cost per 1,000,000 Units					Cost (\$)	Capacity	Cost (\$)	Capacity	
4	N. America	81	92	101	130	115	6,000	10	9,000	20	
5	S. America	117	77	108	98	100	4,500	10	6,750	20	
6	Europe	102	105	95	119	111	6,500	10	9,750	20	
7	Asia	115	125	90	59	74	4,100	10	6,150	20	
8	Africa	142	100	103	105	71	4,000	10	6,000	20	
9	Demand	12	8	14	16	7					
10											
11	<b>Decision Variables</b>										
12		Demand Region - Production Allocation (Million Units)					Plants	Plants			
13	Supply Region	N. America	S. America	Europe	Asia	Africa	(1=open)	(1=open)			
14	N. America	0	0	0	0	0	0	0			
15	S. America	0	0	0	0	0	0	0			
16	Europe	0	0	0	0	0	0	0			
17	Asia	0	0	0	0	0	0	0			
18	Africa	0	0	0	0	0	0	0			

FIGURE 5-4 Spreadsheet Area for Decision Variables for SunOil

or closed ( $y_i = 0$ ). The solution identifies the plants that are to be kept open, their capacity, and the allocation of regional demand to these plants.

The model is solved using the Solver tool in Excel. Given the data, the next step in Excel is to identify cells corresponding to each decision variable as shown in Figure 5-4. Cells B14:F18 correspond to the decision variables  $x_{ij}$  and determine the amount produced in a supply region and shipped to a demand region. Cells G14:G18 contain the decision variables  $y_i$  corresponding to the low-capacity plants, and cells H14:H18 contain the decision variables  $y_i$  corresponding to the high-capacity plants. Initially, all decision variables are set to be 0.

The next step is to construct cells for the constraints in Equations 5.1 and 5.2 and the objective function. The constraint cells and objective function are shown in Figure 5-5. Cells B22:B26 contain the capacity constraints in Equation 5.2, and cells B28:F28 contain the demand constraints in Equation 5.1. The objective function is shown in cell B31 and measures the total fixed cost plus the variable cost of operating the network.

The next step is to use Data | Solver to invoke Solver as shown in Figure 5-6. Within Solver, the goal is to minimize the total cost in cell B31. The variables are in cells B14:H18. The constraints are as follows:

$$B14:H18 \geq 0 \quad \left\{ \text{All decision variables are nonnegative} \right\}$$

$$B22:B26 \geq 0 \quad \left\{ K_i y_i - \sum_{j=1}^m x_{ij} \geq 0 \quad \text{for } i = 1, \dots, 5 \right\}$$

$$B28:F28 = 0 \quad \left\{ D_j - \sum_{i=1}^n x_{ij} = 0 \quad \text{for } j = 1, \dots, 5 \right\}$$

$$G14:H18 \text{ binary} \quad \left\{ \text{Location variables } y_i \text{ are binary; that is, 0 or 1} \right\}$$

Within the *Solver Parameters* dialog box, click on *Solve* to obtain the optimal solution as shown in Figure 5-7. From Figure 5-7, the supply chain team concludes that the lowest-cost network will have facilities located in South America (cell H15 = 1), Asia (cell H17 = 1), and Africa (cell H18 = 1). Further, a high-capacity plant should be planned in each region. The plant in South America meets the North American demand (cell B15), whereas the European demand is met from plants in Asia (cell D17) and Africa (cell D18).

The model discussed earlier can be modified to account for strategic imperatives that require locating a plant in some region. For example, if SunOil decides to locate a plant in

	A	B	C	D	E	F	G	H	I	J	
1	<b>Inputs - Costs, Capacities, Demands</b>										
2		Demand Region									
3		Production and Transportation Cost per 1,000,000 Units					Fixed	Low	Fixed	High	
4	Supply Region	N. America	S. America	Europe	Asia	Africa	Cost (\$)	Capacity	Cost (\$)	Capacity	
5	N. America	81	92	101	130	115	6,000	10	9,000	20	
6	S. America	117	77	108	98	100	4,500	10	6,750	20	
7	Europe	102	105	95	119	111	6,500	10	9,750	20	
8	Asia	115	125	90	59	74	4,100	10	6,150	20	
9	Africa	142	100	103	105	71	4,000	10	6,000	20	
10	Demand	12	8	14	16	7					
11	<b>Decision Variables</b>										
12		Demand Region - Production Allocation (Million Units)					Plants	Plants			
13	Supply Region	N. America	S. America	Europe	Asia	Africa	(1=open)	(1=open)			
14	N. America	0	0	0	0	0	0	0			
15	S. America	0	0	0	0	0	0	0			
16	Europe	0	0	0	0	0	0	0			
17	Asia	0	0	0	0	0	0	0			
18	Africa	0	0	0	0	0	0	0			
19											
20	<b>Constraints</b>										
21	Supply Region	Excess Capacity									
22	N. America	0									
23	S. America	0									
24	Europe	0									
25	Asia	0									
26	Africa	0									
27		N. America	S. America	Europe	Asia	Africa					
28	Unmet Demand	12	8	14	16	7					
29											
30	<b>Objective Function</b>										
31	Cost =	\$	-								

Cell	Cell Formula	Equation	Copied to
B28	=B9 - SUM(B14:B18)	5.1	C28:F28
B22	=G14*H4 + H14*J4 - SUM(B14:F14)	5.2	B23:B26
B31	=SUMPRODUCT(B14:F18,B4:F8) + SUMPRODUCT(G14:G18,G4:G8) + SUMPRODUCT(H14:H18,I4:I8)	Objective Function	—

**FIGURE 5-5** Spreadsheet Area for Constraints and Objective Function for SunOil

Europe for strategic reasons, we can modify the model by adding a constraint that requires one plant to be located in Europe. At this stage, the costs associated with a variety of options incorporating different combinations of strategic concerns such as local presence should be evaluated. A suitable regional configuration is then selected.

Next we consider a model that can be useful during Phase III.

### Phase III: Gravity Location Models

During Phase III (see Figure 5-2), a manager identifies potential locations in each region where the company has decided to locate a plant. As a preliminary step, the manager needs to identify the geographic location where potential sites may be considered. Gravity location models can be useful when identifying suitable geographic locations within a region. Gravity models are used to find locations that minimize the cost of transporting raw materials from suppliers and finished goods to the markets served. Next, we discuss a typical scenario in which gravity models can be used.

	A	B	C	D	E	F	G	H	I	J	
1	<b>Inputs - Costs, Capacities, Demands</b>										
2		Demand Region					Fixed	Low	Fixed	High	
3	Supply Region	Production and Transportation Cost per 1,000,000 Units					Cost (\$)	Capacity	Cost (\$)	Capacity	
4	N. America	81	92	101	130	115	6,000	10	9,000	20	
5	S. America	117	77	108	98	100	4,500	10	6,750	20	
6	Europe	102	105	95	119	111	6,500	10	9,750	20	
7	Asia	115	125	90	59	74	4,100	10	6,150	20	
8	Africa	142	100	103	105	71	4,000	10	6,000	20	
9	Demand	12	8	14	16	7					
10											
11	<b>Decision Variables</b>										
12		Demand Region - Production Allocation (Million Units)					Plants	Plants			
13	Supply Region	N. America	S. America	Europe	Asia	Africa	(1=open)	(1=open)			
14	N. America	0	0	0	0	0	0	0			
15	S. America	0	0	0	0	0	0	0			
16	Europe	0	0	0	0	0	0	0			
17	Asia	0	0	0	0	0	0	0			
18	Africa	0	0	0	0	0	0	0			
19											
20	<b>Constraints</b>										
21	Supply Region	Excess Capacity									
22	N. America	0									
23	S. America	0									
24	Europe	0									
25	Asia	0									
26	Africa	0									
27		N. America	S. A								
28	Unmet Demand	12									
29											
30	<b>Objective Function</b>										
31	Cost =	\$	-								
32											

**Solver Parameters**

Set Target Cell:

Equal To:  Max  Min  Value of:

By Changing Cells:

Subject to the Constraints:

- \$B\$14:\$H\$18 >= 0
- \$B\$22:\$B\$26 >= 0
- \$B\$28:\$F\$28 = 0
- \$G\$14:\$H\$18 = binary

**FIGURE 5-6** Using Solver to Set Regional Configuration for SunOil

Consider, for example, Steel Appliances (SA), a manufacturer of high-quality refrigerators and cooking ranges. SA has one assembly factory located near Denver, from which it has supplied the entire United States. Demand has grown rapidly and the CEO of SA has decided to set up another factory to serve its eastern markets. The supply chain manager is asked to find a suitable location for the new factory. Three parts plants located in Buffalo, Memphis, and St. Louis will supply parts to the new factory, which will serve markets in Atlanta, Boston, Jacksonville, Philadelphia, and New York. The coordinate location, the demand in each market, the required supply from each parts plant, and the shipping cost for each supply source or market are shown in Table 5-1.

Gravity models assume that both the markets and the supply sources can be located as grid points on a plane. All distances are calculated as the geometric distance between two points on the plane. These models also assume that the transportation cost grows linearly with the quantity shipped. We discuss a gravity model for locating a single facility that receives raw material from supply sources and ships finished product to markets. The basic inputs to the model are as follows:

$x_n, y_n$ : coordinate location of either a market or supply source  $n$

$F_n$ : cost of shipping one unit (a unit could be a piece, pallet, truckload or ton) for one mile between the facility and either market or supply source  $n$

$D_n$ : quantity to be shipped between facility and market or supply source  $n$

If  $(x, y)$  is the location selected for the facility, the distance  $d_n$  between the facility at location  $(x, y)$  and the supply source or market  $n$  is given by

$$d_n = \sqrt{(x - x_n)^2 + (y - y_n)^2} \quad (5.4)$$

	A	B	C	D	E	F	G	H	I	J	
1	<b>Inputs - Costs, Capacities, Demands</b>										
2		Demand Region					Fixed	Low	Fixed	High	
3	Supply Region	Production and Transportation Cost per 1,000,000 Units					Cost (\$)	Capacity	Cost (\$)	Capacity	
4	N. America	81	92	101	130	115	6,000	10	9,000	20	
5	S. America	117	77	108	98	100	4,500	10	6,750	20	
6	Europe	102	105	95	119	111	6,500	10	9,750	20	
7	Asia	115	125	90	59	74	4,100	10	6,150	20	
8	Africa	142	100	103	105	71	4,000	10	6,000	20	
9	Demand	12	8	14	16	7					
10											
11	<b>Decision Variables</b>										
12		Demand Region - Production Allocation (Million Units)					Plants	Plants			
13	Supply Region	N. America	S. America	Europe	Asia	Africa	(1=open)	(1=open)			
14	N. America	0	0	0	0	0	0	0			
15	S. America	12	8	0	0	0	0	1			
16	Europe	0	0	0	0	0	0	0			
17	Asia	0	0	4	16	0	0	1			
18	Africa	0	0	10	0	7	0	1			
19											
20	<b>Constraints</b>										
21	Supply Region	Excess Capacity									
22	N. America	0									
23	S. America	0									
24	Europe	0									
25	Asia	0									
26	Africa	3									
27		N. America	S. America	Europe	Asia	Africa					
28	Unmet Demand	0	0	0	0	0					
29											
30	<b>Objective Function</b>										
31	Cost =	\$ 23,751									

FIGURE 5-7 Optimal Regional Network Configuration for SunOil


Table 5-1 Locations of Supply Sources and Markets for Steel Appliances

Sources/Markets	Transportation Cost \$/Ton Mile ( $F_n$ )	Quantity in Tons ( $D_n$ )	Coordinates	
			$x_n$	$y_n$
<b>Supply sources</b>				
Buffalo	0.90	500	700	1,200
Memphis	0.95	300	250	600
St. Louis	0.85	700	225	825
<b>Markets</b>				
Atlanta	1.50	225	600	500
Boston	1.50	150	1,050	1,200
Jacksonville	1.50	250	800	300
Philadelphia	1.50	175	925	975
New York	1.50	300	1,000	1,080

and the total transportation cost ( $TC$ ) is given by

$$TC = \sum_{n=1}^k d_n D_n F_n \tag{5.5}$$

The optimal location is one that minimizes the total  $TC$  in Equation 5.5. The optimal solution for SA is obtained using the Solver tool in Excel as shown in Figure 5-8. The first step is to



Cell	Cell Formula	Equation	Copied to
G5	=SQRT((\$B\$16-E5)^2+(\$B\$17-F5)^2)	5.1	G6:G12
B19	=SUMPRODUCT(G5:G12,D5:D12,C5:C12)	5.2	—

**FIGURE 5-8** Using Solver to Optimize Location for Steel Appliances

enter the problem data as shown in cells B5:F12. Next, we set the decision variables  $(x, y)$  corresponding to the location of the new facility in cells B16 and B17, respectively. In cells G5:G12, we then calculate the distance  $d_n$  from the facility location  $(x, y)$  to each source or market using Equation 5.4. The total  $TC$  is then calculated in cell B19 using Equation 5.5.

The next step is to use the Data | Solver to invoke Solver. Within the Solver Parameters dialog box (see Figure 5-8), the following information is entered to represent the problem:

Set Cell: B19

Equal To: Select *Min*

By Changing Variable Cells: B16:B17

Click on the Solve button. The optimal solution is returned in cells B16 and B17.

The manager thus identifies the coordinates  $(x, y) = (681, 882)$  as the location of the factory that minimizes total cost  $TC$ . From a map, these coordinates are close to the border of North Carolina and Virginia. The precise coordinates provided by the gravity model may not correspond to a feasible location. The manager should look for desirable sites close to the optimal coordinates that have the required infrastructure as well as the appropriate worker skills available.



The gravity model can also be solved using the following iterative procedure.

1. For each supply source or market  $n$ , evaluate  $d_n$  as defined in Equation 5.4.
2. Obtain a new location  $(x', y')$  for the facility, where

$$x' = \frac{\sum_{n=1}^k \frac{D_n F_n x_n}{d_n}}{\sum_{n=1}^k \frac{D_n F_n}{d_n}} \quad \text{and} \quad y' = \frac{\sum_{n=1}^k \frac{D_n F_n y_n}{d_n}}{\sum_{n=1}^k \frac{D_n F_n}{d_n}}$$

3. If the new location  $(x', y')$  is almost the same as  $(x, y)$  stop. Otherwise, set  $(x, y) = (x', y')$  and go to step 1.

### Phase IV: Network Optimization Models

During Phase IV (see Figure 5-2), a manager decides on the location and capacity allocation for each facility. Besides locating the facilities, a manager also decides how markets are allocated to facilities. This allocation must account for customer service constraints in terms of response time. The demand allocation decision can be altered on a regular basis as costs change and markets evolve. When designing the network, both location and allocation decisions are made jointly.

We illustrate the relevant network optimization models using the example of two manufacturers of fiber-optic telecommunication equipment. Both TelecomOne and HighOptic are manufacturers of the latest generation of telecommunication equipment. TelecomOne has focused on the eastern half of the United States. It has manufacturing plants located in Baltimore, Memphis, and Wichita and serves markets in Atlanta, Boston, and Chicago. HighOptic has targeted the western half of the United States and serves markets in Denver, Omaha, and Portland. HighOptic has plants located in Cheyenne and Salt Lake City.

Plant capacities, market demand, variable production and transportation cost per thousand units shipped, and fixed costs per month at each plant are shown in Table 5-2.

**ALLOCATING DEMAND TO PRODUCTION FACILITIES** From Table 5-2 we calculate that TelecomOne has a total production capacity of 71,000 units per month and a total demand of 32,000 units per month, whereas HighOptic has a production capacity of 51,000 units per month and a demand of 24,000 units per month. Each year, managers in both companies must decide how to allocate the demand to their production facilities as demand and costs change.

**Table 5-2** Capacity, Demand, and Cost Data for TelecomOne and HighOptic

Supply City	Demand City Production and Transportation Cost per Thousand Units (Thousand \$)						Monthly Capacity (Thousand Units) $K$	Monthly Fixed Cost (Thousand \$) $f$
	Atlanta	Boston	Chicago	Denver	Omaha	Portland		
Baltimore	1,675	400	685	1,630	1,160	2,800	18	7,650
Cheyenne	1,460	1,940	970	100	495	1,200	24	3,500
Salt Lake City	1,925	2,400	1,425	500	950	800	27	5,000
Memphis	380	1,355	543	1,045	665	2,321	22	4,100
Wichita	922	1,646	700	508	311	1,797	31	2,200
Monthly demand (thousand units) $D_j$	10	8	14	6	7	11		

The demand allocation problem can be solved using a demand allocation model. The model requires the following inputs:

$n$  = number of factory locations

$m$  = number of markets or demand points

$D_j$  = annual demand from market  $j$

$K_i$  = capacity of factory  $i$

$c_{ij}$  = cost of producing and shipping one unit from factory  $i$  to market  $j$  (cost includes production, inventory, and transportation)

The goal is to allocate the demand from different markets to the various plants to minimize the total cost of facilities, transportation, and inventory. Define the decision variables:

$x_{ij}$  = quantity shipped from factory  $i$  to market  $j$

The problem is formulated as the following linear program:

$$\text{Min } \sum_{i=1}^n \sum_{j=1}^m c_{ij} x_{ij}$$

subject to

$$\sum_{i=1}^n x_{ij} = D_j \quad \text{for } i=1, \dots, m \quad (5.6)$$

$$\sum_{j=1}^m x_{ij} \leq K_i \quad \text{for } i=1, \dots, m \quad (5.7)$$

The constraints in Equation 5.6 ensure that all market demand is satisfied, and the constraints in Equation 5.7 ensure that no factory produces more than its capacity.

For both TelecomOne and HighOptic, the demand allocation problem can be solved using the Solver tool within Excel. The optimal demand allocation is presented in Table 5-3. Observe that it is optimal for TelecomOne not to produce anything in the Wichita facility even though the facility is operational and the fixed cost is incurred. With the demand allocation as shown in Table 5-3, TelecomOne incurs a monthly variable cost of \$14,886,000 and a monthly fixed cost of \$13,950,000 for a total monthly cost of \$28,836,000. HighOptic incurs a monthly variable cost of \$12,865,000 and a monthly fixed cost of \$8,500,000 for a total monthly cost of \$21,365,000.

**LOCATING PLANTS: THE CAPACITATED PLANT LOCATION MODEL** Management executives at both TelecomOne and HighOptic have decided to merge the two companies into a single entity to be called TelecomOptic. Management believes that significant benefits will result if the two networks are merged appropriately. TelecomOptic will have five factories from which to serve six markets. Management is debating whether all five factories are needed. It has assigned

**Table 5-3** Optimal Demand Allocation for TelecomOne and HighOptic

		Atlanta	Boston	Chicago	Denver	Omaha	Portland
TelecomOne	Baltimore	0	8	2			
	Memphis	10	0	12			
	Wichita	0	0	0			
HighOptic	Salt Lake				0	0	11
	Cheyenne				6	7	0

a supply chain team to study the network for the combined company and identify the plants that could be shut down.

The problem of selecting the optimal location and capacity allocation is very similar to the regional configuration problem we have already studied in Phase II. The only difference is that instead of using costs and duties that apply over a region, we now use location-specific costs and duties. The supply chain team thus decides to use the capacitated plant location model discussed earlier to solve the problem in Phase IV.

Ideally, the problem should be formulated to maximize total profits, taking into account costs, taxes, and duties by location. Given that taxes and duties do not vary among locations, the supply chain team decides to locate factories and then allocate demand to the open factories to minimize the total cost of facilities, transportation, and inventory. Define the following decision variables:

- $y_i = 1$  if factory  $i$  is open, 0 otherwise
- $x_{ij} =$  quantity shipped from factory  $i$  to market  $j$

Recall that the problem is then formulated as the following integer program:

$$\text{Min } \sum_{i=1}^n f_i y_i + \sum_{i=1}^n \sum_{j=1}^m c_{ij} x_{ij}$$

subject to  $x$  and  $y$  satisfying the constraints in Equations 5.1, 5.2, and 5.3.

The capacity and demand data along with production, transportation, and inventory costs at different factories for the merged firm TelecomOptic are given in Table 5-2. The supply chain team decides to solve the plant location model using the Solver tool in Excel.

The first step in setting up the Solver model is to enter the cost, demand, and capacity information as shown in Figure 5-9. The fixed costs  $f_i$  for the five plants are entered in cells H4 to H8. The capacities  $K_i$  of the five plants are entered in cells I4 to I8. The variable costs from each plant to each demand city,  $c_{ij}$ , are entered in cells B4 to G8. The demands  $D_j$  of the six markets are entered in cells B9 to G9. Next, corresponding to decision variables  $x_{ij}$  and  $y_i$ , cells B14 through G18 and H14 to H18, respectively, are assigned as shown in Figure 5-9. Initially all variables are set to be 0.

The next step is to construct cells for each of the constraints in Equations 5.1 and 5.2. The constraint cells are as shown in Figure 5-10. Cells B22 to B26 contain the capacity constraints in Equation 5.7, whereas cells B29 to G29 contain the demand constraints in Equation 5.6. The

	A	B	C	D	E	F	G	H	I
1	<b>Inputs - Costs, Capacities, Demands (for TelecomOptic)</b>								
2		Demand City							
3	Supply City	Production and Transportation Cost per 1000 Units					Fixed Cost (\$)	Capacity	
4	Baltimore	1,675	400	685	1,630	1,160	2,800	7,650	18
5	Cheyenne	1,460	1,940	970	100	495	1,200	3,500	24
6	Salt Lake	1,925	2,400	1,425	500	950	800	5,000	27
7	Memphis	380	1,355	543	1,045	665	2,321	4,100	22
8	Wichita	922	1,646	700	508	311	1,797	2,200	31
9	Demand	10	8	14	6	7	11		
11	<b>Decision Variables</b>								
12		Demand City - Production Allocation (1000 Units)						Plants	
13	Supply City	Atlanta	Boston	Chicago	Denver	Omaha	Portland	(1=open)	
14	Baltimore	0	0	0	0	0	0	0	
15	Cheyenne	0	0	0	0	0	0	0	
16	Salt Lake	0	0	0	0	0	0	0	
17	Memphis	0	0	0	0	0	0	0	
18	Wichita	0	0	0	0	0	0	0	

FIGURE 5-9 Spreadsheet Area for Decision Variables for TelecomOptic

	A	B	C	D	E	F	G	H	I
1	<b>Inputs - Costs, Capacities, Demands (for TelecomOptic)</b>								
2		Demand City Production and Transportation Cost per 1000 Units						Fixed	
3	Supply City	Atlanta	Boston	Chicago	Denver	Omaha	Portland	Cost (\$)	Capacity
4	Baltimore	1,675	400	685	1,630	1,160	2,800	7,650	18
5	Cheyenne	1,460	1,940	970	100	495	1,200	3,500	24
6	Salt Lake	1,925	2,400	1,425	500	950	800	5,000	27
7	Memphis	380	1,355	543	1,045	665	2,321	4,100	22
8	Wichita	922	1,646	700	508	311	1,797	2,200	31
9	Demand	10	8	14	6	7	11		
11	<b>Decision Variables</b>								
12		Demand City - Production Allocation (1000 Units)						Plants	
13	Supply City	Atlanta	Boston	Chicago	Denver	Omaha	Portland	(1=open)	
14	Baltimore	0	0	0	0	0	0	0	0
15	Cheyenne	0	0	0	0	0	0	0	0
16	Salt Lake	0	0	0	0	0	0	0	0
17	Memphis	0	0	0	0	0	0	0	0
18	Wichita	0	0	0	0	0	0	0	0
20	<b>Constraints</b>								
21	Supply City	Excess Capacity							
22	Baltimore	0							
23	Cheyenne	0							
24	Salt Lake	0							
25	Memphis	0							
26	Wichita	0							
28		Atlanta	Boston	Chicago	Denver	Omaha	Portland		
29	Unmet Demand	10	8	14	6	7	11		
31	<b>Objective Function</b>								
32	Cost =	\$	-						

Cell	Formula	Equation	Copied to
B22	= I4*H14 - SUM(B14:G14)	5.7	B23:B26
B29	= B9 - SUM(B14:B18)	5.6	C29:G29
B32	= SUMPRODUCT(B4:G8, B14:G18) + SUMPRODUCT(H4:H8, H14:H18)	Objective function	—

**FIGURE 5-10** Spreadsheet Area for Constraints for TelecomOptic

constraint in cell B22 corresponds to the capacity constraint for the factory in Baltimore. The cell B29 corresponds to the demand constraint for the market in Atlanta. The capacity constraints require that the cell value be greater than or equal to ( $\geq$ ) 0, whereas the demand constraints require the cell value be equal to 0.

The objective function measures the total fixed and variable cost of the supply chain network and is evaluated in Cell B32. The next step is to use Data | Solver to invoke Solver as shown in Figure 5-11.

Within Solver, the goal is to minimize the total cost in cell B32. The variables are in cells B14:H18. The constraints are as follows:

$$B14:G18 \geq 0 \quad \left\{ \text{All decision variables are nonnegative} \right\}$$

$$B22:B26 \geq 0 \quad \left\{ K_i y_i - \sum_{j=1}^m x_{ij} \geq 0 \quad \text{for } i=1, \dots, 5 \right\}$$

$$B29:G29 = 0 \quad \left\{ D_j - \sum_{i=1}^n x_{ij} = 0 \quad \text{for } j=1, \dots, 6 \right\}$$

$$H14:H18 \text{ binary} \quad \left\{ \text{Location variables } y_i \text{ are binary; that is, 0 or 1} \right\}$$




FIGURE 5-11 Solver Dialog Box for TelecomOptic

Within the Solver Parameters dialog box, click on Solve to obtain the optimal solution as shown in Figure 5-12. From Figure 5-12, the supply chain team concludes that it is optimal for TelecomOptic to close the plants in Salt Lake City and Wichita while keeping the plants in Baltimore, Cheyenne, and Memphis open. The total monthly cost of this network and operation is \$47,401,000. This cost represents savings of about \$3 million per month compared to the situation in which TelecomOne and HighOptic operate separate supply chain networks.

**LOCATING PLANTS: THE CAPACITATED PLANT LOCATION MODEL WITH SINGLE SOURCING**

In some cases, companies want to design supply chain networks in which a market is supplied from only one factory, referred to as a *single source*. Companies may impose this constraint because it lowers the complexity of coordinating the network and requires less flexibility from each facility. The plant location model discussed earlier needs some modification to accommodate this constraint. The decision variables are redefined as follows:

$$y_i = 1 \text{ if factory is located at site } i, 0 \text{ otherwise}$$

$$x_{ij} = 1 \text{ if market } j \text{ is supplied by factory } i, 0 \text{ otherwise}$$

The problem is formulated as the following integer program:

$$Min \sum_{i=1}^n f_i y_i + \sum_{i=1}^n \sum_{j=1}^m D_j c_{ij} x_{ij}$$

	A	B	C	D	E	F	G	H	I	
1	<b>Inputs - Costs, Capacities, Demands (for TelecomOptic)</b>									
2		Demand City Production and Transportation Cost per 1000 Units					Fixed			
3	Supply City	Atlanta	Boston	Chicago	Denver	Omaha	Portland	Cost (\$)	Capacity	
4	Baltimore	1,675	400	685	1,630	1,160	2,800	7,650	18	
5	Cheyenne	1,460	1,940	970	100	495	1,200	3,500	24	
6	Salt Lake	1,925	2,400	1,425	500	950	800	5,000	27	
7	Memphis	380	1,355	543	1,045	665	2,321	4,100	22	
8	Wichita	922	1,646	700	508	311	1,797	2,200	31	
9	Demand	10	8	14	6	7	11			
11	<b>Decision Variables</b>									
12		Demand City - Production Allocation (1000 Units)					Plants			
13	Supply City	Atlanta	Boston	Chicago	Denver	Omaha	Portland	(1=open)		
14	Baltimore	0	8	2	0	0	0	0	1	
15	Cheyenne	0	0	0	6	7	11	0	1	
16	Salt Lake	0	0	0	0	0	0	0	0	
17	Memphis	10	0	12	0	0	0	0	1	
18	Wichita	0	0	0	0	0	0	0	0	
20	<b>Constraints</b>									
21	Supply City	Excess Capacity								
22	Baltimore	8								
23	Cheyenne	0								
24	Salt Lake	0								
25	Memphis	0								
26	Wichita	0								
28		Atlanta	Boston	Chicago	Denver	Omaha	Portland			
29	Unmet Demand	0	0	0	0	0	0	0		
31	<b>Objective Function</b>									
32	Cost =	\$ 47,401								

FIGURE 5-12 Optimal Network Design for TelecomOptic

subject to

$$\sum_{i=1}^n x_{ij} = 1 \quad \text{for } j = 1, \dots, m \tag{5.8}$$

$$\sum_{j=1}^m D_j x_{ij} \leq K_i y_i \quad \text{for } i = 1, \dots, n \tag{5.9}$$

$$x_{ij}, y_i \in \{0,1\} \tag{5.10}$$

The constraints in Equations 5.8 and 5.10 enforce that each market is supplied by exactly one factory.

We do not describe the solution of the model in Excel because it is very similar to the model discussed earlier. The optimal network with single sourcing for TelecomOptic is as shown in Table 5-4.

If single sourcing is required, it is optimal for TelecomOptic to close the factories in Baltimore and Cheyenne. This is different from the result in Figure 5-12, in which factories in Salt Lake City and Wichita were closed. The monthly cost of operating the network in Table 5-4 is \$49,717,000. This cost is about \$2.3 million higher than the cost of the network in Figure 5-12, in which single sourcing was not required. The supply chain team thus concludes that single sourcing adds about \$2.3 million per month to the cost of the supply chain network, although it makes coordination easier and requires less flexibility from the plants.

**Table 5-4** Optimal Network Configuration for TelecomOptic with Single Sourcing

	Open/Closed	Atlanta	Boston	Chicago	Denver	Omaha	Portland
Baltimore	Closed	0	0	0	0	0	0
Cheyenne	Closed	0	0	0	0	0	0
Salt Lake	Open	0	0	0	6	0	11
Memphis	Open	10	8	0	0	0	0
Wichita	Open	0	0	14	0	7	0

**LOCATING PLANTS AND WAREHOUSES SIMULTANEOUSLY** A much more general form of the plant location model needs to be considered if the entire supply chain network from the supplier to the customer is to be designed. We consider a supply chain in which suppliers send material to factories that supply warehouses that supply markets as shown in Figure 5-13. Location and capacity allocation decisions have to be made for both factories and warehouses. Multiple warehouses may be used to satisfy demand at a market, and multiple factories may be used to replenish warehouses. It is also assumed that units have been appropriately adjusted such that one unit of input from a supply source produces one unit of the finished product. The model requires the following inputs:

$m$  = number of markets or demand points

$n$  = number of potential factory locations

$l$  = number of suppliers

$t$  = number of potential warehouse locations

$D_j$  = annual demand from customer  $j$

$K_i$  = potential capacity of factory at site  $i$

$S_h$  = supply capacity at supplier  $h$

$W_e$  = potential warehouse capacity at site  $e$


$F_i$  = fixed cost of locating a plant at site  $i$

$f_e$  = fixed cost of locating a warehouse at site  $e$

$c_{hi}$  = cost of shipping one unit from supply source  $h$  to factory  $i$

$c_{ie}$  = cost of producing and shipping one unit from factory  $i$  to warehouse  $e$

$c_{ej}$  = cost of shipping one unit from warehouse  $e$  to customer  $j$

**FIGURE 5-13** Stages in a Supply Network

The goal is to identify plant and warehouse locations as well as quantities shipped between various points that minimize the total fixed and variable costs. Define the following decision variables:

$y_i = 1$  if factory is located at site  $i$ , 0 otherwise

$y_e = 1$  if warehouse is located at site  $e$ , 0 otherwise

$x_{ej}$  = quantity shipped from warehouse  $e$  to market  $j$

$x_{ie}$  = quantity shipped from factory at site  $i$  to warehouse  $e$

$x_{hi}$  = quantity shipped from supplier  $h$  to factory at site  $i$

The problem is formulated as the following integer program:

$$\text{Min} \quad \sum_{i=1}^n F_i y_i + \sum_{e=1}^t f_e y_e + \sum_{h=1}^l \sum_{i=1}^n c_{hi} x_{hi} + \sum_{i=1}^n \sum_{e=1}^t c_{ie} x_{ie} + \sum_{e=1}^t \sum_{j=1}^m c_{ej} x_{ej}$$

The objective function minimizes the total fixed and variable costs of the supply chain network subject to the following constraints:

$$\sum_{i=1}^n x_{hi} \leq S_h \quad \text{for } h=1, \dots, l \quad (5.11)$$

The constraint in Equation 5.11 specifies that the total amount shipped from a supplier cannot exceed the supplier's capacity.

$$\sum_{h=1}^l x_{hi} - \sum_{e=1}^t x_{ie} \geq 0 \quad \text{for } i=1, \dots, n \quad (5.12)$$

The constraint in Equation 5.12 states that the amount shipped out of a factory cannot exceed the quantity of raw material received.

$$\sum_{e=1}^t x_{ie} \leq K_i y_i \quad \text{for } i=1, \dots, n \quad (5.13)$$

The constraint in Equation 5.13 enforces that the amount produced in the factory cannot exceed its capacity.

$$\sum_{i=1}^n x_{ie} - \sum_{j=1}^m x_{ej} \geq 0 \quad \text{for } e=1, \dots, t \quad (5.14)$$

The constraint in Equation 5.14 specifies that the amount shipped out of a warehouse cannot exceed the quantity received from the factories.

$$\sum_{j=1}^m x_{ej} \leq W_e y_e \quad \text{for } e=1, \dots, t \quad (5.15)$$

The constraint in Equation 5.15 specifies that the amount shipped through a warehouse cannot exceed its capacity.

$$\sum_{e=1}^t x_{ej} = D_j \quad \text{for } j=1, \dots, m \quad (5.16)$$

The constraint in Equation 5.16 specifies that the amount shipped to a customer must cover the demand.

$$y_i, y_e \in \{0,1\}, x_{ej}, x_{ie}, x_{hi} \geq 0 \quad (5.17)$$



The constraint in Equation 5.17 enforces that each factory or warehouse is either open or closed.

The model discussed earlier can be modified to allow direct shipments between factories and markets. All the models discussed previously can also be modified to accommodate economies of scale in production, transportation, and inventory costs. However, these requirements make the models more difficult to solve.

### Accounting for Taxes, Tariffs, and Customer Requirements

Network design models should be structured such that the resulting supply chain network maximizes profits after tariffs and taxes while meeting customer service requirements. The models discussed earlier can easily be modified to maximize profits accounting for taxes, even when revenues are in different currencies. If  $r_j$  is the revenue from selling one unit in market  $j$ , the objective function of the capacitated plant location model can be modified to be

$$\text{Max} \sum_{j=1}^m r_j \sum_{i=1}^n x_{ij} - \sum_{i=1}^n F_i y_i - \sum_{i=1}^n \sum_{j=1}^m c_{ij} x_{ij}$$

This objective function maximizes profits for the firm. When using a profit maximization objective function, a manager should modify the constraint in Equation 5.1 to be

$$\sum_{i=1}^n x_{ij} \leq D_j \quad \text{for } j = 1, \dots, m \quad (5.18)$$

The constraint in Equation 5.18 is more appropriate than the constraint in Equation 5.1 because it allows the network designer to identify the demand that can be satisfied profitably and the demand that is satisfied at a loss to the firm. The plant location model with Equation 5.18 instead of Equation 5.1 and a profit maximization objective function will serve only that portion of demand that is profitable to serve. This may result in some markets in which a portion of the demand is dropped, unless constrained otherwise, because it cannot be served profitably.

Customer preferences and requirements may be in terms of desired response time and the choice of transportation mode or transportation provider. Consider, for example, two modes of transportation available between plant location  $i$  and market  $j$ . Mode 1 may be sea and mode 2 may be air. The plant location model is modified by defining two distinct decision variables  $x_{ij}^1$  and  $x_{ij}^2$  corresponding to the quantity shipped from location  $i$  to market  $j$  using modes 1 and 2, respectively. The desired response time using each transportation mode is accounted for by allowing shipments only when the time taken is less than the desired response time. For example, if the time from location  $i$  to market  $j$  using mode 1 (sea) is longer than would be acceptable to the customer, we simply drop the decision variable  $x_{ij}^1$  from the plant location model. The option among several transportation providers can be modeled similarly.

## 5.5 MAKING NETWORK DESIGN DECISIONS IN PRACTICE

Managers should keep the following issues in mind when making network design decisions for a supply chain.

*Do not underestimate the life span of facilities.* It is important to think through the long-term consequences of facility decisions because facilities last a long time and have an enduring impact on a firm's performance. Managers must consider not only future demand and costs but also scenarios in which technology may change. Otherwise, facilities may become useless within a few years. For example, an insurance company moved its clerical labor from a metropolitan location to a suburban location to lower costs. With increasing automation, the need for clerical labor decreased significantly, and within a few years the facility was no longer needed. The company found it difficult to sell the facility given its distance from

residential areas and airports.<sup>3</sup> Within most supply chains, production facilities are harder to change than storage facilities. Supply chain network designers must consider that any factories that they put in place will stay there for an extended period of a decade or more. Warehouses or storage facilities, particularly those that are not owned by the company, can be changed within a year of making the decision.

*Do not gloss over the cultural implications.* Network design decisions regarding facility location and facility role have a significant impact on the culture of each facility and the firm. The culture at a facility will be influenced by other facilities in its vicinity. Network designers can use this fact to influence the role of the new facility and the focus of people working there. For example, when Ford Motor Company introduced the Lincoln Mark VIII model, management was faced with a dilemma. At that time, the Mark VIII shared a platform with the Mercury Cougar. However, the Mark VIII was part of Ford's luxury Lincoln division. Locating the Mark VIII line with the Cougar would have obvious operational advantages because of shared parts and processes. However, Ford decided to locate the Mark VIII line in the Wixom, Michigan, plant, where other Lincoln cars were produced. The primary reason for doing so was to ensure that the focus on quality for the Mark VIII would be consistent with that of other Ford luxury cars that were produced in Wixom.

The location of a facility has a significant impact on the extent and form of communication that develops in the supply chain network. Locating a facility far from headquarters will likely give it more of a culture of autonomy. This may be beneficial if the firm is starting a new division that needs to function in a manner different from that of the rest of the company. In contrast, locating two facilities closer together is likely to encourage communication between them. Extensive communication can be useful if decisions made at either facility have a strong impact on the performance of the other facility.

*Do not ignore quality-of-life issues.* The quality of life at selected facility locations has a significant impact on performance because it influences the workforce available and its morale. In many instances, a firm may be better off selecting a higher cost location if it provides a much better quality of life. Failure to do so can have dire consequences. For example, an aerospace supplier decided to relocate an entire division to an area with a lower standard of living in order to reduce costs. Most of the marketing team, however, refused to relocate. As a result, customer relations deteriorated, and the company had a very difficult transition. The effort to save costs hurt the company and effectively curtailed the firm's status as a major player in its market.<sup>4</sup>

*Focus on tariffs and tax incentives when locating facilities.* Managers making facility location decisions should consider tariffs and tax incentives carefully. When considering international locations, it is astounding how often tax incentives drive the choice of location, often overcoming all of the other cost factors combined. For instance, Ireland has developed a large high-tech industry by enticing companies with low taxes. Even within nations, local governments may offer generous packages of low to no taxes and free land when firms decide to locate facilities within their jurisdiction. Toyota, BMW, and Mercedes have all chosen their facility locations in the United States due in large part to tax incentives offered by different states.

## 5.6 SUMMARY OF LEARNING OBJECTIVES

**1. Understand the role of network design in a supply chain.** Network design decisions include identifying facility roles, locations, and capacities and allocating markets to be served by different facilities. These decisions define the physical constraints within which the network must be operated as market conditions change. Good network design decisions increase supply chain profits.

**2. Identify factors influencing supply chain network design decisions.** Broadly speaking, network design decisions are influenced by strategic, technological, macroeconomic, political, infrastructure, competitive, and operational factors.

<sup>3</sup> Charles F. Harding, "Quantifying Abstract Factors in Facility-Location Decisions," *Industrial Development* (May–June 1988): 24.

<sup>4</sup> *Ibid.*

**3. Develop a framework for making network design decisions.** The goal of network design is to maximize the supply chain's long-term profitability. The process starts by defining the supply chain strategy, which must be aligned with the competitive strategy of the firm. The supply chain strategy, regional demand, costs, infrastructure, and the competitive environment are used to define a regional facility configuration. For regions where facilities are to be located, potentially attractive sites are then selected based on available infrastructure. The optimal configuration is determined from the potential sites using demand, logistics cost, factor costs, taxes, and margins in different markets.

**4. Use optimization for facility location and capacity allocation decisions.** Gravity location models identify a location that minimizes inbound and outbound transportation costs. They are simple to implement but do not account for other important costs. Network optimization models can include contribution margins, taxes, tariffs, production, transportation, and inventory costs and are used to maximize profitability. These models are useful when locating facilities, allocating capacity to facilities, and allocating markets to facilities.

---

## Discussion Questions

- How do the location and size of warehouses affect the performance of a firm such as Amazon? What factors should Amazon take into account when deciding where and how big its warehouses should be?
- How do import duties and exchange rates affect the location decision in a supply chain?
- How is the rise in transportation costs likely to affect global supply chain networks?
- Amazon has built new warehouses as it has grown. How does this change affect various cost and response times in the Amazon supply chain?
- McMaster-Carr sells maintenance, repair, and operations equipment from five warehouses in the United States. W.W. Grainger sells products from more than 350 retail locations, supported by several warehouses. In both cases, customers place orders using the Web or on the phone. Discuss the pros and cons of the two strategies.
- Consider a firm such as Dell, with few production facilities worldwide. List the pros and cons of this approach and why it may or may not be suitable for the computer industry.
- Consider a firm such as Ford, with more than 150 facilities worldwide. List the pros and cons of having many facilities and why it may or may not be suitable for the automobile industry.

---

## Exercises

- SC Consulting, a supply chain consulting firm, must decide on the location of its home offices. Its clients are located primarily in the 16 states listed in Table 5-5. There are four potential sites for home offices: Los Angeles, Tulsa, Denver, and Seattle. The annual fixed cost of locating an office in Los Angeles is \$165,428, Tulsa is \$131,230, Denver is \$140,000, and Seattle is \$145,000. The expected number of trips to each state and the travel costs from each potential site are shown in Table 5-5. Each consultant is expected to take at most 25 trips each year.
  - If there are no restrictions on the number of consultants at a site and the goal is to minimize costs, where should the home offices be located and how many consultants should be assigned to each office? What is the annual cost in terms of the facility and travel?
  - If, at most, 10 consultants are to be assigned to a home office, where should the offices be set up? How many consultants should be assigned to each office? What is the annual cost of this network?
  - What do you think of a rule by which all consulting projects out of a given state are assigned to one home office? How much is this policy likely to add to cost compared to allowing multiple offices to handle a single state?
- DryIce, Inc., is a manufacturer of air conditioners that has seen its demand grow significantly. The company anticipates nationwide demand for the next year to be 180,000 units in the South, 120,000 units in the Midwest, 110,000 units in the East, and 100,000 units in the West. Managers at DryIce are designing the manufacturing network and have selected four potential sites—New York, Atlanta, Chicago, and San Diego. Plants could have a capacity of either 200,000 or 400,000 units. The annual fixed costs at the four locations are shown in Table 5-6, along with the cost of producing and shipping an air conditioner to each of the four markets. Where should DryIce build its factories and how large should they be?
- Sunchem, a manufacturer of printing inks, has five manufacturing plants worldwide. Their locations and capacities are shown in Table 5-7 along with the cost of producing 1 ton of ink at each facility. The production costs are in the local currency

**Table 5-5** Travel Costs and Number of Trips for SC Consulting

State	Travel Costs (\$)				Number of Trips
	Los Angeles	Tulsa	Denver	Seattle	
Washington	150	250	200	25	40
Oregon	150	250	200	75	35
California	75	200	150	125	100
Idaho	150	200	125	125	25
Nevada	100	200	125	150	40
Montana	175	175	125	125	25
Wyoming	150	175	100	150	50
Utah	150	150	100	200	30
Arizona	75	200	100	250	50
Colorado	150	125	25	250	65
New Mexico	125	125	75	300	40
North Dakota	300	200	150	200	30
South Dakota	300	175	125	200	20
Nebraska	250	100	125	250	30
Kansas	250	75	75	300	40
Oklahoma	250	25	125	300	55

**Table 5-6** Production and Transport Costs for Drylce, Inc.

	New York	Atlanta	Chicago	San Diego
Annual fixed cost of 200,000 plant	\$6 million	\$5.5 million	\$5.6 million	\$6.1 million
Annual fixed cost of 400,000 plant	\$10 million	\$9.2 million	\$9.3 million	\$10.2 million
East	\$211	\$232	\$238	\$299
South	\$232	\$212	\$230	\$280
Midwest	\$240	\$230	\$215	\$270
West	\$300	\$280	\$270	\$225

**Table 5-7** Capacity, Demand, Production, and Transportation Costs for Sunchem

	North America	Europe	Japan	South America	Asia	Capacity Tons/Year	Production Cost/Ton
United States	\$600	\$1,300	\$2,000	\$1,200	\$1,700	185	\$10,000
Germany	\$1,300	\$600	\$1,400	\$1,400	\$1,300	475	15,000 euro
Japan	\$2,000	\$1,400	\$300	\$2,100	\$900	50	1,800,000 yen
Brazil	\$1,200	\$1,400	\$2,100	\$800	\$2,100	200	13,000 real
India	\$2,200	\$1,300	\$1,000	\$2,300	\$800	80	400,000 rupees
Demand (tons/year)	270	200	120	190	100		

**Table 5-8** Anticipated Exchange Rates for the Next Year

	US\$	Euro	Yen	Real	Rupee
US\$	1.000	1.993	107.7	1.78	43.55
Euro	0.502	1	54.07	0.89	21.83
Yen	0.0093	0.0185	1	0.016	0.405
Real	0.562	1.124	60.65	1	24.52
Rupee	0.023	0.046	2.47	0.041	1

of the country where the plant is located. The major markets for the inks are North America, South America, Europe, Japan, and the rest of Asia. Demand at each market is shown in Table 5-7. Transportation costs from each plant to each market in U.S. dollars are shown in Table 5-7. Management must come up with a production plan for the next year.

- If exchange rates are expected as in Table 5-8, and no plant can run below 50 percent of capacity, how much should each plant produce and which markets should each plant supply?
  - If there are no limits on the amount produced in a plant, how much should each plant produce?
  - Can adding 10 tons of capacity in any plant reduce costs?
  - How should Sunchem account for the fact that exchange rates fluctuate over time?
4. Sleekfon and Sturdyfon are two major cell phone manufacturers that have recently merged. Their current market sizes are as shown in Table 5-9. All demand is in millions of units.

Sleekfon has three production facilities in Europe (EU), North America, and South America. Sturdyfon also has three production facilities in Europe (EU), North America, and Rest of Asia/Australia. The capacity (in millions of units), annual fixed cost (in millions of \$), and variable production costs (\$ per unit) for each plant are as shown in Table 5-10.

Transportation costs between regions are as shown in Table 5-11. All transportation costs are shown in \$ per unit.

Duties are applied on each unit based on the fixed cost per unit capacity, variable cost per unit, and transportation cost. Thus, a unit currently shipped from North America to Africa has a fixed cost per unit of capacity of \$5.00, a variable production cost of \$5.50, and a transportation cost of \$2.20. The 25 percent import duty is thus applied on \$12.70 (5.00 + 5.50 + 2.20) to give a total cost on import of \$15.88. For the questions below, assume that market demand is as in Table 5-9.

The merged company has estimated that scaling back a 20-million-unit plant to 10 million units saves 30 percent in fixed costs. Variable costs at a scaled-back plant are unaffected. Shutting a plant down (either 10 million or 20 million units) saves 80 percent in fixed costs. Fixed costs are only partially recovered because of severance and other costs associated with a shutdown.

- What is the lowest cost achievable for the production and distribution network prior to the merger? Which plants serve which markets?
- What is the lowest cost achievable for the production and distribution network after the merger if none of the plants is shut down? Which plants serve which markets?

**Table 5-9** Global Demand and Duties for Sleekfon and Sturdyfon

Market	N. America	S. America	Europe (EU)	Europe (Non EU)	Japan	Rest of Asia/ Australia	Africa
Sleekfon demand	10	4	20	3	2	2	1
Sturdyfon demand	12	1	4	8	7	3	1
Import duties (%)	3	20	4	15	4	22	25

**Table 5-10** Plant Capacities and Costs for Sleekfon and Sturdyfon

		Capacity	Fixed Cost/Year	Variable Cost/Unit
Sleekfon	Europe (EU)	20	100	6.0
	N. America	20	100	5.5
	S. America	10	60	5.3
Sturdyfon	Europe (EU)	20	100	6.0
	N. America	20	100	5.5
	Rest of Asia	10	50	5.0

**Table 5-11** Transportation Costs Between Regions (\$ per Unit)

	N. America	S. America	Europe (EU)	Europe (Non EU)	Japan	Rest of Asia/ Australia	Africa
N. America	1.00	1.50	1.50	1.80	1.70	2.00	2.20
S. America	1.50	1.00	1.70	2.00	1.90	2.20	2.20
Europe (EU)	1.50	1.70	1.00	1.20	1.80	1.70	1.40
Europe (Non EU)	1.80	2.00	1.20	1.00	1.80	1.60	1.50
Japan	1.70	1.90	1.80	1.80	1.00	1.20	1.90
Rest of Asia/Australia	2.00	2.20	1.70	1.60	1.20	1.00	1.80
Africa	2.20	2.20	1.40	1.50	1.90	1.80	1.00

- c. What is the lowest cost achievable for the production and distribution network after the merger if plants can be scaled back or shut down in batches of 10 million units of capacity? Which plants serve which markets?
- d. How is the optimal network configuration affected if all duties are reduced to 0?
- e. How should the merged network be configured?
5. Return to the Sleekfon and Sturdyfon data in Exercise 4. Management has estimated that demand in global markets is likely to grow. North America, Japan, and Europe (EU) are relatively saturated and expect no growth. South America, Africa, and Europe (Non EU) markets expect a growth of 20 percent. The Rest of Asia/Australia anticipates a growth of 200 percent.
- a. How should the merged company configure its network to accommodate the anticipated growth? What is the annual cost of operating the network?
- b. There is an option of adding capacity at the plant in Rest of Asia/Australia. Adding 10 million units of capacity incurs an additional fixed cost of \$40 million per year. Adding 20 million units of additional capacity incurs an additional fixed cost of \$70 million per year. If shutdown costs and duties are as in Exercise 4, how should the merged company configure its network to accommodate anticipated growth? What is the annual cost of operating the new network?
- c. If all duties are reduced to 0, how does your answer to Exercise 5(b) change?
- d. How should the merged network be configured given the option of adding to the plant in Rest of Asia/Australia?
6. StayFresh, a manufacturer of refrigerators in India, has two plants—one in Mumbai and the other in Chennai. Each plant has a capacity of 300,000 units. The two plants serve the entire country, which is divided into four regional markets: the North, with a demand of 100,000 units; the West, with a demand of 150,000 units; the South, with a demand of 150,000 units; and the East, with a demand of 50,000 units. Two other potential sites for plants include Delhi and Kolkata. The variable production and transport costs (in thousands of rupees; 1 U.S. dollar is worth about 45 rupees) per refrigerator from each potential production site to each market are as shown in Table 5-12.

**Table 5-12** Production and Transport Cost ('000s Rupees) per Refrigerator

	North	East	West	South
Chennai	20	19	17	15
Delhi	15	18	17	20
Kolkata	18	15	20	19
Mumbai	17	20	15	17

StayFresh is anticipating a compounded growth in demand of 20 percent per year for the next five years and must plan its network investment decisions. Demand is anticipated to stabilize after five years of growth. Capacity can be added in increments of either 150,000 or 300,000 units. Adding 150,000 units of capacity incurs a one-time cost of 2 billion rupees, whereas adding 300,000 units of capacity incurs a one-time cost of 3.4 billion rupees. Assume that StayFresh plans to meet all demand (prices are sufficiently high) and that capacity for each year must be in place by the beginning of the year. Also assume that the cost for the fifth year will continue for the next 10 years, that is, years 6 to 15. The problem can now be solved for different discount factors. To begin with, assume a discount factor of 0.2, that is, 1 rupee spent next year is worth  $1 - 0.2 = 0.8$  rupee this year.

- a. How should the production network for the company evolve over the next five years?
- b. How does your answer change if the anticipated growth is 15 percent? 25 percent?
- c. How does your decision change for a discount factor of 0.25? 0.15?
- d. What investment strategy do you recommend for the company?
7. Blue Computers, a major PC manufacturer in the United States, currently has plants in Kentucky and Pennsylvania. The Kentucky plant has a capacity of 1 million units a year, and the Pennsylvania plant has a capacity of 1.5 million units a year. The firm divides the United States into five

markets: Northeast, Southeast, Midwest, South, and West. Each PC sells for \$1,000. The firm anticipates a 50 percent growth in demand (in each region) this year (after which demand will stabilize) and wants to build a plant with a capacity of 1.5 million units per year to accommodate the growth. Potential sites being considered are in North Carolina and California. Currently the firm pays federal, state, and local taxes on the income from each plant. Federal taxes are 20 percent of income, and all state and local taxes are 7 percent of income in each state. North Carolina has offered to reduce taxes for the next 10 years from 7 percent to 2 percent. Blue Computers would like to take the tax break into consideration when planning its network. Consider income over the next 10 years in your analysis. Assume that all costs remain unchanged over the 10 years. Use a discount factor of 0.1 for your analysis. Annual fixed costs, production and shipping costs per unit, and current regional demand (before the 50 percent growth) are shown in Table 5-13.

- If Blue Computers sets an objective of minimizing total fixed and variable costs, where should it build the new plant? How should the network be structured?
- If Blue Computers sets an objective of maximizing after-tax profits, where should it build the new plant? How should the network be structured?

8. Hot&Cold and CaldoFreddo are two European manufacturers of home appliances that have merged. Hot&Cold has plants in France, Germany, and Finland, whereas CaldoFreddo has plants in the United Kingdom and Italy. The European market is divided into four regions: North, East, West, and South. Plant capacities (millions of units per year), annual fixed costs (millions of euros per year), regional demand (millions of units), and variable production and shipping costs (euros per unit) are as shown in Table 5-14.

Each appliance sells for an average price of 300 euros. All plants are currently treated as profit centers, and the company pays taxes separately for each plant. Tax rates in the various countries are as follows: France, 0.25; Germany, 0.25; Finland, 0.3; UK, 0.2; and Italy, 0.35.

- Before the merger, what is the optimal network for each of the two firms if their goal is to minimize costs? What is the optimal network if the goal is to maximize after-tax profits?
- After the merger, what is the minimum cost configuration if none of the plants is shut down? What is the configuration that maximizes after-tax profits if none of the plants is shut down?
- After the merger, what is the minimum cost configuration if plants can be shut down (assume that a shutdown saves 100 percent of the annual fixed cost of the plant)? What is the configuration that maximizes after-tax profits?

**Table 5-13** Variable Production and Shipping Costs for Blue Computers

	Variable Production and Shipping Cost (\$/Unit)					Annual Fixed Cost (Million \$)
	Northeast	Southeast	Midwest	South	West	
Kentucky	185	180	175	175	200	150
Pennsylvania	170	190	180	200	220	200
N. Carolina	180	180	185	185	215	150
California	220	220	195	195	175	150
Demand ('000 units/month)	700	400	400	300	600	

**Table 5-14** Capacity, Cost, and Demand Data for Hot & Cold and CaldoFreddo

		Variable Production and Shipping Costs					Annual Fixed Cost
		North	East	South	West	Capacity	
Hot&Cold	France	100	110	105	100	50	1,000
	Germany	95	105	110	105	50	1,000
	Finland	90	100	115	110	40	850
Demand		30	20	20	35		
CaldoFreddo	U.K.	105	120	110	90	50	1,000
	Italy	110	105	90	115	60	1,150
Demand		15	20	30	20		

## Bibliography

- Anderson, Kenneth E., Daniel P. Murphy, and James M. Reeve. "Smart Tax Planning for Supply Chain Facilities." *Supply Chain Management Review* (November–December 2002): 46–52.
- Ballou, Ronald H. *Business Logistics Management*. Upper Saddle River, NJ: Prentice Hall, 1999.
- Bovet, David. "Good Time to Rethink European Distribution." *Supply Chain Management Review* (July–August 2010): 6–7.
- Daskin, Mark S. *Network and Discrete Location*. New York: Wiley, 1995.
- Drezner, Z., and H. Hamacher. *Facility Location: Applications and Theory*. Berlin: Springer Verlag, 2004.
- Ferdows, Kasra. "Making the Most of Foreign Factories." *Harvard Business Review* (March–April 1997): 73–88.
- Harding, Charles F. "Quantifying Abstract Factors in Facility-Location Decisions." *Industrial Development* (May–June 1988): 24.
- Korpela, Jukka, Antti Lehmusvaara, and Markku Tuominen. "Customer Service Based Design of the Supply Chain." *International Journal of Production Economics* (2001) 69: 193–204.
- MacCormack, Alan D., Lawrence J. Newman III, and Donald B. Rosenfield. "The New Dynamics of Global Manufacturing Site Location." *Sloan Management Review* (Summer 1994): 69–79.
- Mentzer, Joseph. "Seven Keys to Facility Location." *Supply Chain Management Review* (May–June 2008): 25–31.
- Murphy, Sean. "Will Sourcing Come Closer to Home?" *Supply Chain Management Review* (September 2008): 33–37.
- Note on Facility Location*. Harvard Business School Note 9–689–059, 1989.
- Robeson, James F., and William C. Copacino, eds. *The Logistics Handbook*. New York: Free Press, 1994.
- Tayur, Sridhar, Ram Ganeshan, and Michael Magazine, eds. *Quantitative Models for Supply Chain Management*. Boston: Kluwer Academic Publishers, 1999.
- Tirole, Jean. *The Theory of Industrial Organization*. Cambridge, MA: The MIT Press, 1997.

## CASE STUDY

### Managing Growth at SportStuff.com

In December 2008, Sanjay Gupta and his management team were busy evaluating the performance at SportStuff.com over the previous year. Demand had grown by 80 percent. This growth, however, was a mixed blessing. The venture capitalists supporting the company were very pleased with the growth in sales and the resulting increase in revenue. Sanjay and his team, however, could clearly see that costs would grow faster than revenues if demand continued to grow and the supply chain network was not redesigned. They decided to analyze the performance of the current network to see how it could be redesigned to best cope with the rapid growth anticipated over the next three years.

#### SportStuff.com

Sanjay Gupta founded SportStuff.com in 2004 with a mission of supplying parents with more affordable sports equipment for their children. Parents complained about having to discard expensive skates, skis, jackets, and shoes because children outgrew them rapidly. Sanjay's initial plan was for the company to purchase used equipment and

jackets from families and any surplus equipment from manufacturers and retailers and sell these over the Internet. The idea was well received in the marketplace, demand grew rapidly, and by the end of 2004, the company had sales of \$0.8 million. By this time, a variety of new and used products were being sold, and the company received significant venture capital support.

In June 2004, Sanjay leased part of a warehouse in the outskirts of St. Louis to manage the large amount of product being sold. Suppliers sent their product to the warehouse. Customer orders were packed and shipped by UPS from there. As demand grew, SportStuff.com leased more space within the warehouse. By 2007, SportStuff.com leased the entire warehouse and orders were being shipped to customers all over the United States. Management divided the United States into six customer zones for planning purposes. Demand from each customer zone in 2007 was as shown in Table 5-15. Sanjay estimated that the next three years would see a growth rate of about 80 percent per year, after which demand would level off.

(continued)



(continued)

**Table 5-15** Regional Demand at SportStuff.com for 2007

Zone	Demand in 2007	Zone	Demand in 2007
Northwest	320,000	Lower Midwest	220,000
Southwest	200,000	Northeast	350,000
Upper Midwest	160,000	Southeast	175,000

## The Network Options

Sanjay and his management team could see that they needed more warehouse space to cope with the anticipated growth. One option was to lease more warehouse space in St. Louis itself. Other options included leasing warehouses all over the country. Leasing a warehouse involved fixed costs based on the size of the warehouse and variable costs that depended on the quantity shipped through the warehouse. Four potential locations for warehouses were identified in Denver, Seattle, Atlanta, and Philadelphia. Warehouses leased could be either small (about 100,000 sq. ft.) or large (200,000 sq. ft.). Small warehouses could handle a flow of up to 2 million units per year, whereas large warehouses could handle a flow of up to 4 million units per year. The current warehouse in St. Louis was small. The fixed and variable costs of small and large warehouses in different locations are shown in Table 5-16.

Sanjay estimated that the inventory holding costs at a warehouse (excluding warehouse expense) was about  $\$600\sqrt{F}$ , where  $F$  is the number of units flowing through the warehouse per year. This relationship is based on the theoretical observation that the inventory held at a facility (not across the network) is proportional to the square root of the throughput through the facility. As a result,

aggregating throughput through a few facilities reduces the inventory held as compared with disaggregating throughput through many facilities. Thus, a warehouse handling 1 million units per year incurred an inventory holding cost of \$600,000 in the course of the year. If your version of Excel has problems solving the nonlinear objective function, use the following inventory costs:

Range of F	Inventory Cost
0–2 million	$\$250,000Y + 0.310F$
2–4 million	$\$530,000Y + 0.170F$
4–6 million	$\$678,000Y + 0.133F$
More than 6 million	$\$798,000Y + 0.113F$

If you can handle only a single linear inventory cost, you should use  $\$475,000Y + 0.165F$ . For each facility,  $Y=1$  if the facility is used, 0 otherwise.

SportStuff.com charged a flat fee of \$3 per shipment sent to a customer. An average customer order contained four units. SportStuff.com in turn contracted with UPS to handle all its outbound shipments. UPS charges were based on both the origin and the destination of the shipment and are shown in Table 5-17. Management

**Table 5-16** Fixed and Variable Costs of Potential Warehouses

Location	Small Warehouse		Large Warehouse	
	Fixed Cost (\$/year)	Variable Cost (\$/Unit Flow)	Fixed Cost (\$/year)	Variable Cost (\$/Unit Flow)
Seattle	300,000	0.20	500,000	0.20
Denver	250,000	0.20	420,000	0.20
St. Louis	220,000	0.20	375,000	0.20
Atlanta	220,000	0.20	375,000	0.20
Philadelphia	240,000	0.20	400,000	0.20

estimated that inbound transportation costs for shipments from suppliers were likely to remain unchanged, no matter what warehouse configuration was selected.

### Questions

1. What is the cost SportStuff.com incurs if all warehouses leased are in St. Louis?
2. What supply chain network configuration do you recommend for SportStuff.com? Why?
3. How would your recommendation change if transportation costs were twice those shown in Table 5-17?

**Table 5-17** UPS Charges per Shipment (Four Units)

	Northwest	Southwest	Upper Midwest	Lower Midwest	Northeast	Southeast
Seattle	\$2.00	\$2.50	\$3.50	\$4.00	\$5.00	\$5.50
Denver	\$2.50	\$2.50	\$2.50	\$3.00	\$4.00	\$4.50
St. Louis	\$3.50	\$3.50	\$2.50	\$2.50	\$3.00	\$3.50
Atlanta	\$4.00	\$4.00	\$3.00	\$2.50	\$3.00	\$2.50
Philadelphia	\$4.50	\$5.00	\$3.00	\$3.50	\$2.50	\$4.00

## CASE STUDY

### Designing the Production Network at CoolWipes

Matt O'Grady, vice president of supply chain at CoolWipes thought that his current production and distribution network was not appropriate given the significant increase in transportation costs over the past few years. Compared to when the company had set up its production facility in Chicago, transportation costs had increased by a factor of more than four and were expected to continue growing in the next few years. A quick decision on building one or more new plants could save the company significant amounts in transportation expense in the future.

### CoolWipes

CoolWipes was founded in the late 1980s and produced baby wipes and diaper ointment. Demand for the two products was as shown in Table 5-18. The company

currently had one factory in Chicago that produced both products for the entire country. The wipes line in the Chicago facility had a capacity of 5 million units, an annualized fixed cost of \$5 million a year, and a variable cost of \$10 per unit. The ointment line in the Chicago facility had a capacity of 1 million units, an annualized fixed cost of \$1.5 million a year, and a variable cost of \$20 per unit. The current transportation costs per unit (for both wipes and ointment) are shown in Table 5-19.

### New Network Options

Matt had identified Princeton, New Jersey; Atlanta; and Los Angeles as potential sites for new plants. Each new plant could have a wipes line, an ointment line, or both. A new wipes line had a capacity of 2 million units, an

**Table 5-18** Regional Demand at CoolWipes (in '000s)

Zone	Wipes Demand	Ointment Demand	Zone	Wipes Demand	Ointment Demand
Northwest	500	50	Lower Midwest	800	65
Southwest	700	90	Northeast	1,000	120
Upper Midwest	900	120	Southeast	600	70

(continued)

*(continued)***Table 5-19** Transportation Costs per Unit

	Northwest	Southwest	Upper Midwest	Lower Midwest	Northeast	Southeast
Chicago	\$6.32	\$6.32	\$3.68	\$4.04	\$5.76	\$5.96
Princeton	\$6.60	\$6.60	\$5.76	\$5.92	\$3.68	\$4.08
Atlanta	\$6.72	\$6.48	\$5.92	\$4.08	\$4.04	\$3.64
Los Angeles	\$4.36	\$3.68	\$6.32	\$6.32	\$6.72	\$6.60

annual fixed cost of \$2.2 million, and a variable production cost of \$10 per unit. A new ointment line had a capacity of 1 million units, an annual fixed cost of \$1.5 million, and a variable cost of \$20 per unit. The current transportation costs per unit are shown in Table 5-19. Matt had to decide whether to build a new plant and if so, which production lines to put into the new plant.

### Questions

1. What is the annual cost of serving the entire nation from Chicago?
2. Do you recommend adding any plant(s)? If so, where should the plant(s) be built and what lines should be included? Assume that the Chicago plant will be maintained at its current capacity but could be run at lower utilization. Would your decision be different if transportation costs are half of their current value? What if they were double their current value?
3. If Matt could design a new network from scratch (assume he did not have the Chicago plant but could build it at the cost and capacity specified in the case), what production network would you recommend? Assume that any new plants built besides Chicago would be at the cost and capacity specified under the new network options. Would your decision be different if transportation costs were half of their current value? What if they were double their current value?

# 6



# Designing Global Supply Chain Networks

## LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Identify factors that need to be included in total cost when making global sourcing decisions.
2. Define uncertainties that are particularly relevant when designing global supply chains.
3. Explain different strategies that may be used to mitigate risk in global supply chains.
4. Understand decision tree methodologies used to evaluate supply chain design decisions under uncertainty.

Globalization has offered tremendous opportunity as well as increased risk in the development of supply chains. High-performance supply chains such as Nokia and Zara have taken full advantage of globalization. In contrast, several supply chains have found themselves unprepared for the increased risk that has accompanied globalization. As a result, managers must account for both opportunities and uncertainties over the long term when designing a global supply chain network. In this chapter, we identify sources of risk for global supply chains, discuss risk mitigation strategies, detail the methodologies used to evaluate network design decisions under uncertainty, and show how they improve global supply chain decisions.

## 6.1 THE IMPACT OF GLOBALIZATION ON SUPPLY CHAIN NETWORKS

Globalization offers companies opportunities to simultaneously grow revenues and decrease costs. In its 2008 annual report, P&G reported that more than a third of the company sales growth was from developing markets with a profit margin that was comparable to developed market margins. By 2010, sales for the company in developing markets represented almost 34 percent of global sales. Similarly, Nokia's two largest global markets in 2009, in terms of net sales, were China and India. Sales in these two countries represented almost 21.5 percent, and sales in the BRIC countries (Brazil, Russia, India, and China) represented more than 28 percent of Nokia's global sales in 2009. Clearly, globalization has offered both P&G and Nokia a significant revenue enhancement opportunity.

Apparel and consumer electronics are two areas in which globalization has offered significant cost reduction opportunities. Consumer electronics focuses on small, lightweight, high-value items that are relatively easy and inexpensive to ship. Companies have exploited large economies of scale by consolidating production of standardized electronics components in a single location for use in multiple products across the globe. Contract manufacturers like Foxconn and Flextronics have become giants with facilities in low-cost countries. Apparel manufacture has high labor content and the product is relatively lightweight and cost effective to transport. Companies have exploited globalization by shifting much apparel manufacturing to low-labor-cost countries, especially China. In the first half of 2009, about 33 percent of U.S. imports of apparel were from China. The net result is that both industries have benefited tremendously from cost reduction as a result of globalization.

One must keep in mind, however, that the opportunities from globalization are often accompanied by significant additional risk. In a survey conducted by the consulting company Accenture in 2006, more than 50 percent of the executives surveyed believed that supply chain risk had increased as a result of their global operations strategy. For example, in 2005, hurricane damage to 40,000 acres of plantations decreased Dole's global banana production by about 25 percent. Component shortage when Sony introduced the PlayStation 3 game console hurt revenues and Sony's stock price. The ability to incorporate suitable risk mitigation into supply chain design has often been the difference between global supply chains that have succeeded and those that have not.

The Accenture survey categorized risk in global supply chains as shown in Table 6-1 and asked respondents to indicate the factors that affected them. More than a third of the respondents were impacted by natural disasters, volatility of fuel prices, and the performance of supply chain partners.

Crude oil spot price and exchange rate fluctuations in 2008 illustrate the extreme volatility that global supply chains must deal with. Crude started 2008 at about \$90 per barrel, peaked in July at more than \$140 per barrel, and plummeted to below \$40 per barrel in December. The euro started 2008 at about \$1.47, peaked in July at almost \$1.60, dropped to about \$1.25 at the end of October, and then rose back to \$1.46 toward the end of December. One can only imagine the havoc such fluctuation played on supply chain performance in 2008! Similar fluctuations in exchange rates and crude prices have continued since then.

The only constant in global supply chain management seems to be uncertainty. Over the life of a supply chain network, a company experiences fluctuations in demand, prices, exchange rates, and the competitive environment. A decision that looks good under the current environment may be quite poor if the situation changes. Between 2000 and 2008, the euro fluctuated from a low of \$0.84 to a high of almost \$1.60. Clearly, supply chains optimized to \$0.84 per euro would have difficulty performing well when the euro reached \$1.60.

Uncertainty of demand and price drives the value of building flexible production capacity at a plant. If price and demand do vary over time in a global network, flexible production capacity can be reconfigured to maximize profits in the new environment. Between 2007 and 2008, auto sales in the United States dropped by more than 30 percent. Whereas all

**Table 6-1** Results of Accenture Survey on Sources of Risk That Impact Global Supply Chain Performance

Risk Factors	Percentage of Supply Chains Impacted
Natural disasters	35
Shortage of skilled resources	24
Geopolitical uncertainty	20
Terrorist infiltration of cargo	13
Volatility of fuel prices	37
Currency fluctuation	29
Port operations/custom delays	23
Customer/consumer preference shifts	23
Performance of supply chain partners	38
Logistics capacity/complexity	33
Forecasting/planning accuracy	30
Supplier planning/communication issues	27
Inflexible supply chain technology	21

Source: Adapted from "Integration: The Key to Global Success." Jaime Ferre, Johann Karlberg, and Jamie Hintlian, *Supply Chain Management Review* (March 2007): 24–30.

vehicle categories were affected, the drop in SUV sales was much more significant than the drop in sales of small cars and hybrids. SUV sales dropped by almost 35 percent, but small car sales actually increased by about 1 percent. Honda dealt with this fluctuation more effectively than its competitors because its plants were flexible enough to produce both vehicle types. This flexibility to produce both SUVs and cars in the same facility kept Honda plants operating at reasonably high levels of utilization. In contrast, companies with plants dedicated to SUV production had no option but to leave a lot of idle capacity. In the late 1990s, Toyota made its global assembly plants more flexible so that each plant could supply multiple markets. One of the main benefits of this flexibility is that it allows Toyota to react to fluctuations in demand, exchange rates, and local prices by altering production to maximize profits. Thus, supply, demand, and financial uncertainty must be considered when making global network design decisions.

## 6.2 THE OFFSHORING DECISION: TOTAL COST

This importance of comparative advantage in global supply chains was recognized by Adam Smith in *The Wealth of Nations* when he stated, “If a foreign country can supply us with a commodity cheaper than we ourselves can make it, better buy it of them with some part of the produce of our own industry, employed in a way in which we have some advantage.” Cost reduction by moving production to low-cost countries is typically mentioned among the top reasons for a supply chain to become global. The challenge, however, is to quantify the benefits (or comparative advantage) of offshore production along with the reasons for this comparative advantage. Whereas many companies have taken advantage of cost reduction through offshoring, others have found the benefits of offshoring to low-cost countries to be far less than anticipated and in some cases nonexistent. The increases in transportation costs between 2000 and 2011 have had a significant negative impact on the perceived benefits of offshoring. Companies have failed to gain from offshoring for two primary reasons—(1) focusing exclusively on unit cost rather than total cost when making the offshoring decision and (2) ignoring critical risk factors. In this section, we focus on dimensions along which total landed cost needs to be evaluated when making an offshoring decision.

The significant dimensions of total cost can be identified by focusing on the complete sourcing process when offshoring. It is important to keep in mind that a global supply chain with offshoring increases the length and duration of information, product, and cash flows. As a result, the complexity and cost of managing the supply chain can be significantly higher than anticipated. Table 6-2 identifies dimensions along which each of the three flows should be analyzed for the impact on cost and product availability.

Ferreira and Prokopets (2009) suggest that companies should evaluate the impact of off-shoring on the following key elements of total cost:

1. Supplier price: should link to costs from direct materials, direct labor, indirect labor, management, overhead, capital amortization, local taxes, manufacturing costs, and local regulatory compliance costs.
2. Terms: costs are affected by net payment terms and any volume discounts.
3. Delivery costs: include in-country transportation, ocean/air freight, destination transport, and packaging.
4. Inventory and warehousing: include in-plant inventories, in-plant handling, plant warehouse costs, supply chain inventories, and supply chain warehousing costs.
5. Cost of quality: includes cost of validation, cost of performance drop due to poorer quality, and cost of incremental remedies to combat quality drop.
6. Customer duties, value added-taxes, local tax incentives
7. Cost of risk, procurement staff, broker fees, infrastructure (IT and facilities), and tooling and mold costs.
8. Exchange rate trends and their impact on cost.

**Table 6-2** Dimensions to Consider When Evaluating Total Cost from Offshoring

Performance Dimension	Activity Impacting Performance	Impact of Offshoring
Order communication	Order placement	More difficult communication
Supply chain visibility	Scheduling and expediting	Poorer visibility
Raw material costs	Sourcing of raw material	Could go either way depending on raw material sourcing
Unit cost	Production, quality (production and transportation)	Labor/fixed costs decrease; quality may suffer
Freight costs	Transportation modes and quantity	Higher freight costs
Taxes and tariffs	Border crossing	Could go either way
Supply lead time	Order communication, supplier production scheduling, production time, customs, transportation, receiving	Lead time increase results in poorer forecasts and higher inventories
On-time delivery/lead time uncertainty	Production, quality, customs, transportation, receiving	Poorer on-time delivery and increased uncertainty resulting in higher inventory and lower product availability
Minimum order quantity	Production, transportation	Larger minimum quantities increase inventory
Product returns	Quality	Increased returns likely
Inventories	Lead times, inventory in transit and production	Increase
Working capital	Inventories and financial reconciliation	Increase
Hidden costs	Order communication, invoicing errors, managing exchange rate risk	Higher hidden costs
Stock-outs	Ordering, production, transportation with poorer visibility	Increase

It is important to quantify these factors carefully when making the offshoring decision and to track them over time. As Table 6-2 indicates, unit cost reduction from low labor and fixed costs along with possible tax advantages are likely to be the major benefit from offshoring, with almost every other factor getting worse. In some instances, the substitution of labor for capital can provide a benefit when offshoring. For example, auto and auto parts plants in India are designed with much greater labor content than similar manufacturing in developed countries to lower fixed costs. The benefit of lower labor cost, however, is unlikely to be significant for a manufactured product if labor cost is a small fraction of total cost. It is also the case that in several low-cost countries such as China and India, labor costs have escalated significantly. As mentioned by Goel et al. (2008), wage inflation in China averaged 19 percent in dollar terms between 2003 and 2008 compared to around 3 percent in the United States. During the same period, transportation costs increased by a significant amount (ocean freight costs increased 135 percent between 2005 and 2008) and the Chinese yuan strengthened relative to the dollar (by about 18 percent between 2005 and 2008). The net result was that offshoring manufactured products from the United States to China looked much less attractive in 2008 than in 2003.

In general, offshoring to low-cost countries is likely to be most attractive for products with high labor content, large production volumes, relatively low variety, and low transportation costs relative to product value. For example, a company producing a large variety of pumps is likely to find that offshoring the production of castings for a common part across many pumps is likely to be much more attractive than the offshoring of highly specialized engineered parts.

Given that global sourcing tends to increase transportation costs, it is important to focus on reducing transportation content for successful global sourcing. Suitably designed components can facilitate much greater density when transporting products. IKEA has designed modular products that are assembled by the customer. This allows the modules to be shipped flat in high density, lowering transportation costs. Similarly, Nissan redesigned its globally sourced components so that they can be packed tighter when shipping. The use of supplier hubs can be effective if several components are being sourced globally from different locations. Many manufacturers have created supplier hubs in Asia that are fed by each of their Asian suppliers. This allows for a consolidated shipment to be sent from the hub rather than several smaller shipments from each supplier. More sophisticated flexible policies that allow for direct shipping from the supplier when volumes are high, coupled with consolidated shipping through a hub when volumes are low, can be effective in lowering transportation content.

It is also important to perform a careful review of the production process to decide which parts are to be offshored. For example, a small American jewelry manufacturer wanted to offshore manufacturing for a piece of jewelry to Hong Kong. Raw material in the form of gold sheet was sourced in the United States. The first step in the manufacturing process was the stamping of the gold sheet into a suitable-sized blank. This process generated about 40 percent waste, which could be recycled to produce more gold sheet. The manufacturer faced the choice of stamping in the United States or Hong Kong. Stamping in Hong Kong would incur lower labor cost but higher transportation cost and would require more working capital because of the delay before the waste gold could be recycled. A careful analysis indicated that it was cheaper for the stamping tools to be installed at the gold sheet supplier in the United States. Stamping at the gold sheet supplier reduced transportation cost because only usable material was shipped to Hong Kong. More importantly, this decision reduced working capital requirement because the waste gold during stamping was recycled within two days.

One of the biggest challenges with offshoring is the increased risk and its potential impact on cost. This challenge gets exacerbated if a company uses an offshore location that is primarily targeting low costs to absorb all the uncertainties in its supply chain. In such a context, it is often much more effective to use a combination of an offshore facility that is given predictable, high-volume work along with an onshore or near-shore facility that is specifically designed to handle most of the fluctuation. Companies solely using an offshore facility often find themselves carrying extra inventory and resorting to air freight because of the long and variable lead times. The presence of a flexible onshore facility that absorbs all the variation can often lower total landed cost by eliminating expensive outbound freight and significantly reducing the amount of inventory carried in the supply chain.

### Key Point

It is critical that offshoring decisions be made accounting for total cost. Offshoring typically lowers labor and fixed costs but increases risk, freight costs, and working capital. Before offshoring, product design and process design should be carefully evaluated to identify steps that may lower freight content and the need for working capital. Including an onshore option can lower the cost associated with covering risk from an offshore facility.



### 6.3 RISK MANAGEMENT IN GLOBAL SUPPLY CHAINS

Global supply chains today are subject to more risk factors than localized supply chains of the past. These risks include supply disruption, supply delays, demand fluctuations, price fluctuations, and exchange-rate fluctuations. As was evident in the financial crisis of 2008, underestimating risks in global supply chains and not having suitable mitigation strategies in place can result in painful outcomes. For example, contamination at one of the two suppliers of flu vaccine to the United States led to a severe shortage at the beginning of the 2004 flu season. This shortage led to rationing in most states and severe price gouging in some cases. Similarly, the significant strengthening of the euro in 2008 hurt firms that had most of their supply sources located in Western Europe. In another instance, failure to buffer supply uncertainty with sufficient inventory resulted in high costs rather than savings. An automotive component manufacturer had hoped to save \$4 to \$5 million a year by sourcing from Asia instead of Mexico. As a result of port congestion in Los Angeles–Long Beach, the company had to charter aircraft to fly the parts in from Asia because it did not have sufficient inventory to cover the delays. A charter that would have cost \$20,000 per aircraft from Mexico ended up costing the company \$750,000. The anticipated savings turned into a \$20 million loss.

It is thus critical for global supply chains to be aware of the relevant risk factors and build in suitable mitigation strategies. Table 6-3 contains a categorization of supply chain risks and their drivers that must be considered during network design.

**Table 6-3** Supply Chain Risks to Be Considered During Network Design

Category	Risk Drivers
Disruptions	Natural disaster, war, terrorism Labor disputes Supplier bankruptcy
Delays	High capacity utilization at supply source Inflexibility of supply source Poor quality or yield at supply source
Systems risk	Information infrastructure breakdown System integration or extent of systems being networked
Forecast risk	Inaccurate forecasts due to long lead times, seasonality, product variety, short life cycles, small customer base Information distortion
Intellectual property risk	Vertical integration of supply chain Global outsourcing and markets
Procurement risk	Exchange-rate risk Price of inputs Fraction purchased from a single source Industry-wide capacity utilization
Receivables risk	Number of customers Financial strength of customers
Inventory risk	Rate of product obsolescence Inventory holding cost Product value Demand and supply uncertainty
Capacity risk	Cost of capacity Capacity flexibility

Source: Adapted from “Managing Risk to Avoid Supply Chain Breakdown.” Sunil Chopra and Manmohan S. Sodhi, *Sloan Management Review* (Fall 2004): 53–61.

Good network design can play a significant role in mitigating supply chain risk. For instance, having multiple suppliers mitigates the risk of disruption from any one supply source. An excellent example is the difference in impact on Nokia and Ericsson when a plant owned by Royal Philips Electronics, located in Albuquerque, New Mexico, caught fire in March 2000. Nokia adjusted to the disruption quickly, using several other supply plants in its network. In contrast, Ericsson had no backup source in its network and was unable to react. Ericsson estimated that it lost revenues of \$400 million as a result. Similarly, having flexible capacity mitigates the risks of global demand, price, and exchange-rate fluctuations. For example, Hino Trucks uses flexible capacity at its plants to change production levels for different products by shifting workforce between lines. As a result, the company keeps a constant workforce in the plant even though the production at each line varies to best match supply and demand. As illustrated by these examples, designing mitigation strategies into the network significantly improves a supply chain's ability to deal with risk.

Every mitigation strategy, however, comes at a price and may increase other risks. For example, increasing inventory mitigates the risk of delays but increases the risk of obsolescence. Acquiring multiple suppliers mitigates the risk of disruption but increases costs because each supplier may have difficulty achieving economies of scale. Thus, it is important to develop tailored mitigation strategies during network design that achieve a good balance between the amount of risk mitigated and the increase in cost. Some tailored mitigation strategies are outlined in Table 6-4. Most of these strategies are discussed in greater detail later in the book.

Global supply chains should generally use a combination of mitigation strategies designed into the supply chain along with financial strategies to hedge uncovered risks. A global supply chain strategy focused on efficiency and low cost may concentrate global production in a few low-cost countries. Such a supply chain design is vulnerable to the risk of supply disruption along with fluctuations in transportation prices and exchange rates. In such a setting, it is crucial that the firm hedge fuel costs and exchange rates because the supply chain design itself has no built-in mechanisms to deal with these fluctuations. In contrast, a global supply chain designed with excess, flexible capacity allows production to be shifted to whatever location is most

**Table 6-4** Tailored Risk Mitigation Strategies During Network Design

<b>Risk Mitigation Strategy</b>	<b>Tailored Strategies</b>
Increase capacity	Focus on low-cost, decentralized capacity for predictable demand. Build centralized capacity for unpredictable demand. Increase decentralization as cost of capacity drops.
Get redundant suppliers	More redundant supply for high-volume products, less redundancy for low-volume products. Centralize redundancy for low-volume products in a few flexible suppliers.
Increase responsiveness	Favor cost over responsiveness for commodity products. Favor responsiveness over cost for short-life cycle products.
Increase inventory	Decentralize inventory of predictable, lower value products. Centralize inventory of less predictable, higher value products.
Increase flexibility	Favor cost over flexibility for predictable, high-volume products. Favor flexibility for unpredictable, low-volume products. Centralize flexibility in a few locations if it is expensive.
Pool or aggregate demand	Increase aggregation as unpredictability grows.
Increase source capability	Prefer capability over cost for high-value, high-risk products. Favor cost over capability for low-value commodity products. Centralize high capability in flexible source if possible.

*Source:* Adapted from "Managing Risk to Avoid Supply Chain Breakdown." Sunil Chopra and Manmohan S. Sodhi, *Sloan Management Review* (Fall 2004): 53–61.

effective in a given set of macroeconomic conditions. The ability of such a flexible design to react to fluctuations decreases the need for financial hedges. Operational hedges such as flexibility are more complex to execute than financial hedges, but they have the advantage of being reactive because the supply chain can be reconfigured to best react to the macroeconomic state of the world.

It is important to keep in mind that any risk mitigation strategy is not always “in the money.” For example, flexibility built into Honda plants proved effective only when demand for vehicles shifted in an unpredictable manner in 2008. If there had been no fluctuation in demand, the flexibility would have gone unutilized. Flexibility in the form of the intelligent body assembly system (IBAS) built by Nissan in the early 1990s almost bankrupted the company because the state of the automotive markets was relatively stable at that time. Similarly, the use of fuel hedges that made billions for Southwest Airlines cost it money toward the end of 2008 when crude oil prices dropped significantly.


It is thus critical that risk mitigation strategies be evaluated rigorously as real options in terms of their expected long-term value before they are implemented. In the following sections, we discuss methodologies that allow for the financial evaluation of risk mitigation strategies designed into a global supply chain.

### **Flexibility, Chaining, and Containment**

Flexibility plays an important role in mitigating different risks and uncertainties faced by a global supply chain. Flexibility can be divided into three broad categories—new product flexibility, mix flexibility, and volume flexibility. *New product flexibility* refers to a firm’s ability to introduce new products into the market at a rapid rate. New product flexibility is critical in a competitive environment wherein technology is evolving and customer demand is fickle. New product flexibility may result from the use of common architectures and product platforms with the goal of providing a large number of distinct models using as few unique platforms as possible. The PC industry has historically followed this approach to introduce a continuous stream of new products. New product flexibility may also result if a fraction of the production capacity is flexible enough to be able to produce any product. This approach has been used in the pharmaceutical industry in which a fraction of the capacity is very flexible with all new products first manufactured there. Only once the product takes off is it moved to a dedicated capacity with lower variable costs.

*Mix flexibility* refers to the ability to produce a variety of products within a short period of time. Mix flexibility is critical in an environment wherein demand for individual products is small or highly unpredictable, supply of raw materials is uncertain, and technology is evolving rapidly. The consumer electronics industry is a good example in which mix flexibility is essential in production environments, especially as more production has moved to contract manufacturers. Modular design and common components facilitate mix flexibility. Zara’s European facilities have significant mix flexibility, allowing the company to provide trendy apparel with highly unpredictable demand.

*Volume flexibility* refers to a firm’s ability to operate profitably at different levels of output. Volume flexibility is critical in cyclical industries. Firms in the automotive industry that lacked volume flexibility were badly hurt in 2008 when demand for automobiles in the United States shrank significantly. The steel industry is an example in which some volume flexibility and consolidation have helped performance. Prior to 2000, firms had limited volume flexibility and did not adjust production volumes when demand started to fall. The result was a buildup of inventories and a significant drop in the price of steel. In the early 2000s, a few large firms consolidated and developed some volume flexibility. As a result, they were able to cut production as demand fell. The result has been less buildup of inventory and smaller drops in price during downturns, followed by a quicker recovery for the steel industry.



**FIGURE 6-1** Different Flexibility Configurations in Network

Given that some form of flexibility is often used to mitigate risks in global supply chains, it is important to understand the benefits and limitations of this approach. When dealing with demand uncertainty, Jordan and Graves (1995) make the important observation that as flexibility is increased, the marginal benefit derived from the increased flexibility decreases. They suggest operationalizing this idea in the concept of chaining, which is illustrated as follows. Consider a firm that sells four distinct products. A dedicated supply network with no flexibility would have four plants, each dedicated to producing a single product, as shown in Figure 6-1. A fully flexible network configuration would have each plant capable of producing all four products. The production flexibility of plants is beneficial when demand for each of the four products is unpredictable. With dedicated plants, the firm is not able to meet demand in excess of plant capacity. With flexible plants, the firm is able to shift excess demand for a product to a plant with excess capacity. Jordan and Graves define a chained network with one long chain (limited flexibility), configured as shown in Figure 6-1. In a chained configuration, each plant is capable of producing two products with the flexibility organized so that the plants and their products form a chain. Jordan and Graves show that a chained network mitigates the risk of demand fluctuation almost as effectively as a fully flexible network. Given the higher cost of full flexibility, the results of Jordan and Graves indicate that chaining is an excellent strategy to lower cost while gaining most of the benefits of flexibility.

The desired length of chains is an important question to be addressed when designing chained networks. When dealing with demand uncertainty, longer chains have the advantage of effectively pooling available capacity to a greater extent. Long chains, however, do have a few disadvantages. The fixed cost of building a single long chain can be higher than the cost of multiple smaller chains. With a single long chain, the effect of any fluctuation ripples to all facilities in the chain, making coordination more difficult across the network. It has also been observed by several researchers that flexibility and chaining are effective when dealing with demand fluctuation but less effective when dealing with supply disruption. In the presence of supply disruption, Lim et al. (2008) have observed that designing smaller chains that contain or limit the impact of a disruption can be more effective than designing a network with one long chain. An example of containment is shown in the last example in Figure 6-1, which shows four plants with the flexibility to produce the four products in the form of two short chains. In this design, any disruption in one of the chains does not impact the other chain. A simple example of containment is hog farming: The farms are large to gain economies of scale, but the hogs are kept separated in small groups to ensure that the risk of disease is contained within a group and does not spread to the entire farm.

### Key Point

Appropriate flexibility is an effective approach for a global supply chain to deal with a variety of risks and uncertainties. Whereas some flexibility is valuable, too much flexibility may not be worth the cost. Strategies like chaining and containment should be used to maximize the benefit from flexibility while keeping costs low.

## 6.4 DISCOUNTED CASH FLOWS

Global supply chain design decisions should be evaluated as a sequence of cash flows over the duration of time they will be in place. This requires the evaluation of future cash flows accounting for risks and uncertainties likely to arise in the global supply chain. In this section, we discuss the basics of analysis to evaluate future cash flows before introducing uncertainty in the next section.

The present value of a stream of cash flows is what that stream is worth in today's dollars. *Discounted cash flow* (DCF) analysis evaluates the present value of any stream of future cash flows and allows management to compare two streams of cash flows in terms of their financial value. DCF analysis is based on the fundamental premise that “a dollar today is worth more than a dollar tomorrow” because a dollar today may be invested and earn a return in addition to the dollar invested. This premise provides the basic tool for comparing the relative value of future cash flows that will arrive during different time periods.

The present value of future cash flow is found by using a discount factor. If a dollar today can be invested and earn a rate of return  $k$  over the next period, an investment of \$1 today will result in  $1 + k$  dollars in the next period. An investor would therefore be indifferent between obtaining \$1 in the next period or  $\$1/(1 + k)$  in the current period. Thus, \$1 in the next period is discounted by the

$$\text{discount factor} = \frac{1}{1 + k} \quad (6.1)$$

to obtain its present value.

The rate of return  $k$  is also referred to as the discount rate, hurdle rate, or opportunity cost of capital. Given a stream of cash flows  $C_0, C_1, \dots, C_T$  over the next  $T$  periods, and a rate of return  $k$ , the net present value (NPV) of this cash flow stream is given by

$$\text{NPV} = C_0 + \sum_{t=1}^T \left( \frac{1}{1 + k} \right)^t C_t \quad (6.2)$$

The NPV of different options should be compared when making supply chain decisions. A negative NPV for an option indicates that the option will lose money for the supply chain. The decision with the highest NPV will provide a supply chain with the highest financial return.

### EXAMPLE 6-1

Trips Logistics, a third-party logistics firm that provides warehousing and other logistics services, is facing a decision regarding the amount of space to lease for the upcoming three-year period. The general manager has forecast that Trips Logistics will need to handle a demand of 100,000 units for each of the next three years. Historically, Trips Logistics has required 1,000 sq. ft. of warehouse space for every 1,000 units of demand. For the purposes of this discussion, the only cost Trips Logistics faces is the cost for the warehouse.

Trips Logistics receives revenue of \$1.22 for each unit of demand. The general manager must decide whether to sign a three-year lease or obtain warehousing space on the spot market each year. The three-year lease will cost \$1 per square foot per year, and the spot market rate is expected to be \$1.20 per square foot per year for each of the three years. Trips Logistics has a discount rate of  $k = 0.1$ .

#### Analysis:

The general manager decides to compare the NPV of signing a three-year lease for 100,000 sq. ft. of warehouse space with obtaining the space from the spot market each year. If the general manager obtains warehousing space from the spot market each year, Trips Logistics will earn \$1.22 for each

unit and pay \$1.20 for one square foot of warehouse space required. The expected annual profit for Trips Logistics in this case is given by the following:

$$\begin{aligned} \text{Expected annual profit if warehousing} &= 100,000 \times \$1.22 \\ \text{space is obtained from spot market} &\quad - 100,000 \times \$1.20 = \$2,000. \end{aligned}$$

Obtaining warehouse space from the spot market provides Trips Logistics with an expected positive cash flow of \$2,000 in each of the three years. The NPV may be evaluated as follows:

$$\text{NPV(No lease)} = C_0 + \frac{C_1}{1+k} + \frac{C_2}{(1+k)^2} = 2,000 + \frac{2,000}{1.1} + \frac{2,000}{1.1^2} = \$5,471$$

If the general manager leases 100,000 sq. ft. of warehouse space for the next three years, Trips Logistics pays \$1 per square foot of space leased each year. The expected annual profit for Trips Logistics in this case is given by the following:

$$\begin{aligned} \text{Expected annual profit with three-year lease} &= 100,000 \times \$1.22 - 100,000 \times \$1.00 \\ &= \$22,000. \end{aligned}$$

Signing a lease for three years provides Trips Logistics with a positive cash flow of \$22,000 in each of the three years. The NPV may be evaluated as

$$\text{NPV(Lease)} = C_0 + \frac{C_1}{1+k} + \frac{C_2}{(1+k)^2} = 22,000 + \frac{22,000}{1.1} + \frac{22,000}{1.1^2} = \$60,182$$

The NPV of signing the lease is  $\$60,182 - \$5,471 = \$54,711$  higher than obtaining warehousing space on the spot market.

Based on this simple analysis, a manager may opt to sign the lease. However, this does not tell the whole story because we have not yet included the uncertainty in spot prices and valued the greater flexibility to adjust to uncertainty that the spot market provides the manager. In the next section, we introduce methodology that allows for uncertainty and discuss how the inclusion of uncertainty of future demand and costs may cause the manager to rethink the decision.

## 6.5 EVALUATING NETWORK DESIGN DECISIONS USING DECISION TREES

In any global supply chain, demand, prices, exchange rates, and several other factors are highly uncertain and are likely to fluctuate during the life of any supply chain decision. In an uncertain environment, the problem with using a simple DCF analysis is that it typically undervalues flexibility. The result is often a supply chain that performs well if everything goes according to plan but becomes terribly expensive if something unexpected happens. A manager makes several different decisions when designing a supply chain network. For instance:

- Should the firm sign a long-term contract for warehousing space or get space from the spot market as needed?
- What should the firm's mix of long-term and spot market be in the portfolio of transportation capacity?
- How much capacity should various facilities have? What fraction of this capacity should be flexible?

If uncertainty is ignored, a manager will always sign long-term contracts (because they are typically cheaper) and avoid all flexible capacity (because it is more expensive). Such decisions, however, can hurt the firm if future demand or prices are not as forecast at the time of the decision.

For example, until around 1990, all production capacity in the pharmaceutical industry was dedicated. Dedicated capacity was cheaper than flexible capacity but could be used only for the drug it was designed for. Pharmaceutical companies, however, found it difficult to forecast the demand and price for drugs in the marketplace. Thus, a large fraction of the dedicated capacity could go unused if the forecast demand did not materialize. Today, pharmaceutical companies have a strategy of carrying a portfolio of dedicated and flexible capacity. Most products are introduced in a flexible facility and are moved to a dedicated facility only when a reasonably accurate forecast of future demand is available.

During network design, managers thus need a methodology that allows them to estimate the uncertainty in their forecast of demand and price and then incorporate this uncertainty in the decision-making process. Such a methodology is most important for network design decisions because these decisions are hard to change in the short term. In this section, we describe such a methodology and show that accounting for uncertainty can have a significant impact on the value of network design decisions.

### The Basics of Decision Tree Analysis

A *decision tree* is a graphic device used to evaluate decisions under uncertainty. Decision trees with DCFs can be used to evaluate supply chain design decisions given uncertainty in prices, demand, exchange rates, and inflation.

The first step in setting up a decision tree is to identify the number of time periods into the future that will be considered when making the decision. The decision maker should also identify the duration of a period—which could be a day, a month, a quarter, or any other time period. The duration of a period should be the minimum period of time over which factors affecting supply chain decisions may change by a *significant* amount. “Significant” is hard to define, but in most cases it is appropriate to use as a period the duration over which an aggregate plan holds. If planning is done monthly, we set the duration of a period at a month. In the following discussion,  $T$  will represent the number of time periods over which the supply chain decision is to be evaluated.

The next step is to identify factors that will affect the value of the decision and are likely to fluctuate over the next  $T$  periods. These factors include demand, price, exchange rate, and inflation, among others. Having identified the key factors, the next step is to identify probability distributions that define the fluctuation of each factor from one period to the next. If, for instance, demand and price are identified as the two key factors that affect the decision, the probability of moving from a given value of demand and price in one period to any other value of demand and price in the next period must be defined.

The next step is to identify a periodic discount rate  $k$  to be applied to future cash flows. It is not essential that the same discount rate apply to each period or even at every node in a period. The discount rate should take into account the inherent risk associated with the investment. In general, a higher discount rate should apply to investments with higher risk.

The decision is now evaluated using a decision tree, which contains the present and  $T$  future periods. Within each period, a node must be defined for every possible combination of factor values (say, demand and price) that can be achieved. Arrows are drawn from origin nodes in Period  $i$  to end nodes in Period  $i + 1$ . The probability on an arrow is referred to as the transition probability and is the probability of transitioning from the origin node in Period  $i$  to the end node in Period  $i + 1$ .

The decision tree is evaluated starting from nodes in Period  $T$  and working back to Period 0. For each node, the decision is optimized taking into account current and future values of various factors. The analysis is based on *Bellman's principle*, which states that for any choice of strategy in a given state, the optimal strategy in the next period is the one that is selected if the entire analysis is assumed to begin in the next period. This principle allows the optimal strategy to be solved in a backward fashion starting at the last period. Expected future cash flows are discounted back and included in the decision currently under consideration. The value of the

node in Period 0 gives the value of the investment as well as the decisions made during each time period. Tools such as Treeplan are available that help solve decision trees on spreadsheets.

The decision tree analysis methodology is summarized as follows:

1. Identify the duration of each period (month, quarter, etc.) and the number of periods  $T$  over which the decision is to be evaluated.
2. Identify factors such as demand, price, and exchange rate whose fluctuation will be considered over the next  $T$  periods.
3. Identify representations of uncertainty for each factor; that is, determine what distribution to use to model the uncertainty.
4. Identify the periodic discount rate  $k$  for each period.
5. Represent the decision tree with defined states in each period as well as the transition probabilities between states in successive periods.
6. Starting at period  $T$ , work back to Period 0, identifying the optimal decision and the expected cash flows at each step. Expected cash flows at each state in a given period should be discounted back when included in the previous period.

### Evaluating Flexibility at Trips Logistics

We illustrate the decision tree analysis methodology by using the lease decision facing the general manager at Trips Logistics. The manager must decide whether to lease warehouse space for the coming three years and the quantity to lease. The long-term lease is currently cheaper than the spot market rate for warehouse space. The manager anticipates uncertainty in demand and spot prices for warehouse space over the coming three years. The long-term lease is cheaper but could go unused if demand is lower than anticipated. The long-term lease may also end up being more expensive if future spot market prices come down. In contrast, spot market rates are high and warehouse space from the spot market will be expensive if future demand is high. The manager is considering three options:

1. Get all warehousing space from the spot market as needed.
2. Sign a three-year lease for a fixed amount of warehouse space and get additional requirements from the spot market.
3. Sign a flexible lease with a minimum charge that allows variable usage of warehouse space up to a limit with additional requirement from the spot market.

We now discuss how the manager can make the appropriate decision, taking uncertainty into account.


One thousand square feet of warehouse space is required for every 1,000 units of demand, and the current demand at Trips Logistics is for 100,000 units per year. The manager forecasts that from one year to the next, demand may go up by 20 percent with a probability of 0.5 or go down by 20 percent with a probability of 0.5. The probabilities of the two outcomes are independent and unchanged from one year to the next.

The general manager can sign a three-year lease at a price of \$1 per square foot per year. Warehouse space is currently available on the spot market for \$1.20 per square foot per year. From one year to the next, spot prices for warehouse space may go up by 10 percent with probability 0.5 or go down by 10 percent with probability 0.5, according to a binomial process. The probabilities of the two outcomes are independent and unchanged from one year to the next.

The general manager believes that prices of warehouse space and demand for the product fluctuate independently. Each unit Trips Logistics handles results in revenue of \$1.22, and Trips Logistics is committed to handling all demand that arises. Trips Logistics uses a discount rate of  $k = 0.1$  for each of the three years.

The general manager assumes that all costs are incurred at the beginning of each year and thus constructs a decision tree with  $T = 2$ . The decision tree is shown in Figure 6-2, with each node representing demand ( $D$ ) in thousands of units and price ( $p$ ) in dollars. The probability of each transition is 0.25 because price and demand fluctuate independently.





**FIGURE 6-2** Decision Tree for Trips Logistics Considering Demand and Price Fluctuation

### Evaluating the Spot Market Option

The manager first analyzes the option of not signing a lease and obtaining all warehouse space from the spot market. He starts with Period 2 and evaluates the profit for Trips Logistics at each node. At the node  $D = 144, p = \$1.45$ , Trips Logistics must satisfy a demand of 144,000 and faces a spot price of \$1.45 per square foot for warehouse space in Period 2. The cost incurred by Trips Logistics in Period 2 at the node  $D = 144, p = \$1.45$  is represented by  $C(D = 144, p = 1.45, 2)$  and is given by

$$C(D = 144, p = 1.45, 2) = 144,000 \times 1.45 = \$208,800$$

The profit at Trips Logistics in Period 2 at the node  $D = 144, p = \$1.45$  is represented by  $P(D = 144, p = 1.45, 2)$  and is given by

$$\begin{aligned} P(D = 144, p = \$1.45, 2) &= 144,000 \times 1.22 - C(D = 144, p = 1.45, 2) \\ &= 175,680 - 208,800 = -\$33,120 \end{aligned}$$

**Table 6-5** Period 2 Calculations for Spot Market Option

	Revenue	Cost $C(D =, p =, 2)$	Profit $P(D =, p =, 2)$
$D = 144, p = 1.45$	$144,000 \times 1.22$	$144,000 \times 1.45$	-\$33,120
$D = 144, p = 1.19$	$144,000 \times 1.22$	$144,000 \times 1.19$	\$4,320
$D = 144, p = 0.97$	$144,000 \times 1.22$	$144,000 \times 0.97$	\$36,000
$D = 96, p = 1.45$	$96,000 \times 1.22$	$96,000 \times 1.45$	-\$22,080
$D = 96, p = 1.19$	$96,000 \times 1.22$	$96,000 \times 1.19$	\$2,880
$D = 96, p = 0.97$	$96,000 \times 1.22$	$96,000 \times 0.97$	\$24,000
$D = 64, p = 1.45$	$64,000 \times 1.22$	$64,000 \times 1.45$	-\$14,720
$D = 64, p = 1.19$	$64,000 \times 1.22$	$64,000 \times 1.19$	\$1,920
$D = 64, p = 0.97$	$64,000 \times 1.22$	$64,000 \times 0.97$	\$16,000

The profit for Trips Logistics at each of the other nodes in Period 2 is evaluated similarly, as shown in Table 6-5.

The manager next evaluates the expected profit at each node in Period 1 to be the profit during Period 1 plus the present value (in Period 1) of the expected profit in Period 2. The expected profit  $EP(D =, p =, 1)$  at a node is the expected profit over all four nodes in Period 2 that may result from this node.  $PVEP(D =, p =, 1)$  represents the present value of this expected profit;  $P(D =, p =, 1)$ , the total expected profit, is the sum of the profit in Period 1 and the present value of the expected profit in Period 2. From the node  $D = 120, p = \$1.32$  in Period 1, there are four possible states in Period 2. The manager thus evaluates the expected profit in Period 2 over all four states possible from the node  $D = 120, p = \$1.32$  in Period 1 to be  $EP(D = 120, p = 1.32, 1)$ ,

where

$$\begin{aligned} EP(D = 120, p = 1.32, 1) &= 0.25 \times [P(D = 144, p = 1.45, 2) + P(D = 144, p = 1.19, 2) \\ &\quad + P(D = 96, p = 1.45, 2) + P(D = 96, p = 1.19, 2)] = 0.25 \\ &\quad \times [-33,120 + 4,320 - 22,080 + 2,880] = -\$12,000 \end{aligned}$$

The present value of this expected value in Period 1 is given by

$$\begin{aligned} PVEP(D = 120, p = 1.32, 1) &= EP(D = 120, p = 1.32, 1)/(1 + k) \\ &= -12,000/1.1 = -\$10,909 \end{aligned}$$

The manager obtains the total expected profit  $P(D = 120, p = 1.32, 1)$  at node  $D = 120, p = 1.32$  in Period 1 to be the sum of the profit in Period 1 at this node and the present value of future expected profits.

$$\begin{aligned} P(D = 120, p = 1.32, 1) &= 120,000 \times 1.22 - 120,000 \times 1.32 + PVEP(D = 120, \\ &\quad p = 1.32, 1) = -\$12,000 - \$10,909 = -\$22,909 \end{aligned}$$

The total expected profit for all other nodes in Period 1 is evaluated as shown in Table 6-6.

For Period 0, the total profit  $P(D = 100, p = 1.20, 0)$  is the sum of the profit at Period 0 and the present value of the expected profit over the four nodes in Period 1.

$$\begin{aligned} EP(D = 100, p = 1.20, 0) &= 0.25 \times [P(D = 120, p = 1.32, 1) + P(D = 120, p = 1.08, 1) \\ &\quad + P(D = 96, p = 1.32, 1) + P(D = 96, p = 1.08, 1)] = 0.25 \\ &\quad \times [-22,909 + 32,073 - 15,273 + 21,382] = \$3,818 \end{aligned}$$

**Table 6-6** Period 1 Calculations for Spot Market Option

Node	$EP(D =, p =, 1)$	$p(D =, p =, 1) = D \times 1.22 - D \times p + EP(D =, p =, 1)/(1 + k)$
$D = 120, p = 1.32$	-\$12,000	-\$22,909
$D = 120, p = 1.08$	\$16,800	\$32,073
$D = 80, p = 1.32$	-\$8,000	-\$15,273
$D = 80, p = 1.08$	\$11,200	\$21,382

$$PVEP(D = 100, p = 1.20, 1) = EP(D = 100, p = 1.20, 0)/(1 + k) \\ = 3,818/1.1 = \$3,471$$

$$P(D = 100, p = 1.20, 0) = 100,000 \times 1.22 - 100,000 \times 1.20 + PVEP(D = 100, \\ p = 1.20, 0) = \$2,000 + \$3,471 = \$5,471$$

Thus, the expected NPV of not signing the lease and obtaining all warehousing space from the spot market is given by

$$NPV(\text{Spot Market}) = \$5,471$$

### Evaluating the Fixed Lease Option

The manager next evaluates the alternative whereby the lease for 100,000 sq. ft. of warehouse space is signed. The evaluation procedure is very similar to that for the previous case, but the outcome in terms of profit changes. For example, at the node  $D = 144, p = 1.45$ , the manager will require 44,000 sq. ft. of warehouse space from the spot market at \$1.45 per square foot because only 100,000 sq. ft. have been leased at \$1 per square foot. If demand happens to be less than 100,000 units, Trips Logistics still has to pay for the entire 100,000 sq. ft. of leased space. For Period 2, the manager obtains the profit at each of the nine nodes as shown in Table 6-7.

The manager next evaluates the total expected profit for each node in Period 1. Again, the expected profit  $EP(D =, p =, 1)$  at a node is the expected profit of all four nodes in Period 2 that

**Table 6-7** Period 2 Profit Calculations at Trips Logistics for Fixed Lease Option

Node	Leased Space	Warehouse Space at Spot Price ( $S$ )	Profit $P(D =, p =, 2) = D \times 1.22 - (100,000 \times 1 + S \times p)$
$D = 144, p = 1.45$	100,000 sq. ft.	44,000 sq. ft.	\$11,880
$D = 144, p = 1.19$	100,000 sq. ft.	44,000 sq. ft.	\$23,320
$D = 144, p = 0.97$	100,000 sq. ft.	44,000 sq. ft.	\$33,000
$D = 96, p = 1.45$	100,000 sq. ft.	0 sq. ft.	\$17,120
$D = 96, p = 1.19$	100,000 sq. ft.	0 sq. ft.	\$17,120
$D = 96, p = 0.97$	100,000 sq. ft.	0 sq. ft.	\$17,120
$D = 64, p = 1.45$	100,000 sq. ft.	0 sq. ft.	-\$21,920
$D = 64, p = 1.19$	100,000 sq. ft.	0 sq. ft.	-\$21,920
$D = 64, p = 0.97$	100,000 sq. ft.	0 sq. ft.	-\$21,920

**Table 6-8** Period 1 Profit Calculations at Trips Logistics for Fixed Lease Option

Node	$EP(D =, p =, 1)$	Warehouse Space at Spot Price ( $S$ )	$P(D =, p =, 1) = D \times 1.22 - (100,000 \times 1 + S \times p) + EP(D =, p =, 1)(1 + k)$
$D = 120, p = 1.32$	$0.25 \times [P(D = 144, p = 1.45, 2) + P(D = 144, p = 1.19, 2) + P(D = 96, p = 1.45, 2) + P(D = 96, p = 1.19, 2)] = 0.25 \times (11,880 + 23,320 + 17,120 + 17,120) = \$17,360$	20,000	\$35,782
$D = 120, p = 1.08$	$0.25 \times [23,320 + 33,000 + 17,120 + 17,120] = \$22,640$	20,000	\$45,382
$D = 80, p = 1.32$	$0.25 \times [17,120 + 17,120 - 21,920 - 21,920] = -\$2,400$	0	-\$4,582
$D = 80, p = 1.08$	$0.25 \times [17,120 + 17,120 - 21,920 - 21,920] = -\$2,400$	0	-\$4,582

may result from this node (see Figure 6-2), and  $P(D =, p =, 1)$  is the total expected profit from both Periods 1 and 2. The manager thus obtains the results in Table 6-8.

For Period 0, the expected profit  $EP(D = 100, p = 1.20, 0)$  over the four nodes in Period 1 is given by

$$\begin{aligned}
 EP(D = 100, p = 1.20, 0) &= 0.25 \times [P(D = 120, p = 1.32, 1) + P(D = 120, p = 1.08, 1) \\
 &\quad + P(D = 96, p = 1.32, 1) + P(D = 96, p = 1.08, 1)] \\
 &= 0.25 \times [35,782 + 45,382 - 4,582 - 4,582] = \$18,000
 \end{aligned}$$

The present value of the expected profit in Period 0 is given by

$$\begin{aligned}
 PVEP(D = 100, p = 1.20, 0) &= EP(D = 100, p = 1.20, 0)/(1 + k) \\
 &= 18,000/1.1 = \$16,364
 \end{aligned}$$

The total expected profit is obtained as the sum of the profit in Period 0 and the present value of the expected profit over all four nodes in Period 1. It is

$$\begin{aligned}
 P(D = 100, p = 1.20, 0) &= 100,000 \times 1.22 - 100,000 \times 1 + PVEP(D = 100, \\
 p = 1.20, 0) &= \$22,000 + \$16,364 = \$38,364
 \end{aligned}$$

The NPV of signing a three-year lease for 100,000 sq. ft. of warehouse space is thus

$$NPV(\text{Lease}) = \$38,364$$

Observe that the NPV of the lease option under uncertainty is considerably less compared to when uncertainty is ignored (\$60,182 from Example 6-1). This is because the lease is a fixed decision, and Trips Logistics is unable to react to market conditions by leasing less space if demand is lower. Rigid contracts are less attractive in the presence of uncertainty.

The presence of uncertainty in demand and price reduces the value of the lease but does not affect the value of the spot market option. The manager, however, still prefers to sign the three-year lease for 100,000 sq. ft. because this option has a higher expected profit.

**Key Point**

Uncertainty in demand and economic factors should be included in the financial evaluation of supply chain design decisions. The inclusion of uncertainty typically decreases the value of rigidity and increases the value of flexibility.

**Evaluating the Flexible Lease Option**

The decision tree analysis methodology is useful when evaluating flexibility within a supply chain. We now consider the evaluation of flexibility with decision trees in the context of warehousing choices for Trips Logistics.

The general manager at Trips Logistics has been offered a contract in which, for an up-front payment of \$10,000, Trips Logistics will have the flexibility of using between 60,000 sq. ft. and 100,000 sq. ft. of warehouse space at \$1 per square foot per year. Trips Logistics must pay \$60,000 per year for the first 60,000 sq. ft. and can then use up to another 40,000 sq. ft. on demand at \$1 per square foot. The general manager decides to use decision trees to evaluate whether this flexible contract is preferable to a fixed contract for 100,000 sq. ft.

The underlying decision tree for evaluating the flexible contract is exactly as in Figure 6-2. The profit at each node, however, changes because of the flexibility in space used. If demand is larger than 100,000 units, Trips Logistics uses all 100,000 sq. ft. of warehouse space even under the flexible contract. If demand is between 60,000 and 100,000 units, Trips Logistics pays only for the exact amount of warehouse space used rather than the entire 100,000 sq. ft. under the contract without flexibility. The profit at all nodes where demand is 100,000 or higher remains the same as in Table 6-7. The profit in Period 2 at all nodes where demand is less than 100,000 units increases as shown in Table 6-9.

The general manager evaluates the expected profit  $EP(D = , p = , 1)$  from Period 2 and the total expected profit for each node in Period 1 as discussed earlier. The results are shown in Table 6-10.

The total expected profit in Period 0 is the sum of the profit in Period 0 and the present value of the expected profit in Period 1. The manager thus obtains

$$\begin{aligned} EP(D = 100, p = 1.20, 0) &= 0.25 \times [P(D = 120, p = 1.32, 1) + P(D = 120, p = 1.08, 1) \\ &\quad + P(D = 96, p = 1.32, 1) + P(D = 96, p = 1.08, 1)] = 0.25 \\ &\quad \times [37,600 + 47,200 + 33,600 + 33,600] = \$38,000 \end{aligned}$$

**Table 6-9** Period 2 Profit Calculations at Trips Logistics with Flexible Lease Contract

Node	Warehouse Space at \$1 ( <i>W</i> )	Warehouse Space at Spot Price ( <i>S</i> )	Profit $P(D = , p = , 2) = D \times 1.22 - (W \times 1 + S \times p)$
$D = 144, p = 1.45$	100,000 sq. ft.	44,000 sq. ft.	\$11,880
$D = 144, p = 1.19$	100,000 sq. ft.	44,000 sq. ft.	\$23,320
$D = 144, p = 0.97$	100,000 sq. ft.	44,000 sq. ft.	\$33,000
$D = 96, p = 1.45$	96,000 sq. ft.	0 sq. ft.	\$21,120
$D = 96, p = 1.19$	96,000 sq. ft.	0 sq. ft.	\$21,120
$D = 96, p = 0.97$	96,000 sq. ft.	0 sq. ft.	\$21,120
$D = 64, p = 1.45$	64,000 sq. ft.	0 sq. ft.	\$14,080
$D = 64, p = 1.19$	64,000 sq. ft.	0 sq. ft.	\$14,080
$D = 64, p = 0.97$	64,000 sq. ft.	0 sq. ft.	\$14,080

**Table 6-10** Period 1 Profit Calculations at Trips Logistics with Flexible Lease Contract

Node	$EP(D=, p=, 1)$	Warehouse Space at \$1 ( $W$ )	Warehouse Space at Spot Price ( $S$ )	$P(D=, p=, 1) = D \times 1.22 - (W \times 1 + S \times p) + EP(D=, p=, 1)(1+k)$
$D = 120, p = 1.32$	$0.25 \times [11,880 + 23,320 + 21,120 + 21,120] = \$19,360$	100,000	20,000	\$37,600
$D = 120, p = 1.08$	$0.25 \times [23,320 + 33,000 + 21,120 + 21,120] = \$24,640$	100,000	20,000	\$47,200
$D = 80, p = 1.32$	$0.25 \times [21,120 + 21,120 + 14,080 + 14,080] = \$17,600$	80,000	0	\$33,600
$D = 80, p = 1.08$	$0.25 \times [21,120 + 21,120 + 14,080 + 14,200] = \$17,600$	80,000	0	\$33,600

**Table 6-11** Comparison of Different Lease Options for Trips Logistics

Option	Value
All warehouse space from the spot market	\$5,471
Lease 100,000 sq. ft. for three years	\$38,364
Flexible lease to use between 60,000 and 100,000 sq. ft.	\$46,545

$$PVEP(D = 100, p = 1.20, 1) = EP(D = 100, p = 1.20, 0)/(1 + k) \\ = 38,000 / 1.1 = \$34,545$$

$$P(D = 100, p = 1.20, 0) = 100,000 \times 1.22 - 100,000 \times 1 + PVEP(D = 100, \\ p = 1.20, 0) = \$22,000 + \$34,545 = \$56,545$$

With an up-front payment of \$10,000, the net expected profit is \$46,545 under the flexible lease. The value of flexibility may now be obtained as the difference between the expected present values of the two contracts. Accounting for uncertainty, the manager at Trips Logistics values the three options as shown in Table 6-11.

The flexible contract is thus beneficial for Trips Logistics because it is \$8,181 more valuable than the rigid contract for three years.

## 6.6 TO ONSHORE OR OFFSHORE: EVALUATION OF GLOBAL SUPPLY CHAIN DESIGN DECISIONS UNDER UNCERTAINTY

In this section, we discuss a supply chain design decision at D-Solar, a German manufacturer of solar panels, to illustrate the power of the decision tree analysis methodology for designing global supply chain networks while accounting for uncertainty. D-Solar faces a plant location decision in a global network with fluctuating exchange rates and demand uncertainty.

### Key Point

Flexibility should be valued by taking into account uncertainty in demand and economic factors. In general, the value of flexibility increases with an increase in uncertainty.

**Table 6-12** Fixed and Variable Production Costs for D-Solar

European Plant		Chinese Plant	
Fixed Cost (euro)	Variable Cost (euro)	Fixed Cost (yuan)	Variable Cost (yuan)
1 million/year	40/panel	8 million/year	340/panel

D-Solar sells its products primarily in Europe. Demand in the Europe market is currently 100,000 panels per year and each panel sells for €70. While panel demand is expected to grow, there are some downside risks if the economy slides. From one year to the next, demand may increase by 20 percent with probability 0.8 or decrease by 20 percent with probability 0.2.

D-Solar has to decide whether to build a plant in Europe or China. In either case, D-Solar plans to build a plant with a rated capacity of 120,000 panels. The fixed and variable costs of the two plants are shown in Table 6-12. Observe that the fixed costs are given per year rather than as a one-time investment. The European plant is more expensive but will also have greater volume flexibility. The plant will be able to increase or decrease production anywhere in the range of 60,000 to 150,000 panels while maintaining its variable cost. In contrast, the Chinese plant is cheaper (at the current exchange rate of 9 yuan/euro) but will have limited volume flexibility and can produce only between 100,000 and 130,000 panels. If the Chinese plant is built, D-Solar will have to incur variable cost for 100,000 panels even if demand drops below that level and will lose sales if demand increases above 130,000 panels. Exchange rates are volatile, and each year the yuan is expected to rise 10 percent with a probability of 0.7 or drop 10 percent with a probability of 0.3. We assume that the sourcing decision will be in place over the next three years and the discount rate used by D-Solar is  $k = 0.1$ . All costs and revenues are assumed to accrue at the beginning of the year, allowing us to consider the first year as period 0 and the following two years as periods 1 and 2.

### Evaluating the Options Using DCF and Expected Demand and Exchange Rate

A simplistic approach often taken is to consider the expected movement of demand and exchange rates in future periods when evaluating discounted cash flows. The weakness of such an approach is that it averages the trends while ignoring the uncertainty. We start by considering such a simplistic approach for the onshoring and offshoring options. On average, demand is expected to increase by 12 percent ( $20 \times 0.8 - 20 \times 0.2 = 12$ ), while the yuan is expected to strengthen by 4 percent ( $10 \times 0.7 - 10 \times 0.2 = 4$ ) each year. In this case, the expected demand and exchange rates in the two future periods are shown in Table 6-13.

We now evaluate the discounted cash flows for both options assuming the average expected change in demand and exchange rates over the next two periods.

For the on-shoring option, we have the following:

$$\text{Period 0 profits} = 100,000 \times 70 - 1,000,000 - 100,000 \times 40 = \text{€}2,000,000$$

$$\text{Period 1 profits} = 112,000 \times 70 - 1,000,000 - 112,000 \times 40 = \text{€}2,360,000$$

$$\text{Period 2 profits} = 125,440 \times 70 - 1,000,000 - 125,440 \times 40 = \text{€}2,763,200$$

**Table 6-13** Expected Future Demand and Exchange Rate

Period 1		Period 2	
Demand	Exchange Rate	Demand	Exchange Rate
112,000	8.64 yuan/ euro	125,440	8.2944 yuan /euro

Thus, the DCF for the onshoring option is obtained as follows:

$$\begin{aligned}\text{Expected profit from onshoring} &= 2,000,000 + 2,360,000/1.1 \\ &+ 2,763,200/1.21 = \text{€}6,429,091\end{aligned}$$

For the off-shoring option we have the following:

$$\text{Period 0 profits} = 100,000 \times 70 - 8,000,000/9 - 100,000 \times 340/9 = \text{€}2,333,333$$

$$\text{Period 1 profits} = 112,000 \times 70 - 8,000,000/8.64 - 112,000 \times 340/8.64 = \text{€}2,506,667$$

$$\text{Period 2 profits} = 125,440 \times 70 - 8,000,000/7.9524 - 125,440 \times 340/7.9524 = \text{€}2,674,319$$

Thus, the DCF for the off-shoring option is obtained as follows:

$$\begin{aligned}\text{Expected profit from off-shoring} &= 2,333,333 + 2,506,667/1.1 \\ &+ 2,674,319/1.21 = \text{€}6,822,302\end{aligned}$$

Based on performing a simple DCF analysis and assuming the expected trend of demand and exchange rates over the next two periods, it seems that offshoring should be preferred to onshoring because it is expected to provide additional profits of almost €393,000. The problem with the above analysis is that it has ignored uncertainty. For example, even though the demand is expected to grow, there is some probability that it will decrease. If demand drops below 100,000 panels, the offshore option could end up costing more because of the lack of flexibility. Similarly, if demand increases more than expected (grows by 20 percent in each of the two years), the offshore facility will not be able to keep up with the increase. An accurate analysis must reflect the uncertainties and should ideally be performed using a decision tree.

### Evaluating the Options Using Decision Trees


For this analysis we construct a decision tree as shown in Figure 6-3. Each node in a given period leads to four possible nodes in the next period because demand and the exchange rate may go up or down. The detailed links and transition probabilities are shown in Figure 6-3. Demand is in thousands and is represented by  $D$ . The exchange rate is represented by  $E$ , where  $E$  is the number of yuan to a euro. For example, starting with the node  $D = 100$ ,  $E = 9.00$  in Period 0, one can transition to any of four nodes in Period 1. The transition to the node  $D = 120$ ,  $E = 9.90$  in Period 1 occurs if demand increases (probability of 0.8) and the yuan weakens (probability of 0.3). Thus, the transition from node  $D = 100$ ,  $E = 9.00$  in Period 0 to node  $D = 120$ ,  $E = 9.90$  in Period 1 occurs with probability  $0.8 \times 0.3 = 0.24$ . All other transition probabilities in Figure 6-3 are calculated in a similar manner. The main advantage of using a decision tree is that it allows for the true evaluation of profits in each scenario that D-Solar may find itself.

### Evaluating the Onshore Option

Recall that the onshore option is flexible and can change production levels (and thus variable costs) to match demand levels between 60,000 and 150,000. In the following analysis, we calculate the expected profits at each node in the decision tree (represented by the corresponding values of  $D$  and  $E$ ) starting in Period 2 and working back to the present (Period 0). With the onshore option, exchange rates do not affect profits in euro because both revenue and costs are in euro.

**PERIOD 2 EVALUATION** We provide a detailed analysis for the node  $D = 144$  (solar panel demand of 144,000),  $E = 10.89$  (exchange rate of 10.89 yuan per euro). Given its flexibility, the onshore facility is able to produce the entire demand of 144,000 panels at





**FIGURE 6-3** Decision Tree for D-Solar

a variable cost of €40 and sell each panel for revenue of €70. Revenues and costs are evaluated as follows:

$$\begin{aligned} \text{Revenue from the manufacture and sale of 144,000 panels} \\ = 144,000 \times 70 = \text{€}10,080,000 \end{aligned}$$

$$\begin{aligned} \text{Fixed + variable cost of onshore plant} &= 1,000,000 + 144,000 \times 40 \\ &= \text{€}6,760,000 \end{aligned}$$

In Period 2, the total profit for D-Solar at the node  $D = 144$ ,  $E = 10.89$  for the onshore option is thus given by

$$P(D = 144, E = 10.89, 2) = 10,080,000 - 6,760,000 = \text{€}3,320,000$$

Using the same approach, we can evaluate the profit in each of the nine states (represented by the corresponding value of  $D$  and  $E$ ) in Period 2 as shown in Table 6-14.

**Table 6-14** Period 2 Profits for Onshore Option

<i>D</i>	<i>E</i>	Sales	Production Cost Quantity	Revenue (euro)	Cost (euro)	Profit (euro)
144	10.89	144,000	144,000	10,080,000	6,760,000	3,320,000
144	8.91	144,000	144,000	10,080,000	6,760,000	3,320,000
96	10.89	96,000	96,000	6,720,000	4,840,000	1,880,000
96	8.91	96,000	96,000	6,720,000	4,840,000	1,880,000
144	7.29	144,000	144,000	10,080,000	6,760,000	3,320,000
96	7.29	96,000	96,000	6,720,000	4,840,000	1,880,000
64	10.89	64,000	64,000	4,480,000	3,560,000	920,000
64	8.91	64,000	64,000	4,480,000	3,560,000	920,000
64	7.29	64,000	64,000	4,480,000	3,560,000	920,000

**PERIOD 1 EVALUATION** Period 1 contains four outcome nodes to be analyzed. A detailed analysis for one of the nodes,  $D = 120$ ,  $E = 9.90$ , is presented here. In addition to the revenue and cost at this node, we also need to consider the present value of the expected profit in Period 2 from the four nodes that may result. The transition probability into each of the four nodes is as shown in Figure 6-3. The expected profit in Period 2 for the four potential outcomes resulting from the node  $D = 120$ ,  $E = 9.90$  is thus given by

$$\begin{aligned}
 EP(D = 120, E = 9.90, 1) &= 0.24 \times P(D = 144, E = 10.89, 2) + 0.56 \times P(D = 144, E = 8.91, 2) \\
 &\quad + 0.06 \times P(D = 96, E = 10.89, 2) + 0.14 \\
 &\quad \times P(D = 96, E = 8.91, 2) = 0.24 \times 3,320,000 + 0.56 \times 3,320,000 \\
 &\quad + 0.06 \times 1,880,000 + 0.14 \times 1,880,000 = \text{€}3,032,000
 \end{aligned}$$

The present value of the expected profit in Period 2 discounted to Period 1 is given by

$$\begin{aligned}
 PVEP(D = 120, E = 9.90, 1) &= EP(D = 120, E = 9.90, 1) / (1 + k) \\
 &= 3,032,000 / 1.1 = \text{€}2,756,364
 \end{aligned}$$

Next we evaluate the profits at the onshore plant at the node  $D = 120$ ,  $E = 9.90$  from its operations in Period 1, in which the onshore plant produces 120,000 panels at a variable cost of €40 and obtains revenue of €70 per panel. Revenues and costs are evaluated as follows:

$$\begin{aligned}
 &\text{Revenue from manufacture and sale of 120,000 panels} \\
 &= 120,000 \times 70 = \text{€}8,400,000
 \end{aligned}$$

$$\begin{aligned}
 &\text{Fixed + variable cost of onshore plant} = 1,000,000 + 120,000 \times 40 \\
 &= \text{€}5,800,000
 \end{aligned}$$

The expected profit for D-Solar at the node  $D = 120$ ,  $E = 9.90$  is obtained by adding the operational profits at this node in Period 1 and the discounted expected profits from the four nodes that may result in Period 2. The expected profit at this node in Period 1 is given by

$$\begin{aligned}
 P(D = 120, E = 9.90, 1) &= 8,400,000 - 5,800,000 + PVEP(D = 120, E = 9.90, 1) \\
 &= 2,600,000 + 2,756,364 = \text{€}5,356,364
 \end{aligned}$$

The expected profits for all nodes in Period 1 are calculated similarly and shown in Table 6-15.

**Table 6-15** Period 1 Profits for Onshore Option

<i>D</i>	<i>E</i>	Sales	Production Cost Quantity	Revenue (euro)	Cost (euro)	Expected Profit (euro)
120	9.90	120,000	120,000	8,400,000	5,800,000	5,356,364
120	8.10	120,000	120,000	8,400,000	5,800,000	5,356,364
80	9.90	80,000	80,000	5,600,000	4,200,000	2,934,545
80	8.10	80,000	80,000	5,600,000	4,200,000	2,934,545

**PERIOD 0 EVALUATION** In Period 0, the demand and exchange rate are given by  $D = 100$ ,  $E = 9$ . In addition to the revenue and cost at this node, we also need to consider the discounted expected profit from the four nodes in Period 1. The expected profit is given by

$$\begin{aligned}
 EP(D = 100, E = 9.00, 0) &= 0.24 \times P(D = 120, E = 9.90, 1) + 0.56 \times P(D = 120, E = 8.10, 1) \\
 &\quad + 0.06 \times P(D = 80, E = 9.90, 1) + 0.14 \\
 &\quad \times P(D = 80, E = 8.10, 1) = 0.24 \times 5,356,364 + 0.56 \\
 &\quad \times 5,356,364 + 0.06 \times 2,934,545 + 0.14 \times 2,934,545 = \text{€}4,872,000
 \end{aligned}$$

The present value of the expected profit in Period 1 discounted to Period 0 is given by

$$\begin{aligned}
 PVEP(D = 100, E = 9.00, 0) &= EP(D = 100, E = 9.00, 0)/(1 + k) \\
 &= 4,872,000/1.1 = \text{€}4,429,091
 \end{aligned}$$

Next we evaluate the profits from the onshore plant's operations in Period 0 from the manufacture and sale of 100,000 panels.

$$\begin{aligned}
 \text{Revenue from manufacture and sale of 100,000 panels} \\
 &= 100,000 \times 70 = \text{€}7,000,000
 \end{aligned}$$

$$\begin{aligned}
 \text{Fixed + variable cost of onshore plant} &= 1,000,000 + 100,000 \times 40 \\
 &= \text{€}5,000,000
 \end{aligned}$$

The expected profit for D-Solar at the node  $D = 100$ ,  $E = 9.00$  in Period 0 is given by

$$\begin{aligned}
 P(D = 100, E = 9.00, 0) &= 7,000,000 - 5,000,000 + PVEP(D = 100, E = 9.00, 0) \\
 &= 2,000,000 + 4,429,091 = \text{€}6,429,091
 \end{aligned}$$

Thus, building the onshore plant has an expected payoff of €6,429,091 over the evaluation period. This number accounts for uncertainties in demand and exchange rates and the ability of the onshore facility to react to these fluctuations.

### Evaluating the Offshore Option

As with the onshore option, we start by evaluating profits at each node in Period 2 and then back our evaluation to Periods 1 and 0. Each node is represented by the corresponding values of  $D$  and  $E$ . Recall that the offshore option is not fully flexible and can change production levels (and thus variable costs) only between 100,000 and 130,000 panels. Thus, if demand falls below 100,000 panels, D-Solar still incurs the variable production cost of 100,000 panels. If demand increases above 130,000 panels, the offshore facility can meet demand only up to 130,000 panels. At each node, given the demand, we calculate the expected profits accounting for the exchange rate that influences offshore costs evaluated in euro.

**PERIOD 2 EVALUATION** The detailed analysis for the node  $D = 144$  (solar panel demand of 144,000),  $E = 10.89$  (exchange rate of 10.89 yuan per euro) is as follows. Even though demand is for 144,000 panels, given its lack of volume flexibility, the offshore facility is able to produce only 130,000 panels at a variable cost of 340 yuan each and sell each panel for revenue of €70. Revenues and costs are evaluated as follows:

$$\begin{aligned} &\text{Revenue from manufacture and sale of 130,000 panels} \\ &= 130,000 \times 70 = \text{€}9,100,000 \end{aligned}$$

$$\begin{aligned} \text{Fixed + variable cost of offshore plant} &= 8,000,000 + 130,000 \times 340 \\ &= 52,200,000 \text{ yuan} \end{aligned}$$

The total profit for D-Solar at the node  $D = 144$ ,  $E = 10.89$  for the offshore option (evaluated in euro), is thus given by

$$P(D = 144, E = 10.89, 2) = 9,100,000 - (52,200,000/10.89) = \text{€}4,306,612$$

Using the same approach, we can evaluate the profit in each of the nine states (represented by the corresponding values of  $D$  and  $E$ ) in Period 2 as shown in Table 6-16. Observe that the lack of flexibility at the offshore facility hurts D-Solar whenever demand is above 130,000 (lost margin) or below 100,000 (higher costs). For example, when the demand drops to 64,000 panels, the offshore facility continues to incur variable production costs for 100,000 panels. Profits are also hurt when the yuan is stronger than expected.

**PERIOD 1 EVALUATION** In Period 1, there are four outcome nodes to be analyzed. As with the onshore option, a detailed analysis for one of the nodes  $D = 120$ ,  $E = 9.90$  is presented here. In addition to the revenue and cost from operations at this node, we also need to consider the present value of the expected profit in Period 2 from the four nodes that may result. The transition probability into each of the four nodes is as shown in Figure 6-3. The expected profit in Period 2 from the node  $D = 120$ ,  $E = 9.90$  is thus given by

$$\begin{aligned} EP(D = 120, E = 9.90, 1) &= 0.24 \times P(D = 144, E = 10.89, 2) + 0.56 \times P(D = 144, E = 8.91, 2) \\ &+ 0.06 \times P(D = 96, E = 10.89, 2) + 0.14 \\ &\times P(D = 96, E = 8.91, 2) = 0.24 \times 4,306,612 + 0.56 \\ &\times 3,241,414 + 0.06 \times 2,863,251 + 0.14 \times 2,006,195 = \text{€}3,301,441 \end{aligned}$$

**Table 6-16** Period 2 Profits for Offshore Option

$D$	$E$	Sales	Production Cost Quantity	Revenue (euro)	Cost (yuan)	Profit (euro)
144	10.89	130,000	130,000	9,100,000	52,200,000	4,306,612
144	8.91	130,000	130,000	9,100,000	52,200,000	3,241,414
96	10.89	96,000	100,000	6,720,000	42,000,000	2,863,251
96	8.91	96,000	100,000	6,720,000	42,000,000	2,006,195
144	7.29	130,000	130,000	9,100,000	52,200,000	1,939,506
96	7.29	96,000	100,000	6,720,000	42,000,000	958,683
64	10.89	64,000	100,000	4,480,000	42,000,000	623,251
64	8.91	64,000	100,000	4,480,000	42,000,000	-233,805
64	7.29	64,000	100,000	4,480,000	3,560,000	-1,281,317

The present value of the expected profit in Period 2 discounted to Period 1 is given by

$$\begin{aligned} PVEP(D = 120, E = 9.90, 1) &= EP(D = 120, E = 9.90, 1)/(1 + k) \\ &= 3,301,441/1.1 = \text{€}3,001,310 \end{aligned}$$

Next we evaluate the profits at the offshore plant at the node  $D = 120, E = 9.90$  from its operations in Period 1. The offshore plant produces 120,000 panels at a variable cost of 340 yuan and obtains revenue of €70 per panel. Revenues and costs are evaluated as follows:

$$\begin{aligned} \text{Revenue from manufacture and sale of 120,000 panels} \\ &= 120,000 \times 70 = \text{€}8,400,000 \end{aligned}$$

$$\begin{aligned} \text{Fixed + variable cost of onshore plant} &= 8,000,000 + 120,000 \times 340 \\ &= 48,800,000 \text{ yuan} \end{aligned}$$

The expected profit for D-Solar at the node  $D = 120, E = 9.90$  in Period 1 is given by

$$\begin{aligned} P(D = 120, E = 9.90, 1) &= 8,400,000 - (48,800,000/9.90) + PVEP(D = 120, E = 9.90, 1) \\ &= 3,470,707 + 3,001,310 = \text{€}6,472,017 \end{aligned}$$

For the offshore option, the expected profits for all nodes in Period 1 are shown in Table 6-17.

Observe that for the node  $D = 80, E = 8.10$ , D-Solar has a lower expected profit from the offshore option (Table 6-17) relative to the onshore option (see Table 6-15) because the offshore plant incurs high variable cost given its lack of flexibility (cost is incurred for 100,000 units even though only 80,000 are sold), and all offshore costs become expensive given the strong yuan.

**PERIOD 0 EVALUATION** In Period 0, the demand and exchange rate are given by  $D = 100, E = 9$ . In addition to the revenue and cost at this node, we also need to consider the present value of expected profit from the four nodes in Period 1. The expected profit for the offshore option is given by

$$\begin{aligned} EP(D = 100, E = 9.00, 0) &= 0.24 \times P(D = 120, E = 9.90, 1) + 0.56 \times P(D = 120, E = 8.10, 1) \\ &\quad + 0.06 \times P(D = 80, E = 9.90, 1) + 0.14 \\ &\quad \times P(D = 80, E = 8.10, 1) = 0.24 \times 6,472,017 + 0.56 \\ &\quad \times 4,301,354 + 0.06 \times 3,007,859 + 0.14 \times 1,164,757 = \text{€}4,305,580 \end{aligned}$$

The present value of the expected profit in Period 1 discounted to Period 0 is given by

$$\begin{aligned} PVEP(D = 100, E = 9.00, 0) &= EP(D = 100, E = 9.00, 0)/(1 + k) \\ &= 4,305,580/1.1 = \text{€}3,914,164 \end{aligned}$$

**Table 6-17** Period 1 Profits for Offshore Option

$D$	$E$	Sales	Production Cost Quantity	Revenue (euro)	Cost (yuan)	Expected Profit (euro)
120	9.90	120,000	120,000	8,400,000	48,800,000	6,472,017
120	8.10	120,000	120,000	8,400,000	48,800,000	4,301,354
80	9.90	80,000	100,000	5,600,000	42,000,000	3,007,859
80	8.10	80,000	100,000	5,600,000	42,000,000	1,164,757

Next we evaluate the profits from the offshore plant's operations in Period 0 from the manufacture and sale of 100,000 panels.

$$\begin{aligned} &\text{Revenue from manufacture and sale of 100,000 panels} \\ &= 100,000 \times 70 = \text{€}7,000,000 \end{aligned}$$

$$\begin{aligned} \text{Fixed + variable cost of offshore plant} &= 8,000,000 + 100,000 \times 340 \\ &= 42,000,000 \text{ yuan} \end{aligned}$$

The expected profit for D-Solar at the node  $D = 100$ ,  $E = 9.00$  in Period 0 is given by

$$\begin{aligned} P(D = 100, E = 9.00, 0) &= 7,000,000 - (42,000,000/9.00) + PVEP(D = 100, E = 9.00, 0) \\ &= 2,333,333 + 3,914,164 = \text{€}6,247,497 \end{aligned}$$

Thus, building the offshore plant has an expected payoff of €6,247,497 over the evaluation period.

Observe that the use of a decision tree that accounts for both demand and exchange rate fluctuation shows that the onshore option and its flexibility is in fact more valuable (worth €6,429,091) than the offshore facility (worth €6,247,497), which is less flexible. This is in direct contrast to the decision that would have resulted if we had simply used the expected change in demand and exchange rate from one year to the next. When using the expected change in demand, the onshore option provided expected profits of €6,429,091, while the offshore option provided expected profits of €6,822,302. The offshore option is overvalued in this case because the potential fluctuations in demand and exchange rates are wider than the expected fluctuations. Using the expected fluctuation thus does not fully account for the lack of flexibility in the offshore facility and the big increase in costs that may result if the yuan strengthens more than the expected value.

De Traville and Trigeorgis (2010) discuss the importance of evaluating all global supply chain design decisions using the decision tree or real options methodology. They give the example of Flexcell, a Swiss company that offered lightweight solar panels. In 2006, the company was looking to expand its operations by building a new plant. The three locations under discussion were China, eastern Germany, and near the company headquarters in Switzerland. Even though the Chinese and eastern German plants were cheaper than the Swiss plant, Flexcell management justified building the high-cost Swiss plant because of its higher flexibility and ability to react to changing market conditions. If only the expected values of future scenarios had been used, the more expensive Swiss plant could not be justified. This decision paid off for the company because the Swiss plant was flexible enough to handle the considerable variability in demand that resulted during the downturn in 2008.

When underlying decision trees are complex and explicit solutions for the underlying decision tree are difficult to obtain, firms should use simulation for evaluating decisions (see Chapter 13). In a complex decision tree, thousands or even millions of possible paths may arise from the first period to the last. Transition probabilities are used to generate probability-weighted random paths within the decision tree. For each path, the stage-by-stage decision and the present value of the payoff are evaluated. The paths are generated in such a way that the probability of a path being generated during the simulation is the same as the probability of the path in the decision tree. After generating many paths and evaluating the payoffs in each case, the payoffs obtained during the simulation are used as a representation of the payoffs that would result from the decision tree. The expected payoff is then found by averaging the payoffs obtained in the simulation.

Simulation methods are very good at evaluating a decision when the path itself is not decision dependent—in other words, when transition probabilities from one period to the next are not dependent on the decision taken during a period. They can also take into account real-world constraints as well as complex decision rules. In addition, they can easily handle different forms of uncertainty even when uncertainty between different factors is correlated.

Simulation models require a higher setup cost to start and operate compared to decision tree tools. However, their main advantage is that they can provide high-quality evaluations of complex situations.

## 6.7 MAKING GLOBAL SUPPLY CHAIN DESIGN DECISIONS UNDER UNCERTAINTY IN PRACTICE

Managers should consider the following ideas to help them make better network design decisions under uncertainty.

1. ***Combine strategic planning and financial planning during global network design.*** In most organizations, financial planning and strategic planning are performed independently. Strategic planning tries to prepare for future uncertainties but often without rigorous quantitative analysis, whereas financial planning performs quantitative analysis but assumes a predictable or well-defined future. This chapter presents methodologies that allow integration of financial and strategic planning. Decision makers should design global supply chain networks considering a portfolio of strategic options—the option to wait, build excess capacity, build flexible capacity, sign long-term contracts, purchase from the spot market, and so forth. The various options should be evaluated in the context of future uncertainty.
2. ***Use multiple metrics to evaluate global supply chain networks.*** As one metric can give only part of the picture, it is beneficial to examine network design decisions using multiple metrics such as firm profits, supply chain profits, customer service levels, and response times. Good decisions perform well along most relevant metrics.
3. ***Use financial analysis as an input to decision making, not as the decision-making process.*** Financial analysis is a great tool in the decision-making process, as it often produces an answer and an abundance of quantitative data to back up that answer. However, financial methodologies alone do not provide a complete picture of the alternatives, and other nonquantifiable inputs should also be considered.
4. ***Use estimates along with sensitivity analysis.*** Many of the inputs into financial analysis are difficult, if not impossible, to obtain accurately. This can cause financial analysis to be a long and drawn-out process. One of the best ways to speed the process along and arrive at a good decision is to use estimates of inputs when it appears that finding an accurate input would take an inordinate amount of time. As we discuss in some of the other practice-oriented sections, using estimates is fine when the estimates are backed up by sensitivity analysis. It is almost always easier to come up with a range for an input than it is to come up with a single point. By performing sensitivity analysis on the input's range, managers can often show that no matter where the true input lies within the range, the decision remains the same. When this is not the case, they have highlighted a key variable to making the decision and it likely deserves more attention to arrive at a more accurate answer. In summary, to make supply chain design decisions effectively, managers need to make estimates of inputs and then test all recommendations with sensitivity analysis.

## 6.8 SUMMARY OF LEARNING OBJECTIVES

1. ***Identify factors that need to be included in total cost when making global sourcing decisions.*** Besides unit cost, total cost should include the impact of global sourcing on freight, inventories, lead time, quality, on-time delivery, minimum order quantity, working capital, and stockouts. Other factors to be considered include the impact on supply chain visibility, order communication, invoicing errors, and the need for currency hedging.
2. ***Define uncertainties that are particularly relevant when designing global supply chains.*** The performance of a global supply chain is impacted by uncertainty in a number of input factors such as demand, price, exchange rates, and other economic factors. These uncertainties

and any flexibility in the supply chain network must be taken into account when evaluating alternative designs of a supply chain.

**3. Explain different strategies that may be used to mitigate risk in global supply chains.**

Operational strategies that help mitigate risk in global supply chains include carrying excess capacity and inventory, flexible capacity, redundant suppliers, improved responsiveness, and aggregation of demand. Hedging fuel costs and currencies are financial strategies that can help mitigate risk. It is important to keep in mind that no risk mitigation strategy will always pay off. These mitigation strategies are designed to guard against certain extreme states of the world that may arise in an uncertain global environment.

**4. Understand decision tree methodologies used to evaluate supply chain design decisions under uncertainty.** When valuing the streams of cash flows resulting from the performance of a supply chain, decision trees are a basic approach to valuing alternatives under uncertainty. Uncertainty along different dimensions over the evaluation period is represented as a tree with each node corresponding to a possible scenario. Starting at the last period of the evaluation interval, the decision tree analysis works back to Period 0, identifying the optimal decision and the expected cash flows at each step.

---

## Discussion Questions

1. Why is it important to consider uncertainty when evaluating supply chain design decisions?
2. What are the major sources of uncertainty that can affect the value of supply chain decisions?
3. Describe the basic principle of DCFs and how they can be used to compare different streams of cash flows.
4. Summarize the basic steps in the decision tree analysis methodology.
5. Discuss why using expected trends for the future can lead to different supply chain decisions relative to decision tree analysis that accounts for uncertainty.
6. What are the major financial uncertainties faced by an electronic components manufacturer deciding whether to build a plant in Thailand or the United States?
7. What are some major nonfinancial uncertainties that a company should consider when making decisions on where to source product?

---

## Exercises

1. Moon Micro is a small manufacturer of servers that currently builds its entire product in Santa Clara, California. As the market for servers has grown dramatically, the Santa Clara plant has reached capacity of 10,000 servers per year. Moon is considering two options to increase its capacity. The first option is to add 10,000 units of capacity to the Santa Clara plant at an annualized fixed cost of \$10,000,000 plus \$500 labor per server. The second option is to have Molelectron, an independent assembler, manufacture servers for Moon at a cost of \$2,000 for each server (excluding raw materials cost). Raw materials cost \$8,000 per server, and Moon sells each server for \$15,000.
 

Moon must make this decision for a two-year time horizon. During each year, demand for Moon servers has an 80 percent chance of increasing 50 percent from the year before and a 20 percent chance of remaining the same as the year before. Molelectron's prices may change as well. They are fixed for the first year but have a 50 percent chance of increasing 20 percent in the second year and a 50 percent chance of remaining where they are.

Use a decision tree to determine whether Moon should add capacity to its Santa Clara plant or if it should outsource to Molelectron. What are some other factors that would affect this decision that we have not discussed?
2. Unipart, a manufacturer of auto parts, is considering two B2B marketplaces to purchase its MRO supplies. Both marketplaces offer a full line of supplies at very similar prices for products and shipping. Both provide similar service levels and lead times. However, their fee structures are quite different. The first marketplace, Parts4u.com, sells all of its products with a 5 percent commission tacked on top of the price of the product (not including shipping). AllMRO.com's pricing is based on a subscription fee of \$10 million that must be paid up front for a two-year period and a commission of 1 percent on each transaction's product price.



Unipart spends about \$150 million on MRO supplies each year, although this varies with their utilization. Next year will likely be a strong year, in which high utilization will keep MRO spending at \$150 million. However, there is a 25 percent chance that spending will drop by 10 percent. The second year, there is a 50 percent chance that the spending level will stay where it was in the first year and a 50 percent chance that it will drop by another 10 percent. Unipart uses a discount rate of 20 percent. Assume all costs are incurred at the beginning of each year (so Year 1 costs are incurred now and Year 2 costs are incurred in a year).

Which B2B marketplace should Unipart buy its parts from?

3. Alphacap, a manufacturer of electronic components, is trying to select a single supplier for the raw materials that go into its main product, the doublecap. This is a new capacitor that is used by cellular phone manufacturers to protect microprocessors from power spikes. Two companies can provide the necessary materials—MultiChem and Mixemat.

MultiChem has a solid reputation for its products and charges a higher price on account of its reliability of supply and delivery. MultiChem dedicates plant capacity to each customer, and therefore supply is assured. This allows MultiChem to charge \$1.20 for the raw materials used in each doublecap.

Mixemat is a small raw materials supplier that has limited capacity but charges only \$0.90 for a unit's worth of raw materials. Its reliability of supply, however, is in question. Mixemat does not have enough capacity to supply all its customers all the time. This means that orders to Mixemat are not guaranteed. In a year of high demand for raw materials, Mixemat will have 90,000 units available for Alphacap. In low-demand years, all product will be delivered.

If Alphacap does not get raw materials from suppliers, it needs to buy them on the spot market to supply its customers. Alphacap relies on one major cell phone manufacturer for the majority of its business. Failing to deliver could lead to losing this contract, essentially putting the firm at risk. Therefore, Alphacap will buy raw material on the spot market to make up for any shortfall. Spot prices for single-lot purchases (such as Alphacap would need) are \$2.00 when raw materials demand is low and \$4.00 when demand is high.

Demand in the raw materials market has a 75 percent chance of being high each of the next two years. Alphacap sold 100,000 doublecaps last year and expects to sell 110,000 this year. However, there is a 25 percent chance it will sell only 100,000. Next year, the demand has a 75 percent chance of rising 20 percent over this year and a 25 percent chance of falling 10 percent. Alphacap uses a discount rate of 20 percent. Assume all costs are incurred at the beginning of each year (Year 1 costs are incurred now and Year 2 costs are incurred in a year) and that Alphacap must make a decision with a two-year horizon. Only one supplier can be chosen, as these two suppliers refuse to supply someone who works with their competitor.

Which supplier should Alphacap choose? What other information would you like to have to make this decision?

4. Bell Computer is reaching a crossroads. This PC manufacturer has been growing at a rapid rate, causing problems for its operations as it tries to keep up with the surging demand. Bell executives can plainly see that within the next half year, the systems used to coordinate its supply chain are going to fall apart because they will not be able to handle the volume of Bell projects they will have.

To solve this problem, Bell has brought in two supply chain software companies that have made proposals on systems that could cover the volume and the complexity of tasks Bell needs to have handled. These two software companies are offering different types of products, however.

The first company, SCSoftware, proposes a system for which Bell will purchase a license. This will allow Bell to use the software as long as it wants. However, Bell will be responsible for maintaining this software, which will require significant resources.

The second company, SC-ASP, proposes that Bell pay a subscription fee on a monthly basis for SC-ASP to host Bell's supply chain applications on SC-ASP's machines. Bell employees will access information and analysis via a Web browser. Information will be fed automatically from the ASP servers to the Bell servers whenever necessary. Bell will continue to pay the monthly fee for the software, but all maintenance will be performed by SC-ASP.

How should Bell go about making a decision regarding which software company to choose? What are the specific pieces of information that Bell needs to know (both about the software and about the future conditions Bell will experience) in order to make a decision? What are some of the qualitative issues Bell must think about when making this decision?

5. Reliable is a cell phone manufacturer serving the Asian and North American markets. Current annual demand of its product in Asia is 2 million, whereas the demand in North America is 4 million. Over the next two years, demand in Asia is expected to go up either by 50 percent with a probability of 0.7 by 20 percent with a probability of 0.3. Over the same period, demand in North America is expected to go up by 10 percent with a probability of 0.5 or go down 10 percent with a probability of 0.5. Reliable currently has a production facility in Asia with a capacity of 2.4 million units per year and a facility in North America with a capacity of 4.2 million per year. The variable production cost per phone in Asia is \$15, and the variable cost per phone in North America is \$17. It costs \$3 to ship a phone between the two markets. Each phone sells for \$40 in both markets.

Reliable is debating whether to add 2 million units or 1.5 million units of capacity to the Asia plant. The larger plant increase will cost \$18 million, whereas the smaller addition will cost \$15 million. Assume that Reliable uses a discount factor of 10 percent. What do you recommend?

6. A European apparel manufacturer has production facilities in Italy and China to serve its European market, where annual demand is for 1.9 million units. Demand is expected to stay at the same level over the foreseeable future. Each facility has a capacity of 1 million units per year. With the current exchange

rates, the production and distribution cost from Italy is 10 euros per unit, whereas the production and distribution cost from China is 7 euros. Over each of the next three years, the Chinese currency could rise relative to the euro by 15 percent with a probability of 0.5 or drop by 5 percent with a probability of 0.5. An option being considered is to shut down 0.5 million units of capacity in Italy and move it to China at a one-time cost of 2 million euros. Assume a discount factor of 10 percent over the three years. Do you recommend this option?

7. A chemical manufacturer is setting up capacity in Europe and North America for the next three years. Annual demand in each market is 2 million kilograms (kg) and is likely to stay at that level. The two choices under consideration are building

4 million units of capacity in North America and building 2 million units of capacity in each of the two locations. Building two plants will incur an additional one-time cost of \$2 million. The variable cost of production in North America (for either a large or a small plant) is currently \$10/kg, while the cost in Europe is 9 euros/kg. The current exchange rate is 1 euro for US\$1.33. Over each of the next three years, the dollar is expected to strengthen by 10 percent with a probability of 0.5 or weaken by 5 percent with a probability of 0.5. Assume a discount factor of 10 percent. What should the chemical manufacturer do? At what initial cost differential from building the two plants will the chemical manufacturer be indifferent between the two options?

## Bibliography

- Amram, Martha, and Nalin Kulatilaka. *Real Options*. Cambridge, MA: Harvard Business School Press, 1999.
- Bovet, David. "The Supply Chain Manager as Global Economist." *Supply Chain Management Review* (September 2008): 17–24.
- Brealey, Richard A., and Stewart C. Myers. *Principles of Corporate Finance*. New York: McGraw-Hill, 1996.
- Chang, Shih-Chia, Neng-Pai Lin, and Chwen Sheu. "Aligning Manufacturing Flexibility with Environmental Uncertainty: Evidence from High-Technology Component Manufacturers in Taiwan." *International Journal of Production Research* 40, no. 18 (2002): 4765–4780.
- Chopra, Sunil, and ManMohan S. Sodhi. "Managing Risk to Avoid Supply Chain Breakdown." *Sloan Management Review* 46, no. 1 (2004): 53–61.
- De Treville, Suzanne, and Lenos Trigeorgis. "It May Be Cheaper to Manufacture at Home." *Harvard Business Review* (October 2010): 84–87.
- Farrell, Diana. "Beyond Offshoring: Assess Your Company's Global Potential." *Harvard Business Review* (December 2004): 82–90.
- Farreira, John, and Len Prokopets. "Does Offshoring Still Make Sense?" *Supply Chain Management Review* (January/February 2009): 20–27.
- Favre, Donavon, and John McCreery. "Coming to Grips with Rising Supplier Risk." *Supply Chain Management Review* (September 2008): 26–32.
- Garber, Randy, and Suman Sarkar. "Want a More Flexible Supply Chain?" *Supply Chain Management Review* (January/February 2007): 28–34.
- Goel, Ajay, Nazgol Moussavi, and Vats N. Srivatsan. "Time to Rethink Offshoring?" *McKinsey on Business Technology* 14 (Winter 2008): 32–35.
- Harding, Mary Lu. "Gauging Total Cost, Supplier by Supplier." *CSCMP's Supply Chain Quarterly* (Q4 2007): 64–68.
- Horngren, Charles T., George Foster, and Srikant M. Datar. *Cost Accounting*. Upper Saddle River, NJ: Prentice Hall, 1997.
- Johnson, Norman L., Samuel Kotz, and N. Balakrishnan. *Continuous Univariate Distributions*. New York: John Wiley & Sons, 1994.
- Jordan, W. C., and S. C. Graves. "Principles on the Benefits of Manufacturing Process Flexibility." *Management Science* 41 (April 1995): 577–594.
- Lim, Michael, Achal Bassamboo, Sunil Chopra, and Mark S. Daskin. "Flexibility and Fragility: Supply Chain Network Design with Disruption Risks" (working paper, Northwestern University, Evanston, IL, 2008).
- Luehrman, Timothy A. "Capital Projects as Real Options: An Introduction." Harvard Business School Case 9–295–074, 1995.
- Luehrman, Timothy A. "Investment Opportunities as Real Options: Getting Started on the Numbers." *Harvard Business Review* (July–August 1998): 51–67.
- Luehrman, Timothy A. "Strategy as a Portfolio of Real Options." *Harvard Business Review* (September–October 1998): 89–99.
- Ross, Sheldon M. *Introduction to Stochastic Dynamic Programming*. New York: Academic Press, 1983.
- Sheffi, Y. *The Resilient Enterprise*. Cambridge: The MIT Press, 2005.
- Smith, Adam. *An Inquiry into the Nature and Causes of the Wealth of Nations*, 5th ed. London: Methuen & Co., Ltd., 1904.
- Stokey, Nancy L., Robert E. Lucas Jr., and Edward C. Prescott. *Recursive Methods in Economic Dynamics*. Cambridge, MA: Harvard University Press, 1989.
- Swaminathan, Jayashankar M., and Brian Tomlin. "How to Avoid the Six Risk Management Pitfalls." *Supply Chain Management Review* (July/August 2007): 34–42.
- Tanowitz, Marc, and David Rutchik. "Squeezing Opportunity Out of Higher Fuel Costs." *Supply Chain Management Review* (October 2008): 34–40.
- Trigeorgis, Lenos. *Real Options*. Cambridge, MA: The MIT Press, 1996.

## CASE STUDY

### BioPharma, Inc.<sup>1</sup>

In 2009, Phillip (Phil) Landgraf faced several glaring problems in the financial performance of his company, BioPharma, Inc. The firm had experienced a steep decline in profits and very high costs at its plants in Germany and Japan. Landgraf, the company's president for worldwide operations, knew that demand for the company's products was stable across the globe. As a result, the surplus capacity in his global production network looked like a luxury he could no longer afford.

Any improvement in financial performance was dependent on having the most efficient network in place, because revenues were unlikely to grow. Cutting costs was thus a top priority for the coming year. To help design a more cost-effective network, Landgraf assigned a task force to recommend a course of action.

### Background

BioPharma, Inc., is a global manufacturer of bulk chemicals used in the pharmaceutical industry. The company holds patents on two chemicals that are called Highcal and Relax internally. These bulk chemicals are used internally by the company's pharmaceutical division and are also sold to other drug manufacturers. There are distinctions in the precise chemical specifications to be met in different parts of the world. All plants, however, are currently set up to be able to produce both chemicals for any part of the world.

For 2009, sales of each product by region and the production and capacity at each plant are shown in Table 6-18. The plant capacity, measured in millions of kilograms of production, can be assigned to either chemical as long as the plant is capable of producing both. BioPharma has forecast that its sales for the two chemicals are likely to be stable for all parts of the world, except for Asia without Japan, where sales are expected to grow by 10 percent annually for each of the next five years before stabilizing.

The Japanese plant is a technology leader within the BioPharma network in terms of its ability to handle regulatory and environmental issues. Some developments in the Japanese plant had been transferred to other plants in the network. The German plant is a leader in terms of its production ability. The plant has routinely had the highest yields within the global network. The Brazilian, Indian, and Mexican plants have somewhat outdated technology and are in need of an update.

### Current Plant Costs at BioPharma

After considerable debate, the task force identified the cost structure at each plant in 2009 as shown in Table 6-19. Each plant incurs an annual fixed cost that is independent of the level of production in the plant. The fixed cost includes depreciation, utilities, and the salaries and fringe benefits of employees involved in general management,

**Table 6-18** Sales by Region and Production/Capacity by Plant of Highcal and Relax in Million Kilograms

Region	Plant	Capacity	Highcal		Relax	
			2009 Sales	2009 Production	2009 Sales	2009 Production
Latin America	Brazil	18.0	7.0	11.0	7.0	7.0
Europe	Germany	45.0	15.0	15.0	12.0	0.0
Asia w/o Japan	India	18.0	5.0	10.0	3.0	8.0
Japan	Japan	10.0	7.0	2.0	8.0	0.0
Mexico	Mexico	30.0	3.0	12.0	3.0	18.0
U.S.	U.S.	22.0	18.0	5.0	17.0	17.0

<sup>1</sup> This case was inspired by *Applichem (A)*, Harvard Business School Case 9-685-051, 1985.

**Table 6-19** Fixed and Variable Production Costs at Each BioPharma Plant in 2009 (US\$)

Plant	Plant Fixed Cost (million \$)	Highcal		Relax			
		Highcal Fixed Cost (million \$)	Relax Fixed Cost (million \$)	Raw Material (\$/kg)	Production cost (\$/kg)	Raw Material (\$/kg)	Production cost (\$/kg)
Brazil	20.0	5.0	5.0	3.6	5.1	4.6	6.6
Germany	45.0	13.0	14.0	3.9	7.0	5.0	8.5
India	18.0	4.0	4.0	3.6	4.5	4.5	6.0
Japan	17.0	6.0	6.0	3.9	7.5	5.1	9.0
Mexico	30.0	6.0	6.0	3.6	5.0	4.6	6.5
U.S.	21.0	5.0	5.0	3.6	5.0	4.5	6.5

scheduling, expediting, accounting, maintenance, and so forth. Each plant that is capable of producing either Highcal or Relax also incurs a product-related fixed cost that is independent of the quantity of each chemical produced. The product-related fixed cost includes depreciation of equipment specific to a chemical and other fixed costs that are specific to a chemical. If a plant maintains the capability to produce a particular chemical, it incurs the corresponding product-related fixed cost even if the chemical is not produced at the plant.

The variable production cost of each chemical consists of two components: raw materials and production costs. The variable production cost is incurred in proportion to the quantity of chemical produced and includes direct labor and scrap. The plants themselves can handle varying levels of production. In fact, they can also be idled for the year, in which case they incur only the fixed cost, none of the variable cost.

BioPharma transports the chemicals in specialized containers by sea and in specialized trucks on land. The transportation costs between plants and markets are as shown in Table 6-20. Historical exchange rates are shown in Table 6-21 and the regional import duties in Table 6-22. Given regional trade alliances, import duties in reality vary based on the origin of the chemical. For simplicity's sake, however, the task force has assumed that the duties are driven only by the destination. Local production within each region is assumed to result in no import duty. Thus, production from Brazil, Germany, and India can be sent to Latin America, Europe, and the rest of Asia excluding Japan, respectively, without incurring any import duties. Duties apply only to the raw material, production, and transportation cost component and not to the fixed cost component. Thus, a product entering Latin America with a raw material, production, and transportation cost of \$10 incurs import duties of \$3.

**Table 6-20** Transportation Costs from Plants to Markets (US\$/kg)

From/To	Latin America	Europe	Asia w/o Japan	Japan	Mexico	U.S.
Brazil	0.20	0.45	0.50	0.50	0.40	0.45
Germany	0.45	0.20	0.35	0.40	0.30	0.30
India	0.50	0.35	0.20	0.30	0.50	0.45
Japan	0.50	0.40	0.30	0.10	0.45	0.45
Mexico	0.40	0.30	0.50	0.45	0.20	0.25
U.S.	0.45	0.30	0.45	0.45	0.25	0.20

(continued)

*(continued)***Table 6-21** History of Exchange Rates in Currency/US\$1 (at the Beginning of Each Year)

	Brazilian Real	Euro	Indian Rupee	Japanese Yen	Mexican Peso	U.S. Dollar
2009	2.70	0.74	43.47	103.11	11.21	1.00
2008	2.90	0.80	45.60	107.00	11.22	1.00
2007	3.50	0.96	48.00	119.25	10.38	1.00
2006	2.30	1.11	48.27	131.76	9.12	1.00
2005	1.95	1.06	46.75	114.73	9.72	1.00
2004	1.81	0.99	43.55	102.33	9.48	1.00

**Table 6-22** Import Tariffs (Percentage of Value of Product Imported, Including Transportation)

Latin America	Europe	Asia w/o Japan	Japan	Mexico	U.S.
30%	3%	27%	6%	35%	4%

### Network Options Under Consideration

The task force is considering a variety of options for its analysis. One option is to keep the global network with its current structure and capabilities. Other options include shutting down some plants or limiting the capability of some plants to producing only one chemical. Closing down a plant eliminates all variable costs and saves 80 percent of the annual fixed costs (the remaining 20 percent accounts for costs that are incurred related to the plant shutdown). Similarly, if a plant is limited to producing only one chemical, the plant saves 80 percent of the fixed cost associated with the chemical that is no longer produced. The two options being seriously considered are shutting the Japanese plant and limiting the German plant to a single chemical.

### Questions

1. How should BioPharma have used its production network in 2009? Should any of the plants have been idled? What is the annual cost of your proposal, including import duties?
2. How should Landgraf structure his global production network? Assume that the past is a reasonable indicator of the future in terms of exchange rates.
3. Is there any plant for which it may be worth adding a million kilograms of additional capacity at a fixed cost of \$3 million per year?
4. How are your recommendations affected by the reduction of duties?
5. The analysis has assumed that each plant has a 100 percent yield (percent output of acceptable quality). How would you modify your analysis to account for yield differences across plants?
6. What other factors should be accounted for when making your recommendations?

## CASE STUDY

### The Sourcing Decision at Forever Young

Forever Young is a retailer of trendy and low-cost apparel in the United States. The company divides the year into four sales seasons of about three months each and brings in new merchandise for each season.

The company has historically outsourced production to China given the lower costs. Sourcing from the Chinese supplier costs 55 yuan/unit (inclusive of all delivery costs), which at the current exchange rate of 6.5 yuan/

\$ gives a variable cost of under \$8.50/unit. The Chinese supplier, however, has a long lead time, forcing Forever Young to pick an order size well before the start of the season. This does not leave the company any flexibility if actual demand differs from the order size.

A local supplier has come to management with a proposal to supply product at a cost of \$10/unit but do so quickly enough that Forever Young will be able to make supply in the season exactly match demand. Management is concerned about the higher variable cost but finds the flexibility of the onshore supplier very attractive. The challenge is to value the responsiveness provided by the local supplier.

### Uncertainties Faced by Forever Young

To better compare the two suppliers, management identifies demand and exchange rates as the two major uncertainties faced by the company. Over each of the next two periods (assume them to be a year each), demand may go up by 10 percent with a probability of 0.5 or down by 10 percent with a probability of 0.5. Demand in the current period was 1,000 units. Similarly, over each of the next two periods, the yuan may strengthen by 5 percent with a probability of 0.5 or weaken by 5 percent with a probability of 0.5. The exchange rate in the current period was 6.5 yuan/\$.

### Ordering Policies with the Two Suppliers

Given the long lead time of the offshore supplier, Forever Young commits to an order before observing any demand signal. Given the demand uncertainty over the next two periods and the fact that the margin from each unit (margin of about \$11.50) is higher than the loss if the unit remains unsold at the end of the season (loss of about \$8.50), management decides to commit to an order that is somewhat higher than expected demand. Given that expected demand is 1,000 units over each of the next two periods, management decides to order 1,040 units from the Chinese supplier for each of the next two periods. If demand in a period turns out to be higher than 1,040 units, Forever Young will sell 1,040 units. However, if demand turns out to be lower than 1,040, the company will have left over product for which it will not be able to recover any revenue.

The short lead time of the local supplier allows Forever Young to keep bringing product in a little bit at a time based on actual sales. Thus, if the local supplier is used, the company is able to meet all demand in each period without having any unsold inventory or lost sales. In other words, the final order from the local supplier will exactly equal the demand observed by Forever Young.

### A Potential Hybrid Strategy

The local supplier has also offered another proposal that would allow Forever Young to use both suppliers, each playing a different role. The Chinese supplier would produce a base quantity for the season and the local supplier would cover any shortfalls that result. The short lead time of the local supplier would ensure that no sales are lost. In other words, if Forever Young committed to a base load of 900 units with the Chinese supplier in a given period and demand was 900 units or less, nothing would be ordered from the local supplier. If demand, however, was larger than 900 units (say 1,100), the shortfall of 200 units would be supplied by the local supplier. Under a hybrid strategy, the local supplier would end up supplying only a small fraction of the season's demand. For this extra flexibility and reduced volumes, however, the local supplier proposes to charge \$11/unit if she is used as part of a hybrid strategy.

### Questions

1. Draw a decision tree reflecting the uncertainty over the next two periods. Identify each node in terms of demand and exchange rate and the transition probabilities.
2. If management at Forever Young is to pick only one of the two suppliers, which one would you recommend? What is the NPV of expected profit over the next two periods for each of the two choices? Assume a discount factor of  $k = 0.1$  per period.
3. What do you think about the hybrid approach? Is it worth paying the local supplier extra to use her as part of a hybrid strategy? For the hybrid approach, assume that management will order a base load of 900 units from the Chinese supplier for each of the two periods, making up any shortfall in each period at the local supplier. Evaluate the NPV of expected profits for the hybrid option assuming a discount factor of  $k = 0.1$  per period.



# Demand Forecasting in a Supply Chain

## LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Understand the role of forecasting for both an enterprise and a supply chain.
2. Identify the components of a demand forecast.
3. Forecast demand in a supply chain given historical demand data using time-series methodologies.
4. Analyze demand forecasts to estimate forecast error.

All supply chain decisions made before demand has materialized are made to a forecast. In this chapter, we explain how historical demand information can be used to forecast future demand and how these forecasts affect the supply chain. We describe several methods to forecast demand and estimate a forecast's accuracy. We then discuss how these methods can be implemented using Microsoft Excel.

## 7.1 THE ROLE OF FORECASTING IN A SUPPLY CHAIN

Demand forecasts form the basis of all supply chain planning. Consider the push/pull view of the supply chain discussed in Chapter 1. All push processes in the supply chain are performed in anticipation of customer demand, whereas all pull processes are performed in response to customer demand. For push processes, a manager must plan the level of activity, be it production, transportation, or any other planned activity. For pull processes, a manager must plan the level of available capacity and inventory but not the actual amount to be executed. In both instances, the first step a manager must take is to forecast what customer demand will be.

A Home Depot store selling paint orders the base paint and dyes in anticipation of customer orders, whereas it performs final mixing of the paint in response to customer orders. Home Depot uses a forecast of future demand to determine the quantity of paint and dye to have on hand (a push process). Farther up the supply chain, the paint factory that produces the base also needs forecasts to determine its own production and inventory levels. The paint factory's suppliers also need forecasts for the same reason. When each stage in the supply chain makes its own separate forecast, these forecasts are often very different. The result is a mismatch between supply and demand. When all stages of a supply chain work together to produce a collaborative forecast, it tends to be much more accurate. The resulting forecast accuracy enables supply chains to be both more responsive and more efficient in serving their customers. Leaders in many supply chains, from PC manufacturers to packaged-goods retailers, have improved their ability to match supply and demand by moving toward collaborative forecasting.

Consider the value of collaborative forecasting for Coca-Cola and its bottlers. Coca-Cola decides on the timing of various promotions based on the demand forecast over the coming quarter. Promotion decisions are then incorporated into an updated demand forecast. The updated forecast is essential for the bottlers to plan their capacity and production decisions. A bottler operating without an updated forecast based on the promotion is unlikely to have sufficient supply available for Coca-Cola, thus hurting supply chain profits.

Mature products with stable demand, such as milk or paper towels, are usually easiest to forecast. Forecasting and the accompanying managerial decisions are extremely difficult when either the supply of raw materials or the demand for the finished product is highly unpredictable. Fashion goods and many high-tech products are examples of items that are difficult to forecast. In both instances, an estimate of forecast error is essential when designing the supply chain and planning its response.

Before we begin an in-depth discussion of the components of forecasts and forecasting methods in the supply chain, we briefly list characteristics of forecasts that a manager must understand to design and manage his or her supply chain effectively.

## 7.2 CHARACTERISTICS OF FORECASTS

Companies and supply chain managers should be aware of the following characteristics of forecasts.

1. Forecasts are always inaccurate and should thus include both the expected value of the forecast and a measure of forecast error. To understand the importance of forecast error, consider two car dealers. One of them expects sales to range between 100 and 1,900 units, whereas the other expects sales to range between 900 and 1,100 units. Even though both dealers anticipate average sales of 1,000, the sourcing policies for each dealer should be very different given the difference in forecast accuracy. Thus, the forecast error (or demand uncertainty) must be a key input into most supply chain decisions. Unfortunately, most firms do not maintain any estimate of forecast error.

2. Long-term forecasts are usually less accurate than short-term forecasts; that is, long-term forecasts have a larger standard deviation of error relative to the mean than short-term forecasts. Seven-Eleven Japan has exploited this key property to improve its performance. The company has instituted a replenishment process that enables it to respond to an order within hours. For example, if a store manager places an order by 10 A.M., the order is delivered by 7 P.M. the same day. Therefore, the manager only has to forecast what will sell that night less than 12 hours before the actual sale. The short lead time allows a manager to take into account current information that could affect product sales, such as the weather. This forecast is likely to be more accurate than if the store manager had to forecast demand one week in advance.

3. Aggregate forecasts are usually more accurate than disaggregate forecasts, as they tend to have a smaller standard deviation of error relative to the mean. For example, it is easy to forecast the gross domestic product (GDP) of the United States for a given year with less than a 2 percent error. However, it is much more difficult to forecast yearly revenue for a company with less than a 2 percent error, and it is even harder to forecast revenue for a given product with the same degree of accuracy. The key difference among the three forecasts is the degree of aggregation. The GDP is an aggregation across many companies, and the earnings of a company are an aggregation across several product lines. The greater the aggregation, the more accurate is the forecast.

4. In general, the farther up the supply chain a company is (or the farther it is from the consumer), the greater is the distortion of information it receives. One classic example of this is the bullwhip effect (see Chapter 10), in which order variation is amplified as orders move farther from the end customer. As a result, the farther up the supply chain an enterprise is, the larger is the forecast error. Collaborative forecasting based on sales to the end customer helps upstream enterprises reduce forecast error.

In the next section, we discuss the basic components of a forecast, explain the four classifications into which forecasting methods fall, and introduce the notion of forecast error.



### 7.3 COMPONENTS OF A FORECAST AND FORECASTING METHODS

Yogi Berra, the former New York Yankees catcher who is famous for his malapropisms, once said, “Predictions are usually difficult, especially about the future.” One may be tempted to treat demand forecasting as magic or art and leave everything to chance. What a firm knows about its customers’ past behavior, however, sheds light on their future behavior. Demand does not arise in a vacuum. Rather, customer demand is influenced by a variety of factors and can be predicted, at least with some probability, if a company can determine the relationship between these factors and future demand. To forecast demand, companies must first identify the factors that influence future demand and then ascertain the relationship between these factors and future demand.

Companies must balance objective and subjective factors when forecasting demand. Although we focus on quantitative forecasting methods in this chapter, companies must include human input when they make their final forecast. Seven-Eleven Japan illustrates this point.

Seven-Eleven Japan provides its store managers with a state-of-the-art decision support system that makes a demand forecast and provides a recommended order. The store manager, however, is responsible for making the final decision and placing the order, because he or she may have access to information about market conditions that are not available in historical demand data. This knowledge of market conditions is likely to improve the forecast. For example, if the store manager knows that the weather is likely to be rainy and cold the next day, he or she can reduce the size of an ice cream order to be placed with an upstream supplier, even if demand was high during the previous few days when the weather was hot. In this instance, a change in market conditions (the weather) would not have been predicted using historical demand data. A supply chain can experience substantial payoffs from improving its demand forecasting through qualitative human inputs.

A company must be knowledgeable about numerous factors that are related to the demand forecast, including the following:

- Past demand
- Lead time of product replenishment
- Planned advertising or marketing efforts
- Planned price discounts
- State of the economy
- Actions that competitors have taken

A company must understand such factors before it can select an appropriate forecasting methodology. For example, historically a firm may have experienced low demand for chicken noodle soup in July and high demand in December and January. If the firm decides to discount the product in July, the situation is likely to change, with some of the future demand shifting to the month of July. The firm should make its forecast taking this factor into consideration.

Forecasting methods are classified according to the following four types:

**1. Qualitative:** Qualitative forecasting methods are primarily subjective and rely on human judgment. They are most appropriate when little historical data are available or when experts have market intelligence that may affect the forecast. Such methods may also be necessary to forecast demand several years into the future in a new industry.

**2. Time series:** Time-series forecasting methods use historical demand to make a forecast. They are based on the assumption that past demand history is a good indicator of future demand. These methods are most appropriate when the basic demand pattern does not vary significantly from one year to the next. These are the simplest methods to implement and can serve as a good starting point for a demand forecast.

**3. Causal:** Causal forecasting methods assume that the demand forecast is highly correlated with certain factors in the environment (the state of the economy, interest rates, etc.). Causal forecasting methods find this correlation between demand and environmental factors and use estimates of what environmental factors will be to forecast future demand. For example,

product pricing is strongly correlated with demand. Companies can thus use causal methods to determine the impact of price promotions on demand.

**4. Simulation:** Simulation forecasting methods imitate the consumer choices that give rise to demand to arrive at a forecast. Using simulation, a firm can combine time-series and causal methods to answer such questions as: What will be the impact of a price promotion? What will be the impact of a competitor opening a store nearby? Airlines simulate customer buying behavior to forecast demand for higher fare seats when there are no seats available at the lower fares.

A company may find it difficult to decide which method is most appropriate for forecasting. In fact, several studies have indicated that using multiple forecasting methods to create a combined forecast is more effective than using any one method alone.

In this chapter, we deal primarily with time-series methods, which are most appropriate when future demand is related to historical demand, growth patterns, and any seasonal patterns. With any forecasting method, there is always a random element that cannot be explained by historical demand patterns. Therefore, any observed demand can be broken down into a systematic and a random component:

$$\text{Observed demand } (O) = \text{systematic component } (S) + \text{random component } (R)$$

The *systematic component* measures the expected value of demand and consists of what we will call *level*, the current deseasonalized demand; *trend*, the rate of growth or decline in demand for the next period; and *seasonality*, the predictable seasonal fluctuations in demand.

The *random component* is that part of the forecast that deviates from the systematic part. A company cannot (and should not) forecast the direction of the random component. All a company can predict is the random component's size and variability, which provides a measure of forecast error. The objective of forecasting is to filter out the random component (noise) and estimate the systematic component. The *forecast error* measures the difference between the forecast and actual demand. On average, a good forecasting method has an error whose size is comparable to the random component of demand. A manager should be skeptical of a forecasting method that claims to have no forecasting error on historical demand. In this case, the method has merged the historical random component with the systematic component. As a result, the forecasting method will likely perform poorly.

## 7.4 BASIC APPROACH TO DEMAND FORECASTING

The following five points are important for an organization to forecast effectively:

1. Understand the objective of forecasting.
2. Integrate demand planning and forecasting throughout the supply chain.
3. Identify the major factors that influence the demand forecast.
4. Forecast at the appropriate level of aggregation.
5. Establish performance and error measures for the forecast.

### Understand the Objective of Forecasting

Every forecast supports decisions that are based on it, so an important first step is to identify these decisions clearly. Examples of such decisions include how much of a particular product to make, how much to inventory, and how much to order. All parties affected by a supply chain decision should be aware of the link between the decision and the forecast. For example, Wal-Mart's plans to discount detergent during the month of July must be shared with the manufacturer, the transporter, and others involved in filling demand, as they all must make decisions that are affected by the forecast of demand. All parties should come up with a common forecast for the promotion and a shared plan of action based on the forecast. Failure to make these decisions jointly may result in either too much or too little product in various stages of the supply chain.

### **Integrate Demand Planning and Forecasting Throughout the Supply Chain**

A company should link its forecast to all planning activities throughout the supply chain. These include capacity planning, production planning, promotion planning, and purchasing, among others. In one unfortunately common scenario, a retailer develops forecasts based on promotional activities, whereas a manufacturer, unaware of these promotions, develops a different forecast for its production planning based on historical orders. This leads to a mismatch between supply and demand, resulting in poor customer service. To accomplish integration, it is a good idea for a firm to have a cross-functional team, with members from each affected function responsible for forecasting demand—and an even better idea is to have members of different companies in the supply chain working together to create a forecast.

### **Identify Major Factors That Influence the Demand Forecast**

Next, a firm must identify demand, supply, and product-related phenomena that influence the demand forecast. On the demand side, a company must ascertain whether demand is growing or declining or has a seasonal pattern. These estimates must be based on demand—not sales data. For example, a supermarket promoted a certain brand of cereal in July 2011. As a result, the demand for this cereal was high while the demand for other, comparable cereal brands was low in July. The supermarket should not use the sales data from 2011 to estimate that demand for this brand will be high in July 2012, because this will occur only if the same brand is promoted again in July 2012 and other brands respond as they did the previous year. When making the demand forecast, the supermarket must understand what the demand would have been in the absence of promotion activity and how demand is affected by promotions and competitor actions. A combination of these pieces of information will allow the supermarket to forecast demand for July 2012 given the promotion activity planned for that year.

On the supply side, a company must consider the available supply sources to decide on the accuracy of the forecast desired. If alternate supply sources with short lead times are available, a highly accurate forecast may not be especially important. However, if only a single supplier with a long lead time is available, an accurate forecast will have great value.

On the product side, a firm must know the number of variants of a product being sold and whether these variants substitute for or complement one another. If demand for a product influences or is influenced by demand for another product, the two forecasts are best made jointly. For example, when a firm introduces an improved version of an existing product, it is likely that the demand for the existing product will decline because customers will buy the improved version. Although the decline in demand for the original product is not indicated by historical data, the historical demand is still useful in that it allows the firm to estimate the combined total demand for the two versions. Clearly, demand for the two products should be forecast jointly.

### **Forecast at the Appropriate Level of Aggregation**

Given that aggregate forecasts are more accurate than disaggregate forecasts, it is important to forecast at a level of aggregation that is appropriate given the supply chain decision that is driven by the forecast. Consider a buyer at a retail chain who is forecasting in order to pick an order size for shirts. One approach is to ask each store manager the precise number of shirts needed and add up all the requests to get an order size with the supplier. The advantage of this approach is that it uses local market intelligence that each store manager has. The problem with this approach is that it makes store managers forecast well before demand arises at a time when their disaggregate forecasts are unlikely to be accurate. A better approach may be to forecast demand at the aggregate level when ordering with the supplier and ask each store manager to forecast only when the shirts are to be allocated across the stores. In this case, the long lead time forecast (supplier order) is aggregate, thus lowering error. The disaggregate store-level forecast is made close to the sales season when local market intelligence is likely to be most effective.

## Establish Performance and Error Measures for the Forecast

Companies should establish clear performance measures to evaluate the accuracy and timeliness of the forecast. These measures should be highly correlated with the objectives of the business decisions based on these forecasts. Consider a mail-order company that uses a forecast to place orders with its suppliers up the supply chain. Suppliers take two months to send in the orders. The mail-order company must ensure that the forecast is created at least two months before the start of the sales season because of the two-month lead time for replenishment. At the end of the sales season, the company must compare actual demand to forecasted demand to estimate the accuracy of the forecast. Then plans for decreasing future forecast errors or responding to the observed forecast errors can be put into place.

In the next section, we discuss techniques for static and adaptive time-series forecasting.

## 7.5 TIME-SERIES FORECASTING METHODS

The goal of any forecasting method is to predict the systematic component of demand and estimate the random component. In its most general form, the systematic component of demand data contains a level, a trend, and a seasonal factor. The equation for calculating the systematic component may take a variety of forms:

- **Multiplicative:** Systematic component = level  $\times$  trend  $\times$  seasonal factor
- **Additive:** Systematic component = level + trend + seasonal factor
- **Mixed:** Systematic component = (level + trend)  $\times$  seasonal factor

The specific form of the systematic component applicable to a given forecast depends on the nature of demand. Companies may develop both static and adaptive forecasting methods for each form. We now describe these static and adaptive forecasting methods.

### Static Methods

A static method assumes that the estimates of level, trend, and seasonality within the systematic component do not vary as new demand is observed. In this case, we estimate each of these parameters based on historical data and then use the same values for all future forecasts. In this section, we discuss a static forecasting method for use when demand has a trend as well as a seasonal component. We assume that the systematic component of demand is mixed, that is,

$$\text{Systematic component} = (\text{level} + \text{trend}) \times \text{seasonal factor}$$

A similar approach can be applied for other forms as well. We begin with a few basic definitions:

$L$  = estimate of level at  $t = 0$  (the deseasonalized demand estimate during Period  $t = 0$ )

$T$  = estimate of trend (increase or decrease in demand per period)

$S_t$  = estimate of seasonal factor for Period  $t$

$D_t$  = actual demand observed in Period  $t$

$F_t$  = forecast of demand for Period  $t$

In a static forecasting method, the forecast in Period  $t$  for demand in Period  $t + l$  is a product of the level in Period  $t + l$  and the seasonal factor for Period  $t + l$ . The level in Period  $t + l$  is the sum of the level in Period 0 ( $L$ ) and  $(t + l)$  times the trend  $T$ . The forecast in Period  $t$  for demand in Period  $t + l$  is thus given as

$$F_{t+l} = [L + (t + l)T]S_{t+l} \quad (7.1)$$


**Table 7-1** Quarterly Demand for Tahoe Salt

Year	Quarter	Period, $t$	Demand, $D_t$
1	2	1	8,000
1	3	2	13,000
1	4	3	23,000
2	1	4	34,000
2	2	5	10,000
2	3	6	18,000
2	4	7	23,000
3	1	8	38,000
3	2	9	12,000
3	3	10	13,000
3	4	11	32,000
4	1	12	41,000

We now describe one method for estimating the three parameters  $L$ ,  $T$ , and  $S$ . As an example, consider the demand for rock salt used primarily to melt snow. This salt is produced by a firm called Tahoe Salt, which sells its salt through a variety of independent retailers around the Lake Tahoe area of the Sierra Nevada Mountains. In the past, Tahoe Salt has relied on estimates of demand from a sample of its retailers, but the company has noticed that these retailers always overestimate their purchases, leaving Tahoe (and even some retailers) stuck with excess inventory. After meeting with its retailers, Tahoe has decided to produce a collaborative forecast. Tahoe Salt wants to work with the retailers to create a more accurate forecast based on the actual retail sales of their salt. Quarterly retail demand data for the past three years are shown in Table 7-1 and charted in Figure 7-1.

In Figure 7-1, observe that demand for salt is seasonal, increasing from the second quarter of a given year to the first quarter of the following year. The second quarter of each year has the lowest demand. Each cycle lasts four quarters, and the demand pattern repeats every year. There is also a growth trend in the demand, with sales growing over the past three years. The company estimates that growth will continue in the coming year at historical rates. We now describe how each of the three parameters—level, trend, and seasonal factors—may be estimated. The following two steps are necessary to making this estimation:

1. Deseasonalize demand and run linear regression to estimate level and trend.
2. Estimate seasonal factors.

**FIGURE 7-1** Quarterly Demand at Tahoe Salt

**ESTIMATING LEVEL AND TREND** The objective of this step is to estimate the level at Period 0 and the trend. We start by *deseasonalizing* the demand data. *Deseasonalized demand* represents the demand that would have been observed in the absence of seasonal fluctuations. The *periodicity* ( $p$ ) is the number of periods after which the seasonal cycle repeats. For Tahoe Salt’s demand, the pattern repeats every year. Given that we are measuring demand on a quarterly basis, the periodicity for the demand in Table 7-1 is  $p = 4$ .

To ensure that each season is given equal weight when deseasonalizing demand, we take the average of  $p$  consecutive periods of demand. The average of demand from Period  $l + 1$  to Period  $l + p$  provides deseasonalized demand for Period  $l + (p + 1)/2$ . If  $p$  is odd, this method provides deseasonalized demand for an existing period. If  $p$  is even, this method provides deseasonalized demand at a point between Period  $l + (p/2)$  and Period  $l + 1 + (p/2)$ . By taking the average of deseasonalized demand provided by Periods  $l + 1$  to  $l + p$  and  $l + 2$  to  $l + p + 1$ , we obtain the deseasonalized demand for Period  $l + 1 + (p/2)$ . This procedure for obtaining the deseasonalized demand,  $\bar{D}_t$ , for Period  $t$ , is formulated as follows:

$$\bar{D}_t = \begin{cases} \left[ D_{t-(p/2)} + D_{t+(p/2)} + \sum_{i=t+1-(p/2)}^{t-1+(p/2)} 2D_i \right] / (2p) & \text{for } p \text{ even} \\ \sum_{i=t-[(p-1)/2]}^{t+[(p-1)/2]} D_i / p & \text{for } p \text{ odd} \end{cases} \quad (7.2)$$

In our example,  $p = 4$  is even. For  $t = 3$ , we obtain the deseasonalized demand using Equation 7.2 as follows:

$$\bar{D}_3 = \left[ D_{t-(p/2)} + D_{t+(p/2)} + \sum_{i=t+1-(p/2)}^{t-1+(p/2)} 2D_i \right] / (2p) = D_1 + D_5 + \sum_{i=2}^4 2D_i / 8$$

With this procedure, we can obtain deseasonalized demand between Periods 3 and 10 as shown in Figures 7-2 and 7-3.


The following linear relationship exists between the deseasonalized demand,  $\bar{D}_t$ , and time  $t$ , based on the change in demand over time.

$$\bar{D}_t = L + Tt \quad (7.3)$$

	A	B	C
1	Period $t$	Demand $D_t$	Deseasonalized Demand
2	1	8,000	
3	2	13,000	
4	3	23,000	19,750
5	4	34,000	20,625
6	5	10,000	21,250
7	6	18,000	21,750
8	7	23,000	22,500
9	8	38,000	22,125
10	9	12,000	22,625
11	10	13,000	24,125
12	11	32,000	
13	12	41,000	

Cell	Cell Formula	Equation	Copied to
C4	=(B2+B6+2*SUM(B3:B5))/8	7.2	C5:C11

**FIGURE 7-2** Excel Workbook with Deseasonalized Demand for Tahoe Salt



**FIGURE 7-3** Deseasonalized Demand for Tahoe Salt

Note that in Equation 7.3,  $\bar{D}_t$  represents deseasonalized demand and not the actual demand in Period  $t$ ,  $L$  represents the *level* or deseasonalized demand at Period 0, and  $T$  represents the rate of growth of deseasonalized demand or *trend*. We can estimate the values of  $L$  and  $T$  for the deseasonalized demand using linear regression with deseasonalized demand (see Figure 7-2) as the dependent variable and time as the independent variable. Such a regression can be run using Microsoft Excel (Data | Data Analysis | Regression). This sequence of commands opens the Regression dialog box in Excel. For the Tahoe Salt workbook in Figure 7-2, in the resulting dialog box, we enter

Input Y Range: C4:C11

Input X Range: A4:A11

and click the OK button. A new sheet containing the results of the regression opens up. This new sheet contains estimates for both the initial level  $L$  and the trend  $T$ . The initial level,  $L$ , is obtained as the *intercept coefficient*, and the trend,  $T$ , is obtained as the *X variable coefficient* (or the slope) from the sheet containing the regression results. For the Tahoe Salt example, we obtain  $L = 18,439$  and  $T = 524$ . For this example, deseasonalized demand  $\bar{D}_t$  for any Period  $t$  is thus given by

$$\bar{D}_t = 18,439 + 524t \quad (7.4)$$

Note that it is not appropriate to run a linear regression between the original demand data and time to estimate level and trend because the original demand data are not linear and the resulting linear regression will not be accurate. The demand must be deseasonalized before we run the linear regression.

**ESTIMATING SEASONAL FACTORS** We can now obtain deseasonalized demand for each period using Equation 7.4. The seasonal factor  $\bar{S}_t$  for Period  $t$  is the ratio of actual demand  $D_t$  to deseasonalized demand  $\bar{D}_t$  and is given as

$$\bar{S}_t = \frac{D_t}{\bar{D}_t} \quad (7.5)$$

For the Tahoe Salt example, the deseasonalized demand estimated using Equation 7.4 and the seasonal factors estimated using Equation 7.5 are shown in Figure 7-4.

Given the periodicity,  $p$ , we obtain the seasonal factor for a given period by averaging seasonal factors that correspond to similar periods. For example, if we have a periodicity of  $p = 4$ , Periods 1, 5, and 9 have similar seasonal factors. The seasonal factor for these periods is obtained

	A	B	C	D
1	Period $t$	Demand $D_t$	Deseasonalized Demand (Eqn 7.4) $\bar{D}_t$	Seasonal Factor (Eqn 7.5) $\bar{S}_t$
2	1	8,000	18,963	0.42
3	2	13,000	19,487	0.67
4	3	23,000	20,011	1.15
5	4	34,000	20,535	1.66
6	5	10,000	21,059	0.47
7	6	18,000	21,583	0.83
8	7	23,000	22,107	1.04
9	8	38,000	22,631	1.68
10	9	12,000	23,155	0.52
11	10	13,000	23,679	0.55
12	11	32,000	24,203	1.32
13	12	41,000	24,727	1.66

Cell	Cell Formula	Equation	Copied to
C2	=18439+A2*524	7.4	C3:C13
D2	=B2/C2	7.5	D3:D13

**FIGURE 7-4** Deseasonalized Demand and Seasonal Factors for Tahoe Salt

as the average of the three seasonal factors. Given  $r$  seasonal cycles in the data, for all periods of the form  $pt + i, 1 \leq i \leq p$ , we obtain the seasonal factor as

$$S_i = \frac{\sum_{j=0}^{r-1} \bar{S}_{jp+i}}{r} \quad (7.6)$$

For the Tahoe Salt example, a total of 12 periods and a periodicity of  $p = 4$  imply that there are  $r = 3$  seasonal cycles in the data. We obtain seasonal factors using Equation 7.6 as

$$S_1 = (\bar{S}_1 + \bar{S}_5 + \bar{S}_9)/3 = (0.42 + 0.47 + 0.52)/3 = 0.47$$

$$S_2 = (\bar{S}_2 + \bar{S}_6 + \bar{S}_{10})/3 = (0.67 + 0.83 + 0.55)/3 = 0.68$$

$$S_3 = (\bar{S}_3 + \bar{S}_7 + \bar{S}_{11})/3 = (1.15 + 1.04 + 1.32)/3 = 1.17$$

$$S_4 = (\bar{S}_4 + \bar{S}_8 + \bar{S}_{12})/3 = (1.66 + 1.68 + 1.66)/3 = 1.67$$

At this stage, we have estimated the level, trend, and all seasonal factors. We can now obtain the forecast for the next four quarters using Equation 7.1. In the example, the forecast for the next four periods using the static forecasting method is given by

$$F_{13} = (L + 13T)S_{13} = (18,439 + 13 \times 524)0.47 = 11,868$$

$$F_{14} = (L + 14T)S_{14} = (18,439 + 14 \times 524)0.68 = 17,527$$

$$F_{15} = (L + 15T)S_{15} = (18,439 + 15 \times 524)1.17 = 30,770$$

$$F_{16} = (L + 16T)S_{16} = (18,439 + 16 \times 524)1.67 = 44,794$$

Tahoe Salt and its retailers now have a more accurate forecast of demand. Without the sharing of sell-through information between the retailers and the manufacturer, this supply chain would have a less accurate forecast and a variety of production and inventory inefficiencies would result.



## Adaptive Forecasting

In adaptive forecasting, the estimates of level, trend, and seasonality are updated after each demand observation. The main advantage of adaptive forecasting is that estimates incorporate all new data that are observed. We now discuss a basic framework and several methods that can be used for this type of forecast. The framework is provided in the most general setting, when the systematic component of demand data contains a level, a trend, and a seasonal factor. The framework we present is for the case in which the systematic component has the mixed form. It can, however, easily be modified for the other two cases. The framework can also be specialized for the case in which the systematic component contains no seasonality or trend. We assume that we have a set of historical data for  $n$  periods and that demand is seasonal with periodicity  $p$ . Given quarterly data, wherein the pattern repeats itself every year, we have a periodicity of  $p = 4$ .

We begin by defining a few terms:

$L_t$  = estimate of level at the end of Period  $t$

$T_t$  = estimate of trend at the end of Period  $t$

$S_t$  = estimate of seasonal factor for Period  $t$

$F_t$  = forecast of demand for Period  $t$  (made in Period  $t - 1$  or earlier)

$D_t$  = actual demand observed in Period  $t$

$E_t = F_t - D_t$  = forecast error in Period  $t$

In adaptive methods, the forecast for Period  $t + l$  in Period  $t$  uses the estimate of level and trend in Period  $t$  ( $L_t$  and  $T_t$  respectively) and is given as

$$F_{t+l} = (L_t + lT_t)S_{t+l} \quad (7.7)$$

The four steps in the adaptive forecasting framework are as follows:

1. **Initialize:** Compute initial estimates of the level ( $L_0$ ), trend ( $T_0$ ), and seasonal factors ( $S_1, \dots, S_p$ ) from the given data. This is done exactly as in the static forecasting method discussed earlier in the chapter with  $L_0 = L$  and  $T_0 = T$ .
2. **Forecast:** Given the estimates in Period  $t$ , forecast demand for Period  $t + 1$  using Equation 7.7. Our first forecast is for Period 1 and is made with the estimates of level, trend, and seasonal factor at Period 0.
3. **Estimate error:** Record the actual demand  $D_{t+1}$  for Period  $t + 1$  and compute the error  $E_{t+1}$  in the forecast for Period  $t + 1$  as the difference between the forecast and the actual demand. The error for Period  $t + 1$  is stated as

$$E_{t+1} = F_{t+1} - D_{t+1} \quad (7.8)$$

4. **Modify estimates:** Modify the estimates of level ( $L_{t+1}$ ), trend ( $T_{t+1}$ ), and seasonal factor ( $S_{t+p+1}$ ), given the error  $E_{t+1}$  in the forecast. It is desirable that the modification be such that if the demand is lower than forecast, the estimates are revised downward, whereas if the demand is higher than forecast, the estimates are revised upward.

The revised estimates in Period  $t + 1$  are then used to make a forecast for Period  $t + 2$ , and Steps 2, 3, and 4 are repeated until all historical data up to Period  $n$  have been covered. The estimates at Period  $n$  are then used to forecast future demand.

We now discuss various adaptive forecasting methods. The method that is most appropriate depends on the characteristic of demand and the composition of the systematic component of demand. In each case, we assume the period under consideration to be  $t$ .

**MOVING AVERAGE** The moving average method is used when demand has no observable trend or seasonality. In this case,

$$\text{Systematic component of demand} = \text{level}$$

In this method, the level in Period  $t$  is estimated as the average demand over the most recent  $N$  periods. This represents an  $N$ -period moving average and is evaluated as follows:

$$L_t = (D_t + D_{t-1} + \cdots + D_{t-N+1})/N \quad (7.9)$$

The current forecast for all future periods is the same and is based on the current estimate of level. The forecast is stated as

$$F_{t+1} = L_t \quad \text{and} \quad F_{t+n} = L_t \quad (7.10)$$

After observing the demand for Period  $t + 1$ , we revise the estimates as follows:

$$L_{t+1} = (D_{t+1} + D_t + \cdots + D_{t-N+2})/N, \quad F_{t+2} = L_{t+1}$$

To compute the new moving average, we simply add the latest observation and drop the oldest one. The revised moving average serves as the next forecast. The moving average corresponds to giving the last  $N$  periods of data equal weight when forecasting and ignoring all data older than this new moving average. As we increase  $N$ , the moving average becomes less responsive to the most recently observed demand. We illustrate the use of the moving average in Example 7-1.

### EXAMPLE 7-1 Moving Average

A supermarket has experienced weekly demand of milk of  $D_1 = 120$ ,  $D_2 = 127$ ,  $D_3 = 114$ , and  $D_4 = 122$  gallons over the past four weeks. Forecast demand for Period 5 using a four-period moving average. What is the forecast error if demand in Period 5 turns out to be 125 gallons?

#### Analysis:

We make the forecast for Period 5 at the end of Period 4. Thus, assume the current period to be  $t = 4$ . Our first objective is to estimate the level in Period 4. Using Equation 7.9, with  $N = 4$ , we obtain

$$L_4 = (D_4 + D_3 + D_2 + D_1)/4 = (122 + 114 + 127 + 120)/4 = 120.75$$

The forecast of demand for Period 5, using Equation 7.10, is expressed as

$$F_5 = L_4 = 120.75 \text{ gallons}$$

As demand in Period 5,  $D_5$ , is 125 gallons, we have a forecast error for Period 5 of

$$E_5 = F_5 - D_5 = 125 - 120.75 = 4.25$$

After observing demand in Period 5, the revised estimate of level for Period 5 is given by

$$L_5 = (D_5 + D_4 + D_3 + D_2)/4 = (125 + 122 + 114 + 127)/4 = 122$$

**SIMPLE EXPONENTIAL SMOOTHING** The simple exponential smoothing method is appropriate when demand has no observable trend or seasonality. In this case,

$$\text{Systematic component of demand} = \text{level}$$

The initial estimate of level,  $L_0$ , is taken to be the average of all historical data because demand has been assumed to have no observable trend or seasonality. Given demand data for Periods 1 through  $n$ , we have the following:

$$L_0 = \frac{1}{n} \sum_{i=1}^n D_i \quad (7.11)$$

The current forecast for all future periods is equal to the current estimate of level and is given as

$$F_{t+1} = L_t \quad \text{and} \quad F_{t+n} = L_t \quad (7.12)$$

After observing the demand,  $D_{t+1}$ , for Period  $t + 1$ , we revise the estimate of the level as follows:

$$L_{t+1} = \alpha D_{t+1} + (1 - \alpha)L_t \quad (7.13)$$

where  $\alpha$  is a smoothing constant for the level,  $0 < \alpha < 1$ . The revised value of the level is a weighted average of the observed value of the level ( $D_{t+1}$ ) in Period  $t + 1$  and the old estimate of the level ( $L_t$ ) in Period  $t$ . Using Equation 7.13, we can express the level in a given period as a function of the current demand and the level in the previous period. We can thus rewrite Equation 7.13 as

$$L_{t+1} = \sum_{n=0}^{t-1} \alpha(1 - \alpha)^n D_{t+1-n} + (1 - \alpha)^t D_1$$

The current estimate of the level is a weighted average of all of the past observations of demand, with recent observations weighted higher than older observations. A higher value of  $\alpha$  corresponds to a forecast that is more responsive to recent observations, whereas a lower value of  $\alpha$  represents a more stable forecast that is less responsive to recent observations. We illustrate the use of exponential smoothing in Example 7-2.

### EXAMPLE 7-2 Simple Exponential Smoothing

Consider the supermarket in Example 7-1, in which weekly demand for milk has been  $D_1 = 120$ ,  $D_2 = 127$ ,  $D_3 = 114$ , and  $D_4 = 122$  gallons over the past four weeks. Forecast demand for Period 5 using simple exponential smoothing with  $\alpha = 0.1$ .

#### Analysis:

In this case, we have demand data for  $n = 4$  periods. Using Equation 7.11, the initial estimate of level is expressed by

$$L_0 = \sum_{i=1}^4 D_i / 4 = 120.75$$

The forecast for Period 1 (using Equation 7.12) is thus given by

$$F_1 = L_0 = 120.75$$

The observed demand for Period 1 is  $D_1 = 120$ . The forecast error for Period 1 is given by

$$E_1 = F_1 - D_1 = 120.75 - 120 = 0.75$$

With  $\alpha = 0.1$ , the revised estimate of level for Period 1 using Equation 7.13 is given by

$$L_1 = \alpha D_1 + (1 - \alpha)L_0 = 0.1 \times 120 + 0.9 \times 120.75 = 120.68$$

Observe that the estimate of level for Period 1 is lower than for Period 0 because the demand in Period 1 is lower than the forecast for Period 1. We thus obtain  $F_2 = L_1 = 120.68$ . Given that  $D_2 = 127$ , we obtain  $L_2 = 0.1 \times 127 + 0.9 \times 120.68 = 121.31$ . This gives  $F_3 = L_2 = 121.31$ . Given that  $D_3 = 114$ , we obtain  $L_3 = 0.1 \times 114 + 0.9 \times 121.31 = 120.58$ . This gives  $F_4 = L_3 = 120.58$ . Given that  $D_4 = 122$ , we obtain  $L_4 = 0.1 \times 122 + 0.9 \times 120.58 = 120.72$ . This gives  $F_5 = L_4 = 120.72$ .

**TREND-CORRECTED EXPONENTIAL SMOOTHING (HOLT'S MODEL)** The trend-corrected exponential smoothing (Holt's model) method is appropriate when demand is assumed to have a level and a trend in the systematic component but no seasonality. In this case, we have

$$\text{Systematic component of demand} = \text{level} + \text{trend}$$

We obtain an initial estimate of level and trend by running a linear regression between demand  $D_t$  and time Period  $t$  of the form

$$D_t = at + b$$

In this case, running a linear regression between demand and time periods is appropriate because we have assumed that demand has a trend but no seasonality. The underlying relationship between demand and time is thus linear. The constant  $b$  measures the estimate of demand at Period  $t = 0$  and is our estimate of the initial level  $L_0$ . The slope  $a$  measures the rate of change in demand per period and is our initial estimate of the trend  $T_0$ .

In Period  $t$ , given estimates of level  $L_t$  and trend  $T_t$ , the forecast for future periods is expressed as

$$F_{t+1} = L_t + T_t \quad \text{and} \quad F_{t+n} = L_t + nT_t \quad (7.14)$$

After observing demand for Period  $t$ , we revise the estimates for level and trend as follows:

$$L_{t+1} = \alpha D_{t+1} + (1 - \alpha)(L_t + T_t) \quad (7.15)$$

$$T_{t+1} = \beta(L_{t+1} - L_t) + (1 - \beta)T_t \quad (7.16)$$

where  $\alpha$  is a smoothing constant for the level,  $0 < \alpha < 1$ , and  $\beta$  is a smoothing constant for the trend,  $0 < \beta < 1$ . Observe that in each of the two updates, the revised estimate (of level or trend) is a weighted average of the observed value and the old estimate. We illustrate the use of Holt's model in Example 7-3.

### EXAMPLE 7-3 Holt's Model

An electronics manufacturer has seen demand for its latest MP3 player increase over the past six months. Observed demand (in thousands) has been  $D_1 = 8,415$ ,  $D_2 = 8,732$ ,  $D_3 = 9,014$ ,  $D_4 = 9,808$ ,  $D_5 = 10,413$ , and  $D_6 = 11,961$ . Forecast demand for Period 7 using trend-corrected exponential smoothing with  $\alpha = 0.1$ ,  $\beta = 0.2$ .

#### Analysis:

The first step is to obtain initial estimates of level and trend using linear regression. We first run a linear regression (using the Excel tool Data | Data Analysis | Regression) between demand and time periods. The estimate of initial level  $L_0$  is obtained as the *intercept coefficient*, and the trend  $T_0$  is obtained as the *X variable coefficient* (or the slope). For the MP3 player data, we obtain

$$L_0 = 7,367 \quad \text{and} \quad T_0 = 673$$

The forecast for Period 1 (using Equation 7.14) is thus given by

$$F_1 = L_0 + T_0 = 7,367 + 673 = 8,040$$

The observed demand for Period 1 is  $D_1 = 8,415$ . The error for Period 1 is thus given by

$$E_1 = F_1 - D_1 = 8,040 - 8,415 = -375$$

With  $\alpha = 0.1$ ,  $\beta = 0.2$ , the revised estimate of level and trend for Period 1 using Equations 7.15 and 7.16 is given by

$$L_1 = \alpha D_1 + (1 - \alpha)(L_0 + T_0) = 0.1 \times 8,415 + 0.9 \times 8,040 = 8,078$$

$$T_1 = \beta(L_1 - L_0) + (1 - \beta)T_0 = 0.2 \times (8,078 - 7,367) + 0.8 \times 673 = 681$$

Observe that the initial estimate for demand in Period 1 is too low. As a result, our updates have increased the estimate of level  $L_1$  for Period 1 from 8,040 to 8,078 and the

estimate of trend from 673 to 681. Using Equation 7.14, we thus obtain the following forecast for Period 2:

$$F_2 = L_1 + T_1 = 8,078 + 681 = 8,759$$

Continuing in this manner, we obtain  $L_2 = 8,755$ ,  $T_2 = 680$ ,  $L_3 = 9,393$ ,  $T_3 = 672$ ,  $L_4 = 10,039$ ,  $T_4 = 666$ ,  $L_5 = 10,676$ ,  $T_5 = 661$ ,  $L_6 = 11,399$ ,  $T_6 = 673$ . This gives us a forecast for Period 7 of

$$F_7 = L_6 + T_6 = 11,399 + 673 = 12,072$$

### TREND- AND SEASONALITY-CORRECTED EXPONENTIAL SMOOTHING (WINTER'S MODEL)

This method is appropriate when the systematic component of demand has a level, a trend, and a seasonal factor. In this case we have

$$\text{Systematic component of demand} = (\text{level} + \text{trend}) \times \text{seasonal factor}$$

Assume periodicity of demand to be  $p$ . To begin, we need initial estimates of level ( $L_0$ ), trend ( $T_0$ ), and seasonal factors ( $S_1, \dots, S_p$ ). We obtain these estimates using the procedure for static forecasting described earlier in the chapter.

In Period  $t$ , given estimates of level,  $L_t$ , trend,  $T_t$ , and seasonal factors,  $S_t, \dots, S_{t+p-1}$ , the forecast for future periods is given by

$$F_{t+l} = (L_t + T_t)S_{t+l} \quad \text{and} \quad F_{t+l} = (L_t + lT_t)S_{t+l} \quad (7.17)$$

On observing demand for Period  $t + 1$ , we revise the estimates for level, trend, and seasonal factors as follows:

$$L_{t+1} = \alpha(D_{t+1}/S_{t+1}) + (1 - \alpha)(L_t + T_t) \quad (7.18)$$

$$T_{t+1} = \beta(L_{t+1} - L_t) + (1 - \beta)T_t \quad (7.19)$$

$$S_{t+p+1} = \gamma(D_{t+1}/L_{t+1}) + (1 - \gamma)S_{t+1} \quad (7.20)$$

where  $\alpha$  is a smoothing constant for the level,  $0 < \alpha < 1$ ;  $\beta$  is a smoothing constant for the trend,  $0 < \beta < 1$ ; and  $\gamma$  is a smoothing constant for the seasonal factor,  $0 < \gamma < 1$ . Observe that in each of the updates (level, trend, or seasonal factor), the revised estimate is a weighted average of the observed value and the old estimate. We illustrate the use of Winter's model in Example 7-4.

#### EXAMPLE 7-4 Winter's Model

Consider the Tahoe Salt demand data in Table 7-1. Forecast demand for Period 1 using trend-and seasonality-corrected exponential smoothing with  $\alpha = 0.1$ ,  $\beta = 0.2$ ,  $\gamma = 0.1$ .

##### Analysis:

We obtain the initial estimates of level, trend, and seasonal factors exactly as in the static case. They are expressed as follows:

$$L_0 = 18,439 \quad T_0 = 524 \quad S_1 = 0.47 \quad S_2 = 0.68 \quad S_3 = 1.17 \quad S_4 = 1.67$$

The forecast for Period 1 (using Equation 7.17) is thus given by

$$F_1 = (L_0 + T_0)S_1 = (18,439 + 524)0.47 = 8,913$$

The observed demand for Period 1 is  $D_1 = 8,000$ . The forecast error for Period 1 is thus given by

$$E_1 = F_1 - D_1 = 8,913 - 8,000 = 913$$

With  $\alpha = 0.1$ ,  $\beta = 0.2$ ,  $\gamma = 0.1$ , the revised estimate of level and trend for Period 1 and seasonal factor for Period 5, using Equations 7.18, 7.19, and 7.20, is given by

$$\begin{aligned} L_1 &= \alpha(D_1/S_1) + (1 - \alpha)(L_0 + T_0) \\ &= 0.1 \times (8,000/0.47) + 0.9 \times (18,439 + 524) = 18,769 \end{aligned}$$

$$T_1 = \beta(L_1 - L_0) + (1 - \beta)T_0 = 0.2 \times (18,769 - 18,439) + 0.8 \times 524 = 485$$

$$S_5 = \gamma(D_1/L_1) + (1 - \gamma)S_1 = 0.1(8,000/18,769) + 0.9 \times 0.47 = 0.47$$

The forecast of demand for Period 2 (using Equation 7.17) is thus given by

$$F_2 = (L_1 + T_1)S_2 = (18,769 + 485)0.68 = 13,093$$

The forecasting methods we have discussed and the situations in which they are generally applicable are as follows:

Forecasting Method	Applicability
Moving average	No trend or seasonality
Simple exponential smoothing	No trend or seasonality
Holt's model	Trend but no seasonality
Winter's model	Trend and seasonality

If Tahoe Salt uses an adaptive forecasting method for the sell-through data obtained from its retailers, Winter's model is the best choice, because its demand experiences both a trend and seasonality.

If we do not know that Tahoe Salt experiences both trend and seasonality, how can we find out? Forecast error helps identify instances in which the forecasting method being used is inappropriate. In the next section, we describe how a manager can estimate and use forecast error.

## 7.6 MEASURES OF FORECAST ERROR

As mentioned earlier, every instance of demand has a random component. A good forecasting method should capture the systematic component of demand but not the random component. The random component manifests itself in the form of a forecast error. Forecast errors contain valuable information and must be analyzed carefully for two reasons:

1. Managers use error analysis to determine whether the current forecasting method is predicting the systematic component of demand accurately. For example, if a forecasting method consistently produces a positive error, the forecasting method is overestimating the systematic component and should be corrected.
2. All contingency plans must account for forecast error. Consider a mail-order company with two suppliers. The first is in the Far East and has a lead time of two months. The second is local and can fill orders with one week's notice. The local supplier is more expensive than the Far East supplier. The mail-order company wants to contract a certain amount of contingency capacity with the local supplier to be used if the demand exceeds the quantity the Far East supplier provides. The decision regarding the quantity of local capacity to contract is closely linked to the size of the forecast error.

As long as observed errors are within historical error estimates, firms can continue to use their current forecasting method. Finding an error that is well beyond historical estimates may indicate that the forecasting method in use is no longer appropriate or demand has fundamentally changed. If all of a firm's forecasts tend to consistently over- or underestimate demand, this may be another signal that the firm should change its forecasting method.

As defined earlier, forecast error for Period  $t$  is given by  $E_t$ , where the following holds:

$$E_t = F_t - D_t$$

That is, the error in Period  $t$  is the difference between the forecast for Period  $t$  and the actual demand in Period  $t$ . It is important that a manager estimate the error of a forecast made at least as far in advance as the lead time required for the manager to take whatever action the forecast is to be used for. For example, if a forecast will be used to determine an order size and the supplier's lead time is six months, a manager should estimate the error for a forecast made six months before demand arises. In a situation with a six-month lead time, there is no point in estimating errors for a forecast made one month in advance.

One measure of forecast error is the *mean squared error* (MSE), where the following holds (the denominator in Equation 7.21 can also have  $n - 1$  instead of  $n$ ):

$$MSE_n = \frac{1}{n} \sum_{t=1}^n E_t^2 \quad (7.21)$$

The MSE can be related to the variance of the forecast error. In effect, we estimate that the random component of demand has a mean of 0 and a variance of MSE. The MSE penalizes large errors much more significantly than small errors because all errors are squared. Thus, if we select forecast methods by minimizing MSE, a method with a forecast error sequence of 10, 12, 9, and 9 will be preferred to a method with an error sequence of 1, 3, 2, and 20. Thus, it is a good idea to use the MSE to compare forecasting methods if the cost of a large error is much larger than the gains from very accurate forecasts. Using the MSE as a measure of error is appropriate when forecast error has a distribution that is symmetric about zero.

Define the *absolute deviation* in Period  $t$ ,  $A_t$ , to be the absolute value of the error in Period  $t$ ; that is,

$$A_t = |E_t|$$

Define the *mean absolute deviation* (MAD) to be the average of the absolute deviation over all periods, as expressed by

$$MAD_n = \frac{1}{n} \sum_{t=1}^n A_t \quad (7.22)$$

The MAD can be used to estimate the standard deviation of the random component assuming that the random component is normally distributed. In this case the standard deviation of the random component is

$$\sigma = 1.25 \text{ MAD} \quad (7.23)$$

We then estimate that the mean of the random component is 0, and the standard deviation of the random component of demand is  $\sigma$ . MAD is a better measure of error than MSE if the forecast error does not have a symmetric distribution. Even when the error distribution is symmetric, MAD is an appropriate choice when selecting forecasting methods if the cost of a forecast error is proportional to the size of the error.

The *mean absolute percentage error* (MAPE) is the average absolute error as a percentage of demand and is given by

$$MAPE_n = \frac{\sum_{t=1}^n \left| \frac{E_t}{D_t} \right|}{n} 100 \quad (7.24)$$

The MAPE is a good measure of forecast error when the underlying forecast has significant seasonality and demand varies considerably from one period to the next. Consider a scenario where two methods are used to make quarterly forecasts for a product with seasonal demand that peaks in the third quarter. Method 1 returns forecast errors of 190, 200, 245, and 180;

Method 2 returns forecast errors of 100, 120, 500, and 100 over four quarters. Method 1 has a lower MSE and MAD relative to Method 2 and would be preferred if either criterion was used. If demand is highly seasonal, however, and averages 1,000, 1,200, 4,800, and 1,100 in the four periods, Method 2 results in MAPE = 9.9%, while Method 1 results in a much higher MAPE = 14.3%. In this instance, it can be argued that Method 2 should be preferred to Method 1.

When a forecast method stops reflecting the underlying demand pattern (e.g., if demand drops considerably as it did for the automotive industry in 2008/2009), the forecast errors are unlikely to be randomly distributed around 0. In general, one needs a method to track and control the forecasting method. One approach is to use the sum of forecast errors to evaluate the *bias*, where the following holds:

$$bias_n = \sum_{t=1}^n E_t \quad (7.25)$$

The bias will fluctuate around 0 if the error is truly random and not biased one way or the other. Ideally, if we plot all the errors, the slope of the best straight line passing through should be 0.

The *tracking signal* (TS) is the ratio of the bias and the MAD and is given as

$$TS_t = \frac{bias_t}{MAD_t} \quad (7.26)$$

If the TS at any period is outside the range  $\pm 6$ , this is a signal that the forecast is biased and is either underforecasting ( $TS < -6$ ) or overforecasting ( $TS > +6$ ). This may happen because the forecasting method is flawed or the underlying demand pattern has shifted. One instance in which a large negative TS will result occurs when demand has a growth trend and the manager is using a forecasting method such as moving average. Because trend is not included, the average of historical demand is always lower than future demand. The negative TS detects that the forecasting method consistently underestimates demand and alerts the manager.

The tracking signal may also get large when demand has suddenly dropped (as it did for many industries in 2009) or increased by a significant amount making historical data less relevant. If demand has suddenly dropped, it makes sense to increase the weight on current data relative to older data when making forecasts. McClain (1981) recommends the “declining alpha” method when using exponential smoothing where the smoothing constant starts large (to give greater weight to recent data) but then decreases over time. If we are aiming for a long-term smoothing constant of  $\alpha = 1 - \rho$ , a declining alpha approach would be to start with  $\alpha_0 = 1$  and reset the smoothing constant as follows:

$$\alpha_t = \frac{\alpha_{t-1}}{\rho + \alpha_{t-1}} = \frac{1 - \rho}{1 - \rho^t}$$

In the long term, the smoothing constant will converge to  $\alpha = 1 - \rho$  with the forecasts becoming more stable over time.

## 7.7 SELECTING THE BEST SMOOTHING CONSTANT

When using exponential smoothing, the value of the smoothing constant chosen has a direct impact on the sensitivity of the forecast to recent data. If a manager has a good sense of the underlying demand pattern, it is best to use a smoothing constant that is no larger than 0.2. In general, it is best to pick smoothing constants that minimize the error term that a manager is most comfortable with from among MSE, MAD, and MAPE. In the absence of a preference among error terms, it is best to pick smoothing constants that minimize the MSE.

We illustrate the impact of picking smoothing constants that minimize different error measures using the 10-period demand data shown in cells B3:B12 of Figure 7-5. The initial level is estimated using Equation 7.11 and is shown in cell C2. The smoothing constant  $\alpha$  is obtained using Solver by minimizing the mean squared error MSE (cell F13) at the end of the 10 periods



	A	B	C	D	E	F	G	H
1	Period $t$	Demand $D_t$	Level $L_t$	Forecast $F_t$	Error $E_t$	Squared Error	Absolute Error $A_t$	% Error
2	0		2017.9					
3	1	2024	2021.2	2017.9	-6.1	37	6.1	0.3%
4	2	2076	2050.8	2021.2	-54.8	3003	54.8	2.6%
5	3	1992	2019.0	2050.8	58.8	3463	58.8	3.0%
6	4	2075	2049.3	2019.0	-56.0	3135	56.0	2.7%
7	5	2070	2060.5	2049.3	-20.7	429	20.7	1.0%
8	6	2046	2052.7	2060.5	14.5	210	14.5	0.7%
9	7	2027	2038.8	2052.7	25.7	658	25.7	1.3%
10	8	1972	2002.7	2038.8	66.8	4459	66.8	3.4%
11	9	1912	1953.6	2002.7	90.7	8218	90.7	4.7%
12	10	1985	1970.6	1953.6	-31.4	985	31.4	1.6%
13		2017.9			87	2,460	42.5	2.1%
14	$\alpha =$	0.54						

**Solver Parameters**

Set Target Cell:

Equal To:  Max  Min  Value of:

By Changing Variable Cells:

Subject to the Constraints:

**FIGURE 7-5** Selecting Smoothing Constant by Minimizing MSE

as shown in Figure 7-5. The forecast shown in Figure 7-5 uses the resulting  $\alpha = 0.54$  and gives MSE = 2,460, MAD = 42.5, and MAPE = 2.1 percent.

The smoothing constant can also be selected using Solver by minimizing the MAD or the MAPE at the end of 10 periods. In Figure 7-6, we show the results from minimizing MAD (cell G13). The forecasts and errors with the resulting  $\alpha = 0.32$  are shown in Figure 7-6. In this case, the MSE increases to 2,570 (compared to 2,460 in Figure 7-5) while the MAD decreases to 39.2 (compared to 42.5 in Figure 7-5) and the MAPE decreases to 2.0 percent (compared to 2.1 percent in Figure 7-5). The major difference between the two forecasts is in Period 9 (the period with the largest error shown in cell D11), where minimizing MSE picks a smoothing constant that reduces large errors, while minimizing MAD picks a smoothing constant that gives equal weight to reducing all errors even if large errors get somewhat larger.

	A	B	C	D	E	F	G	H
1	Period $t$	Demand $D_t$	Level $L_t$	Forecast $F_t$	Error $E_t$	Squared Error	Absolute Error $A_t$	% Error
2	0		2017.9					
3	1	2024	2019.8	2017.9	-6.1	37	6.1	0.3%
4	2	2076	2037.8	2019.8	-56.2	3153	56.2	2.7%
5	3	1992	2023.2	2037.8	45.8	2097	45.8	2.3%
6	4	2075	2039.7	2023.2	-51.8	2687	51.8	2.5%
7	5	2070	2049.4	2039.7	-30.3	916	30.3	1.5%
8	6	2046	2048.3	2049.4	3.4	12	3.4	0.2%
9	7	2027	2041.5	2048.3	21.3	454	21.3	1.1%
10	8	1972	2019.3	2041.5	69.5	4831	69.5	3.5%
11	9	1912	1985.0	2019.3	107.3	11511	107.3	5.6%
12	10	1985	1985.0	1985.0	0.0	0	0.0	0.0%
13		2017.9			103	2,570	39.2	2.0%
14	$\alpha =$	0.32						

**FIGURE 7-6** Selecting Smoothing Constant by Minimizing MAD

In general, it is not a good idea to use smoothing constants much larger than 0.2 for extended periods of time. A larger smoothing constant may be justified for a short period of time when demand is in transition. It should, however, generally be avoided for extended periods of time.

## 7.8 FORECASTING DEMAND AT TAHOE SALT

Recall the Tahoe Salt example earlier in the chapter with the historical sell-through demand from its retailers shown in Table 7-1. The demand data are also shown in column B of Figure 7-7. Tahoe Salt is currently negotiating contracts with suppliers for the four quarters between the second quarter of Year 4 and the first quarter of Year 5. An important input into this negotiation is the forecast of demand that Tahoe Salt and its retailers are building collaboratively. They have assigned a team consisting of two sales managers from the retailers and the vice president of

	A	B	C	D	E	F	G	H	I	J	K
1	Period $t$	Demand $D_t$	Level $L_t$	Forecast $F_t$	Error $E_t$	Absolute Error $A_t$	Squared Error $MSE_t$	MAD <sub>t</sub>	% Error	MAPE <sub>t</sub>	TS <sub>t</sub>
2	1	8,000									
3	2	13,000									
4	3	23,000									
5	4	34,000	19,500								
6	5	10,000	20,000	19,500	9,500	9,500	90,250,000	9,500	95	95	1.00
7	6	18,000	21,250	20,000	2,000	2,000	47,125,000	5,750	11	53	2.00
8	7	23,000	21,250	21,250	-1,750	1,750	32,437,500	4,417	8	38	2.21
9	8	38,000	22,250	21,250	-16,750	16,750	94,468,750	7,500	44	39	-0.93
10	9	12,000	22,750	22,250	10,250	10,250	96,587,500	8,050	85	49	0.40
11	10	13,000	21,500	22,750	9,750	9,750	96,333,333	8,333	75	53	1.56
12	11	32,000	23,750	21,500	-10,500	10,500	98,321,429	8,643	33	50	0.29
13	12	41,000	24,500	23,750	-17,250	17,250	123,226,563	9,719	42	49	-1.52

Cell	Cell Formula	Equation	Copied to
C5	=Average(B2:B5)	7.9	C6:C13
D6	=C5	7.10	D7:D13
E6	=D6-B6	7.8	E7:E13
F6	=Abs(E6)		F7:F13
G6	=Sumsq(\$E\$6:E6)/(A6-4)	7.21	G7:G13
H6	=Sum(\$F\$6:F6)/(A6-4)	7.22	H7:H13
I6	=100*(F6/B6)		I7:I13
J6	=Average(\$I\$6:I6)	7.24	J7:J13
K6	=Sum(\$E\$6:E6)/ H6	7.26	K7:K13

**FIGURE 7-7** Tahoe Salt Forecasts Using Four-Period Moving Average

operations for Tahoe Salt to come up with this forecast. The forecasting team decides to apply each of the adaptive forecasting methods discussed in this chapter to the historical data. The goal is to select the most appropriate forecasting method and then use it to forecast demand for the next four quarters. The team decides to select the forecasting method based on the errors that result when each method is used on the 12 quarters of historical demand data.

Demand in this case clearly has both a trend and seasonality in the systematic component. Thus, the team initially expects Winter's model to produce the best forecast.

### Moving Average

The forecasting team initially decides to test a four-period moving average for the forecasting. All calculations are shown in Figure 7-7 and are as discussed in the section on the moving-average method earlier in this chapter. The team uses Equation 7.9 to estimate level and Equation 7.10 to forecast demand.

As indicated by column K in Figure 7-7, the TS is well within the  $\pm 6$  range, which indicates that the forecast using the four-period moving average does not contain any significant bias. It does, however, have a fairly large  $MAD_{12}$  of 9,719, with a  $MAPE_{12}$  of 49 percent. From Figure 7-7, observe that

$$L_{12} = 24,500$$

Thus, using a four-period moving average, the forecast for Periods 13 through 16 (using Equation 7.10) is given by

$$F_{13} = F_{14} = F_{15} = F_{16} = L_{12} = 24,500$$

Given that  $MAD_{12}$  is 9,719, the estimate of standard deviation of forecast error, using a four-period moving average, is  $1.25 \times 9,719 = 12,148$ . In this case, the standard deviation of forecast error is fairly large relative to the size of the forecast.

### Simple Exponential Smoothing

The forecasting team next uses a simple exponential smoothing approach with  $\alpha = 0.1$  to forecast demand. This method is also tested on the 12 quarters of historical data. Using Equation 7.11, the team estimates the initial level for Period 0 to be the average demand for Periods 1 through 12. The initial level is the average of the demand entries in cells B3 to B14 in Figure 7-8 and results in

$$L_0 = 22,083$$

	A	B	C	D	E	F	G	H	I	J	K
1	Period $t$	Demand $D_t$	Level $L_t$	Forecast $F_t$	Error $E_t$	Absolute Error $A_t$	Mean Squared Error $MSE_t$	$MAD_t$	% Error	MAPE $_t$	TS $_t$
2	0		22,083								
3	1	8,000	20,675	22,083	14,083	14,083	198,340,278	14,083	176	176	1
4	2	13,000	19,908	20,675	7,675	7,675	128,622,951	10,879	59	118	2
5	3	23,000	20,217	19,908	-3,093	3,093	88,936,486	8,284	13	83	2
6	4	34,000	21,595	20,217	-13,783	13,783	114,196,860	9,659	41	72	0.51
7	5	10,000	20,436	21,595	11,595	11,595	118,246,641	10,046	116	81	1.64
8	6	18,000	20,192	20,436	2,436	2,436	99,527,532	8,777	14	70	2.15
9	7	23,000	20,473	20,192	-2,808	2,808	86,435,714	7,925	12	62	2.03
10	8	38,000	22,226	20,473	-17,527	17,527	114,031,550	9,125	48	60	-0.16
11	9	12,000	21,203	22,226	10,226	10,226	112,979,315	9,247	85	62	0.95
12	10	13,000	20,383	21,203	8,203	8,203	108,410,265	9,143	63	63	1.86
13	11	32,000	21,544	20,383	-11,617	11,617	110,824,074	9,368	36	60	0.58
14	12	41,000	23,490	21,544	-19,456	19,456	133,132,065	10,208	47	59	-1.38

Cell	Cell Formula	Equation	Copied to
C3	=0.1*B3+(1-0.1)*C2	7.13	C4:C14
D3	=C2	7.12	D4:D14
E3	=D3-B3	7.8	E4:E14
F3	=Abs(E3)		F4:F14
G3	=Sumsq(\$E\$3:E3)/A3	7.21	G4:G14
H3	=Sum(\$G\$3:G3)/A3	7.22	H4:H14
I3	=100*(F3/B3)		I4:I14
J3	=Average(\$I\$3:I3)	7.24	J4:J14
K3	=Sum(\$F\$3:F3)/H3	7.26	K4:K14

FIGURE 7-8 Tahoe Salt Forecasts Using Simple Exponential Smoothing

The team then uses Equation 7.12 to forecast demand for the succeeding period. The estimate of level is updated each period using Equation 7.13. The results are shown in Figure 7-8.

As indicated by the TS, which ranges from  $-1.38$  to  $2.15$ , the forecast using simple exponential smoothing with  $\alpha = 0.1$  does not indicate any significant bias. However, it has a fairly large  $MAD_{12}$  of  $10,208$ , with a  $MAPE_{12}$  of  $59$  percent. From Figure 7-8, observe that

$$L_{12} = 23,490$$

Thus, the forecast for the next four quarters (using Equation 7.12) is given by

$$F_{13} = F_{14} = F_{15} = F_{16} = L_{12} = 23,490$$

In this case,  $MAD_{12}$  is  $10,208$  and  $MAPE_{12}$  is  $59$  percent. Thus, the estimate of standard deviation of forecast error using simple exponential smoothing is  $1.25 \times 10,208 = 12,761$ . In this case, the standard deviation of forecast error is fairly large relative to the size of the forecast.

### Trend-Corrected Exponential Smoothing (Holt's Model)

The team next investigates the use of Holt's model. In this case, the systematic component of demand is given by

$$\text{Systematic component of demand} = \text{level} + \text{trend}$$

The team applies the methodology discussed earlier. As a first step, it estimates the level at Period 0 and the initial trend. As described in Example 7-3, this estimate is obtained by running a linear regression between demand,  $D_t$ , and time, Period  $t$ . From the regression of the available data, the team obtains the following:

$$L_0 = 12,015 \quad \text{and} \quad T_0 = 1,549$$

The team now applies Holt's model with  $\alpha = 0.1$  and  $\beta = 0.2$  to obtain the forecasts for each of the 12 quarters for which demand data are available. They make the forecast using Equation 7.14, they update the level using Equation 7.15, and they update the trend using Equation 7.16. The results are shown in Figure 7-9.

As indicated by a TS that ranges from  $-2.15$  to  $2.00$ , trend-corrected exponential smoothing with  $\alpha = 0.1$  and  $\beta = 0.2$  does not seem to significantly over- or underforecast. However, the forecast has a fairly large  $MAD_{12}$  of  $8,836$ , with a  $MAPE_{12}$  of  $52$  percent. From Figure 7-9, observe that

$$L_{12} = 30,443 \quad \text{and} \quad T_{12} = 1,541$$

Thus, using Holt's model (Equation 7.14), the forecast for the next four periods is given by the following:<sup>1</sup>

$$F_{13} = L_{12} + T_{12} = 30,443 + 1,541 = 31,984$$

$$F_{14} = L_{12} + 2T_{12} = 30,443 + 2 \times 1,541 = 33,525$$

$$F_{15} = L_{12} + 3T_{12} = 30,443 + 3 \times 1,541 = 35,066$$

$$F_{16} = L_{12} + 4T_{12} = 30,443 + 4 \times 1,541 = 36,607$$

In this case,  $MAD_{12} = 8,836$ . Thus, the estimate of standard deviation of forecast error using Holt's model with  $\alpha = 0.1$  and  $\beta = 0.2$  is  $1.25 \times 8,836 = 11,045$ . In this case, the standard deviation of forecast error relative to the size of the forecast is somewhat smaller than it was with the previous two methods. However, it is still fairly large.

<sup>1</sup> As a result of rounding, calculations done with only significant digits shown in the text may yield a different result. This is the case throughout the book.

	A	B	C	D	E	F	G	H	I	J	K	L
1	Period $t$	Demand $D_t$	Level $L_t$	Trend $T_t$	Forecast $F_t$	Error $E_t$	Absolute Error $A_t$	Mean Squared Error $MSE_t$	$MAD_t$	% Error	MAPE <sub><math>t</math></sub>	$TS_t$
2	0		12,015	1,549								
3	1	8,000	13,008	1,438	13,564	5,564	5,564	30,958,096	5,564	70	70	1
4	2	13,000	14,301	1,409	14,445	1,445	1,445	16,523,523	3,505	11	40	2
5	3	23,000	16,439	1,555	15,710	-7,290	7,290	28,732,318	4,767	32	37	0
6	4	34,000	19,594	1,875	17,993	-16,007	16,007	85,603,146	7,577	47	39.86	-2.15
7	5	10,000	20,322	1,645	21,469	11,469	11,469	94,788,701	8,355	115	54.83	-0.58
8	6	18,000	21,570	1,566	21,967	3,967	3,967	81,613,705	7,624	22	49.36	-0.11
9	7	23,000	23,123	1,563	23,137	137	137	69,957,267	6,554	1	42.39	-0.11
10	8	38,000	26,018	1,830	24,686	-13,314	13,314	83,369,836	7,399	35	41.48	-1.90
11	9	12,000	26,262	1,513	27,847	15,847	15,847	102,010,079	8,338	132	51.54	0.22
12	10	13,000	26,298	1,217	27,775	14,775	14,775	113,639,348	8,981	114	57.75	1.85
13	11	32,000	27,963	1,307	27,515	-4,485	4,485	105,137,395	8,573	14	53.78	1.41
14	12	41,000	30,443	1,541	29,270	-11,730	11,730	107,841,864	8,836	29	51.68	0.04

Cell	Cell Formula	Equation	Copied to
C3	=0.1*B3+(1-0.1)*(C2+D2)	7.15	C4:C14
D3	=0.2*(C3-C2)+(1-0.2)*D2	7.16	D4:D14
E3	=C2+D2	7.14	E4:E14
F3	=E3-B3	7.8	F4:F14
G3	=Abs(F3)		G4:G14
H3	=Sumsq(\$F\$3:F3)/A3	7.21	H4:H14
I3	=Sum(\$G\$3:G3)/A3	7.22	I4:I14
J3	=100*(G3/B3)		J4:J14
K3	=Average(\$J\$3:J3)	7.24	K4:K14
L3	=Sum(\$F\$3:F3)/I3	7.26	L4:L14

FIGURE 7-9 Trend-Corrected Exponential Smoothing

### Trend- and Seasonality-Corrected Exponential Smoothing (Winter's Model)

The team next investigates the use of Winter's model to make the forecast. As a first step, it estimates the level and trend for Period 0, and seasonal factors for Periods 1 through  $p = 4$ . To start, the demand is deseasonalized. Then, the team estimates initial level and trend by running a regression between deseasonalized demand and time. This information is used to estimate the seasonal factors. For the demand data in Figure 7-2, as discussed in Example 7-4, the team obtains the following:

$$L_0 = 18,439 \quad T_0 = 524 \quad S_1 = 0.47 \quad S_2 = 0.68 \quad S_3 = 1.17 \quad S_4 = 1.67$$

It then applies Winter's model with  $\alpha = 0.05$ ,  $\beta = 0.1$ ,  $\gamma = 0.1$  to obtain the forecasts. All calculations are shown in Figure 7-10. The team makes forecasts using Equation 7.17, updates the level using Equation 7.18, updates the trend using Equation 7.19, and updates seasonal factors using Equation 7.20.

In this case, the MAD of 1,469 and MAPE of 8 percent are significantly lower than with any of the other methods. From Figure 7-10, observe that

$$L_{12} = 24,791 \quad T_{12} = 532 \quad S_{13} = 0.47 \quad S_{14} = 0.68 \quad S_{15} = 1.17 \quad S_{16} = 1.67$$

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	Period $t$	Demand $D_t$	Level $L_t$	Trend $T_t$	Seasonal Factor $S_t$	Forecast $F_t$	Error $E_t$	Absolute Error $A_t$	Mean Squared Error $MSE_t$	MAD <sub>t</sub>	% Error	MAPE <sub>t</sub>	TS <sub>t</sub>
2			18,439	524									
3	1	8,000	18,866	514	0.47	8,913	913	913	832,857	913	11	11.41	1.00
4	2	13,000	19,367	513	0.68	13,179	179	179	432,367	546	1	6.39	2.00
5	3	23,000	19,869	512	1.17	23,260	260	260	310,720	450	1	4.64	3.00
6	4	34,000	20,380	512	1.67	34,036	36	36	233,364	347	0	3.50	4.00
7	5	10,000	20,921	515	0.47	9,723	-277	277	202,036	333	3	3.36	3.34
8	6	18,000	21,689	540	0.68	14,558	-3,442	3,442	2,143,255	851	19	5.98	-2.74
9	7	23,000	22,102	527	1.17	25,981	2,981	2,981	3,106,508	1,155	13	6.98	0.56
10	8	38,000	22,636	528	1.67	37,787	-213	213	2,723,856	1,037	1	6.18	0.42
11	9	12,000	23,291	541	0.47	10,810	-1,190	1,190	2,578,653	1,054	10	6.59	-0.72
12	10	13,000	23,577	515	0.69	16,544	3,544	3,544	3,576,894	1,303	27	8.66	2.14
13	11	32,000	24,271	533	1.16	27,849	-4,151	4,151	4,818,258	1,562	13	9.05	-0.87
14	12	41,000	24,791	532	1.67	41,442	442	442	4,432,987	1,469	1	6.39	-0.63
15	13				0.47	11,940							
16	14				0.68	17,579							
17	15				1.17	30,930							
18	16				1.67	44,928							

Cell	Cell Formula	Equation	Copied to
C3	=0.05*(B3/E3)+(1-0.05)*(C2+D2)	7.18	C4:C14
D3	=0.1*(C3-C2)+(1-0.1)*D2	7.19	D4:D14
E7	=0.1*(B3/C3)+(1-0.1)*E3	7.20	E8:E18
F3	=(C2+D2)*E3	7.17	F4:F18
G3	=F3-B3	7.8	G4:G14
H3	=Abs(G3)		H4:H14
I3	=Sumsq(\$G\$3:G3)/A3	7.21	I4:I14
J3	=Sum(\$H\$3:H3)/A3	7.22	J4:J14
K3	=100*(H3/B3)		K4:K14
L3	=Average(\$K\$3:K3)	7.24	L4:L14
M3	=Sum(\$G\$3:G3)/J3	7.26	M4:M14

FIGURE 7-10 Trend- and Seasonality-Corrected Exponential Smoothing

Using Winter’s model (Equation 7.17), the forecast for the next four periods is

$$\begin{aligned}
 F_{13} &= (L_{12} + T_{12})S_{13} = (24,791 + 532) \times 0.47 = 11,940 \\
 F_{14} &= (L_{12} + 2T_{12})S_{14} = (24,791 + 2 \times 532) \times 0.68 = 17,579 \\
 F_{15} &= (L_{12} + 3T_{12})S_{15} = (24,791 + 3 \times 532) \times 1.17 = 30,930 \\
 F_{16} &= (L_{12} + 4T_{12})S_{16} = (24,791 + 4 \times 532) \times 1.67 = 44,928
 \end{aligned}$$

In this case,  $MAD_{12} = 1,469$ . Thus, the estimate of standard deviation of forecast error using Winter’s model with  $\alpha = 0.05$ ,  $\beta = 0.1$ , and  $\gamma = 0.1$  is  $1.25 \times 1,469 = 1,836$ . In this case, the standard deviation of forecast error relative to the demand forecast is much smaller than with the other methods.

The team compiles the error estimates for the four forecasting methods as shown in Table 7-2.

Based on the error information in Table 7-2, the forecasting team decides to use Winter’s model. It is not surprising that Winter’s model results in the most accurate forecast, because the

**Table 7-2** Error Estimates for Tahoe Salt Forecasting

Forecasting Method	MAD	MAPE (%)	TS Range
Four-period moving average	9,719	49	-1.52 to 2.21
Simple exponential smoothing	10,208	59	-1.38 to 2.15
Holt's model	8,836	52	-2.15 to 2.00
Winter's model	1,469	8	-2.74 to 4.00

demand data have both a growth trend as well as seasonality. Using Winter's model, the team forecasts the following demand for the coming four quarters:

Second Quarter, Year 4: 11,940

Third Quarter, Year 4: 17,579

Fourth Quarter, Year 4: 30,930

First Quarter, Year 5: 44,928

The standard deviation of forecast error is 1,836.

## 7.9 THE ROLE OF IT IN FORECASTING

There is a natural role for IT in forecasting, given the large amount of data involved, the frequency with which forecasting is performed, and the importance of getting the highest quality results possible. The forecasting module within a supply chain IT system, often called the *demand planning module*, is a core supply chain software product. Utilizing the capabilities of IT in forecasting has several important advantages.

Commercial demand planning modules come with a variety of forecasting algorithms, which can be quite advanced and are sometimes proprietary. These methodologies often give a more accurate forecast than those produced through the use of a general package such as Excel. Most demand planning applications make it fairly easy to test the various forecasting algorithms against historical data to determine the one that provides the best fit to the observed demand patterns. The availability of a variety of forecasting options is important because different forecasting algorithms provide different levels of quality depending on the actual demand patterns. The IT system can thus be used to best determine forecasting methods not just for the firm overall, but also by product categories and markets.

A good forecasting package provides forecasts across a wide range of products that are updated in real time by incorporating any new demand information. This helps firms respond quickly to changes in the marketplace and avoid the costs of a delayed reaction. Good demand planning modules link not only to customer orders but often directly to customer sales information as well, thus incorporating the most current data into the demand forecast. Much of the progress in areas such as collaborative planning is due to IT innovations that allow the exchange and incorporation of forecasts between enterprises.

Finally, as the name *demand planning* suggests, these modules facilitate the shaping of demand. Good demand planning modules contain tools to perform what-if analysis regarding the impact of potential changes in prices on demand. These tools help analyze the impact of promotions on demand and can be used to determine the extent and timing of promotions. This link is discussed in greater detail in Chapter 9 under sales and operations planning.

Keep in mind that none of these tools is foolproof. Forecasts are virtually always inaccurate. A good IT system should help track historical forecast errors so they can be incorporated into future decisions. A well-structured forecast, along with a measure of error, can significantly improve decision making. Even with all these sophisticated tools, sometimes it is



better to rely on human intuition in forecasting. One of the pitfalls of these IT tools is relying on them too much, which eliminates the human element in forecasting. Use the forecasts and the value they deliver, but remember that they cannot assess some of the more qualitative aspects about future demand that you may be able to do on your own.

Forecasting modules are available from all the major supply chain software companies, including the ERP firms such as SAP and Oracle. A number of statistical analysis software firms, such as SAS and SPSS, have programs that can be used for forecasting. A detailed list of forecasting software vendors is reported in the OR/MS Today forecasting software survey, and a discussion of each vendor is available at <http://www.lionhrtpub.com/orms/surveys/FSS/fss-fr.html>.

## 7.10 RISK MANAGEMENT IN FORECASTING

The risks associated with forecast error must be considered when planning for the future. Errors in forecasting can cause significant misallocation of resources in inventory, facilities, transportation, sourcing, pricing, and even in information management. Forecast errors during network design may cause too many, too few, or the wrong type of facilities to be built. Plans are determined from forecasts so the actual inventory, production, transportation, sourcing, and pricing plans that a company produces and follows depend on accurate forecasting. Even on an operational level, forecasting plays a role in the actual day-to-day activities that are executed within a company. As one of the initial processes in each of these phases that affects many other processes, forecasting contains a significant amount of inherent risk.

A wide range of factors can cause a forecast to be inaccurate, but a few occur so often that they deserve specific mention. Long lead times require forecasts to be made further in advance, thus decreasing the reliability of the forecast. Seasonality also tends to increase forecast error. Forecast errors increase when product life cycles are short, because there are few historical data to build on when producing a forecast. Firms with a few customers often experience lumpy demand that is harder to forecast than demand from many small customers, which tends to be smoother. Forecast quality suffers when it is based on orders placed by intermediaries in a supply chain rather than on end customer demand. This was particularly evident in the telecommunications sector in 2001, when manufacturer forecasts exceeded customer demand by a large amount. Without a view of end customer demand, a firm always has difficulty producing reliable forecasts.

Two strategies used to mitigate forecast risk are increasing the responsiveness of the supply chain and utilizing opportunities for pooling of demand. Increased responsiveness allows the firm to reduce forecasting errors and thus decrease the associated risk. Zara and Seven-Eleven Japan have been successful by designing and operating responsive supply chains. Zara replenishes its stores several times a week while Seven-Eleven replenishes its stores several times a day. As a result, store managers in each case have to make short-term forecasts that are fairly accurate. Pooling, which we discuss in Chapter 12, attempts to smooth out lumpy demand by bringing together multiple sources of demand. Thus, Amazon has a lower forecast error than Barnes & Noble because it pools geographic demand into its warehouses.

Improved responsiveness and pooling often come at a cost. Increased speed may require capacity investment, whereas pooling tends to increase transportation cost. To achieve the right balance between risk mitigation and cost, it is important to tailor the mitigation strategies. For instance, when dealing with a commodity for which shortfalls can easily be made up for by spot market purchases, spending large amounts to increase the responsiveness of the supply chain is not warranted. In contrast, for a product with a short life cycle (e.g., trendy clothes as is the case with Zara), investing in responsiveness may be worth the cost. Similarly, the benefit from pooling is likely to be large only when the underlying forecast error is high and the product value is high relative to transportation cost. An investment in pooling efforts may not be justified for

products with small forecast errors. Blue Nile has been successful pooling high-value diamonds whose demand is difficult to forecast. In contrast, detergent, which is easy to forecast and has high transport costs relative to its value, is typically sold through decentralized retail stores. These ideas are discussed in greater detail in Chapters 4, 12, and 13.

## 7.11 FORECASTING IN PRACTICE

**Collaborate in building forecasts.** Collaboration with your supply chain partners can often create a much more accurate forecast. It takes an investment of time and effort to build the relationships with your partners to begin sharing information and creating collaborative forecasts. However, the supply chain benefits of collaboration are often an order of magnitude greater than the cost (collaborative planning, forecasting, and replenishment are discussed in greater detail in Chapter 10). The reality today, however, is that most forecasts do not even account for all the information available across the different functions of a firm. As a result, firms should aim to put a sales and operations planning process in place (discussed in Chapter 9) that brings together the sales and operations functions when planning.

**Share only the data that truly provide value.** The value of data depends on where one sits in the supply chain. A retailer finds point-of-sale data to be quite valuable in measuring the performance of its stores. However, a manufacturer selling to a distributor who in turn sells to retailers does not need all the point-of-sale detail. The manufacturer finds aggregate demand data to be quite valuable, with marginally more value coming from detailed point-of-sale data. Keeping the data shared to what is truly required decreases investment in IT and improves the chances of successful collaboration.

**Be sure to distinguish between demand and sales.** Often, companies make the mistake of looking at historical sales and assuming that this is what the historical demand was. To get true demand, adjustments need to be made for unmet demand due to stockouts, competitor actions, pricing, and promotions. Failure to do so results in forecasts that do not represent the current reality.

## 7.12 SUMMARY OF LEARNING OBJECTIVES

**1. Understand the role of forecasting for both an enterprise and a supply chain.** Forecasting is a key driver of virtually every design and planning decision made in both an enterprise and a supply chain. Enterprises have always forecasted demand and used it to make decisions. A relatively recent phenomenon, however, is to create collaborative forecasts for an entire supply chain and use these as the basis for decisions. Collaborative forecasting greatly increases the accuracy of forecasts and allows the supply chain to maximize its performance. Without collaboration, supply chain stages farther from demand will likely have poor forecasts that will lead to supply chain inefficiencies and a lack of responsiveness.

**2. Identify the components of a demand forecast.** Demand consists of a systematic and a random component. The systematic component measures the expected value of demand. The random component measures fluctuations in demand from the expected value. The systematic component consists of level, trend, and seasonality. Level measures the current deseasonalized demand. Trend measures the current rate of growth or decline in demand. Seasonality indicates predictable seasonal fluctuations in demand.

**3. Forecast demand in a supply chain given historical demand data using time-series methodologies.** Time-series methods for forecasting are categorized as *static* or *adaptive*. In static methods, the estimates of parameters and demand patterns are not updated as new demand is observed. Static methods include regression. In adaptive methods, the estimates are

updated each time a new demand is observed. Adaptive methods include moving averages, simple exponential smoothing, Holt's model, and Winter's model. Moving averages and simple exponential smoothing are best used when demand displays no trend or seasonality. Holt's model is best when demand displays a trend but no seasonality. Winter's model is appropriate when demand displays both trend and seasonality.

**4. Analyze demand forecasts to estimate forecast error.** Forecast error measures the random component of demand. This measure is important because it reveals how inaccurate a forecast is likely to be and what contingencies a firm may have to plan for. The MSE, MAD, and MAPE are used to estimate the size of the forecast error. The bias and TS are used to estimate if the forecast consistently over- or underforecasts or if demand has deviated significantly from historical norms.

## Discussion Questions

1. What role does forecasting play in the supply chain of a build-to-order manufacturer such as Dell?
2. How could Dell use collaborative forecasting with its suppliers to improve its supply chain?
3. What role does forecasting play in the supply chain of a mail-order firm such as L.L.Bean?
4. What systematic and random components would you expect in demand for chocolates?
5. Why should a manager be suspicious if a forecaster claims to forecast historical demand without any forecast error?
6. Give examples of products that display seasonality of demand.
7. What is the problem if a manager uses last year's sales data instead of last year's demand to forecast demand for the coming year?
8. How do static and adaptive forecasting methods differ?
9. What information do the MSE, MAD, and MAPE provide to a manager? How can the manager use this information?
10. What information do the bias and TS provide to a manager? How can the manager use this information?

## Exercises

1. Consider monthly demand for the ABC Corporation as shown in Table 7-3. Forecast the monthly demand for Year 6 using the static method for forecasting. Evaluate the bias, TS, MAD, MAPE, and MSE. Evaluate the quality of the forecast.

**Table 7-3** Monthly Demand for ABC Corporation

Sales	Year 1	Year 2	Year 3	Year 4	Year 5
January	2,000	3,000	2,000	5,000	5,000
February	3,000	4,000	5,000	4,000	2,000
March	3,000	3,000	5,000	4,000	3,000
April	3,000	5,000	3,000	2,000	2,000
May	4,000	5,000	4,000	5,000	7,000
June	6,000	8,000	6,000	7,000	6,000
July	7,000	3,000	7,000	10,000	8,000
August	6,000	8,000	10,000	14,000	10,000
September	10,000	12,000	15,000	16,000	20,000
October	12,000	12,000	15,000	16,000	20,000
November	14,000	16,000	18,000	20,000	22,000
December	8,000	10,000	8,000	12,000	8,000
Total	78,000	89,000	98,000	115,000	113,000

2. Weekly demand at Hot Pizza are as follows:

Week	Demand (\$)
1	108
2	116
3	118
4	124
5	96
6	119
7	96
8	102
9	112
10	102
11	92
12	91

Estimate demand for the next four weeks using a four-week moving average as well as simple exponential smoothing with  $\alpha = 0.1$ . Evaluate the MAD, MAPE, MSE, bias, and TS in each case. Which of the two methods do you prefer? Why?

3. Quarterly demand for flowers at a wholesaler are as shown. Forecast quarterly demand for year 5 using simple exponential smoothing with  $\alpha = 0.1$  as well as Holt's model with  $\alpha = 0.1$  and  $\beta = 0.1$ . Which of the two methods do you prefer? Why?

Year	Quarter	Demand ('000\$)
1	I	98
	II	106
	III	109
	IV	133
2	I	130
	II	116
	III	133
	IV	116
3	I	138
	II	130
	III	147
	IV	141
4	I	144
	II	142
	III	165
	IV	173

4. Consider monthly demand for the ABC Corporation as shown in Table 7-3. Forecast the monthly demand for Year 6 using moving average, simple exponential smoothing, Holt's model, and Winter's model. In each case, evaluate the bias, TS, MAD, MAPE, and MSE. Which forecasting method do you prefer? Why?
5. For the Hot Pizza data in Exercise 2, compare the performance of simple exponential smoothing with  $\alpha = 0.1$  and  $\alpha = 0.9$ . What difference in forecasts do you observe? Which of the two smoothing constants do you prefer?
6. Monthly demand at A&D Electronics for flat screen TVs are as follows:

Month	Demand (units)
1	1,00
2	1,113
3	1,271
4	1,445
5	1,558
6	1,648
7	1,724
8	1,850
9	1,864
10	2,076
11	2,167
12	2,191

Estimate demand for the next two weeks using simple exponential smoothing with  $\alpha = 0.3$  and Holt's model with  $\alpha = 0.05$  and  $\beta = 0.1$ . For the simple exponential smoothing model, use the level at Period 0 to be  $L_0 = 1,659$  (the average demand over the 12 months). For Holt's model, use level at Period 0 to be  $L_0 = 948$  and the trend in Period 0 to be  $T_0 = 109$  (both are obtained through regression). Evaluate the MAD, MAPE, MSE, bias, and TS in each case. Which of the two methods do you prefer? Why?

7. Using the A&D Electronics data in Exercise 6, repeat Holt's model with  $\alpha = 0.5$  and  $\beta = 0.5$ . Compare the performance of Holt's model with  $\alpha = 0.05$  and  $\beta = 0.1$ . Which combination of smoothing constants do you prefer? Why?

## Bibliography

- Bernstein, Peter L., and Theodore H. Silbert. "Are Economic Forecasters Worth Listening To?" *Harvard Business Review* (September–October 1984): 2–8.
- Bowerman, Bruce L., and Richard T. O'Connell. *Forecasting and Time Series: An Applied Approach*, 3d ed. Belmont, CA: Duxbury, 1993.
- Box, George E. P., and Gwilym M. Jenkins. *Time Series Analysis: Forecasting and Control*. Oakland, CA: Holden-Day, 1976.
- Brown, Robert G. *Statistical Forecasting for Inventory Control*. New York: McGraw-Hill, 1959.
- Chambers, John C., Satinder K. Mullick, and Donald D. Smith. "How to Choose the Right Forecasting Technique." *Harvard Business Review* (July–August 1971): 45–74.
- Forecasting with Regression Analysis*. Cambridge, MA: Harvard Business School Note #9–894–007, 1994.
- Georgoff, David M., and Robert G. Murdick. "Manager's Guide to Forecasting." *Harvard Business Review* (January–February 1986): 2–9.
- Gilliland, Michael. "Is Forecasting a Waste of Time?" *Supply Chain Management Review* (July–August 2002): 16–23.
- McClain, John O. "Restarting a Forecasting System When Demand Suddenly Changes." *Journal of Operations Management* (October 1981): 53–61.
- Makridakis, S., A. Andersen, R. Carbone, R. Fildes, M. Hibon, R. Lewandowski, J. Newton, E. Parzen, and R. Winkler. "The Accuracy of Extrapolation (Time Series) Methods: Results of a Forecasting Competition." *Journal of Forecasting* (April–June 1982): 111–153.
- Makridakis, Spyros, and Steven C. Wheelwright. *Forecasting Methods for Management*. New York: Wiley, 1989.
- Yurkiewicz, Jack. "Forecasting: What Can You Predict for Me?" *ORMS Today* (June 2010): 36–39. Software survey available at <http://www.lionhrtpub.com/orms/surveys/FSS/fss-fr.html>.

## CASE STUDY

### Specialty Packaging Corporation, Part A

Julie Williams had a lot on her mind when she left the conference room at Specialty Packaging Corporation (SPC). Her divisional manager had informed her that she would be assigned to a team consisting of SPC's marketing vice president and staff members from their key customers. The goal of this team was to improve supply chain performance, as SPC had been unable to meet demand effectively over the previous several years. This often left SPC's customers scrambling to meet new client demands. Julie had little contact with SPC's customers and wondered how she would add value to this process. She was told by her division manager that the team's first task was to establish a collaborative forecast using data from both SPC and its customers. This forecast would serve as the basis for improving the firm's performance, as managers could use this more accurate forecast for their production planning. Improved forecasts would allow SPC to improve delivery performance.

### SPC

SPC turns polystyrene resin into recyclable/disposable containers for the food industry. Polystyrene is purchased as a commodity in the form of resin pellets. The resin is unloaded from bulk rail containers or overland trailers into storage silos. Making the food containers is a two-step process. First, resin is conveyed to an extruder, which converts it into a polystyrene sheet that is wound into rolls. The plastic comes in two forms—clear and black. The rolls are either used immediately to make containers or are put into storage. Second, the rolls are loaded onto thermoforming presses, which form the sheet into containers and trim the containers from the sheet. The two manufacturing steps are shown in Figure 7-11.

Over the past five years, the plastic packaging business has grown steadily. Demand for containers




FIGURE 7-11 Manufacturing Process at SPC

made from clear plastic comes from grocery stores, bakeries, and restaurants. Caterers and grocery stores use the black plastic trays as packaging and serving trays. Demand for clear plastic containers peaks in the summer months, whereas demand for black plastic containers peaks in the fall. Capacity on the extruders is not sufficient to cover demand for sheets during the peak seasons. As a result, the plant is forced to build inventory of each type of sheet in anticipation of future demand. Table 7-4 and Figure 7-12 display historical quarterly demand for each of the two types of containers (clear and black). The team modified SPC's sales data by accounting for lost sales to obtain true demand data. Without the customers involved in this team, SPC would

never have known this information, as the company did not keep track of lost orders.

## Forecasting


As a first step in the team's decision making, it wants to forecast quarterly demand for each of the two types of containers for the years 2010 to 2012. Based on historical trends, demand is expected to continue to grow until 2012, after which it is expected to plateau. Julie must select the appropriate forecasting method and estimate the likely forecast error. Which method should she choose? Why? Using the method selected, forecast demand for the years 2010 to 2012.

**Table 7-4** Quarterly Historical Demand for Clear and Black Plastic Containers

Year	Quarter	Black Plastic Demand ('000 lb)	Clear Plastic Demand ('000 lb)
2005	I	2,250	3,200
	II	1,737	7,658
	III	2,412	4,420
	IV	7,269	2,384
2006	I	3,514	3,654
	II	2,143	8,680
	III	3,459	5,695
	IV	7,056	1,953
2007	I	4,120	4,742
	II	2,766	13,673
	III	2,556	6,640
	IV	8,253	2,737
2008	I	5,491	3,486
	II	4,382	13,186
	III	4,315	5,448
	IV	12,035	3,485
2009	I	5,648	7,728
	II	3,696	16,591
	III	4,843	8,236
	IV	13,097	3,316

(continued)

(continued)



**FIGURE 7-12** Plot of Quarterly Demand for Clear and Black Plastic Containers

Arunai Engineering College

# 8



## Aggregate Planning in a Supply Chain

### LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Identify the decisions that are best solved by aggregate planning.
2. Understand the importance of aggregate planning as a supply chain activity.
3. Describe the information needed to produce an aggregate plan.
4. Explain the basic trade-offs to consider when creating an aggregate plan.
5. Formulate and solve basic aggregate planning problems using Microsoft Excel.

In this chapter, we discuss how the aggregate planning methodology is used to make decisions about production, outsourcing, inventory, and backlogs in a supply chain. We identify the information required to produce an aggregate plan and outline the basic trade-offs that must be made to create an optimal aggregate plan. We also describe how to formulate and solve an aggregate planning problem using Microsoft Excel.

### 8.1 THE ROLE OF AGGREGATE PLANNING IN A SUPPLY CHAIN

Imagine a world in which manufacturing, transportation, warehousing, and even information capacity are all limitless and free. Imagine lead times of zero, allowing goods to be produced and delivered instantaneously. In this world, there would be no need to plan in anticipation of demand, because whenever a customer demands a product, the demand would be instantly satisfied. In this world, aggregate planning plays no role.

In the real world, however, capacity has a cost, and lead times are often long. Therefore, companies must make decisions regarding capacity levels, production levels, outsourcing, and promotions well before demand is known. A company must anticipate demand and determine, in advance of that demand, how to meet it. Should a company invest in a plant with large capacity that is able to produce enough to satisfy demand even in the busiest months? Or should a company build a smaller plant but incur the costs of holding inventory built during slow periods in anticipation of demand in later months? These are the types of questions that aggregate planning helps companies answer.

*Aggregate planning* is a process by which a company determines planned levels of capacity, production, subcontracting, inventory, stockouts, and even pricing over a specified time horizon. The goal of aggregate planning is to build a plan that satisfies demand while maximizing profit. Aggregate planning, as the name suggests, solves problems involving aggregate decisions rather than stock-keeping unit (SKU)-level decisions.



For example, aggregate planning determines the total production level in a plant for a given month, but it does so without determining the quantity of each individual SKU that will be produced. This level of detail makes aggregate planning a useful tool for thinking about decisions with an intermediate time frame of between roughly 3 and 18 months. In this time frame, it is too early to determine production levels by SKU, but it is also generally too late to arrange for additional capacity. Therefore, aggregate planning answers the question: How should a firm best utilize the facilities that it currently has?

To be effective, aggregate planning requires inputs from all stages of the supply chain, and its results have a tremendous impact on supply chain performance. As we saw in the previous chapter on forecasting, collaborative forecasts are created by multiple supply chain enterprises and are an important input for aggregate planning. In addition, many constraints that are key inputs to aggregate planning come from supply chain partners outside the enterprise. Without these inputs from both up and down the supply chain, aggregate planning cannot realize its full potential to create value. The output from aggregate planning is also of value to both upstream and downstream partners. Production plans for a firm define demand for suppliers and establish supply constraints for customers. This chapter is meant to create a foundation for using aggregate planning both solely within an enterprise as well as across the entire supply chain. The supply chain implications of aggregate planning will become even clearer in Chapter 9 in which we discuss sales and operations planning.

As an example, consider how a premium paper supply chain uses aggregate planning to maximize profit. Many types of paper mills face seasonal demand that ripples up from customers to printers to distributors and finally to the manufacturers. Many types of premium paper have demand peaks in the spring, when annual reports are printed, and in the fall, when new-car brochures are released. Building a mill with capacity to meet demand in the spring and fall on an as-needed basis is too costly, because of the high cost of mill capacity. On the other side of the supply chain, premium papers often require special additives and coatings that may be in short supply. The paper manufacturer must deal with these constraints and maximize profit around them. To deal with these potential problems, mills use aggregate planning to determine production levels and inventory levels that they should build up in the slower months for sale in the spring and fall when demand is greater than the mill's capacity. By taking into account the inputs from throughout the supply chain, aggregate planning allows the mill and the supply chain to maximize profit.

The aggregate planner's main objective is to identify the following operational parameters over the specified time horizon:

**Production Rate:** the number of units to be completed per unit time (such as per week or per month)

**Workforce:** the number of workers/units of capacity needed for production

**Overtime:** the amount of overtime production planned

**Machine Capacity Level:** the number of units of machine capacity needed for production

**Subcontracting:** the subcontracted capacity required over the planning horizon

**Backlog:** demand not satisfied in the period in which it arises but carried over to future periods

**Inventory on Hand:** the planned inventory carried over the various periods in the planning horizon

The aggregate plan serves as a broad blueprint for operations and establishes the parameters within which short-term production and distribution decisions are made. The aggregate plan allows the supply chain to alter capacity allocations and change supply contracts. As mentioned in earlier chapters, the entire supply chain should be involved with the planning process. If a manufacturer has planned an increase in production over a given time period, the supplier, transporter, and warehouse must be aware of this plan and incorporate the increase into their

own plans. Ideally, all stages of the supply chain should work together on an aggregate plan that optimizes supply chain performance. If each stage develops its own aggregate plan independently, it is extremely unlikely that all the plans will mesh in a coordinated manner. This lack of coordination results in shortages or oversupply in the supply chain. Therefore, it is important to form aggregate plans over a wide scope of the supply chain.

In the next section, we formally define the aggregate planning problem. We specify the information required for aggregate planning and discuss the decision outcomes that aggregate planning can provide.

## 8.2 THE AGGREGATE PLANNING PROBLEM

The objective of the aggregate plan is to satisfy demand in a way that maximizes profit for the firm. We can state the aggregate planning problem formally as follows:

---

*Given the demand forecast for each period in the planning horizon, determine the production level, inventory level, capacity level (internal and outsourced), and any backlogs (unmet demand) for each period that maximize the firm's profit over the planning horizon.*

---

To create an aggregate plan, a company must specify the planning horizon. A *planning horizon* is the time period over which the aggregate plan is to produce a solution—usually between 3 and 18 months. A company must also specify the duration of each period within the planning horizon (e.g., weeks, months, or quarters). In general, aggregate planning takes place over months or quarters. Next, a company specifies key information required to produce an aggregate plan and to make the decisions for which the aggregate plan will develop recommendations. This information and the recommendations are specified for a generic aggregate planning problem in this section. The model we propose in the next section is flexible enough to accommodate situation-specific requirements.

An aggregate planner requires the following information:

- Aggregate demand forecast  $F_t$  for each Period  $t$  in a planning horizon that extends over  $T$  periods
- Production costs
  - Labor costs, regular time (\$/hour), and overtime costs (\$/hour)
  - Cost of subcontracting production (\$/unit or \$/hour)
  - Cost of changing capacity; specifically, cost of hiring/laying off workforce (\$/worker) and cost of adding or reducing machine capacity (\$/machine)
- Labor/machine hours required per unit
- Inventory holding cost (\$/unit/period)
- Stockout or backlog cost (\$/unit/period)
- Constraints
  - Limits on overtime
  - Limits on layoffs
  - Limits on capital available
  - Limits on stockouts and backlogs
  - Constraints from suppliers to the enterprise

Using this information, a company makes the following determinations through aggregate planning:

**Production Quantity from Regular Time, Overtime, and Subcontracted Time:** used to determine number of workers and supplier purchase levels

**Inventory Held:** used to determine the warehouse space and working capital required

**Backlog/Stockout Quantity:** used to determine customer service levels

**Workforce Hired/Laid Off:** used to determine any labor issues likely to be encountered

**Machine Capacity Increase/Decrease:** used to determine if new production equipment should be purchased or available equipment idled

The quality of an aggregate plan has a significant impact on the profitability of a firm. A poor aggregate plan can result in lost sales and lost profits if the available inventory and capacity are unable to meet demand. A poor aggregate plan may also result in a large amount of excess inventory and capacity, thereby raising costs. Therefore, aggregate planning is an important tool in helping a supply chain maximize profitability.

### Identifying Aggregate Units of Production

An important first step in aggregate planning is the identification of a suitable aggregate unit of production. While planning is done at the aggregate level, it is important that the aggregate unit be identified in a way that when the final production schedule is built (this has to be at the disaggregate product level), the results of the aggregate plan reflect approximately what can be accomplished in practice. Given that the bottleneck is likely to be the most constraining area in any manufacturing facility, it is important to focus on the bottleneck when selecting the aggregate unit and identifying capacity as well as production times. When evaluating production times, it is also important to account for activities such as setups and maintenance that use up capacity but do not result in any production. Otherwise, the aggregate plan will overestimate the production capacity available, resulting in a plan that cannot be implemented in practice. We now discuss a simple approach that can be used to identify aggregate units and also evaluate costs, revenues, and times for this aggregate unit.

Consider, for example, Red Tomato Tools, a manufacturer of gardening equipment with manufacturing facilities in Mexico. The company makes six product families at its manufacturing plant. The costs, revenues, production times, setup times, and historical batch sizes of production for each family are as shown in Table 8-1.

In Table 8-1, the net production time per unit is obtained by adding the changeover time allocated to each unit and the production time. Thus, the net production time/unit for Family A is obtained as  $8/50 + 5.60 = 5.76$  hours.

A simple approach to defining the aggregate unit is based on the weighted average of the percentage of sales represented by each family. Such an approach is meaningful if management is relatively confident of the mix of sales and all the product families use roughly the same set of resources at a plant. Taking this approach, the material cost per aggregate unit is obtained as  $(15 \times 0.10) + (7 \times 0.25) + (9 \times 0.20) + (12 \times 0.10) + (9 \times 0.20) + (13 \times 0.15) = \$10$ . Using a similar evaluation, we obtain that the revenue per aggregate unit = \$40 and the net production time per aggregate unit = 4.00 hours.

**Table 8-1** Costs, Revenues, and Times at Red Tomato Tools

Family	Material Cost/Unit (\$)	Revenue/Unit (\$)	Setup Time/Batch (hour)	Average Batch Size	Production Time/Unit (hour)	Net Production Time/Unit (hour)	Percentage Share of Units Sold
A	15	54	8	50	5.60	5.76	10
B	7	30	6	150	3.00	3.04	25
C	9	39	8	100	3.80	3.88	20
D	12	49	10	50	4.80	5.00	10
E	9	36	6	100	3.60	3.66	20
F	13	48	5	75	4.30	4.37	15

Other potential aggregate units could be tons of output (likely to be suitable for continuous flows such as gasoline or paper) or dollars of sales. For example, a paper mill might produce papers of different thickness and quality. If tons of output is used as the aggregate unit, all capacity, cost, and revenue calculations should account for the product mix.

### 8.3 AGGREGATE PLANNING STRATEGIES

The aggregate planner must make trade-offs among capacity, inventory, and backlog costs. An aggregate plan that increases one of these costs typically results in reduction of the other two. In this sense, the costs represent a trade-off: To lower inventory cost, a planner must increase capacity cost or delay delivery to the customer. Thus, the planner trades inventory cost for capacity or backlog cost. Arriving at the most profitable combination of trade-offs is the goal of aggregate planning. Given that demand varies over time, the relative level of the three costs leads to one of them being the key lever the planner uses to maximize profits. If the cost of varying capacity is low, a company may not need to build inventory or carry backlogs. If the cost of varying capacity is high, a company may compensate by building some inventory and carrying some backlogs from peak demand periods to off-peak demand periods.

In general, a company attempts to use a combination of the three costs to best meet demand. Therefore, the fundamental trade-offs available to a planner are among

- Capacity (regular time, overtime, subcontracted)
- Inventory
- Backlog/lost sales because of delay

There are essentially three distinct aggregate planning strategies for achieving balance among these costs. These strategies involve trade-offs among capital investment, workforce size, work hours, inventory, and backlogs/lost sales. Most strategies that a planner actually uses are a combination of these three and are referred to as *tailored* or *hybrid strategies*. The three strategies are as follows:

**1. Chase strategy—using capacity as the lever:** With this strategy, the production rate is synchronized with the demand rate by varying machine capacity or hiring and laying off employees as the demand rate varies. In practice, achieving this synchronization can be problematic because of the difficulty of varying capacity and workforce on short notice. This strategy can be expensive to implement if the cost of varying machine or labor capacity over time is high. It can also have a significant negative impact on the morale of the workforce. The chase strategy results in low levels of inventory in the supply chain and high levels of change in capacity and workforce. It should be used when the cost of carrying inventory is high and costs to change levels of machine and labor capacity are low.

**2. Flexibility strategy—using utilization as the lever:** This strategy may be used if there is excess machine capacity (i.e., if machines are not used 24 hours a day, seven days a week) and the workforce shows scheduling flexibility. In this case, the workforce (capacity) is kept stable, but the number of hours worked is varied over time in an effort to synchronize production with demand. A planner can use variable amounts of overtime or a flexible schedule to achieve this synchronization. Although this strategy does require that the workforce be flexible, it avoids some of the problems associated with the chase strategy, most notably, changing the size of the workforce. This strategy results in low levels of inventory but with lower average machine utilization. It should be used when inventory carrying costs are relatively high and machine capacity is relatively inexpensive.

**3. Level strategy—using inventory as the lever:** With this strategy, a stable machine capacity and workforce are maintained with a constant output rate. Shortages and surpluses result in inventory levels fluctuating over time. In this case, production is not synchronized with demand. Either inventories are built up in anticipation of future demand or backlogs are carried

over from high- to low-demand periods. Employees benefit from stable working conditions. A drawback associated with this strategy is that large inventories may accumulate and customer orders may be delayed. This strategy keeps capacity and costs of changing capacity relatively low. It should be used when inventory carrying and backlog costs are relatively low.

In practice, a planner is most likely to come up with a tailored or hybrid strategy that combines aspects of all three approaches. In the next section, we discuss a methodology that is commonly used for aggregate planning.

## 8.4 AGGREGATE PLANNING USING LINEAR PROGRAMMING

As we discussed earlier, the goal of aggregate planning is to maximize profit while meeting demand. Every company, in its effort to meet customer demand, faces certain constraints, such as the capacity of its facilities or a supplier's ability to deliver a component. A highly effective tool for a company to use when it tries to maximize profits while being subjected to a series of constraints is linear programming. *Linear programming* finds the solution that creates the highest profit while satisfying the constraints that the company faces.

We illustrate linear programming through the discussion of Red Tomato Tools, a small manufacturer of gardening equipment with manufacturing facilities in Mexico. Red Tomato's products are sold through retailers in the United States. Red Tomato's operations consist of the assembly of purchased parts into a multipurpose gardening tool. Because of the limited equipment and space required for its assembly operations, Red Tomato's capacity is determined mainly by the size of its workforce.

For this example, we use a six-month time period because this is a long enough time horizon to illustrate many of the main points of aggregate planning.

### Red Tomato Tools

The demand for Red Tomato's gardening tools from consumers is highly seasonal, peaking in the spring as people plant their gardens. This seasonal demand ripples up the supply chain from the retailer to Red Tomato, the manufacturer. The options Red Tomato has for handling the seasonality are adding workers during the peak season, subcontracting out some of the work, building up inventory during the slow months, or building up a backlog of orders that will be delivered late to customers. To determine how to best use these options through an aggregate plan, Red Tomato's vice president of supply chain starts with the first task—building a demand forecast. Although Red Tomato could attempt to forecast this demand itself, a much more accurate forecast comes from a collaborative process used by both Red Tomato and its retailers to produce the forecast shown in Table 8-2. It is important that this demand account for the product mix that is expected to sell and be in terms of aggregate units defined earlier.

Red Tomato sells each tool through retailers for \$40. The company has a starting inventory in January of 1,000 tools. At the beginning of January, the company has a workforce of 80 employees.

**Table 8-2** Demand Forecast at Red Tomato Tools

Month	Demand Forecast
January	1,600
February	3,000
March	3,200
April	3,800
May	2,200
June	2,200

**Table 8-3** Costs for Red Tomato

Item	Cost
Material cost	\$10/unit
Inventory holding cost	\$2/unit/month
Marginal cost of stockout/backlog	\$5/unit/month
Hiring and training costs	\$300/worker
Layoff cost	\$500/worker
Labor hours required	4/unit
Regular time cost	\$4/hour
Overtime cost	\$6/hour
Cost of subcontracting	\$30/unit

The plant has a total of 20 working days in each month, and each employee earns \$4 per hour regular time. Each employee works eight hours per day on straight time and the rest on overtime. As discussed previously, the capacity of the production operation is determined primarily by the total labor hours worked. Therefore, machine capacity does not limit the capacity of the production operation. Because of labor rules, no employee works more than 10 hours of overtime per month. The various costs are shown in Table 8-3. It is important that the costs and labor hours be in aggregate units as discussed in Section 8.2.

Currently, Red Tomato has no limits on subcontracting, inventories, and stockouts/backlog. All stockouts are backlogged and supplied from the following months' production. Inventory costs are incurred on the ending inventory in the month. The supply chain manager's goal is to obtain the optimal aggregate plan that allows Red Tomato to end June with at least 500 units (i.e., no stockouts at the end of June and at least 500 units in inventory).

The optimal aggregate plan is one that results in the highest profit over the six-month planning horizon. For now, given Red Tomato's desire for a high level of customer service, assume all demand is to be met, although it can be met late. Therefore, the revenues earned over the planning horizon are fixed. As a result, minimizing cost over the planning horizon is the same as maximizing profit. In many instances, a company has the option of not meeting certain demand, or price itself may be a variable that a company has to determine based on the aggregate plan. In such a scenario, minimizing cost is not equivalent to maximizing profits.

## Decision Variables

The first step in constructing an aggregate planning model is to identify the set of decision variables whose values are to be determined as part of the aggregate plan. For Red Tomato, the following decision variables are defined for the aggregate planning model:

$W_t$  = workforce size for Month  $t$ ,  $t = 1, \dots, 6$

$H_t$  = number of employees hired at the beginning of Month  $t$ ,  $t = 1, \dots, 6$

$L_t$  = number of employees laid off at the beginning of Month  $t$ ,  $t = 1, \dots, 6$

$P_t$  = number of units produced in Month  $t$ ,  $t = 1, \dots, 6$

$I_t$  = inventory at the end of Month  $t$ ,  $t = 1, \dots, 6$

$S_t$  = number of units stocked out/backlogged at the end of Month  $t$ ,  $t = 1, \dots, 6$

$C_t$  = number of units subcontracted for Month  $t$ ,  $t = 1, \dots, 6$

$O_t$  = number of overtime hours worked in Month  $t$ ,  $t = 1, \dots, 6$

The next step in constructing an aggregate planning model is to define the objective function.

### Objective Function

Denote the demand in Period  $t$  by  $D_t$ . The values of  $D_t$  are as specified by the demand forecast in Table 8-2. The objective function is to minimize the total cost (equivalent to maximizing total profit as all demand is to be satisfied) incurred during the planning horizon. The cost incurred has the following components:

- Regular-time labor cost
- Overtime labor cost
- Cost of hiring and layoffs
- Cost of holding inventory
- Cost of stocking out
- Cost of subcontracting
- Material cost

These costs are evaluated as follows:

**1. Regular-time labor cost.** Recall that workers are paid a regular-time wage of \$640 ( $\$4/\text{hour} \times 8 \text{ hours/day} \times 20 \text{ days/month}$ ) per month. Because  $W_t$  is the number of workers in Period  $t$ , the regular-time labor cost over the planning horizon is given by

$$\text{Regular-time labor cost} = \sum_{t=1}^6 640W_t$$

**2. Overtime labor cost.** As overtime labor cost is \$6 per hour (see Table 8-3) and  $O_t$  represents the number of overtime hours worked in Period  $t$ , the overtime cost over the planning horizon is

$$\text{Overtime labor cost} = \sum_{t=1}^6 6O_t$$

**3. Cost of hiring and layoffs.** The cost of hiring a worker is \$300 and the cost of laying off a worker is \$500 (see Table 8-3).  $H_t$  and  $L_t$  represent the number hired and the number laid off, respectively, in Period  $t$ . Thus, the cost of hiring and layoff is given by

$$\text{Cost of hiring and layoff} = \sum_{t=1}^6 300H_t + \sum_{t=1}^6 500L_t$$

**4. Cost of inventory and stockout.** The cost of carrying inventory is \$2 per unit per month, and the cost of stocking out is \$5 per unit per month (see Table 8-3).  $I_t$  and  $S_t$  represent the units in inventory and the units stocked out, respectively, in Period  $t$ . Thus, the cost of holding inventory and stocking out is

$$\text{Cost of holding inventory and stocking out} = \sum_{t=1}^6 2I_t + \sum_{t=1}^6 5S_t$$

**5. Cost of materials and subcontracting.** The material cost is \$10 per unit and the subcontracting cost is \$30/unit (see Table 8-3).  $P_t$  represents the quantity produced and  $C_t$  represents the quantity subcontracted in Period  $t$ . Thus, the material and subcontracting cost is

$$\text{Cost of materials and subcontracting} = \sum_{t=1}^6 10P_t + \sum_{t=1}^6 30C_t$$

The total cost incurred during the planning horizon is the sum of all the aforementioned costs and is given by

$$\begin{aligned} \sum_{t=1}^6 640W_t + \sum_{t=1}^6 6O_t + \sum_{t=1}^6 300H_t + \sum_{t=1}^6 500L_t + \sum_{t=1}^6 2I_t \\ + \sum_{t=1}^6 5S_t + \sum_{t=1}^6 10P_t + \sum_{t=1}^6 30C_t \end{aligned} \quad (8.1)$$

Red Tomato's objective is to find an aggregate plan that minimizes the total cost (Equation 8.1) incurred during the planning horizon.

The values of the decision variables in the objective function cannot be set arbitrarily. They are subject to a variety of constraints defined by available capacity and operating policies. The next step in setting up the aggregate planning model is to define clearly the constraints linking the decision variables.

### Constraints

Red Tomato's vice president must now specify the constraints that the decision variables must not violate. They are as follows:

**1. Workforce, hiring, and layoff constraints.** The workforce size  $W_t$  in Period  $t$  is obtained by adding the number hired  $H_t$  in Period  $t$  to the workforce size  $W_{t-1}$  in Period  $t - 1$ , and subtracting the number laid off  $L_t$  in Period  $t$  as follows:

$$W_t = W_{t-1} + H_t - L_t \quad \text{for } t = 1, \dots, 6 \quad (8.2)$$

The starting workforce size is given by  $W_0 = 80$ .

**2. Capacity constraints.** In each period, the amount produced cannot exceed the available capacity. This set of constraints limits the total production by the total internally available capacity (which is determined based on the available labor hours, regular or overtime). Subcontracted production is not included in this constraint because the constraint is limited to production within the plant. As each worker can produce 40 units per month on regular time (four hours per unit as specified in Table 8-3) and one unit for every four hours of overtime, we have the following:

$$P_t \leq 40W_t + \frac{O_t}{4} \quad \text{for } t = 1, \dots, 6 \quad (8.3)$$

**3. Inventory balance constraints.** The third set of constraints balances inventory at the end of each period. Net demand for Period  $t$  is obtained as the sum of the current demand  $D_t$  and the previous backlog  $S_{t-1}$ . This demand is either filled from current production (in-house production  $P_t$  or subcontracted production  $C_t$ ) and previous inventory  $I_{t-1}$  (in which case some inventory  $I_t$  may be left over) or part of it is backlogged  $S_t$ . This relationship is captured by the following equation:

$$I_{t-1} + P_t + C_t = D_t + S_{t-1} + I_t - S_t \quad \text{for } t = 1, \dots, 6 \quad (8.4)$$

The starting inventory is given by  $I_0 = 1,000$ , the ending inventory must be at least 500 units (i.e.,  $I_6 \geq 500$ ), and initially there are no backlogs (i.e.,  $S_0 = 0$ ).

**4. Overtime limit constraints.** The fourth set of constraints requires that no employee work more than 10 hours of overtime each month. This requirement limits the total amount of overtime hours available as follows:

$$O_t \leq 10W_t \quad \text{for } t = 1, \dots, 6 \quad (8.5)$$



In addition, each variable must be nonnegative and there must be no backlog at the end of Period 6 (i.e.,  $S_6 = 0$ ).

When implementing the model in Microsoft Excel, which we discuss later, it is easiest if all the constraints are written so that the right-hand side for each constraint is 0. The overtime limit constraint (Equation 8.5) in this form is written as

$$O_t - 10W_t \leq 0 \quad \text{for } t = 1, \dots, 6$$

Observe that one can easily add constraints that limit the amount purchased from subcontractors each month or the maximum number of employees to be hired or laid off. Any other constraints limiting backlogs or inventories can also be accommodated. Ideally, the number of employees hired or laid off should be integer variables. Fractional variables may be justified if some employees work for only part of a month. Such a linear program can be solved using the tool Solver in Excel.

If we assume the average inventory in Period  $t$  to be the average of the starting and ending inventories, that is,  $(I_{t-1} + I_t)/2$ , the average inventory over the planning horizon is given by

$$\text{Average inventory} = \frac{(I_0 + I_T)/2 + \left(\sum_{t=1}^{T-1} I_t\right)}{T}$$

The average time that units spend in inventory over the planning horizon is obtained using Little's law (average flow time = average inventory/throughput). The average time in inventory is given as

$$\text{Average time in inventory} = \left[ \frac{(I_0 + I_T)/2 + \left(\sum_{t=1}^{T-1} I_t\right)}{T} \right] \bigg/ \left[ \frac{\left(\sum_{t=1}^{T-1} D_t\right)}{T} \right] \quad (8.6)$$

By optimizing the objective function (minimizing cost in Equation 8.1) subject to the listed constraints (Equations 8.2 to 8.5), the vice president obtains the aggregate plan shown in Table 8-4. (Later in the chapter, we discuss how to perform this optimization using Excel.)

For this aggregate plan we have the following:

$$\text{Total cost over planning horizon} = \$422,660$$

Red Tomato lays off a total of 16 employees at the beginning of January. After that, the company maintains the workforce and production level. They use the subcontractor during

**Table 8-4** Aggregate Plan for Red Tomato

Period, $t$	No. Hired, $H_t$	No. Laid Off, $L_t$	Workforce Size, $W_t$	Overtime, $O_t$	Inventory, $I_t$	Stockout, $S_t$	Subcontract, $C_t$	Total Production, $P_t$
0	0	0	80	0	1,000	0	0	
1	0	16	64	0	1,960	0	0	2,560
2	0	0	64	0	1,520	0	0	2,560
3	0	0	64	0	880	0	0	2,560
4	0	0	64	0	0	220	140	2,560
5	0	0	64	0	140	0	0	2,560
6	0	0	64	0	500	0	0	2,560

the month of April. They carry a backlog only from April to May. In all other months, they plan no stockouts. In fact, Red Tomato carries inventory in all other periods. We describe this inventory as seasonal inventory because it is carried in anticipation of a future increase in demand. Given the sale price of \$40 per unit and total sales of 16,000 units, revenue over the planning horizon is given by

$$\text{Revenue over planning horizon} = 40 \times 16,000 = \$640,000$$

The average seasonal inventory during the planning horizon is given by

$$\text{Average seasonal inventory} = \frac{(I_0 + I_6) / 2 + \left( \sum_{t=1}^5 I_t \right)}{T} = \frac{5,250}{6} = 875$$

The average flow time for this aggregate plan over the planning horizon (using Equation 8.6) is given by

$$\text{Average flow time} = \frac{875}{2,667} = 0.33 = 0.33 \text{ months}$$

If the seasonal fluctuation of demand grows, synchronization of supply and demand becomes more difficult, resulting in an increase in either inventory or backlogs as well as an increase in the total cost to the supply chain. This is illustrated in Example 8-1, in which the demand forecast is more variable.

### EXAMPLE 8-1 Impact of Higher Demand Variability

All the data are exactly the same as in our previous discussion of Red Tomato, except for the demand forecast. Assume that the same overall demand (16,000 units) is distributed over the six months in such a way that the seasonal fluctuation of demand is higher, as shown in Table 8-5. Obtain the optimal aggregate plan in this case.

#### Analysis:

In this case, the optimal aggregate plan (using the same costs as those used before) is shown in Table 8-6.

Observe that monthly production remains the same, but both inventories and stockouts (backlogs) go up compared to the aggregate plan in Table 8-4 for the demand profile in Table 8-2. The cost of meeting the new demand profile in Table 8-5 is higher at \$433,080 (compared to \$422,660 for the previous demand profile in Table 8-2).

**Table 8-5** Demand Forecast with Higher Seasonal Fluctuation

Month	Demand Forecast
January	1,000
February	3,000
March	3,800
April	4,800
May	2,000
June	1,400

**Table 8-6** Optimal Aggregate Plan for Demand in Table 8-5

Period, $t$	No. Hired, $H_t$	No. Laid Off, $L_t$	Workforce Size, $W_t$	Overtime, $O_t$	Inventory, $I_t$	Stockout, $S_t$	Subcontract, $C_t$	Total Production, $P_t$
0	0	0	80	0	1,000	0	0	
1	0	16	64	0	2,560	0	0	2,560
2	0	0	64	0	2,120	0	0	2,560
3	0	0	64	0	880	0	140	2,560
4	0	0	64	0	0	1,220	0	2,560
5	0	0	64	0	0	660	0	2,560
6	0	0	64	0	500	0	0	2,560

The seasonal inventory during the planning horizon is given by

$$\text{Seasonal inventory} = \frac{[(I_0 + I_T)/2] + \sum_{t=1}^{T-1} I_t}{T} = \frac{6,310}{6} = 1,052$$

The average flow time for this aggregate plan over the planning horizon (using Equation 8.6) is given by

$$\text{Average flow time} = \frac{1,052}{2,667} = 0.39 \text{ months}$$

From Example 8-1, we can see that the increase in demand variability at the retailer increases seasonal inventory as well as planned costs.

Using the Red Tomato example, we also see that the optimal trade-off changes as the costs change. This is illustrated in Example 8-2, in which we show that as the costs of hiring and layoff decrease, it is better to vary capacity with demand while having less inventory and backlogs.

### EXAMPLE 8-2 Impact of Lower Costs of Hiring and Layoff

Assume that demand at Red Tomato is as shown in Table 8-2, and all other data are the same except that the costs of hiring and layoff are now \$50 each. Evaluate the total cost corresponding to the aggregate plan in Table 8-4. Suggest an optimal aggregate plan for the new cost structure.

#### Analysis:

If the costs of hiring and layoff decrease to \$50 each, the cost corresponding to the aggregate plan in Table 8-4 decreases from \$422,660 to \$412,780. Taking this new cost into account and determining a new optimal aggregate plan yields the plan shown in Table 8-7. Observe that the workforce size fluctuates between a high of 87 and a low of 45, as opposed to being stable at 64 as in Table 8-4.

As expected, the workforce size is varied (because the cost of varying capacity has decreased) while inventory and stockouts have decreased compared to the aggregate plan in Table 8-4. The total cost of the aggregate plan in Table 8-7 is \$412,780, compared to \$422,660 (for the aggregate plan in Table 8-4) if the cost of hiring and layoff is \$50 each.

**Table 8-7** Optimal Aggregate Plan for Hiring and Layoff Cost of \$50/Worker

Period, $t$	No. Hired, $H_t$	No. Laid Off, $O_t$	Workforce Size, $W_t$	Overtime, $O_t$	Inventory, $I_t$	Stockout, $S_t$	Subcontract, $C_t$	Total Production, $P_t$
0	0	0	80	0	1,000	0	0	
1	0	35	45	0	1,200	0	0	1,800
2	0	0	45	0	0	0	0	1,800
3	42	0	87	0	280	0	0	3,480
4	0	0	87	0	0	20	20	3,480
5	0	26	61	0	220	0	0	2,440
6	1	0	62	0	500	0	0	2,480

The seasonal inventory during the planning horizon is given by

$$\text{Seasonal inventory} = \frac{[(I_0 + I_T)/2] + \sum_{t=1}^{T-1} I_t}{T} = \frac{2,450}{6} = 408$$

The average flow time for this aggregate plan over the planning horizon (using Equation 8.6) is given by

$$\text{Average flow time} = \frac{408}{2,667} = 0.15 \text{ months}$$

From Example 8-2, observe that increasing volume flexibility (by decreasing the cost of hiring and layoff) not only decreases the total cost but also shifts the optimal balance toward using the volume flexibility while carrying lower inventories and allowing less stockout.

### Forecast Error in Aggregate Plans

The aggregate planning methodology we have discussed in this chapter does not take into account any forecast error. However, we know that all forecasts have errors. To improve the quality of these aggregate plans, forecast errors must be considered. Forecasting errors are dealt with using either *safety inventory*, defined as inventory held to satisfy demand that is higher than forecasted (discussed thoroughly in Chapter 12), or *safety capacity*, defined as capacity used to satisfy demand that is higher than forecasted. A company can create a buffer for forecast error using safety inventory and safety capacity in a variety of ways, some of which are listed next:

- Use overtime as a form of safety capacity.
- Carry extra workforce permanently as a form of safety capacity.
- Use subcontractors as a form of safety capacity.
- Build and carry extra inventories as a form of safety inventory.
- Purchase capacity or product from an open or spot market as a form of safety capacity.

In the next section, we explain how to implement the linear programming methodology for aggregate planning using Microsoft Excel.

## 8.5 AGGREGATE PLANNING IN EXCEL

Next we discuss how to generate the aggregate plan for Red Tomato in Table 8-4 using Excel. To access Excel's linear programming capabilities, use Solver (Data | Analysis | Solver). To begin, we need to create a table, which we illustrate with Figure 8-1, containing the following decision variables:

$W_t$  = workforce size for Month  $t$ ,  $t = 1, \dots, 6$

$H_t$  = number of employees hired at the beginning of Month  $t$ ,  $t = 1, \dots, 6$

$L_t$  = number of employees laid off at the beginning of Month  $t$ ,  $t = 1, \dots, 6$

$P_t$  = number of units produced in Month  $t$ ,  $t = 1, \dots, 6$

$I_t$  = inventory at the end of Month  $t$ ,  $t = 1, \dots, 6$

$S_t$  = number of units stocked out at the end of Month  $t$ ,  $t = 1, \dots, 6$

$C_t$  = number of units subcontracted for Month  $t$ ,  $t = 1, \dots, 6$

$O_t$  = number of overtime hours worked in Month  $t$ ,  $t = 1, \dots, 6$

Figure 8-1 illustrates what this table should look like. The decision variables are contained in cells B5 to I10, with each cell corresponding to a decision variable. For example, cell D7 corresponds to the workforce size in Period 3. Begin by setting all the decision variables to 0 as shown in Figure 8-1.

Also note that column J contains the actual demand. The demand information is included because it is required to calculate the aggregate plan.

The second step is to construct a table for the constraints in Equations 8.2 to 8.5. The constraint table may be constructed as shown in Figure 8-2.

Column M contains workforce constraints (Equation 8.2), column N contains capacity constraints (Equation 8.3), column O contains inventory balance constraints (Equation 8.4), and column P contains overtime constraints (Equation 8.5). These constraints are applied to each of the six periods.

Each constraint will eventually be written in Solver as

$$\text{Cell value } \{ \leq, =, \text{ or } \geq \} 0$$

In our case, we have constraints

$$M5:M10 = 0, N5:N10 \geq 0, O5:O10 = 0, P5:P10 \geq 0$$

The third step is to create a cell containing the objective function, which is how each solution is judged. This cell need not contain the entire formula but can be written as a

	A	B	C	D	E	F	G	H	I	J
1	<b>Aggregate Plan Decision Variables</b>									
2		$H_t$	$L_t$	$W_t$	$O_t$	$I_t$	$S_t$	$C_t$	$P_t$	
3	<b>Period</b>	<b>#Hired</b>	<b>#Laid off</b>	<b>#Workforce</b>	<b>Overtime</b>	<b>Inventory</b>	<b>Stockout</b>	<b>Subcontract</b>	<b>Production</b>	<b>Demand</b>
4	0	0	0	80	0	1,000	0	0	0	
5	1	0	0	0	0	0	0	0	0	1,600
6	2	0	0	0	0	0	0	0	0	3,000
7	3	0	0	0	0	0	0	0	0	3,200
8	4	0	0	0	0	0	0	0	0	3,800
9	5	0	0	0	0	0	0	0	0	2,200
10	6	0	0	0	0	0	0	0	0	2,200

**FIGURE 8-1** Spreadsheet Area for Decision Variables

	M	N	O	P
1	<b>Constraints</b>			
2				
3	<b>Workforce</b>	<b>Capacity</b>	<b>Inventory</b>	<b>Overtime</b>
4				
5	-80	0	-600	0
6	0	0	-3000	0
7	0	0	-3200	0
8	0	0	-3800	0
9	0	0	-2200	0
10	0	0	-2200	0

Cell	Cell Formula	Equation	Copied to
M5	=D5 - D4 - B5 + C5	8.2	M6:M10
N5	=40*D5 + E5/4 -I5	8.3	N6:N10
O5	=F4-G4+I5+H5-J5-F5+G5	8.4	O6:O10
P5	=-E5 + 10*D5	8.5	P6:P10

**FIGURE 8-2** Spreadsheet Area for Constraints

formula using cells with intermediate cost calculations. For the Red Tomato example, the spreadsheet area for cost calculations is shown in Figure 8-3. Cell B15, for instance, contains the hiring costs incurred in Period 1. The formula in cell B15 is the product of cell B5 and the cell containing the hiring cost per worker, which is obtained from Table 8-3. Other cells are filled similarly. Cell C22 contains the sum of cells B15 to I20, representing the total cost.

The fourth step is to use Data | Analysis | Solver to invoke Solver. Within the Solver Parameters dialog box, enter the following information to represent the linear programming model:

Set Target Cell: C22

Equal to: Select *Min*

By Changing Cells: B5:I10

Subject to the constraints:

B5:C10 = integer {Number of workers hired or laid off is integer}

B5:I10  $\geq$  0 {All decision variables are nonnegative}

F10  $\geq$  500 {Inventory at end of Period 6 is at least 500}

G10 = 0 {Stockout at end of Period 6 equals 0}

	A	B	C	D	E	F	G	H	I
12	<b>Aggregate Plan Costs</b>								
14	<b>Period</b>	<b>Hiring</b>	<b>Layoff</b>	<b>Regular time</b>	<b>Overtime</b>	<b>Inventory</b>	<b>Stockout</b>	<b>Subcontract</b>	<b>Material</b>
15	1	0	0	0	0	0	0	0	0
16	2	0	0	0	0	0	0	0	0
17	3	0	0	0	0	0	0	0	0
18	4	0	0	0	0	0	0	0	0
19	5	0	0	0	0	0	0	0	0
20	6	0	0	0	0	0	0	0	0
22	<b>Total Cost =</b>	\$ -							

**FIGURE 8-3** Spreadsheet Area for Cost Calculations




FIGURE 8-4 Solver Parameters Dialog Box

$$M5:M10 = 0 \{W_t - W_{t-1} - H_t + L_t = 0 \text{ for } t = 1, \dots, 6\}$$

$$N5:N10 \geq 0 \{40W_t + O_t/4 - P_t \geq 0 \text{ for } t = 1, \dots, 6\}$$

$$O5:O10 = 0 \{I_{t-1} - S_{t-1} + P_t + C_t - D_t - I_t + S_t = 0 \text{ for } t = 1, \dots, 6\}$$

$$P5:P10 \geq 0 \{10W_t - O_t \geq 0 \text{ for } t = 1, \dots, 6\}$$

The Solver Parameters dialog box is shown in Figure 8-4. Click on Solve. The optimal solution should be returned. If Solver does not return the optimal solution, solve the problem again after saving the solution that Solver has returned. (In some cases, multiple repetitions of this step may be required because of some flaws in the version of Solver that comes with Excel. Add-ins are available at relatively low cost that do not have any of these issues.) The optimal solution turns out to be the one shown in Table 8-4.

## 8.6 BUILDING A ROUGH MASTER PRODUCTION SCHEDULE

From an aggregate plan, a planner must disaggregate the available information and build a rough master production schedule (MPS) that identifies the batches produced in each period at the level of each product family. We return to the Red Tomato example to illustrate a simple approach to disaggregate an aggregate plan. While this approach is not necessarily optimal, it is simple to implement and allows for a feasibility check. More sophisticated methods (e.g., see Bitran and Hax (1981)) are available if a planner wants to search for better solutions. These methods, however, are difficult to implement and may not be able to reflect all the complex realities. It is for this reason that we propose this simple approach.

Consider the aggregate plan in Table 8-4. The plan calls for a workforce of 64 and a production of 2,560 aggregate units in Period 1. We know that the production constraint is feasible at the aggregate level, but we will need to check feasibility at the disaggregate level. The first step is to divide the production quantity of 2,560 across the six families. We do so in the ratio of expected sales as shown in Table 8-8. Thus, the plan is to produce 256 units of Family A in Period 1 because it represents 10 percent of sales. The next step is to identify the number of planned batches for each family. To get feasibility of the plan, we divide the planned production quantity by the average batch size and the round the answer down. For Family A, the planned number of setups (batches) is thus  $256/50 = 5.12$  rounded down, which equals 5. As a result, the average batch size of Family A produced in this period will be larger than 50 (about 51). We similarly obtain the planned number of setups (batches) for each of the other families in Period 1 as shown in Table 8-8. To check the feasibility of the planned schedule, we calculate the setup time and the production time for the planned number of

**Table 8-8** Disaggregating the Aggregate Plan at Red Tomato Tools for Period 1

Family	Setup Time/Batch (hour)	Average Batch Size	Production Time/Unit (hour)	Production Quantity	Number of Setups	Setup Time (hours)	Production Time (hours)
A	8	50	5.60	256	5	40	1,433.6
B	6	150	3.00	640	4	24	1,920.0
C	8	100	3.80	512	5	40	1,945.6
D	10	50	4.80	256	5	50	1,228.8
E	6	100	3.60	512	5	30	1,843.2
F	5	75	4.30	384	5	25	1,651.2

batches and units of each product family. From Table 8-8, the total planned production and setup time is 10,231.4 hours (209 for setup + 10,022.4 for production). Given the 64 people planned, the available production time in the period is  $64 \times 160 = 10,240$  hours. The planned schedule thus seems feasible.

## 8.7 THE ROLE OF IT IN AGGREGATE PLANNING

Aggregate planning is arguably the supply chain area in which information technology has been used the most. The earliest IT supply chain products were aggregate planning modules, often called factory, production, or manufacturing planning. Some of the early modules focused only on obtaining a feasible production plan subject to constraints arising from demand and available capacity. Later modules provided tools that chose an optimal solution from among the feasible production plans, based on objectives such as increased output or lowered cost.

These classic solutions generally formulated the aggregate planning problem as a linear program (LP) to get a production schedule of products to be made in each period of time. Today, some planning modules incorporate nonlinear optimization to account for the fact that not all constraints or reasonable objective functions are linear functions. However, given the large amount of data considered in producing aggregate plans, which can render nonlinear problems computationally prohibitive, and the ability to create linear approximations of nonlinear functions, linear programming is often the best way to solve these problems.

Supply chain planning modules today often combine both production planning and inventory planning. The supply chain planning module uses the output of the forecasting module as a constraint in setting up the production schedule and inventory levels. These production schedules and inventory levels are used by the execution system for the actual production of the goods and the setting of inventory levels throughout the supply chain. Given the complexity of the problem, aggregate planning modules can add significant value even for small companies.

IT can add value in the aggregate planning realm along a number of dimensions:

- The ability to handle large problems
- The ability to handle complex problems (through either nonlinear optimization or linear approximations)
- The ability to interact with other core IT systems such as inventory management and sourcing

Because aggregate planning problems are so complex, there is often no other way to arrive at a feasible solution than through IT.



Major software players in this area include the ERP software firms (SAP and Oracle) and a variety of other vendors who often specialize their planning software by industry verticals. In the last decade, SAP and Oracle have come to dominate this space with specialized vendors finding it harder to survive.

## 8.8 IMPLEMENTING AGGREGATE PLANNING IN PRACTICE

**1. Think beyond the enterprise to the entire supply chain.** Most aggregate planning today takes only the enterprise as its breadth of scope. However, many factors outside the enterprise and throughout the supply chain can affect the optimal aggregate plan dramatically. Therefore, avoid the trap of thinking only about your enterprise when planning. Work with downstream partners to produce forecasts, with upstream partners to determine constraints, and with any other supply chain entities that can improve the quality of the inputs into the aggregate plan. The plan is only as good as the quality of the inputs. So using the supply chain to increase the quality of the inputs will greatly improve the quality of the aggregate plan. Also make sure to communicate the aggregate plan to all supply chain partners who will be affected by it.

**2. Make plans flexible, because forecasts are always inaccurate.** Aggregate plans are based on forecasts of future demand. Given that these forecasts are always inaccurate to some degree, the aggregate plan needs to have some flexibility built into it if it is to be useful. By building flexibility into the plan, when future demand changes, or other changes occur such as increases in costs, the plan can adjust appropriately to handle the new situation.

How do we create this flexibility? In addition to the suggestions earlier in the chapter, we recommend that a manager perform sensitivity analysis on the inputs into an aggregate plan. For example, if the plan recommends expanding expensive capacity while facing uncertain demand, examine the outcome of a new aggregate plan when demand is higher and lower than expected. If this examination reveals a small savings from expanding capacity when demand is high but a large increase in cost when demand is lower than expected, deciding to postpone the capacity investment decision is a potentially attractive option. Using sensitivity analysis on the inputs into the aggregate plan enables a planner to choose the best solution for the range of possibilities that could occur.

**3. Rerun the aggregate plan as new data emerge.** As we have mentioned, aggregate plans provide a map for the next 3 to 18 months. This does not mean that a firm should run aggregate plans only once every 3 to 18 months. As inputs such as demand forecasts change, managers should use the latest values of these inputs and rerun the aggregate plan. By using the latest inputs, the plan will avoid suboptimization based on old data and will produce a better solution.

**4. Use aggregate planning as capacity utilization increases.** Surprisingly, many companies do not create aggregate plans and instead rely solely on orders from their distributors or warehouses to determine their production schedules. These orders are driven either by actual demand or through inventory management algorithms. If a company has no trouble meeting demand efficiently this way, then the lack of aggregate planning may not harm the company significantly. However, when utilization becomes high and capacity is an issue, relying on orders to set the production schedule can lead to capacity problems. When utilization is high, the likelihood of producing for all the orders as they arrive is low. Planning needs to be done to best utilize the capacity to meet the forecasted demand. Therefore, as capacity utilization increases, it becomes more important to perform aggregate planning.

## 8.9 SUMMARY OF LEARNING OBJECTIVES

**1. Identify the decisions that are best solved by aggregate planning.** Aggregate planning is best used to determine capacity, production, and inventory decisions for each period of time over a range of 3 to 18 months. It is most important to perform aggregate planning when capacity is limited and lead times are long.

**2. Understand the importance of aggregate planning as a supply chain activity.** Aggregate planning has a significant impact on supply chain performance and must be viewed as an activity that involves all supply chain partners. An aggregate plan prepared by an enterprise in isolation is not very useful because it does not take into account all requirements of the customer stage and constraints from the supplier stage. Localized aggregate planning cannot do a good job of matching supply and demand. Good aggregate planning is done in collaboration with both customers and suppliers because accurate input is required from both stages. The quality of these inputs, in terms of both the demand forecast to be met and the constraints to be dealt with, determines the quality of the aggregate plan. The results of the aggregate plan must also be shared across the supply chain because they influence activities for both customers and suppliers. For suppliers, the aggregate plan determines anticipated orders; for customers, the aggregate plan determines planned supply.

**3. Describe the information needed to produce an aggregate plan.** To create an aggregate plan, a planner needs a demand forecast, cost and production information, and any supply constraints. The demand forecast consists of an estimate of demand for each period of time in the planning horizon. The production and cost data consist of capacity levels and costs to raise and lower them, production costs, costs to store the product, costs of stocking out the product, and any restrictions that limit these factors. Supply constraints determine limits on outsourcing, overtime, or materials.

**4. Explain the basic trade-offs to consider when creating an aggregate plan.** The basic trade-offs involve balancing the cost of capacity, the cost of inventory, and the cost of stockouts to maximize profitability. Increasing any one of the three allows the planner to lower the other two.

**5. Formulate and solve aggregate planning problems using Microsoft Excel.** Aggregate planning problems can be solved in Excel by setting up cells for the objective function and the constraints and using the Solver to produce the solution.

---

## Discussion Questions

1. What are some industries in which aggregate planning would be particularly important?
2. What are the characteristics of the industries from Question 1 that make them good candidates for aggregate planning?
3. What are the main differences among the aggregate planning strategies?
4. What types of industries or situations are best suited to the chase strategy? The flexibility strategy? The level strategy?
5. What are the major cost categories needed as inputs for aggregate planning?
6. How does the availability of subcontracting affect the aggregate planning problem?
7. If a company currently employs the chase strategy and the cost of training increases dramatically, how might this change the company's aggregate planning strategy?
8. What are some key issues to consider when picking an aggregate unit of analysis?
9. How can aggregate planning be used in an environment of high demand uncertainty?

---

## Exercises

1. Skycell, a major European cell phone manufacturer, is making production plans for the coming year. Skycell has worked with its customers (the service providers) to come up with forecasts of monthly requirements (in thousands of phones) as shown in Table 8-9.
 

Manufacturing is primarily an assembly operation, and capacity is governed by the number of people on the production line. The plant operates for 20 days a month, eight hours each day. One person can assemble a phone every 10 minutes. Workers are paid 20 euros per hour and a 50 percent premium for overtime. The plant currently employs 1,250 workers. Component costs for each cell phone total 20 euros. Given the rapid decline in component and finished-product prices, carrying inventory from one month to the next incurs a cost of 3 euros per phone per month. Skycell currently has a no-layoff policy in place. Overtime is limited to a maximum of 20 hours per month per employee. Assume that Skycell has a starting inventory of 50,000 units and wants to end the year with the same level of inventory.

  - a. Assuming no backlogs, no subcontracting, and no new hires, what is the optimum production schedule? What is the annual cost of this schedule?

**Table 8-9** Monthly Demand for Cell Phones, in Thousands

Month	Demand
January	1,000
February	1,100
March	1,000
April	1,200
May	1,500
June	1,600
July	1,600
August	900
September	1,100
October	800
November	1,400
December	1,700

- Is there any value for management to negotiate an increase of allowed overtime per employee per month from 20 hours to 40?
  - Reconsider parts (a) and (b) if Skycell starts with only 1,200 employees. Reconsider parts (a) and (b) if Skycell starts with 1,300 employees. What happens to the value of additional overtime as the workforce size decreases?
  - Consider part (a) for the case in which Skycell aims for a level production schedule such that the quantity produced each month does not exceed the average demand over the next 12 months (1,241,667) by 50,000 units. Thus, monthly production including overtime should be no more than 1,291,667. What would be the cost of this level production schedule? What is the value of overtime flexibility?
- Reconsider the Skycell data in Exercise 1. Assume that the plant has 1,250 employees and a no-layoff policy. Overtime is limited to 20 hours per employee per month. A third party has offered to produce cell phones as needed at a cost of \$26 per unit (this includes component costs of \$20 per unit).
    - What is the average per unit of in-house production (including inventory holding and overtime cost) if the third party is not used?
    - How should Skycell use the third party? How does your answer change if the third party offers a price of \$25 per unit?
    - Should Skycell use the third party if the per unit cost is \$28?
    - Why would Skycell use the third party even when the per-unit cost of the third party is higher than the average per-unit cost (including inventory holding and overtime) for in-house production?
  - Reconsider the Skycell data in Exercise 1. Assume that the plant has 1,250 employees and a no-layoff policy. Overtime is limited to at most 20 hours per employee per month. Also assume no subcontracting option. Skycell has a team of

50 people who are willing to work as seasonal employees. The cost of bringing them on is 800 euros per employee, and the layoff cost is 1,200 euros per employee.

- What is the optimal production, hiring, and layoff schedule?
  - How does the optimal schedule change if the seasonal pool grows from 50 to 100?
  - Relative to having 1,250 permanent employees and 50 seasonal, will Skycell gain significantly if it carries only 1,100 permanent employees but has 200 seasonal employees?
  - Consider the case in which Skycell has 1,250 permanent employees and 50 seasonal employees. Does Skycell gain more by eliminating its no-layoff policy for its permanent employees or by increasing the seasonal employee pool from 50 to 100? Assume permanent employees can be hired or laid off at the same cost as the seasonal employees.
- FlexMan, an electronics contract manufacturer, uses its Topeka, Kansas, facility to produce two product categories: routers and switches. Consultation with customers has indicated a demand forecast for each category over the next 12 months (in thousands of units) to be as shown in Table 8-10.
 

Manufacturing is primarily an assembly operation, and capacity is governed by the number of people on the production line. The plant operates 20 days a month, eight hours each day. Production of a router takes 20 minutes, and production of a switch requires 10 minutes of worker time. Each worker is paid \$10 per hour with a 50 percent premium for any overtime. The plant currently has 6,300 employees. Overtime is limited to 20 hours per employee per month. The plant currently maintains 100,000 routers and 50,000 switches in inventory. The cost of holding a router in inventory is \$2 per month, and the cost of holding a switch in inventory is \$1 per month. The holding cost arises because products are paid for by the customer at existing market rates when purchased. Thus, if FlexMan produces early and

**Table 8-10** Demand Forecast for FlexMan

Month	Router Demand	Switch Demand
January	1,800	1,600
February	1,600	1,400
March	2,600	1,500
April	2,500	2,000
May	800	1,500
June	1,800	900
July	1,200	700
August	1,400	800
September	2,500	1,400
October	2,800	1,700
November	1,000	800
December	1,000	900

holds in inventory, the company recovers less given the rapidly dropping component prices.

- a. Assuming no backlogs, no subcontracting, no layoffs, and no new hires, what is the optimum production schedule for FlexMan? What is the annual cost of this schedule? What inventories does the optimal production schedule build? Does this seem reasonable?
  - b. Is there any value for management to negotiate an increase of allowed overtime per employee per month from 20 hours to 40? What variables are affected by this change?
  - c. Reconsider parts (a) and (b) if FlexMan starts with only 5,900 employees. Reconsider parts (a) and (b) if FlexMan starts with 6,700 employees. What happens to the value of additional overtime as the workforce size decreases?
5. Reconsider the FlexMan data from Exercise 4. The firm is considering the option of changing workforce size with demand. The cost of hiring a new employee is \$700 and the cost of a layoff is \$1,000. It takes an employee two months to reach full production capacity. During those two months, a new employee provides only 50 percent productivity. Anticipating a similar demand pattern next year, FlexMan aims to end the year with 6,300 employees.
- a. What is the optimal production, hiring, and layoff schedule? What is the cost of such a schedule?
  - b. If FlexMan could improve its training so that new employees achieve full productivity right away, how much improvement in annual cost would the company see? How is the hiring and layoff policy during the year affected by this change?
6. FlexMan has identified a third party that is willing to produce routers and switches as needed. The third party will charge \$6 per router and \$4 per switch. Assume all other data as in Exercise 4 except that hiring and layoffs are allowed as in Exercise 5.
- a. How should FlexMan use the third party if new employees provide only 50 percent productivity for the first two months?
  - b. How should FlexMan use the third party if new employees are able to achieve full productivity right away?
  - c. Why does the use of the third party change with the productivity of new employees?
7. Return to the FlexMan data in Exercise 4. The company has signed a service-level agreement with its customers and committed to carry safety inventory from one month to the next that equals at least 15 percent of the following month's demand. Thus, FlexMan is committed to carrying over at least  $0.15 \times 1,800,000 = 270,000$  routers and  $0.15 \times 1,600,000 = 240,000$  in inventory from December to January.
- a. Assuming no backlogs, no subcontracting, no layoffs, and no new hires, what is the optimum production schedule for FlexMan? What is the annual cost of this schedule?
  - b. How much does the service contract mandating minimum inventories increase costs for FlexMan?
  - c. What would be the increase in cost if FlexMan agreed to a 15 percent minimum for switches but only a 5 percent minimum for routers? What would be the increase in cost if FlexMan agreed to only a 5 percent minimum for switches but a 15 percent minimum for routers? Which of the two is better for FlexMan?

## Bibliography

- Bitran, G.R., and A. Hax. "Disaggregation and Resource Allocation Using Convex Knapsack Problems with Bounded Variables" *Management Science* 27 (1981): 431–441.
- Jacobs, F. Robert, Richard B. Chase, and Nicholas J. Aquilano. *Operations and Supply Management*, 12th ed. New York: McGraw-Hill/Irwin, 2009.
- Nahmias, Steven. *Production & Operations Analysis* 6th ed. New York: McGraw-Hill/Irwin, 2009.

## CASE STUDY

### Specialty Packaging Corporation, Part B

Julie Williams, facility production planning manager at Specialty Packaging Corporation (SPC), left the meeting with the collaborative forecast team with forecasts and error estimates for the next three years. She then needed to determine how to meet this demand. Because SPC sometimes outsourced warehousing to its supply chain partners, one decision Julie had to make was whether to use public or private warehousing. She also had to decide how much warehouse space to lease or build if she chose to use private warehousing.

### SPC

From the discussion of this case in Chapter 7, recall that SPC processes polystyrene resin into recyclable/disposable containers for the food industry. Polystyrene is purchased as a commodity in the form of resin pellets. The resin is unloaded from bulk rail containers or overland trailers into storage silos. Making the food containers is a two-step process. In the first step, resin is conveyed to an extruder, which turns pellets into a polystyrene sheet that is wound

(continued)

(continued)

**Table 8-11** Demand Forecast for Clear and Black Plastic Containers

Year	Quarter	Black Plastic Forecast ('000 lb)	Clear Plastic Forecast ('000 lb)
2010	I	6,650	7,462
	II	4,576	18,250
	III	6,293	8,894
	IV	13,777	4,064
2011	I	7,509	8,349
	II	5,149	20,355
	III	7,056	9,891
	IV	15,399	4,507
2012	I	8,367	9,235
	II	5,721	22,461
	III	7,819	10,889
	IV	17,021	4,950
		MAD = 608	MAD = 786

into rolls. The plastic comes in two forms—clear and black. The rolls are then either used immediately to make containers or put into storage. In the second step, the rolls are loaded onto thermoforming presses, which form the sheet into container cavities and trim the cavities from the sheet. These manufacturing steps are shown in Figure 7-11. SPC currently operates for 63 working days each quarter. Each work day consists of eight hours of regular time and any scheduled overtime.

### Demand Forecast for Next Three Years

The collaborative forecasting team used the historical demand data provided in Table 7-4 supplemented with stockout data to develop a forecast for quarterly demand for both clear and black plastic containers. The demand forecast between 2010 and 2012 is shown in Table 8-11.

### Extruders

The extrusion process is capital intensive, as is the investment in the facilities required to support it. The plant currently has 14 extruders. Each extruder has a rated processing capacity of 3,000 pounds per hour. A changeover is required whenever the extruder switches between clear and black sheets. SPC estimates that there is a 5 percent capacity loss due to changeovers. The effective processing capacity of an extruder is thus 2,850 pounds per hour. Each extruder requires six workers. SPC pays each worker \$15 per hour including benefits.

Overtime is paid at 150 percent of regular-time salary. Workers are limited to 60 overtime hours per quarter.

Extruders are fairly expensive, and the addition of an extruder requires the hiring of six additional people. Each new extruder incurs a fixed cost of \$80,000 per quarter. Any new personnel hired need to be trained. Training cost per person is \$3,000. As a result, SPC has decided not to purchase any new extruders over the current planning horizon. During any quarter, available extruders may be idled if they are not to be used. The only savings here is the salary of associated workers. Laying off each worker, however, costs \$2,500. If idled extruders are brought online, SPC incurs a training cost of \$3,000 per worker.

### Thermoforming Presses

The plant currently has 25 thermoforming presses. Each thermoforming press requires one operator and can produce containers at the rate of 2,000 pounds per hour. SPC pays each operator \$15 per hour including benefits. Overtime is paid at 150 percent of regular-time salary. Workers are limited to 60 hours of overtime per quarter. Presses may be idled for the quarter if they are not to be used. Laying off a thermoforming operator costs \$2,500, and training a newly hired operator costs \$3,000.

### Subcontracting

SPC has the option of subcontracting the production of plastic sheets to one of its supply chain partners; sufficient

capacity is always available on the open market. SPC spends \$60 per 1,000 pounds of plastic sheet produced by a subcontractor.

### Materials Management Practices

Resin purchased is stored in silos. As there is no shortage of resin in the market, it can easily be purchased at \$10 per 1,000 pounds when needed. As a result, SPC's practice has been to purchase resin on a quarterly basis to match the planned production.

As the extruders produce rolls of plastic sheet, the amount required at the thermoforming presses is passed forward, with the rest driven via shuttle trailer to one of two public warehouses. Transportation is again required to bring the sheets back from the warehouse when they are needed to feed the thermoforming presses. SPC's total transportation cost is \$2 per 1,000 pounds of plastic sheet. Each quarter, SPC follows a policy of first using sheets in storage for thermoforming and only then using the newly produced sheets. Any sheets left over at the end of the quarter are put back into storage. This policy is followed to ensure that sheets do not deteriorate because of time in storage.

### Public Warehousing

Public warehousing charges customers for both material handling and storage. The SPC plant contracts with local warehouses to store material on a per-thousand-pound basis. Material handling charges are from \$4 to \$6 per 1,000 pounds unloaded at the warehouse. Storage charges are from \$10 to \$12 per 1,000 pounds in storage at the end of each quarter. The SPC plant negotiates annually with local warehouses to establish rates for each cost element.

### Private Warehousing

Operating a private warehouse requires capitalized investment either to construct a facility or to lease an existing facility. Lease rates in any location are determined by the economics associated with building costs in that location and the option value of a lease versus a long-term capital commitment. Leases are typically in force for three years, but the time span can be shorter depending on a given company's negotiating strengths. Several viable leasing options exist for the SPC plant, all more favorable than the option of building a new facility. Lease rates average \$4 per square foot per quarter in each location. On average, one square foot is required per 1,000 pounds in storage.

Private warehousing also results in operating costs, both variable and fixed. Private warehousing is available from a third-party logistics provider who has agreed to charge SPC a variable operating cost of \$4 per 1,000 pounds of plastic sheet stored per quarter. To obtain this rate, SPC must sign a lease for the full three years. As a result, SPC will pay for the space each quarter even if it is not used for storage. SPC must take this cost into account when making its decision.

SPC must consider several variables in determining the amount of warehouse space it requires. Usable warehousing space is the fraction of a warehouse that can actually be used to store inventory. Considerations are made for aisle space, shipping and receiving dock space, administrative office space, and ceiling height. Storage density is another consideration. SPC must also take into account velocity and times of materials movement because the staffing level required and storage configurations are dependent on both. For example, if materials must be retrieved readily, the warehouse layout must include a greater ratio of aisle and staging space to actual storage space.

### The Actions and Decisions

Julie and her group must take two actions. The first, given a three-year forecast as shown in Table 8-11, is to come up with an aggregate production plan. The second is to choose from the following three options:

1. Continue with the strategy of storing materials off-site in public warehousing.
2. Lease and run a private warehouse to handle off-site inventory.
3. Use a combination of both public and private warehousing.

In the case of private warehousing, Julie must make a decision regarding the square footage to be leased. This decision will apply over the period 2010 to 2012. Clearly, this decision must be made in conjunction with the preparation of an aggregate plan over the three-year period. Ideally, the two decisions should be made jointly, as each will affect the other.

What factors do you think influence the actions and decisions? For example, do you think that the price the subcontractor charges has any relationship to the amount of private warehousing space to be leased?

Julie also has to decide how to handle any potential error in the demand forecast. How do you recommend she handle these errors?

# 9



## Sales and Operations Planning: Planning Supply and Demand in a Supply Chain

### LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Manage supply to improve synchronization in a supply chain in the face of predictable variability.
2. Manage demand to improve synchronization in a supply chain in the face of predictable variability.
3. Use sales and operations planning to maximize profitability when faced with predictable variability in a supply chain.

In Chapter 8, we discussed how companies manage supply by using aggregate planning to make optimal trade-offs in a way that maximizes profits. In this chapter, we build on the knowledge we gained from Chapter 8 and continue to expand our scope beyond the enterprise to the supply chain as we deal with predictable variability of demand. We also discuss how demand may be managed to counter predictable variability through the use of price and promotion. By managing supply and demand together, managers can maximize overall profitability of a supply chain.

### 9.1 RESPONDING TO PREDICTABLE VARIABILITY IN THE SUPPLY CHAIN

In Chapter 8, we discussed how companies use aggregate planning to determine supply to maximize profits. Demand for many products changes frequently from period to period, often because of a predictable influence. These influences include seasonal factors that affect products (e.g., lawn mowers and ski jackets), as well as nonseasonal factors (e.g., promotions or product adoption rates) that may cause large, predictable increases or declines in sales.

*Predictable variability* is change in demand that can be forecasted. Products that undergo this type of change in demand create numerous problems in the supply chain, ranging from high levels of stockouts during peak demand periods to high levels of excess inventory during periods of low demand. These problems increase the costs and decrease the responsiveness of the supply chain. Supply and demand management through sales and operations planning (S&OP) can significantly improve performance when applied to predictably variable products.

Faced with predictable variability, a company's goal is to respond in a manner that balances supply with demand to maximize profitability. The goal of sales and operations planning is to appropriately combine two broad options to handle predictable variability:

1. Manage supply using capacity, inventory, subcontracting, and backlogs.
2. Manage demand using short-term price discounts and promotions.

The use of these tools enables the supply chain to increase profitability, because supply and demand are matched in a more coordinated fashion.

To illustrate some of the issues involved, let us consider the garden equipment manufacturer discussed in Chapter 8, Red Tomato Tools. Demand for garden tools is seasonal, with sales concentrated in the spring. Red Tomato must plan how it will meet the demand to maximize profit. One way requires Red Tomato to carry enough manufacturing capacity to meet demand from production in any period. The advantage of this approach is that Red Tomato incurs low inventory costs because no inventory is carried from period to period. The disadvantage, however, is that much of the expensive capacity is unused during most months, when demand is lower.

Another approach to meeting demand is to build up inventory during the off-season to keep production stable year round. The advantage of this approach lies in the fact that Red Tomato can get by with a lower capacity, less expensive factory. High inventory carrying costs, however, make this alternative expensive. A third approach is for Red Tomato to work with its retail partners in the supply chain to offer a price promotion before the spring months, during periods of low demand. This promotion shifts some of the spring demand forward into a slow period, thereby spreading demand more evenly throughout the year and reducing the seasonal surge. Such a demand pattern is less expensive to supply. Red Tomato needs to decide which alternative maximizes its profitability through its S&OP process.

Often companies divide the task of supply and demand management into different functions. Sales typically manages demand, while operations manages supply. At a higher level, supply chains suffer from this phenomenon as well, with retailers managing demand independently and manufacturers managing supply independently. Lack of coordination hurts supply chain profits when supply and demand management decisions are made independently. Therefore, supply chain partners must work together across enterprises to coordinate these decisions and maximize profitability. The S&OP process facilitates such coordination. We illustrate the value of this coordination through further discussion of Red Tomato.

First, we focus on actions that a supply chain can take to improve profitability by managing supply.

## 9.2 MANAGING SUPPLY

A firm can vary supply of product by controlling a combination of the following two factors:

1. Production capacity
2. Inventory

The objective is to maximize profit, which, for our discussion, is the difference between revenue generated from sales and the total cost associated with material, capacity, and inventory. In general, companies use a combination of varying capacity and inventory to manage supply. In the following sections, we list some specific approaches to managing capacity and inventory with the goal of maximizing profits.

### Managing Capacity

In managing capacity to meet predictable variability, firms use a combination of the following approaches:

- **Time flexibility from workforce:** In this approach, a firm uses flexible work hours by the workforce to manage capacity to better meet demand. In many instances, plants do not



operate continually and are left idle during portions of the day or week. Therefore, spare plant capacity exists in the form of hours when the plant is not operational. For example, many plants do not run three shifts, so the existing workforce could work overtime during peak periods to produce more to meet demand. The overtime is varied to match the fluctuation in demand. This system allows production from the plant to match demand from customers more closely. If demand fluctuates by day of the week or week of the month and the workforce is willing to be flexible, a firm can schedule the workforce so that the available capacity matches demand better. In such settings, use of a part-time workforce can further increase capacity flexibility by enabling the firm to put more people to work during peak periods. Telemarketing centers and banks use part-time workers extensively to match supply and demand better.

- **Use of seasonal workforce:** In this approach, a firm uses a temporary workforce during the peak season to increase capacity to match demand. The tourism industry often uses seasonal workers. A base of full-time employees exists, and more are hired only for the peak season. Toyota regularly uses a seasonal workforce in Japan to match supply and demand better. This approach, however, may be hard to sustain if the labor market is tight.

- **Use of subcontracting:** In this approach, a firm subcontracts peak production so that internal production remains level and can be done cheaply. With the subcontractor handling the peaks, the company is able to build a relatively inflexible but low-cost facility in which production rates are kept relatively constant (other than variations from the use of overtime). Peaks are subcontracted out to facilities that are more flexible. A key here is the availability of relatively flexible subcontractor capacity. The subcontractor can often provide flexibility at a lower cost by pooling the fluctuations in demand across different manufacturers. Thus, the flexible subcontractor capacity must have both volume (fluctuating demand from a manufacturer) as well as variety flexibility (demand from several manufacturers) to be sustainable. For example, most power companies do not have the capacity to supply their customers with all the electricity demanded on peak days. They instead rely on being able to purchase power from suppliers and subcontractors who have excess electricity. This allows the power companies to maintain a level supply and, consequently, a lower cost.

- **Use of dual facilities—specialized and flexible:** In this approach, a firm builds both specialized and flexible facilities. Specialized facilities produce a relatively stable output of products over time in an efficient manner. Flexible facilities produce a widely varying volume and variety of products but at a higher unit cost. For instance, a PC components manufacturer might have specialized facilities for each type of circuit board as well as a flexible facility that can manufacture all types of circuit boards. Each specialized facility can produce at a relatively steady rate, with fluctuations being absorbed by the flexible facility.

- **Designing product flexibility into the production processes:** In this approach, a firm has flexible production lines whose production rate can easily be varied. Production is then changed to match demand. Hino Trucks in Japan has several production lines for different product families. The production lines are designed so that changing the number of workers on a line can vary the production rate. As long as variation of demand across different product lines is complementary (i.e., when one goes up, the other tends to go down), the capacity on each line can be varied by moving the workforce from one line to another. Of course, this requires that the workforce be multiskilled and able to adapt easily to being moved from line to line. Production flexibility can also be achieved if the production machinery is flexible and can be changed easily from producing one product to producing another. This approach is effective only if the overall demand across all the products is relatively constant. Several firms that produce products with seasonal demand try to exploit this approach by carrying a portfolio of products that have peak demand seasons distributed over the year. A classic example is that of a lawn mower manufacturer that also manufactures snowblowers to maintain a steady demand on its factory throughout the year. In the services field, an example comes from strategy consulting firms,

which often offer a balanced product portfolio, with growth strategies emphasized when economic times are good and cost-cutting projects emphasized when times are bad.

## Managing Inventory

When managing inventory to meet predictable variability, firms use a combination of the following approaches:

- **Using common components across multiple products:** In this approach, a firm designs common components to be used in multiple products. The total demand of these components is relatively stable, even though each product displays predictable variability. The use of a common engine for both lawn mowers and snowblowers allows for engine demand to be relatively stable even though lawn mower and snowblower demand fluctuates over the year. Therefore, the part of the supply chain that produces components can easily synchronize supply with demand, and a relatively low inventory of parts has to be built up. Similarly, in a consulting firm, many of the same consultants produce growth strategies when they are in demand and cost-reduction strategies when these are in demand.

- **Build inventory of high-demand or predictable-demand products:** When most of the products a firm produces have the same peak demand season, the previous approach is not feasible. In such an environment, it is best for the firm to build products that have more predictable demand during the off-season, because there is less to be learned about their demand by waiting. Production of more uncertain items should take place closer to the selling season, when demand is more predictable. Consider a manufacturer of winter jackets that produces jackets both for retail sale and for the Boston Police and Fire Departments. Demand for the Boston Police and Fire jackets is more predictable, and these jackets can be made in the off-season and stocked up until winter. The retail jacket's demand, however, will likely be better known closer to the time when it is sold, because fashion trends can change quickly. Therefore, the manufacturer should produce the retail jackets close to the peak season, when demand is easier to predict. This strategy helps the supply chain synchronize supply and demand better.

Next we consider actions a supply chain can take to improve profitability by managing demand.

## 9.3 MANAGING DEMAND

Supply chains can influence demand by using pricing and other forms of promotion. Promotion decisions are often made by retailers without taking into account the impact on the rest of the supply chain. In this section, our goal is to show how supply chain members can collaborate on pricing and aggregate planning (both demand and supply management) decisions to maximize supply chain profitability.

Let us return to Red Tomato Tools, the garden equipment manufacturer. Green Thumb Gardens is a large retail chain that has signed an exclusive contract to sell all products made by Red Tomato Tools. Demand for garden tools peaks in the spring months of March and April as gardeners prepare to begin planting. In planning, the goal of both firms should be to maximize supply chain profits because this outcome leaves them more money to share. For profit maximization to take place, Red Tomato and Green Thumb need to devise a way to collaborate and, just as important, determine a way to split the supply chain profits. Determining how these profits will be allocated to different members of the supply chain is key to successful collaboration.

Red Tomato and Green Thumb are exploring how the timing of retail promotions affects profitability. Are they in a better position if they offer the price promotion during the peak period of demand or during a low-demand period? Green Thumb's vice president of sales favors a promotion during the peak period because this increases revenue by the largest amount.

In contrast, Red Tomato's vice president of manufacturing is against such a move because it increases manufacturing costs. She favors a promotion during the low-demand season because it levels demand and lowers production costs. S&OP allows the two to collaborate and make the optimal trade-offs.

### The Base Case

We start by considering the base case that has already been discussed in Chapter 8. Each tool has a retail price of \$40. Red Tomato ships assembled tools to Green Thumb, where all inventory is held. Green Thumb has a starting inventory in January of 1,000 tools. At the beginning of January, Red Tomato has a workforce of 80 employees at its manufacturing facility in Mexico. There are a total of 20 working days in each month, and Red Tomato workers earn the equivalent of \$4 per hour. Each employee works eight hours on normal time and the rest on overtime. Because the Red Tomato operation consists mostly of hand assembly, the capacity of the production operation is determined primarily by the total labor hours worked (i.e., it is not limited by machine capacity). No employee works more than 10 hours of overtime per month. The various costs are shown in Table 9-1.

There are no limits on subcontracting, inventories, and stockouts. All stockouts are backlogged and supplied from the following month's production. Inventory costs are incurred on the ending inventory in each month. The companies' goal is to obtain the optimal aggregate plan that leaves at least 500 units of inventory at the end of June (i.e., no stockouts at the end of June and at least 500 units in inventory). The base demand forecast is shown in cells J5:J10 of Figure 9-1.

**Table 9-1** Costs for Red Tomato and Green Thumb

Item	Cost
Material cost	\$10/unit
Inventory holding cost	\$2/unit/month
Marginal cost of a stockout	\$5/unit/month
Hiring and training costs	\$300/worker
Layoff cost	\$500/worker
Labor hours required	4/unit
Regular-time cost	\$4/hour
Overtime cost	\$6/hour
Cost of subcontracting	\$30/unit

	A	B	C	D	E	F	G	H	I	J	K
1	<b>Aggregate Plan Decision Variables</b>										
2		Ht	Lt	Wt	Ot	It	St	Ct	Pt		
3	Period	# Hired	# Laid off	# Workforce	Overtime	Inventory	Stockout	Subcontract	Production	Demand	Price
4	0	0	0	80	0	1,000	0	0	0		
5	1	0	16	64	0	1,960	0	0	2,560	1,600	40
6	2	0	0	64	0	1,520	0	0	2,560	3,000	40
7	3	0	0	64	0	880	0	0	2,560	3,200	40
8	4	0	0	64	0	0	220	140	2,560	3,800	40
9	5	0	0	64	0	140	0	0	2,560	2,200	40
10	6	0	0	64	0	500	0	0	2,560	2,200	40
22	Total Cost =	\$422,660									
23								Base Price	\$	40	
24	Total Revenue =	\$640,000	Promote? (0/1)	0	Consumption	0.10					
25	Profit =	\$217,340	Month (1/4)	1	Forward buy	0.20					

**FIGURE 9-1** Base Case Aggregate Plan for Red Tomato and Green Thumb

All figures and analysis in this chapter come from the spreadsheet Chapter8,9-examples.xlsm (available from [www.pearsonhighered.com/chopra](http://www.pearsonhighered.com/chopra)).

For the base case, we set cell E24 to 0 (no promotion) and use Solver. The optimal base case aggregate plan for Red Tomato and Green Thumb is shown in Figure 9-1 (this is the same as discussed in Chapter 8 and shown in Table 8-3).

For the base case aggregate plan, the supply chain obtains the following costs and revenues:

Total cost over planning horizon = \$422,660

Revenue over planning horizon = \$640,000

Profit over the planning horizon = \$217,340

The average seasonal inventory during the planning horizon is given by

$$\text{Average seasonal inventory} = \frac{[(I_0 + I_6)/2] + \sum_{t=1}^5 I_t}{T} = \frac{5,250}{6} = 875$$

The average flow time for this aggregate plan over the planning horizon is

$$\text{Average flow time} = \frac{\text{average inventory}}{\text{average sales}} = \frac{875}{2,667} = 0.33 \text{ months}$$

## Factors Influencing the Timing of a Promotion

Four key factors influence the timing of a promotion:

- Impact of the promotion on demand
- Cost of holding inventory
- Cost of changing the level of capacity
- Product margins

Management at both companies wants to identify whether each factor favors offering a promotion during the high- or low-demand periods. They start by considering the impact of promotion on demand. When a promotion is offered during a period, that period's demand tends to go up. This increase in demand results from a combination of the following three factors:

**1. Market growth:** An increase in consumption of the product occurs either from new or existing customers. For example, when Toyota offers a price promotion on the Camry, it may attract buyers who were considering the purchase of a lower-end model. Thus, the promotion increases the size of the overall family sedan market as well as increasing Toyota's sales.

**2. Stealing share:** Customers substitute the firm's product for a competitor's product. When Toyota offers a Camry promotion, buyers who might have purchased a Honda Accord may now purchase a Camry. Thus, the promotion increases Toyota's sales while keeping the overall size of the family sedan market the same.

**3. Forward buying:** Customers move up future purchases (as discussed in Chapter 11) to the present. A promotion may attract buyers who would have purchased a Camry a few months down the road. Forward buying does not increase Toyota's sales in the long run and also leaves the family sedan market the same size.

The first two factors increase the overall demand for Toyota, whereas forward buying simply shifts future demand to the present. It is important to understand the relative impact from the three factors as a result of a promotion before making a decision regarding the optimal

timing of the promotion. In general, as the fraction of increased demand coming from forward buying grows, offering the promotion during the peak demand period becomes less attractive. Offering a promotion during a peak period that has significant forward buying creates even more variable demand than before the promotion. Product that was once demanded in the slow period is now demanded in the peak period, making this demand pattern even more costly to serve.

**When to Promote: Peak or Off-Peak?**

Green Thumb estimates that discounting a Red Tomato tool from \$40 to \$39 (a \$1 discount) in any period results in the period demand increasing by 10 percent because of increased consumption or substitution. Further, 20 percent of each of the two following months' demand is moved forward. Management would like to determine whether it is more effective to offer the discount in January or April. We analyze the two options by considering the impact of a promotion on demand and the resulting optimal aggregate plan.

**IMPACT OF OFFERING A PROMOTION IN JANUARY** The team first considers the impact of offering the discount in January. To simulate this option in the spreadsheet Chapter8,9-examples.xlsm, enter 1 in cell E24 (this sets promotion to be on) and 1 in cell E25 (this sets the promotion in Period 1, i.e., January). The new forecast accounts for the fact that consumption will increase by 10 percent in January and 20 percent of the demand from February and March is moved forward to January. Thus, with a January promotion, the new demand forecast for January is obtained by adjusting the base case demand from Figure 9-1 and is given by  $1,600 \times 1.1 + 0.2 \times (3,000 + 3,200) = 3,000$ . The new demand forecast for February is  $3,000 \times 0.8 = 2,400$ , and the new demand forecast for March is  $3,200 \times 0.8 = 2,560$ . For a January discount, the demand forecast is as shown in cells J5:J10 of Figure 9-2. The optimal aggregate plan is obtained by running Solver in the spreadsheet and is shown in Figure 9-2. With a discount in January, the supply chain obtains the following:

Total cost over planning horizon = \$422,080

Revenue over palnning horizon = \$643,400

Profit over planning horizon = \$221,320

Compared to the base case, offering a discount in January results in lower seasonal inventory, a somewhat lower total cost, and a higher total profit.

**IMPACT OF OFFERING A PROMOTION IN APRIL** Now management considers the impact of offering the discount in April. To simulate this option in the spreadsheet Chapter8,9-examples.xlsm, enter 1 in cell E24 (this sets promotion to be on) and 4 in cell E25 (this sets the promotion

	A	B	C	D	E	F	G	H	I	J	K
1	Aggregate Plan Decision Variables										
2		Ht	Lt	Wt	Ot	It	St	Ct	Pt		
3	Period	# Hired	# Laid off	# Workforce	Overtime	Inventory	Stockout	Subcontract	Production	Demand	Price
4	0	0	0	80	0	1,000	0	0	0	2,600	3,000 39
5	1	0	15	65	0	600	0	0	2,600	2,400 40	
6	2	0	0	65	0	800	0	0	2,600	2,560 40	
7	3	0	0	65	0	840	0	0	2,600	3,800 40	
8	4	0	0	65	0	0	300	60	2,600	2,200 40	
9	5	0	0	65	0	100	0	0	2,600	2,200 40	
10	6	0	0	65	0	500	0	0	2,600	2,200 40	
22	Total Cost =	\$422,080									
23						Base Price	\$ 40				
24	Total Revenue =	\$643,400		Promote? (0/1)	1		Consumption	0.10			
25	Profit =	\$221,320		Month (1/4)	1		Forward buy	0.20			

**FIGURE 9-2** Optimal Aggregate Plan When Discounting Price in January to \$39

	A	B	C	D	E	F	G	H	I	J	K	
1	Aggregate Plan Decision Variables											
2		H <sub>t</sub>	L <sub>t</sub>	W <sub>t</sub>	O <sub>t</sub>	I <sub>t</sub>	S <sub>t</sub>	C <sub>t</sub>	P <sub>t</sub>			
3	Period	# Hired	# Laid off	# Workforce	Overtime	Inventory	Stockout	Subcontract	Production	Demand	Price	
4	0	0	0	80	0	1,000	0	0				
5	1	0	14	66	0	2,040	0	0	2,640	1,600	40	
6	2	0	0	66	0	1,680	0	0	2,640	3,000	40	
7	3	0	0	66	0	1,120	0	0	2,640	3,200	40	
8	4	0	0	66	0	0	1,260	40	2,640	5,060	39	
9	5	0	0	66	0	0	380	0	2,640	1,760	40	
10	6	0	0	66	0	500	0	0	2,640	1,760	40	
22	Total Cost =	\$438,920										
23								Base Price	\$	40		
24	Total Revenue =	\$650,140	Promote? (0/1)	1	Consumption	0.10						
25	Profit =	\$211,220	Month (1/4)	4	Forward buy	0.20						

FIGURE 9-3 Optimal Aggregate Plan When Discounting Price in April to \$39

in period 4, i.e., April). If Green Thumb offers the discount in April, the demand forecast is as shown in cells J5:J10 of Figure 9-3. The optimal aggregate plan is obtained by running Solver and is shown in Figure 9-3. Compared to discounting in January (Figure 9-2), discounting in April requires more capacity (in terms of workforce) and leads to a greater buildup of seasonal inventory and larger stockouts because of the big jump in demand in April. With a discount in April we have the following:

Total cost over planning horizon = \$438,920

Revenue over planning horizon = \$650,140

Profit over planning horizon = \$211,220

Observe that a price promotion in January results in a higher supply chain profit, whereas a promotion in April results in a lower supply chain profit, compared to the base case of not running a promotion. As a result of the S&OP process, Red Tomato and Green Thumb decide to offer the discount in the off-peak month of January. Even though revenues are higher when the discount is offered in April, the increase in operating costs makes it a less profitable option. A promotion in January allows Red Tomato and Green Thumb to increase the profit they can share.

Note that this analysis is possible only because the retailer and manufacturer have an S&OP process that facilitates collaboration during the planning phase. This conclusion supports our earlier statement that it is not appropriate for a supply chain to leave pricing decisions solely in the domain of retailers and aggregate planning solely in the domain of manufacturers, with each having individual forecasts. It is crucial that forecasts, pricing, and aggregate planning be coordinated in a supply chain.

The importance of a collaborative S&OP process is further supported by the fact that the optimal action is different if most of the demand increase comes from market growth or stealing market share rather than forward buying. We now illustrate the scenario in which a discount leads to a large increase in consumption.

### When to Offer a Promotion if Discount Leads to a Large Increase in Consumption

Reconsider the situation in which discounting a unit from \$40 to \$39 results in the period demand increasing by 100 percent (instead of the 10 percent considered in the previous analysis) because of increased consumption or substitution. Further, 20 percent of each of the two following months' demand is moved forward. The supply chain team wants to determine whether it is preferable to offer the discount in January or April under these conditions. To simulate this scenario, change the entry in cell H24 (increase in consumption) of

spreadsheet Chapter8,9-examples.xlsm from 0.10 (10 percent) to 1.00 (100 percent). Set the entry in cell E24 to 1 to set the promotion to be on. The base case when no promotion is offered remains unchanged as shown in Figure 9-1. We now repeat the analysis for the cases in which the promotion is offered in January (off-peak) and April (peak).

**IMPACT OF OFFERING A PROMOTION IN JANUARY** For a January promotion, set the entry in cell E25 to 1 (Period 1, January). If the discount is offered in January, observe that the January demand forecast is obtained as  $1,600 \times 2 + 0.2 \times (3,000 + 3,200) = 4,440$ . This is much higher than the same forecast in Figure 9-2 because we have assumed consumption in the promotion month increases by 100 percent rather than the 10 percent assumed earlier. The demand forecast for a January promotion with a large increase in consumption is shown in cells J5:J10 of Figure 9-4.

The optimal aggregate plan is obtained using Solver and is shown in Figure 9-4. With a discount in January the team obtains the following:

Total cost over planning horizon = \$456,880  
 Revenue over palnning horizon = \$699,560  
 Profit over planning horizon = \$242,680

Observe that a January promotion when consumption increase is large results in a higher profit than the base case (Figure 9-1).

**IMPACT OF OFFERING A PROMOTION IN APRIL** For an April promotion, set the entry in cell E25 to 4 (Period 4, April). If the discount is offered in April, observe that the April demand forecast is obtained as  $3,800 \times 2 + 0.2 \times (2,200 + 2,200) = 8,480$ . With a promotion in April and a large increase in consumption, the April peak is much higher in Figure 9-5 compared to peak demand in Figure 9-4 (with a January promotion). For an April promotion with a large increase in consumption, the resulting demand forecast is as shown in cells J5:J10 of Figure 9-5. The optimal aggregate plan is obtained using Solver and is shown in Figure 9-5.

With a discount in April the team obtains the following:

Total cost over planning horizon = \$536,200  
 Revenue over palnning horizon = \$783,520  
 Profit over planning horizon = \$247,320

When comparing Figures 9-5 and 9-4, observe that with an April promotion (Figure 9-5), there are no layoffs and the full workforce is maintained. The April promotion requires a much

	A	B	C	D	E	F	G	H	I	J	K
1	Aggregate Plan Decision Variables										
2		Ht	Lt	Wt	Ot	It	St	Ct	Pt		
3	Period	# Hired	# Laid off	# Workforce	Overtime	Inventory	Stockout	Subcontract	Production	Demand	Price
4	0	0	0	80	0	1,000	0	0			
5	1	0	0	80	0	0	140	100	3,200	4,440	39
6	2	0	11	69	0	220	0	0	2,760	2,400	40
7	3	0	0	69	0	420	0	0	2,760	2,560	40
8	4	0	0	69	0	0	620	0	2,760	3,800	40
9	5	0	0	69	0	0	60	0	2,760	2,200	40
10	6	0	0	69	0	500	0	0	2,760	2,200	40
22	Total Cost =	\$456,880									
23						Base Price	\$ 40				
24	Total Revenue =	\$699,560		Promote? (0/1)	1		Consumption	1.00			
25	Profit =	\$242,680		Month (1/4)	1		Forward buy	0.20			

**FIGURE 9-4** Optimal Aggregate Plan When Discounting Price in January to \$39 with Large Increase in Demand

	A	B	C	D	E	F	G	H	I	J	K
1	Aggregate Plan Decision Variables										
2		H <sub>t</sub>	L <sub>t</sub>	W <sub>t</sub>	O <sub>t</sub>	I <sub>t</sub>	S <sub>t</sub>	C <sub>t</sub>	P <sub>t</sub>		
3	Period	# Hired	# Laid off	# Workforce	Overtime	Inventory	Stockout	Subcontract	Production	Demand	Price
4	0	0	0	80	0	1,000	0	0			
5	1	0	0	80	0	2,600	0	0	3,200	1,600	40
6	2	0	0	80	0	2,800	0	0	3,200	3,000	40
7	3	0	0	80	0	2,800	0	0	3,200	3,200	40
8	4	0	0	80	0	0	2,380	100	3,200	8,480	39
9	5	0	0	80	0	0	940	0	3,200	1,760	40
10	6	0	0	80	0	500	0	0	3,200	1,760	40
22	Total Cost =	\$536,200									
23				Base Price		\$		40			
24	Total Revenue =	\$783,520		Promote? (0/1	1		Consumption		1.00		
25	Profit =	\$247,320		Month (1/4)	4		Forward buy		0.20		

**FIGURE 9-5** Optimal Aggregate Plan When Discounting Price in April to \$39 with Large Increase in Demand

higher level of seasonal inventory and also uses stockouts and subcontracting to a greater extent than a January promotion. It is clear that costs will go up significantly with an April promotion. The interesting observation is that revenues go up even more (because of a larger consumption increase) making overall profits higher with an April promotion compared to a January promotion. As a result, when the increase in consumption from discounting is large and forward buying is a small part of the increase in demand from discounting, the supply chain is better off offering the discount in the peak-demand month of April even though this action significantly increases supply chain costs.

Exactly as discussed earlier, the optimal aggregate plan and profitability can also be determined for the case in which the unit price is \$31 (enter 31 in cell H31) and the discounted price is \$30. The results of the various instances are summarized in Table 9-2.

From the results in Table 9-2, we can draw the following conclusions regarding the impact of promotions:

1. As seen in Table 9-2, average inventory increases if a promotion is run during the peak period and decreases if the promotion is run during the off-peak period.
2. Promoting during a peak-demand month may decrease overall profitability if there is a small increase in consumption and a significant fraction of the demand increase results from a forward buy. In Table 9-2, observe that running a promotion in April decreases profitability when forward buying is 20 percent and the demand increase from increased consumption and substitution is 10 percent.

**Table 9-2** Supply Chain Performance Under Different Scenarios

Regular Price	Promotion Price	Promotion Period	Percentage of Increase in Demand	Percentage of Forward Buy	Profit	Average Inventory
\$40	\$40	NA	NA	NA	\$217,340	875
\$40	\$39	January	10%	20%	\$221,320	515
\$40	\$39	April	10%	20%	\$211,220	932
\$40	\$39	January	100%	20%	\$242,680	232
\$40	\$39	April	100%	20%	\$247,320	1,492
\$31	\$31	NA	NA	NA	\$73,340	875
\$31	\$30	January	100%	20%	\$84,280	232
\$31	\$30	April	100%	20%	\$69,120	1,492



**Table 9-3** Summary of Impact on Promotion Timing

Factor	Impact on Timing of Promotion/Forward Buy
High forward buying	Favors promotion during low-demand periods
High ability to steal market share	Favors promotion during peak-demand periods
High ability to increase overall market	Favors promotion during peak-demand periods
High margin	Favors promotion during peak-demand periods
Low margin	Favors promotion during low-demand periods
High manufacturer holding costs	Favors promotion during low-demand periods
High costs of changing capacity	Favors promotion during low-demand periods
High retailer holding costs	Decreases forward buying by retailer
High promotion elasticity of consumer	Decreases forward buying by retailer

**3.** As consumption increase from discounting grows and forward buying becomes a smaller fraction of the demand increase from a promotion, it is more profitable to promote during the peak period. From Table 9-2, for a sale price of \$40, it is optimal to promote in the off-peak month of January, when forward buying is 20 percent and increased consumption is 10 percent. When forward buying is 20 percent and increased consumption is 100 percent, however, it is optimal to promote in the peak month of April.

**4.** As the product margin declines, promoting during the peak-demand period becomes less profitable. In Table 9-2, observe that for a unit price of \$40, it is optimal to promote in the peak month of April when forward buying is 20 percent and increased consumption is 100 percent. In contrast, if the unit price is \$31, it is optimal to promote in the off-peak month of January for the same level of forward buying and increase in consumption.

Other factors such as holding cost and the cost of changing capacity also affect the optimal timing of promotions. The various factors and their impacts are summarized in Table 9-3.

A key point from the Red Tomato supply chain examples we have considered in this chapter is that when a firm is faced with seasonal demand, it should use a combination of pricing (to manage demand) and production and inventory (to manage supply) to improve profitability. The precise use of each lever varies with the situation. This makes it crucial that enterprises in a supply chain coordinate both their forecasting and planning efforts through an S&OP process. Only then are profits maximized.

## 9.4 IMPLEMENTING SALES AND OPERATIONS PLANNING IN PRACTICE

**1. Coordinate planning across enterprises in the supply chain.** For a supply chain to manage predictable variability successfully, the entire chain must work toward the one goal of maximizing profitability. Every member of a supply chain may agree with this in principle. In reality, however, it is difficult for an entire supply chain to agree on how to maximize profitability. Firms have even had trouble getting different functions within an enterprise to plan collaboratively. Incentives play a large role in this. Within a company, sales often has incentives based on revenue, whereas operations has incentives based on cost. Within a supply chain, different enterprises are judged by their own profitability, not necessarily by the overall supply chain's profitability. From the examples considered earlier, it is clear that without a focus on getting companies to work together, a supply chain will return suboptimal profits. Collaboration should occur through the formation of joint teams. Incentives of the members of a supply chain must be aligned. High-level

support within an organization is needed because this coordination often requires groups to act against their traditional operating procedures. Although this collaboration is difficult, the payoffs are significant. The concept of collaborative forecasting, planning, and replenishment is discussed in greater detail in Chapter 10.

**2. Take predictable variability into account when making strategic decisions.** Predictable variability has a tremendous impact on the operations of a company. A firm must always take this impact into account when making strategic decisions. However, predictable variability is not always taken into account when strategic plans are made, such as what type of products to offer, whether or not to build new facilities, and what sort of pricing structure a company should have. As indicated in this chapter, the level of profitability is greatly affected by predictable variability and, therefore, the success or failure of strategic decisions can be determined by it.

**3. Design S&OP to understand and manage the drivers of demand usage.** The goal of the S&OP team should be to understand actual usage patterns by the consumer and to respond accordingly. The goal of S&OP should be to manage usage patterns and supply in a way that grows the supply chain surplus. For such an approach to be successful, the S&OP team must have good demand visibility across the supply chain.

**4. Ensure that the S&OP process modifies plans as the reality or forecasts change.** It is important that early warning alerts be built into the S&OP process. A change in demand or supply circumstances may leave the reality different from plan. In such a situation, it is important for the planners to alert the supply chain regarding the old plan and provide a new plan that accounts for these changes. Even if there are no short-term alerts, the output of the S&OP process should be modified as forecasts or marketing plans are adjusted.

## 9.5 SUMMARY OF LEARNING OBJECTIVES

**1. Manage supply to improve synchronization in a supply chain in the face of predictable variability.** To manage supply with the goal of maximizing profit, companies must manage their capacity through the use of workforce flexibility, subcontracting, dual facilities, and product flexibility. Companies must also manage supply through the use of inventory by emphasizing common parts and building and holding products with predictable demand ahead of time. These methodologies, combined with aggregate planning, enable a company to manage supply effectively.

**2. Manage demand to improve synchronization in a supply chain in the face of predictable variability.** To manage demand with the goal of maximizing profit, companies must use pricing and promotion decisions in concert with supply planning. The timing of promotions can have a tremendous impact on demand. Therefore, using pricing to shape demand can help synchronize the supply chain.

**3. Use sales and operations planning to maximize profitability when faced with predictable variability in a supply chain.** To handle predictable variability in a profit-maximizing manner, supply chains must coordinate the management of both supply and demand. This requires coordinated planning across all stages of the supply chain to select pricing and promotion plans and aggregate plans that maximize supply chain profit.

---

## Discussion Questions

1. What are some obstacles to creating a flexible workforce? What are the benefits?
2. Discuss why subcontractors can often offer products and services to a company more cheaply than if the company produced them itself.
3. In which industries would you tend to see dual facility types (some facilities focusing on only one type of product and others able to produce a wide variety)? In which industries would this be relatively rare? Why?

4. Discuss how you would set up a collaboration mechanism for the enterprises in a supply chain.
5. What are some product lines that use common parts across many products? What are the advantages of doing this?
6. Discuss how a company can get sales and operations to work together with the common goal of coordinating supply and demand to maximize profitability.
7. How can a firm use pricing to change demand patterns?
8. Why would a firm want to offer pricing promotions in its peak-demand periods?
9. Why would a firm want to offer pricing promotions during its low-demand periods?

## Exercises

1. Lavare, located in the Chicago suburbs, is a major manufacturer of stainless steel sinks. Lavare is in the middle of the demand and supply planning exercise for the coming year. Anticipated monthly demand from distributors over the 12 months is shown in Table 9-4.

**Table 9-4** Anticipated Monthly Demand at Lavare

Month	Demand	Month	Demand
January	10,000	July	30,000
February	11,000	August	29,000
March	15,000	September	21,000
April	18,000	October	18,000
May	25,000	November	14,000
June	26,000	December	11,000

Capacity at Lavare is governed by the number of machine operators it hires. The firm works 20 days a month, with a regular operating shift of eight hours per day. Any time beyond that is considered overtime. Regular-time pay is \$15 per employee and overtime is \$22 per hour. Overtime is limited to 20 hours per month per employee. The plant currently has 250 employees. Each sink requires two hours of labor input. It costs \$3 to carry a sink in inventory for a month. Materials cost per sink is \$40. Sinks are sold to distributors at a price of \$125 each. We assume that no stockouts are allowed and the starting inventory entering January is 5,000 units and the desired ending inventory in December is also 5,000 units.

Market research has indicated that a promotion dropping prices by 1 percent in a given month will increase sales in that month by 20 percent and bring forward 10 percent demand from each of the following two months. Thus, a 1 percent drop in price in March increases sales in March by 3,000 ( $= 0.2 \times 15,000$ ) and shifts 1,800 ( $= 0.1 \times 18,000$ ) units in demand from April and 2,500 ( $= 0.1 \times 25,000$ ) units from May forward to March.

- a. What is the optimal production plan for the year if we assume no promotions? What is the annual profit from this plan? What is the cost of this plan?
- b. Is it better to promote in April or July? How much increase in profit can be achieved as a result?

- c. If sinks are sold for \$250 instead of \$125, does the decision about the timing of the promotion change? Why?
2. Consider the data for Lavare in Exercise 1. We now assume that Lavare can change the size of the workforce by laying off or hiring employees. Hiring a new employee incurs a cost of \$1,000; laying off an employee incurs a layoff cost of \$2,000.
  - a. What is the optimal production plan for the year if we assume no promotions? What is the annual profit with this plan? What is the cost of this plan?
  - b. Is it better to promote in April or July? How much increase in profit can be achieved as a result?
  - c. If the holding cost for sinks increases from \$3 per month to \$5 per month, does the decision of the timing of promotion change? Why?
3. Return to the data for Lavare in Exercise 1. Now assume that a third party has offered to produce sinks at \$74 per unit. How does this change affect the optimal production plan without a promotion? How does this change affect the optimal timing of a promotion? Explain the changes.
4. Jumbo manufactures bicycles for all ages. The demand forecast for the coming year is as shown in Table 9-5.

Capacity at Jumbo is limited by the number of employees it hires. Employees are paid \$10 per hour for regular time and \$15 per hour for overtime. Each bicycle requires two hours of work from one employee. The plant works 20 days a month and eight hours a day of regular time. Overtime is restricted to a maximum of 20 hours per employee per month. Jumbo currently has 250 employees and prefers not to change that number.

Each bicycle uses \$35 of material. Carrying a bicycle in inventory from one month to the next costs \$4. Jumbo starts

**Table 9-5** Anticipated Monthly Demand at Jumbo

Month	Demand	Month	Demand
January	12,000	July	24,000
February	11,000	August	20,000
March	14,000	September	15,000
April	20,000	October	10,000
May	25,000	November	11,000
June	27,000	December	10,000

with 4,000 bicycles in inventory and wants to end the year with 4,000 bicycles in inventory. Bicycles are currently sold to retailers for \$80 each. The market is shared between Jumbo and its competitor, Shrimpy.

Jumbo is in the process of making its production planning and promotion decisions. Jumbo wants to consider only plans without any stockouts. One option is to drop the sale price by \$3 (from \$80 to \$77) for one month in the year. The outcome of this action by Jumbo is influenced by the action taken by Shrimpy. If neither firm promotes, the forecast demand for Jumbo is as shown in Table 9-5. If Jumbo promotes in a given month but Shrimpy does not, Jumbo sees consumption (this does not include forward buying) in that month increase by 40 percent and forward buying of 10 percent from each of the two following months. If Shrimpy promotes in a given month but Jumbo does not, Jumbo sees consumption in the month drop by 40 percent with no change in other months. If both promote in a given month, neither sees an increase in consumption but both see forward buying of 15 percent from each of the two following months. The debate within Jumbo is whether to promote, and if so, whether to do it in April or June. For the following questions, assume that Shrimpy and Jumbo have similar demand.

- What is the optimal production plan for Jumbo assuming no promotion by either Jumbo or Shrimpy? What are the annual profits for Jumbo?
  - What are the profits for Jumbo if Shrimpy promotes in April but Jumbo does not promote throughout the year (it follows everyday low pricing)? What are the profits for Jumbo if it promotes in April but Shrimpy does not promote throughout the year? Comment on the benefit from promoting versus the loss from not promoting if the competitor does.
  - What are the optimal production plan and profits if both promote in April? Both promote in June? Jumbo promotes in April but Shrimpy in June? Jumbo promotes in June but Shrimpy in April?
  - What is the best decision for Jumbo if it can coordinate its decision with Shrimpy?
  - What is the best decision for Jumbo if it wants to maximize its minimum profits no matter what Shrimpy does?
5. We now reconsider the issue of competitors and promotions in the context of a commodity product such as detergent, for which demand is relatively stable during the year. Q&H is a major detergent manufacturer with a demand forecast for the coming year as shown in Table 9-6 (in tons).

Capacity at Q&H is governed by the number of hours the line runs. The line requires a team of 100 employees. Employees are paid \$10 per hour for regular time and \$15 per hour for overtime. Each ton of detergent requires one hour of operation of the line. The plant works 20 days a month, two shifts a day, and eight hours a shift of regular time. Overtime is restricted to a maximum of 20 hours per employee per month.

Each ton of detergent uses \$1,000 of material. Carrying a ton of detergent in inventory from one month to the next costs \$100. Q&H starts with 150 tons in inventory and wants to end with the same level. During intermediate months, Q&H wants

**Table 9-6** Anticipated Monthly Demand at Q&H

Month	Demand	Month	Demand
January	280	July	291
February	301	August	277
March	277	September	304
April	302	October	291
May	285	November	302
June	278	December	297

at least 100 tons of inventory. Detergent is currently sold to retailers for \$2,600 per ton. The detergent market is shared between Q&H and its competitor, Unilock.

Q&H is in the process of making its production planning and promotion decisions. Q&H wants to consider only plans without any stockouts. One option is to drop the sale price by \$260 per ton (from \$2,600 to \$2,340) for one month in the year. The outcome of this action by Q&H is influenced by the action taken by Unilock. If neither firm promotes, the forecast demand for Q&H is as shown in Table 9-6. If Q&H promotes in a given month but Unilock does not, Q&H sees consumption (does not include forward buying) in that month increase by 50 percent and forward buying of 20 percent from each of the two following months. If Unilock promotes in a given month but Q&H does not, Q&H sees consumption in the month drop by 50 percent. If both promote in a given month, neither sees an increase in consumption but both see forward buying of 25 percent from each of the two following months. The debate within Q&H is whether to promote, and if so, whether to do it in April or June. For the following questions, assume that demand for Unilock is like that of Q&H.

- What is the optimal production plan for Q&H assuming no promotion by either Q&H or Unilock? What are the annual profits for Q&H?
  - What are the profits for Q&H if Unilock promotes in April but Q&H does not promote throughout the year (it uses everyday low pricing)? What are the profits for Q&H if it promotes in April but Unilock does not promote throughout the year? Comment on the benefit from promoting versus the loss from not promoting if the competitor does.
  - What are the optimal production plan and profits if both firms promote in April? Both promote in June? Q&H promotes in April but Unilock in June? Q&H promotes in June but Unilock in April?
  - What is the best decision for Q&H if it can coordinate its decision with Unilock?
  - What is the best decision for Q&H if it wants to maximize its minimum profits no matter what Unilock does?
6. Return to the data for Exercise 5. Assume that Q&H has a third party willing to manufacture detergent as needed for \$2,300 per ton. Repeat the analysis for all questions (a) through (e).

## Bibliography

- Brandel, William. “The Persistent Gap Between Supply and Demand.” *CSMP’s Supply Chain Quarterly* (Q4/2007): 52–57.
- Chen, Clarence, and Nirmal Hasan. “How to Succeed with Supply Chain Planning.” *Supply Chain Management Review* (July–August 2008): 30–36.
- Geary, Steve, Paul Childerhouse, and Denis Towill. “Uncertainty and the Seamless Supply Chain.” *Supply Chain Management Review* (July–August 2002): 52–61.
- Marien, Edward J. “Why Focus on Demand Usage Management?” *Supply Chain Management Review* (October 2008): 42–48.
- Martin, André J. “Capacity Planning: The Antidote to Supply Chain Constraints.” *Supply Chain Management Review* (November–December 2001): 62–67.
- Sodhi, Mohan. “Getting the Most from Planning Technologies.” *Supply Chain Management Review, Special Global Supplement* (Winter 2000): 19–23.
- Upton, Harold, and Harpal Singh. “Balanced S&OP; Sunsweet Growers’ Story.” *Supply Chain Management Review* (March 2007): 51–59.

## CASE STUDY

### Mintendo Game Girl

It is late June, and Sandra, head of operations at Mintendo, and Bill, head of sales of We “R” Toys, are about to get together to discuss production and marketing plans for the next six months. Mintendo is the manufacturer of the popular Game Girl handheld electronic game that is sold exclusively through We “R” Toys retail stores. The second half of the year is critical to Game Girl’s success, because a majority of its sales occur during the holiday shopping period.

Sandra is worried about the impact that the upcoming holiday surge in demand will have on her production line. Costs to subcontract assembly of the Game Girls are expected to increase, and she has been trying to keep costs down given that her bonus depends on the level of production costs.

Bill is worried about competing toy stores gaining share in the handheld electronic game market during the Christmas buying season. He has seen many companies lose their share by failing to keep prices in line with the performance of their products. He would like to maximize the Game Girl market share in the handheld electronic game market.

Both Sandra’s and Bill’s teams produce a joint forecast of demand over the next six months, as shown in Table 9-7.

We “R” Toys sells Game Girls for \$50 apiece. At the end of June, the company has an inventory of 50,000 Game Girls. Capacity of the production facility is set purely by the number of workers assembling the Game Girls. At the end of June, the company has a workforce of 300 employees, each of whom works eight hours of non-overtime at \$15/hour for 20 days each month. Work rules require that no employee work more than 40 hours of overtime per month. The various costs are shown in Table 9-8.

**Table 9-7** Demand for Game Girls

Month	Demand Forecast
July	100,000
August	110,000
September	130,000
October	180,000
November	250,000
December	300,000

**Table 9-8** Costs for Mintendo/We “R” Toys

Item	Cost
Material cost	\$12/unit
Inventory holding cost	\$2/unit/month
Marginal cost of a stockout	\$10/unit/month
Hiring and training costs	\$3,000/worker
Layoff cost	\$5,000/worker
Labor hours required	0.25/unit
Regular-time cost	\$15/hour
Overtime cost	\$22.50/hour
Cost of subcontracting	\$18/unit

Sandra, concerned about controlling costs during the periods of surging demand over the holidays, proposes to Bill that the price be lowered by \$5 for the month of September. This would likely increase September’s demand by 50 percent due to new customers being attracted to Game Girl. In addition, 30 percent of each of

the following two months of demand would occur in September as forward buys. She believes strongly that this leveling of demand will help the company.

Bill counters with the idea of offering the same promotion in November, during the heart of the buying season. In this case, the promotion increases November's demand by 50 percent due to new customers being attracted to Game Girl. Additionally, 30 percent of December's demand would occur in November as forward buying. Bill wants to increase revenue and sees no better way to do this than to offer a promotion during the peak season.

### Questions

1. Which option delivers the maximum profit for the supply chain: Sandra's plan, Bill's plan, or no promotion plan at all?
2. How does the answer change if a discount of \$10 must be given to reach the same level of impact that the \$5 discount received?
3. Suppose Sandra's fears about increasing outsourcing costs come to fruition and the cost rises to \$22/unit for subcontracting. Does this change the decision when the discount is \$5?

Arunai Engineering College

# 10



## Coordination in a Supply Chain

### LEARNING OBJECTIVES

After reading this chapter, you will be able to


1. Describe supply chain coordination and the bullwhip effect, and their impact on supply chain performance.
2. Identify obstacles to coordination in a supply chain.
3. Discuss managerial levers that help achieve coordination in a supply chain.
4. Understand the different forms of collaborative planning, forecasting, and replenishment possible in a supply chain.

In this chapter, we extend the ideas from Chapter 9 and focus on improving coordination across the supply chain. We discuss how lack of coordination leads to a degradation of responsiveness and an increase in cost within a supply chain. We describe various obstacles that lead to this lack of coordination and exacerbate variability through the supply chain. We then identify appropriate managerial levers that can help overcome the obstacles and achieve coordination. In particular, we discuss how collaboration can improve supply chain performance.

### 10.1 LACK OF SUPPLY CHAIN COORDINATION AND THE BULLWHIP EFFECT

*Supply chain coordination* improves if all stages of the chain take actions that are aligned and increase total supply chain surplus. Supply chain coordination requires each stage of the supply chain to share information and take into account the impact its actions have on other stages.

A lack of coordination occurs either because different stages of the supply chain have objectives that conflict or because information moving between stages is delayed and distorted. Different stages of a supply chain may have conflicting objectives if each stage has a different owner. As a result, each stage tries to maximize its own profits, resulting in actions that often diminish total supply chain profits (see Chapters 11, 13, and 15). Today, supply chains consist of stages with different owners. For example, Ford Motor Company has thousands of suppliers from Goodyear to Motorola, and each of these suppliers has many suppliers in turn. Information is distorted as it moves across the supply chain because complete information is not shared between stages. This distortion is exaggerated by the fact that supply chains today produce a large variety of products. Ford produces different models with several options for each model. The increased variety makes it difficult for Ford



**FIGURE 10-1** Demand Fluctuations at Different Stages of a Supply Chain

to coordinate information exchange with thousands of suppliers and dealers. The fundamental challenge today is for supply chains to achieve coordination in spite of multiple ownership and increased product variety.

One outcome of the lack of supply chain coordination is the *bullwhip effect*, in which fluctuations in orders increase as they move up the supply chain from retailers to wholesalers to manufacturers to suppliers, as shown in Figure 10-1. The bullwhip effect distorts demand information within the supply chain, with each stage having a different estimate of what demand looks like.

Procter & Gamble (P&G) has observed the bullwhip effect in the supply chain for Pampers diapers.<sup>1</sup> The company found that raw material orders from P&G to its suppliers fluctuated significantly over time. Farther down the chain, when sales at retail stores were studied, the fluctuations, while present, were small. It is reasonable to assume that the consumers of diapers (babies) at the last stage of the supply chain used them at a steady rate. Although consumption of the end product was stable, orders for raw material were highly variable, increasing costs and making it difficult to match supply and demand.

HP also found that the fluctuation in orders increased significantly as they moved from the resellers up the supply chain to the printer division to the integrated circuit division.<sup>2</sup> Once again,

<sup>1</sup> Lee, Padmanabhan, and Whang (1997).

<sup>2</sup> Ibid.



while product demand showed some variability, orders placed with the integrated circuit division were much more variable. This made it difficult for HP to fill orders on time and increased the cost of doing so.

Studies of the apparel and grocery industry have shown a similar phenomenon: The fluctuation in orders increases as we move upstream in the supply chain from retail to manufacturing. Barilla, an Italian manufacturer of pasta, observed that weekly orders placed by a local distribution center fluctuated by up to a factor of 70 in the course of the year, whereas weekly sales at the distribution center (representing orders placed by supermarkets) fluctuated by a factor of less than three.<sup>3</sup> Barilla was thus facing demand that was much more variable than customer demand. This led to increased inventories, poorer product availability, and a drop in profits.

A similar phenomenon, over a longer time frame, has been observed in several industries that are quite prone to “boom and bust” cycles. A good example is the production of memory chips for personal computers. Between 1985 and 1998, at least two cycles occurred during which prices of memory chips fluctuated by a factor of more than three. These large fluctuations in price were driven by either large shortages or surpluses in capacity. The shortages were exacerbated by panic buying and over-ordering that was followed by a sudden drop in demand.

In the next section, we consider how lack of coordination affects supply chain performance.

## 10.2 THE EFFECT ON PERFORMANCE OF LACK OF COORDINATION

A supply chain lacks coordination if each stage optimizes only its local objective, without considering the impact on the complete chain. Total supply chain profits are thus less than what could be achieved through coordination (see Chapters 11 and 13). Each stage of the supply chain, in trying to optimize its local objective, takes actions that end up hurting the performance of the entire supply chain.

Lack of coordination also results if information distortion occurs within the supply chain. Consider the bullwhip effect P&G observed in the diaper supply chain. As a result of the bullwhip effect, orders P&G receives from its distributors are much more variable than demand for diapers at retailers. We discuss the impact of the lack of supply chain coordination on various measures of performance in the diaper supply chain.

### Manufacturing Cost

The lack of coordination increases manufacturing cost in the supply chain. As a result of the bullwhip effect, P&G and its suppliers must satisfy a stream of orders that is much more variable than customer demand. P&G can respond to the increased variability by either building excess capacity or holding excess inventory (see Chapter 12), both of which increase the manufacturing cost per unit produced.

### Inventory Cost

The lack of coordination increases inventory cost in the supply chain. To handle the increased variability in demand, P&G has to carry a higher level of inventory than would be required if the supply chain were coordinated. As a result, inventory costs in the supply chain increase. The high levels of inventory also increase the warehousing space required and thus the warehousing cost incurred.

### Replenishment Lead Time

Lack of coordination increases replenishment lead times in the supply chain. The increased variability as a result of the bullwhip effect makes scheduling at P&G and supplier plants much more difficult than when demand is level. There are times when the available capacity and inventory cannot supply the orders coming in. This results in higher replenishment lead times.

---

<sup>3</sup> Hammond (1994).

## Transportation Cost

The lack of coordination increases transportation cost in the supply chain. The transportation requirements over time at P&G and its suppliers are correlated with the orders being filled. As a result of the bullwhip effect, transportation requirements fluctuate significantly over time. This raises transportation cost because surplus transportation capacity needs to be maintained to cover high-demand periods.

## Labor Cost for Shipping and Receiving

The lack of coordination increases labor costs associated with shipping and receiving in the supply chain. Labor requirements for shipping at P&G and its suppliers fluctuate with orders. A similar fluctuation occurs for the labor requirements for receiving at distributors and retailers. The various stages have the option of carrying excess labor capacity or varying labor capacity in response to the fluctuation in orders. Either option increases total labor cost.

## Level of Product Availability

Lack of coordination hurts the level of product availability and results in more stockouts in the supply chain. The large fluctuations in orders make it harder for P&G to supply all distributor and retailer orders on time. This increases the likelihood that retailers will run out of stock, resulting in lost sales for the supply chain.

## Relationships Across the Supply Chain

Lack of coordination has a negative effect on performance at every stage and thus hurts the relationships among different stages of the supply chain. There is a tendency to assign blame to other stages of the supply chain because each stage thinks it is doing the best it can. The lack of coordination thus leads to a loss of trust among different stages of the supply chain and makes any potential coordination efforts more difficult.

From the earlier discussion, it follows that lack of coordination has a significant negative impact on the supply chain's performance by increasing cost and decreasing responsiveness. The impact of the lack of coordination on different performance measures is summarized in Table 10-1.

In the next section, we discuss various obstacles to achieving coordination in the supply chain.

**Table 10-1 Impact of the Lack of Coordination on Supply Chain Performance**

Performance Measure	Impact of the Lack of Coordination
Manufacturing cost	Increases
Inventory cost	Increases
Replenishment lead time	Increases
Transportation cost	Increases
Shipping and receiving cost	Increases
Level of product availability	Decreases
Profitability	Decreases

## Key Point

The lack of coordination hurts both responsiveness and cost in a supply chain by making it more expensive to provide a given level of product availability.

### 10.3 OBSTACLES TO COORDINATION IN A SUPPLY CHAIN

Any factor that leads to either local optimization by different stages of the supply chain or an increase in information delay, distortion, and variability within the supply chain is an obstacle to coordination. If managers in a supply chain are able to identify the key obstacles, they can then take suitable actions to help achieve coordination. We divide the major obstacles into five categories:

- Incentive obstacles
- Information-processing obstacles
- Operational obstacles
- Pricing obstacles
- Behavioral obstacles

#### Incentive Obstacles

Incentive obstacles occur in situations when incentives offered to different stages or participants in a supply chain lead to actions that increase variability and reduce total supply chain profits.

**LOCAL OPTIMIZATION WITHIN FUNCTIONS OR STAGES OF A SUPPLY CHAIN** Incentives that focus only on the local impact of an action result in decisions that do not maximize total supply chain surplus. For example, if the compensation of a transportation manager at a firm is linked to the average transportation cost per unit, the manager is likely to take actions that lower transportation costs even if they increase inventory costs or hurt customer service. It is natural for any participant in the supply chain to take actions that optimize performance measures along which they are evaluated. For example, managers at a retailer such as Kmart make all their purchasing and inventory decisions to maximize Kmart profits, not total supply chain profits. Buying decisions based on maximizing profits at a single stage of the supply chain lead to ordering policies that do not maximize supply chain profits (see Chapters 11, 13, and 15).

**SALES FORCE INCENTIVES** Improperly structured sales force incentives are a significant obstacle to coordination in a supply chain. In many firms, sales force incentives are based on the amount the sales force sells during an evaluation period of a month or quarter. The sales typically measured by a manufacturer are the quantity sold to distributors or retailers (sell-in), not the quantity sold to final customers (sell-through). Measuring performance based on sell-in is often justified on the grounds that the manufacturer's sales force does not control sell-through. For example, Barilla offered its sales force incentives based on the quantity sold to distributors during a four- to six-week promotion period. To maximize their bonuses, the Barilla sales force urged distributors to buy more pasta toward the end of the evaluation period, even if distributors were not selling as much to retailers. The sales force offered discounts they controlled to spur end-of-period sales. This increased variability in the order pattern, with a jump in orders toward the end of the evaluation period followed by few orders at the beginning of the next evaluation period. Order sizes from distributors to Barilla fluctuated by a factor of up to 70 from one week to the next. A sales force incentive based on sell-in thus results in order variability being larger than customer demand variability because the sales force tends to push product toward the end of the incentive period.

#### Information-Processing Obstacles

Information-processing obstacles occur when demand information is distorted as it moves between different stages of the supply chain, leading to increased variability in orders within the supply chain.

**FORECASTING BASED ON ORDERS AND NOT CUSTOMER DEMAND** When stages within a supply chain make forecasts that are based on orders they receive, any variability in customer

demand is magnified as orders move up the supply chain to manufacturers and suppliers. In supply chains where the fundamental means of communication among different stages are the orders that are placed, information is distorted as it moves up the supply chain (see Chen, Drezner, Ryan, and Simchi-Levi [2000] for a good quantitative analysis). Each stage views its primary role within the supply chain as one of filling orders placed by its downstream partner. Thus, each stage views its demand as the stream of orders received and produces a forecast based on this information.

In such a scenario, a small change in customer demand becomes magnified as it moves up the supply chain in the form of customer orders. Consider the impact of a random increase in customer demand at a retailer. The retailer may interpret part of this random increase as a growth trend. This interpretation will lead the retailer to order more than the observed increase in demand because the retailer expects growth to continue into the future and thus orders to cover for future anticipated growth. The increase in the order placed with the wholesaler is thus larger than the observed increase in demand at the retailer. Part of the increase is a one-time increase. The wholesaler, however, has no way to interpret the order increase correctly. The wholesaler simply observes a jump in the order size and infers a growth trend. The growth trend inferred by the wholesaler will be larger than that inferred by the retailer (recall that the retailer increased the order size to account for future growth). The wholesaler will thus place an even larger order with the manufacturer. As we go farther up the supply chain, the order size is magnified.

Now assume that periods of random increase are followed by periods of random decrease in demand. Using the same forecasting logic as earlier, the retailer will now anticipate a declining trend and reduce order size. This reduction will also become magnified as we move up the supply chain.

**LACK OF INFORMATION SHARING** The lack of information sharing between stages of the supply chain magnifies the information distortion. A retailer such as Wal-Mart may increase the size of a particular order because of a planned promotion. If the manufacturer is not aware of the planned promotion, it may interpret the larger order as a permanent increase in demand and place orders with suppliers accordingly. The manufacturer and suppliers thus have much inventory right after Wal-Mart finishes its promotion. Given the excess inventory, as future Wal-Mart orders return to normal, manufacturer orders will be smaller than before. The lack of information sharing between the retailer and manufacturer thus leads to a large fluctuation in manufacturer orders.


## Operational Obstacles

Operational obstacles occur when actions taken in the course of placing and filling orders lead to an increase in variability.

**ORDERING IN LARGE LOTS** When a firm places orders in lot sizes that are much larger than those in which demand arises, variability of orders is magnified up the supply chain. Firms may order in large lots because a significant fixed cost is associated with placing, receiving, or transporting an order (see Chapter 11). Large lots may also occur if the supplier offers quantity discounts based on lot size (see Chapter 11). Figure 10-2 shows both the demand and the order stream for a firm that places an order every five weeks. Observe that the order stream is far more erratic than the demand stream.

### Key Point

The fact that each stage in a supply chain forecasts demand based on the stream of orders received from the downstream stage results in a magnification of fluctuations in orders as we move up the supply chain from the retailer to the manufacturer.



**FIGURE 10-2** Demand and Order Stream with Orders Every Five Weeks

Because orders are batched and placed every five weeks, the order stream has four weeks without orders followed by a large order that equals five weeks of demand. A manufacturer supplying several retailers that batch their orders faces an order stream that is much more variable than the demand the retailers experience. If the manufacturer batches its orders to suppliers, the effect is further magnified. In many instances, there are certain focal-point periods, such as the first or the last week of a month, when a majority of the orders arrive. This concentration of orders further exacerbates the impact of batching.

**LARGE REPLENISHMENT LEAD TIMES** Information distortion is magnified if replenishment lead times between stages are long. Consider a situation in which a retailer has misinterpreted a random increase in demand as a growth trend. If the retailer faces a lead time of two weeks, it will incorporate the anticipated growth over two weeks when placing the order. In contrast, if the retailer faces a lead time of two months, it will incorporate into its order the anticipated growth over two months (which will be much larger). The same applies when a random decrease in demand is interpreted as a declining trend.

**RATIONING AND SHORTAGE GAMING** Rationing schemes that allocate limited production in proportion to the orders placed by retailers lead to a magnification of information distortion. This can occur when a high-demand product is in short supply. In such a situation, manufacturers come up with a variety of mechanisms to ration the scarce supply of product among various distributors or retailers. One commonly used rationing scheme is to allocate the available supply of product based on orders placed. Under this rationing scheme, if the supply available is 75 percent of the total orders received, each retailer receives 75 percent of its order.

This rationing scheme results in a game in which retailers try to increase the size of their orders to increase the amount supplied to them. A retailer needing 75 units orders 100 units in the hope of getting 75. The net impact of this rationing scheme is to artificially inflate orders for

the product. In addition, a retailer ordering based on what it expects to sell gets less and as a result loses sales, whereas a retailer that inflates its order is rewarded.

If the manufacturer is using orders to forecast future demand, it will interpret the increase in orders as an increase in demand even though customer demand is unchanged. The manufacturer may respond by building enough capacity to be able to fill all orders received. Once sufficient capacity becomes available, orders return to their normal level because they were inflated in response to the rationing scheme. The manufacturer is now left with a surplus of product and capacity. These boom-and-bust cycles thus tend to alternate.

This phenomenon is fairly common in the electronics industry, in which alternating periods of component shortages followed by a component surplus are often observed. In particular, memory chip manufacturing experienced a couple of such cycles in the 1990s.


### Pricing Obstacles

Pricing obstacles arise when the pricing policies for a product lead to an increase in variability of orders placed.

**LOT SIZE-BASED QUANTITY DISCOUNTS** Lot size-based quantity discounts increase the lot size of orders placed within the supply chain (see Chapter 11) because lower prices are offered for larger lots. As discussed earlier, the resulting large lots magnify the bullwhip effect within the supply chain.

**PRICE FLUCTUATIONS** Trade promotions and other short-term discounts offered by a manufacturer result in forward buying, by which a wholesaler or retailer purchases large lots during the discounting period to cover demand during future periods. Forward buying results in large orders during the promotion period followed by very small orders after that (see Chapter 11), as shown in Figure 10-3 for chicken noodle soup.

Observe that the shipments during the peak period are higher than the sales during the peak period because of a promotion offered. The peak shipment period is followed by a period of low



**FIGURE 10-3** Retailer Sales and Manufacturer Shipments of Soup

Source: Reprinted by permission of Harvard Business Review.

Adapted from "What Is the Right Supply Chain for Your Product?" by Marshall L. Fisher, *Harvard Business Review* (March–April 1997): 83–93. Copyright © 1997 by the Harvard Business School Publishing Corporation; all rights reserved.

shipments from the manufacturer, indicating significant forward buying by distributors. The promotion thus results in a variability in manufacturer shipments that is significantly higher than the variability in retailer sales.

### Behavioral Obstacles

Behavioral obstacles are problems in learning within organizations that contribute to information distortion. These problems are often related to the way the supply chain is structured and the communications among different stages. Some of the behavioral obstacles are as follows:

1. Each stage of the supply chain views its actions locally and is unable to see the impact of its actions on other stages.
2. Different stages of the supply chain react to the current local situation rather than trying to identify the root causes.
3. Based on local analysis, different stages of the supply chain blame one another for the fluctuations, with successive stages in the supply chain becoming enemies rather than partners.
4. No stage of the supply chain learns from its actions over time because the most significant consequences of the actions any one stage takes occur elsewhere. The result is a vicious cycle in which actions taken by a stage create the very problems that the stage blames on others.
5. A lack of trust among supply chain partners causes them to be opportunistic at the expense of overall supply chain performance. The lack of trust also results in significant duplication of effort. More important, information available at different stages either is not shared or is ignored because it is not trusted.

## 10.4 MANAGERIAL LEVERS TO ACHIEVE COORDINATION

Having identified obstacles to coordination, we now focus on actions a manager can take to help overcome the obstacles and achieve coordination in the supply chain. The following managerial actions increase total supply chain profits and moderate information distortion:

- Aligning of goals and incentives
- Improving information visibility and accuracy
- Improving operational performance
- Designing pricing strategies to stabilize orders
- Building strategic partnerships and trust

### Aligning of Goals and Incentives

Managers can improve coordination within the supply chain by aligning goals and incentives so that every participant in supply chain activities works to maximize total supply chain profits.

**ALIGNING GOALS ACROSS THE SUPPLY CHAIN** Coordination requires every stage of the supply chain to focus on the supply chain surplus or the total size of the pie rather than just its individual share. In the absence of such an approach, every supply chain leaves money on the table. Examples discussed in Chapters 11 and 15 point out how total supply chain surplus drops when each stage focuses simply on maximizing its own profits. A focus on the supply chain surplus is unlikely to arise until actions and incentives across the supply chain align with this objective. For example, as discussed in Chapter 15, it is important for powerful stages within the supply chain to realize that pushing all risk on to the weakest stage ultimately hurts their own profits. A key to coordination is coming up with mechanisms that allow the creation of a win-win scenario in which the supply chain surplus grows along with the profits for all supply chain stages. Some of these mechanisms are discussed in greater detail in Chapter 15.

**ALIGNING INCENTIVES ACROSS FUNCTIONS** One key to coordinated decisions within a firm is to ensure that the objective any function uses to evaluate a decision is aligned with the firm's overall objective. All facility, transportation, and inventory decisions should be evaluated based on their effect on profitability, not total costs, or even worse, just local costs. This helps avoid situations such as a transportation manager making decisions that lower transportation cost but increase overall supply chain costs (see Chapter 14).

**PRICING FOR COORDINATION** A manufacturer can use lot size–based quantity discounts to achieve coordination for commodity products if the manufacturer has large fixed costs associated with each lot (see Chapter 11 for a detailed discussion). For products for which a firm has market power, a manager can use two-part tariffs and volume discounts to help achieve coordination (see Chapter 11 for a detailed discussion). Given demand uncertainty, manufacturers can use buyback, revenue-sharing, and quantity flexibility contracts to spur retailers to provide levels of product availability that maximize total supply chain profits (see Chapter 15 for a detailed discussion). Buyback contracts have been used in the publishing industry to increase total supply chain profits. Quantity flexibility contracts have helped Benetton increase supply chain profits.

**ALTERING SALES FORCE INCENTIVES FROM SELL-IN TO SELL-THROUGH** Any change that reduces the incentive for a salesperson to push product to the retailer reduces the bullwhip effect. Managers should link incentives for the sales staff to sell-through by the retailer rather than sell-in to the retailer. This action eliminates any motivation the sales staff may have to encourage forward buying. Elimination of forward buying helps reduce fluctuations in the order stream. If sales force incentives are based on sales over a rolling horizon, the incentive to push product is further reduced. This helps reduce forward buying and the resulting fluctuation in orders.

### Improving Information Visibility and Accuracy

Managers can achieve coordination by improving the visibility and accuracy of information available to different stages in the supply chain.

**SHARING POINT-OF-SALE DATA** Sharing point-of-sale (POS) data across the supply chain can help reduce the bullwhip effect. A primary cause for information distortion is the fact that each stage of the supply chain uses orders to forecast future demand. Given that orders received by different stages vary, forecasts at different stages also vary. In reality, the only demand that the supply chain needs to satisfy is from the final customer. If retailers share POS data with other supply chain stages, all supply chain stages can forecast future demand based on customer demand. Sharing of POS data helps reduce information distortion because all stages now respond to the same change in customer demand. Observe that sharing aggregate POS data is sufficient to dampen information distortion. It is not necessary to share detailed POS data. Use of appropriate information systems facilitates the sharing of such data (see Chapter 17).

Wal-Mart has routinely shared its POS data with its suppliers. Dell shares demand data as well as current inventory positions of components with many of its suppliers via the Internet, thereby helping avoid unnecessary fluctuations in supply and orders placed. P&G has convinced many retailers to share demand data. P&G in turn shares the data with its suppliers, improving coordination in the supply chain.

**IMPLEMENTING COLLABORATIVE FORECASTING AND PLANNING** Once point-of-sale data are shared, different stages of the supply chain must forecast and plan jointly if complete coordination is to be achieved. Without collaborative planning, sharing of POS data does not guarantee



coordination. A retailer may have observed large demand in the month of January because it ran a promotion. If no promotion is planned in the upcoming January, the retailer's forecast will differ from the manufacturer's forecast even if both have past POS data. The manufacturer must be aware of the retailer's promotion plans to achieve coordination. The key is to ensure that the entire supply chain is operating with a common forecast. To facilitate this type of coordination in the supply chain environment, the Voluntary Interindustry Commerce Standards (VICS) Association has set up a Collaborative Planning, Forecasting, and Replenishment (CPFR) committee to identify best practices and design guidelines for collaborative planning and forecasting. These practices are detailed later in the chapter.

**DESIGNING SINGLE-STAGE CONTROL OF REPLENISHMENT** Designing a supply chain in which a single stage controls replenishment decisions for the entire supply chain can help diminish information distortion. As we mentioned earlier, a key cause of information distortion is that each stage of the supply chain uses orders from the previous stage as its historical demand. As a result, each stage views its role as one of replenishing orders placed by the next stage. In reality, the key replenishment is at the retailer, because that is where the final customer purchases. When a single stage controls replenishment decisions for the entire chain, the problem of multiple forecasts is eliminated and coordination within the supply chain follows.

Several industry practices, such as continuous replenishment programs (CRP) and vendor-managed inventories (VMI) detailed later in the chapter, provide a single-point control over replenishment. Wal-Mart typically assigns one of its suppliers as a leader for each major product category to manage store-level replenishment. This gives suppliers visibility into sales and a single decision maker for replenishment decisions.

### Improving Operational Performance

Managers can help dampen information distortion by improving operational performance and designing appropriate product rationing schemes in case of shortages.

**REDUCING REPLENISHMENT LEAD TIME** By reducing the replenishment lead time, managers can decrease the uncertainty of demand during the lead time (see Chapter 12). A reduction in lead time is especially beneficial for seasonal items because it allows for multiple orders to be placed with a significant increase in the accuracy of the forecast (see Chapter 13). Thus, a reduction in replenishment lead time helps dampen information distortion by reducing the underlying uncertainty of demand.

Managers can take a variety of actions at different stages of the supply chain to help reduce replenishment lead times. Ordering electronically, either online or through electronic data interchange (EDI), can significantly cut the lead time associated with order placement and information transfer. At manufacturing plants, increased flexibility and cellular manufacturing can be used to achieve a significant reduction in lead times. A dampening of information distortion further reduces lead times because of stabilized demand and, as a result, improved scheduling. This is particularly true when manufacturing produces a large variety of products. Advance ship notices (ASN) can be used to reduce the lead time as well as efforts associated with receiving. Cross-docking can be used to reduce the lead time associated with moving the product between stages in the supply chain. Wal-Mart has used many of these approaches to significantly reduce lead time within its supply chain.

**REDUCING LOT SIZES** Managers can reduce information distortion by implementing operational improvements that reduce lot sizes. A reduction of lot sizes decreases the amount of fluctuation that can accumulate between any pair of stages of a supply chain, thus decreasing distortion. To reduce lot sizes, managers must take actions that help reduce the fixed costs associated with ordering, transporting, and receiving each lot (see Chapter 11). Wal-Mart and

Seven-Eleven Japan have been very successful at reducing replenishment lot sizes by aggregating deliveries across many products and suppliers.

Computer-assisted ordering (CAO) refers to the substitution through technology of the functions of a retail order clerk through the use of computers that integrate information about product sales, market factors affecting demand, inventory levels, product receipts, and desired service levels. CAO and EDI help reduce the fixed costs associated with placing each order. Today, the growing use of Web-based ordering by companies such as W.W. Grainger and McMaster-Carr has facilitated ordering in small lots because of reduced ordering costs for customers and reduced fulfillment costs for companies themselves.

In some cases, managers can simplify ordering by eliminating the use of purchase orders. In the auto industry, some suppliers are paid based on the number of cars produced, eliminating the need for individual purchase orders. This eliminates the order-processing cost associated with each replenishment order. Information systems also facilitate the settlement of financial transactions, eliminating the cost associated with individual purchase orders.

The large gap in the prices of truckload (TL) and less than truckload (LTL) shipping encourages shipment in TL quantities. In fact, with the efforts to reduce order-processing costs, transportation costs are now the major barrier to smaller lots in most supply chains. Managers can reduce lot sizes without increasing transportation costs by filling a truck using smaller lots from a variety of products (see Chapter 11). P&G, for example, requires all orders from retailers to be a full TL. The TL, however, may be built from any combination of products. A retailer can thus order small lots of each product as long as a sufficiently large variety of products are included on each truck. Seven-Eleven Japan has used this strategy with combined trucks, in which the separation is by the temperature at which the truck is maintained. All products to be shipped at a particular temperature are on the same truck. This has allowed Seven-Eleven Japan to reduce the number of trucks sent to retail outlets while keeping product variety high. Some firms in the grocery industry use trucks with different compartments, each at a different temperature and carrying a variety of products, to help reduce lot sizes.

Managers can also reduce lot sizes by using milk runs that combine shipments for several retailers on a single truck, as discussed in Chapter 14. In many cases, third-party transporters combine shipments to competing retail outlets on a single truck. This reduces the fixed transportation cost per retailer and allows each retailer to order in smaller lots. In Japan, Toyota uses a single truck from a supplier to supply multiple assembly plants, which enables managers to reduce the lot size received by any one plant. Managers can also reduce lot sizes by combining shipments from multiple suppliers on a single truck. In the United States, Toyota uses this approach to reduce the lot size it receives from any one supplier.

As smaller lots are ordered and delivered, both the pressure on and the cost of receiving can grow significantly. Thus, managers must implement technologies that simplify the receiving process and reduce the cost associated with receiving. For example, ASNs identify shipment content, count, and time of delivery electronically and help reduce unloading time and increase cross-dock efficiency. ASNs can be used to update inventory records electronically, thus reducing the cost of receiving. Bar coding of pallets also facilitates receiving and delivery. The use of radio frequency identification (RFID) can further simplify receiving.

Each of these technologies works to simplify the task of shipping, transporting, and receiving complex orders with small lots of many products. This facilitates the reduction of lot size.

Another simple way to minimize the impact of batching is to encourage different customers to order in such a way that demand is evenly distributed over time. Frequently, customers that order once a week tend to do so on either a Monday or Friday. Customers that order once a month tend to do so either at the beginning or the end of the month. In such situations, it is better to evenly distribute customers ordering once a week across all days of the week, and customers ordering once a month across all days of the month. In fact, regular ordering days may be scheduled in advance for each customer. This generally does not affect retailers, but it does level out the order stream arriving at the manufacturer, thus reducing information distortion.

**RATIONING BASED ON PAST SALES AND SHARING INFORMATION TO LIMIT GAMING** To diminish information distortion, managers can design rationing schemes that discourage retailers from artificially inflating their orders in the case of a shortage. One approach, referred to as *turn-and-earn*, is to allocate the available supply based on past retailer sales rather than current retailer orders. Tying allocation to past sales removes any incentive a retailer may have to inflate orders. In fact, during low-demand periods, the turn-and-earn approach pushes retailers to try to sell more to increase the allocation they receive during periods of shortage. Several firms, including General Motors, have historically used the turn-and-earn mechanism to ration available product in case of a shortage. Others, such as HP, have historically allocated based on retailer orders but are now switching to using past sales.

Other firms have tried to share information across the supply chain to minimize shortage situations. Firms such as Sport Obermeyer offer incentives to their large customers to preorder at least a part of their annual order. This information allows Sport Obermeyer to improve the accuracy of its own forecast and allocate production capacity accordingly. Once capacity has been allocated appropriately across different products, it is less likely that shortage situations will arise, thus dampening the inflation of orders. The availability of flexible capacity can also help in this regard, because flexible capacity can easily be shifted from a product whose demand is lower than expected to one whose demand is higher than expected.

### Designing Pricing Strategies to Stabilize Orders

Managers can reduce information distortion by devising pricing strategies that encourage retailers to order in smaller lots and reduce forward buying.

**MOVING FROM LOT SIZE-BASED TO VOLUME-BASED QUANTITY DISCOUNTS** As a result of lot size-based quantity discounts, retailers increase their lot size to take full advantage of the discount. Offering volume-based quantity discounts eliminates the incentive to increase the size of a single lot because volume-based discounts consider the total purchases during a specified period (say, a year) rather than purchases in a single lot (see Chapter 11). Volume-based quantity discounts result in smaller lot sizes, thus reducing order variability in the supply chain. Volume-based discounts with a fixed end date at which discounts will be evaluated may lead to large lots close to the end date. Offering the discounts over a rolling time horizon helps dampen this effect. HP is experimenting with a move away from lot size-based discounts to volume-based discounts.

**STABILIZING PRICING** Managers can dampen the bullwhip effect by eliminating promotions and charging an everyday low price (EDLP). The elimination of promotions removes forward buying by retailers and results in orders that match customer demand. P&G, Campbell Soup, and several other manufacturers have implemented EDLP to dampen the bullwhip effect.

Managers can place limits on the quantity that may be purchased during a promotion to decrease forward buying. This limit should be retailer specific and linked to historical sales by the retailer. Another approach is to tie the promotion dollars paid to the retailer to the amount of sell-through rather than the amount purchased by the retailer. As a result, retailers obtain no benefit from forward buying and purchase more only if they can sell more. Promotions based on sell-through significantly reduce information distortion. The presence of specific information systems facilitates the tying of promotions directly to customer sales.

### Building Strategic Partnerships and Trust

Managers find it easier to use the levers discussed earlier to achieve coordination if trust and strategic partnerships are built within the supply chain. Sharing of accurate information that is trusted by every stage results in a better matching of supply and demand throughout the

supply chain and a lower cost. A better relationship also tends to lower the transaction cost between supply chain stages. For example, a supplier can eliminate its forecasting effort if it trusts orders and forecast information received from the retailer. Similarly, the retailer can lessen the receiving effort by decreasing counting and inspections if it trusts the supplier's quality and delivery. In general, stages in a supply chain can eliminate duplicated effort on the basis of improved trust and a better relationship. This lowering of transaction cost along with accurate shared information helps improve coordination. Wal-Mart and P&G have been trying to build a strategic partnership that will better coordinate their actions and be mutually beneficial.

Research by Kumar (1996) showed that the more retailers trusted their suppliers, the less likely they were to develop alternate sources while significantly increasing sales of their products. In general, a high level of trust allows a supply chain to become more responsive at lower cost. Actions such as information sharing, changing of incentives, operational improvements, and stabilization of pricing typically help improve the level of trust. Growing the level of cooperation and trust within a supply chain requires a clear identification of roles and decision rights for all parties, effective contracts, and good conflict resolution mechanisms.

## 10.5 CONTINUOUS REPLENISHMENT AND VENDOR-MANAGED INVENTORIES

Information distortion can be dampened by practices that assign replenishment responsibility across the supply chain to a single entity. A single point of replenishment decisions ensures visibility and a common forecast that drives orders across the supply chain. Two common industry practices that assign a single point of responsibility are continuous replenishment programs and vendor-managed inventories.

In continuous replenishment programs (CRP), the wholesaler or manufacturer replenishes a retailer regularly based on POS data. CRP may be supplier, distributor, or third-party managed. In most instances, CRP systems are driven by actual withdrawals of inventory from retailer warehouses rather than POS data at the retailer level. Tying CRP systems to warehouse withdrawals is easier to implement, and retailers are often more comfortable sharing data at this level. IT systems that are linked across the supply chain provide a good information infrastructure on which a continuous replenishment program may be based. In CRP, inventory at the retailer is owned by the retailer.

With vendor-managed inventory (VMI), the manufacturer or supplier is responsible for all decisions regarding product inventories at the retailer. As a result, the control of the replenishment decision moves to the manufacturer instead of the retailer. In many instances of VMI, the inventory is owned by the supplier until it is sold by the retailer. VMI requires the retailer to share demand information with the manufacturer to allow it to make inventory replenishment decisions. VMI can allow a manufacturer to increase its profits as well as profits for the entire supply chain if both retailer and manufacturer margins are considered when making inventory decisions. VMI also helps by conveying customer demand data to the manufacturer, which can then plan production accordingly. This helps improve manufacturer forecasts and better match manufacturer production with customer demand.

VMI has been implemented with significant success by, among others, Kmart (with about 50 suppliers) and Fred Meyer. Kmart saw inventory turns on seasonal items increase from 3 to between 9 and 11, and for nonseasonal items from 12 to 15 to 17 to 20. Fred Meyer saw inventories drop by 30 to 40 percent while fill rates increased to 98 percent. Other firms with successful implementations include Campbell Soup, Frito-Lay, and Procter & Gamble.

One drawback of VMI arises because retailers often sell products from competing manufacturers that are substitutes in the customer's mind. For example, a customer may substitute detergent manufactured by Procter & Gamble with detergent manufactured by Lever Brothers. If the retailer has a VMI agreement with both manufacturers, each manufacturer

will ignore the impact of substitution when making their inventory decisions. As a result, inventories at the retailer will be higher than optimal. In such a setting, the retailer may be better positioned to decide on the replenishment policy. Another possibility is for the retailer to define a category leader from among the suppliers and have the category leader manage replenishment decisions for all suppliers in the category. Wal-Mart follows such a practice and assigns a category leader for most of its products. Wal-Mart sets the targeted level of product availability across all products and the category leader designs replenishment policies that achieve these levels. This ensures that the category leader is not favoring any one supplier's product over another. For example, HP was Wal-Mart's category leader for printers and managed all printer replenishment.

## 10.6 COLLABORATIVE PLANNING, FORECASTING, AND REPLENISHMENT (CPFR)

The Voluntary Interindustry Commerce Standards (VICS) Association has defined CPFR as “a business practice that combines the intelligence of multiple partners in the planning and fulfillment of customer demand.” According to VICS, since 1998, “over 300 companies have implemented the process.” In this section, we describe CPFR and some successful implementations. It is important to understand that successful CPFR can be built only on a foundation in which the two parties have synchronized their data and established standards for exchanging information. Much of the material in this section is an adaptation of material from the VICS Web site, [www.vics.org/committees/cpfr](http://www.vics.org/committees/cpfr).

Sellers and buyers in a supply chain may collaborate along any or all of the following four supply chain activities:

1. **Strategy and planning.** The partners determine the scope of the collaboration and assign roles, responsibilities, and clear checkpoints. In a joint business plan, they then identify significant events such as promotions, new product introductions, store openings/closings, and changes in inventory policy that affect demand and supply.
2. **Demand and supply management.** A collaborative sales forecast projects the partners' best estimate of consumer demand at the point of sale. This is then converted to a collaborative order plan that determines future orders and delivery requirements based on sales forecasts, inventory positions, and replenishment lead times.
3. **Execution.** As forecasts become firm, they are converted to actual orders. The fulfillment of these orders then involves production, shipping, receiving, and stocking of products.
4. **Analysis.** The key analysis tasks focus on identifying exceptions and evaluating metrics that are used to assess performance or identify trends.

A fundamental aspect of successful collaboration is the identification and resolution of exceptions. Exceptions refer to a gap between forecasts made by the two sides or some other performance metric that is falling or is likely to fall outside acceptable bounds. These metrics may include inventories that exceed targets or product availability that falls below targets. For successful CPFR, it is important to have a process in place that allows the two parties to resolve exceptions. Detailed processes for identifying and resolving exceptions are discussed in the VICS CPFR Voluntary Guidelines V 2.0 (2002).

One successful CPFR implementation has involved Henkel, a German detergent manufacturer, and Eroski, a Spanish food retailer. Prior to CPFR, Eroski saw frequent stockouts of Henkel products, especially during promotions. At the inception of CPFR in December 1999, 70 percent of the sales forecasts had an average error of more than 50 percent and only 5 percent of the forecasts had errors less than 20 percent. Within four months of the CPFR implementation, however, 70 percent of the sales forecasts had errors less than 20 percent and only 5 percent had errors of more than 50 percent. CPFR resulted in a customer service level of 98 percent and an

average inventory of only five days. This was accomplished despite 15 to 20 products being promoted every month.

Another successful implementation involved Johnson & Johnson and Superdrug, a chain in the United Kingdom. Over the three-month trial period beginning April 2000, Superdrug saw inventory levels at its DCs drop by 13 percent, while product availability at its DCs increased by 1.6 percent. As reported by Steerman (2003), Sears also saw significant benefits from their CPFR initiative with Michelin in 2001. In-stock levels at Sears improved by 4.3 percent, DCs-to-stores fill rate improved by 10.7 percent, and overall inventory levels fell by 25 percent.

VICS has identified the four scenarios in Table 10-2 as the most common areas where large-scale CPFR deployments have taken place between a retailer and a manufacturer.

Next, we describe each of the four scenarios.

### Retail Event Collaboration

In many retail environments, such as supermarkets, promotions and other retail events have a significant impact on demand. Stockouts, excess inventory, and unplanned logistics costs during these events affect financial performance for both the retailer and the manufacturer. In such a setting, collaboration between retailers and suppliers to plan, forecast, and replenish promotions is effective.

Retail event collaboration requires the two parties to identify brands and specific SKUs that are included in the collaboration. Details of the event such as timing, duration, price point, advertising, and display tactics are shared. It is important for the retailer to update this information as changes occur. Event-specific forecasts are then created and shared. These forecasts are then converted to planned orders and deliveries. As the event unfolds, sales are monitored to identify any changes or exceptions, which are resolved through an iterative process between the two parties.

P&G has implemented some form of retail event collaboration with a variety of partners, including Wal-Mart.

### DC Replenishment Collaboration

DC replenishment collaboration is perhaps the most common form of collaboration observed in practice and also the simplest to implement. In this scenario the two trading partners collaborate on forecasting DC withdrawals or anticipated demand from the DC to the manufacturer. These forecasts are converted to a stream of orders from the DC to the manufacturer that are committed or locked over a specified time horizon. This information allows the manufacturer to build anticipated orders into future production plans and build the committed orders on demand. The result is a reduction in production cost at the manufacturer and a reduction of inventory and stockouts at the retailer.

DC replenishment collaboration is relatively easy to implement because it requires collaboration on an aggregate forecast and does not require sharing of detailed point-of-sale data.

**Table 10-2 Four Common CPFR Scenarios**

CPFR Scenario	Where Applied in Supply Chain	Industries Where Applied
Retail event collaboration	Highly promoted channels or categories	All industries other than those that practice EDLP
DC replenishment collaboration	Retail DC or distributor DC	Drugstores, hardware, grocery
Store replenishment collaboration	Direct store delivery or retail DC-to-store delivery	Mass merchants, club stores
Collaborative assortment planning	Apparel and seasonal goods	Department stores, specialty retail

As a result, it is often the best scenario with which to start collaboration. Over time, this form of collaboration can be extended to include all storage points in the supply chain from retail shelves to raw material warehouses. According to Hammond (1994), Barilla implemented this form of collaboration with its distributors.

### **Store Replenishment Collaboration**

In store replenishment collaboration, trading partners collaborate on store-level point-of-sale forecasts. These forecasts are then converted to a series of store-level orders, with orders committed over a specified time horizon. This form of collaboration is much harder to implement than a DC-level collaboration, especially if stores are small. Store replenishment collaboration is easier for large stores such as Costco and Home Depot. The benefits of store-level collaboration include greater visibility of sales for the manufacturer, improved replenishment accuracy, improved product availability, and reduced inventories. This form of collaboration is beneficial for new products and promotions. Manufacturers and their suppliers can use this information to improve operational execution.

### **Collaborative Assortment Planning**

Fashion apparel and other seasonal goods follow a seasonal pattern of demand. Thus, collaborative planning in these categories has a horizon of a single season and is performed at seasonal intervals. Given the seasonal nature, forecasts rely less on historical data and more on collaborative interpretation of industry trends, macroeconomic factors, and customer tastes. In this form of collaboration, the trading partners develop an assortment plan jointly. The output is a planned purchase order at the style/color/size level. The planned order is shared electronically in advance of a show, at which sample products are viewed and final merchandising decisions are made. The planned orders help the manufacturer purchase long-lead-time raw materials and plan capacity. This form of collaboration is most useful if capacity is flexible enough to accommodate a variety of product mix and raw materials have some commonality across end products.


### **Organizational and Technology Requirements for Successful CPFR**

A successful CPFR implementation requires changes in the organizational structure and, to be scalable, requires the implementation of appropriate technology. Effective collaboration requires manufacturers to set up cross-functional, customer-specific teams that include sales, demand planning, and logistics, at least for large customers. Such a focus has become feasible with the consolidation in retailing. For smaller customers, such teams can be focused by geography or sales channel. Retailers should also attempt to organize merchandise planning, buying, and replenishment into teams around suppliers. This can be difficult given the large number of suppliers that consolidated retailers have. They can then organize the teams by categories that include multiple suppliers. For retailers that have multiple levels of inventory such as DCs and retail stores, it is important to combine the replenishment teams at the two levels. Without collaborative inventory management at the two levels, duplication of inventories is common. The proposed organizational structure is illustrated in Figure 10-4.

The CPFR process is not dependent on technology but requires technology to be scalable. CPFR technologies have been developed to facilitate sharing of forecasts and historical information, evaluating exception conditions, and enabling revisions. These solutions must be integrated with enterprise systems that record all supply chain transactions.

### **Risks and Hurdles for a CPFR Implementation**

It is important to realize that there are risks and hurdles for a successful CPFR implementation. Given the large-scale sharing of information, there is a risk of information misuse. Often one or both of the CPFR partners have relationships with the partner's competitors. Another risk is that



**FIGURE 10-4** Collaborative Organizational Structure Source: Adapted from Voluntary Interindustry Commerce Standards, *CPFR: An Overview*, 2004.

if one of the partners changes its scale or technology, the other partner is forced to follow suit or lose the collaborative relationship. Finally, the implementation of CPFR and the resolution of exceptions require close interactions between two entities whose cultures may be very different. The inability to foster a collaborative culture across the partner organizations can be a major hurdle for the success of CPFR. One of the biggest hurdles to success is often that partners attempt store-level collaboration, which requires a higher organizational and technology investment. It is often best to start with an event- or DC-level collaboration, which is more focused and easier to collaborate on. One of the biggest hurdles for successful CPFR, however, is that demand information shared with partners is often not used within the organization in an integrated manner. It is important to have integrated demand, supply, logistics, and corporate planning within the organization to maximize the benefits of a CPFR effort with a partner.

## 10.7 ACHIEVING COORDINATION IN PRACTICE

**1. Quantify the bullwhip effect.** Companies often have no idea that the bullwhip effect plays a significant role in their supply chain. Managers should start by comparing the variability in the orders they receive from their customers with the variability in orders they place with their suppliers. This helps a firm quantify its own contribution to the bullwhip effect. Once its contribution is visible, it becomes easier for a firm to accept the fact that all stages in the supply chain contribute to the bullwhip effect, leading to a significant loss in profits. In the absence of this concrete information, companies try to react better to the variability rather than eliminate the variability itself. This leads companies to invest significant amounts in inventory management and scheduling systems, only to see little improvement in performance or profits. Evidence of the size of the bullwhip effect is effective in getting different stages of the supply chain to focus on efforts to achieve coordination and eliminate the variability created within the supply chain.

**2. Get top management commitment for coordination.** More than any other aspect of supply chain management, coordination can succeed only with top management's commitment. Coordination requires managers at all stages of the supply chain to subordinate their local interests to the greater interest of the firm and even the supply chain. Coordination often requires the resolution of trade-offs in a way that requires many functions in the supply chain to change their traditional practices. These changes often run counter to approaches that were put in place when each function focused only on its local objective. Such changes within a supply chain



cannot be implemented without strong top management commitment. Top management commitment was a key factor in helping Wal-Mart and P&G set up collaborative forecasting and replenishment teams.

**3. Devote resources to coordination.** Coordination cannot be achieved without all parties involved devoting significant managerial resources to this effort. Companies often do not devote resources to coordination because they either assume that lack of coordination is something they have to live with or they hope that coordination will occur on its own. The problem with this approach is that it leaves all managers involved with only the separate areas that they control, while no one is responsible for highlighting the impact one manager's actions have on other parts of the supply chain. One of the best ways to solve coordination problems is through teams made up of members from different companies throughout the supply chain. These teams should be made responsible for coordination and given the power to implement the changes required. Setting up a coordination team is fruitless unless the team has the power to act, because the team will run into conflict with functional managers who are currently maximizing local objectives. Coordination teams can be effective only once a sufficient level of trust builds between members from different firms. If they are used properly, coordination teams can provide significant benefit, as has happened with the collaborative forecasting and replenishment teams set up by Wal-Mart and P&G.

**4. Focus on communication with other stages.** Good communication with other stages of a supply chain often creates situations that highlight the value of coordination for both sides. Companies often do not communicate with other stages of the supply chain and are unwilling to share information. However, often all companies in the supply chain are frustrated by the lack of coordination and would be happy to share information if it helped the supply chain operate in a more effective manner. Regular communication among the parties involved facilitates change in such a setting. For instance, a major PC company had been ordering its microprocessors in batches of several weeks of production. It was trying to move to a build-to-order environment in which it would place microprocessor orders on a daily basis. The PC company assumed that the microprocessor supplier would be reluctant to go along with this approach. However, once communication was opened up with the supplier, the opposite turned out to be true. The supplier also wanted to reduce lot sizes and increase the frequency of orders. It had just assumed that the PC manufacturer wanted large lots and thus never requested a change. Regular communication helps different stages of the supply chain share their goals and identify common goals and mutually beneficial actions that improve coordination.

**5. Try to achieve coordination in the entire supply chain network.** The full benefit of coordination is achieved only when the entire supply chain network is coordinated. It is not enough for two stages in a supply chain to coordinate. The most powerful party in a supply chain should make an effort to achieve coordination in the entire network. Toyota has been very effective in achieving knowledge sharing and coordination in its entire network.

**6. Use technology to improve connectivity in the supply chain.** The Internet and a variety of software systems can be used to increase the visibility of information throughout the supply chain. Until now, most IT implementations have achieved visibility of information only within a firm. Visibility across the supply chain still requires additional effort in most cases. From the discussion in this chapter, it should be clear that the major benefits of IT systems can be realized only if the systems help increase visibility across the supply chain and facilitate coordination. If firms are to realize the full benefit of the huge investments they make in current IT systems, particularly ERP systems, it is crucial that they make the extra effort required to use these systems to facilitate collaborative forecasting and planning across the supply chain. The Internet should be used to share information and increase connectivity in the supply chain.

**7. Share the benefits of coordination equitably.** The greatest hurdle to coordination in the supply chain is the belief on the part of any stage that the benefits of coordination are not

being shared equitably. Managers from the stronger party in the supply chain relationship must be sensitive to this fact and ensure that all parties perceive that the way benefits are shared is fair.

## 10.8 SUMMARY OF LEARNING OBJECTIVES

**1. Describe supply chain coordination and the bullwhip effect, and their impact on supply chain performance.** Supply chain coordination requires all stages to take actions that maximize total supply chain profits. A lack of coordination results if different stages focus on optimizing their local objectives or if information is distorted as it moves across the supply chain. The phenomenon that fluctuation in orders increases as one moves up the supply chain from retailers to wholesalers to manufacturers to suppliers is referred to as the bullwhip effect. The bullwhip effect results in an increase in all costs in the supply chain and a decrease in customer service levels. The bullwhip effect moves all parties in the supply chain away from the efficient frontier and results in a decrease of both customer satisfaction and profitability within the supply chain.

**2. Identify obstacles to coordination in a supply chain.** A key obstacle to coordination in the supply chain is misaligned incentives that result in different stages optimizing local objectives instead of total supply chain profits. Other obstacles include lack of information sharing, operational inefficiencies leading to large replenishment lead times and large lots, sales force incentives that encourage forward buying, rationing schemes that encourage inflation of orders, promotions that encourage forward buying, and a lack of trust that makes any effort toward coordination difficult.

**3. Discuss managerial levers that help achieve coordination in a supply chain.** Managers can help achieve coordination in the supply chain by aligning goals and incentives across different functions and stages of the supply chain. Other actions that managers can take to achieve coordination include sharing of sales information and collaborative forecasting and planning, implementation of single-point control of replenishment, improving operations to reduce lead times and lot sizes, EDLP and other strategies that limit forward buying, and the building of trust and strategic partnerships within the supply chain.

**4. Understand the different forms of CPFR possible in a supply chain.** Partners may set CPFR relationships to collaborate on store events, DC replenishment, store replenishment, or assortment planning. DC replenishment collaboration is often the easiest to implement because it requires aggregate-level data. Store replenishment collaboration requires a higher level of investment in technology and data sharing to be successful.

---

## Discussion Questions

1. What is the bullwhip effect and how does it relate to lack of coordination in a supply chain?
2. What is the impact of lack of coordination on the performance of a supply chain?
3. In what way can improper incentives lead to a lack of coordination in a supply chain? What countermeasures can be used to offset this effect?
4. What problems result if each stage of a supply chain views its demand as the orders placed by the downstream stage? How should firms within a supply chain communicate to facilitate coordination?
5. What factors lead to a batching of orders within a supply chain? How does this affect coordination? What actions can minimize large batches and improve coordination?
6. How do trade promotions and price fluctuations affect coordination in a supply chain? What pricing and promotion policies can facilitate coordination?
7. How is the building of strategic partnerships and trust valuable within a supply chain?
8. What are the different CPFR scenarios and how do they benefit supply chain partners?

## Bibliography

- Bowersox, Donald J., David J. Closs, and Theodore P. Stank. "21st Century Logistics: Making Supply Chain Integration a Reality." *Supply Chain Management Review* (Fall 1999): 44–49.
- Brunell, Tom. "Managing a Multicompany Supply Chain." *Supply Chain Management Review* (Spring 1999): 45–52.
- Cederlund, Jerold P., Rajiv Kohli, Susan A. Sherer, and Yueling Yao. "How Motorola put CPFR into Action." *Supply Chain Management Review* (October 2007): 28–35.
- Child, John, and David Faulkner. *Strategies of Cooperation*. Oxford, England: Oxford University Press, 1998.
- Computer Assisted Ordering: *Practices and Benefits Report*. Washington, DC: Grocery Manufacturers Association, 1994.
- Continuous Replenishment: *An ECR Best Practices Report*. Washington, DC: Grocery Manufacturers Association, 1994.
- Crum, Colleen, and George E. Palmatier. "Demand Collaboration: What's Holding Us Back?" *Supply Chain Management Review* (January–February 2004): 54–61.
- Disney, S. M., and D. R. Towill. "The Effect of Vendor Managed Inventory (VMI) Dynamics on the Bullwhip Effect in Supply Chains." *International Journal of Production Economics* 85 (2003): 199–215.
- Hammond, Janice H. 1994. *Barilla Spa (A–D)*. Harvard Business School Case 9–694–046.
- Kumar, Nirmalya. "The Power of Trust in Manufacturer–Retailer Relationships." *Harvard Business Review* (November–December 1996): 92–106.
- Lee, Hau L., V. Padmanabhan, and Seungjin Whang. "The Bullwhip Effect in Supply Chains." *Sloan Management Review* (Spring 1997): 93–102.
- Mariotti, John L. "The Trust Factor in Supply Chain Management." *Supply Chain Management Review* (Spring 1999): 70–77.
- Sabath, Robert E., and John Fontanella. "The Unfulfilled Promise of Supply Chain Collaboration." *Supply Chain Management Review* (July–August 2002): 24–29.
- Seifert, Dirk. *Collaborative Planning, Forecasting, and Replenishment: How to Create a Supply Chain Advantage*. New York: AMACOM, 2003.
- Senge, Peter M. *The Fifth Discipline*. New York: Currency and Doubleday, 1990.
- Smeltzer, Larry R. "Integration Means Everybody—Big and Small." *Supply Chain Management Review* (September–October 2001): 36–44.
- Smith, L. "West Marine: A CPFR Success Story." *Supply Chain Management Review* (March 2006): 29–36.
- Steerman, Hank. "A Practical Look at CPFR: The Sears-Michelin Experience." *Supply Chain Management Review* (July–August 2003): 46–53.
- Voluntary Interindustry Commerce Standards. *Collaborative Planning, Forecasting, and Replenishment*, Version 2.0, 2002.
- Voluntary Interindustry Commerce Standards. *CPFR: An Overview*, 2004.



# Managing Economies of Scale in a Supply Chain: Cycle Inventory

## LEARNING OBJECTIVES


After reading this chapter, you will be able to

1. Balance the appropriate costs to choose the optimal lot size and cycle inventory in a supply chain.
2. Understand the impact of quantity discounts on lot size and cycle inventory.
3. Devise appropriate discounting schemes for a supply chain.
4. Understand the impact of trade promotions on lot size and cycle inventory.
5. Identify managerial levers that reduce lot size and cycle inventory in a supply chain without increasing cost.

Cycle inventory exists because producing or purchasing in large lots allows a stage of the supply chain to exploit economies of scale and thus lower cost. The presence of fixed costs associated with ordering and transportation, quantity discounts in product pricing, and short-term discounts or promotions encourages different stages of a supply chain to exploit economies of scale and order in large lots. In this chapter, we study how each of these factors affects the lot size and cycle inventories within a supply chain. Our goal is to identify managerial levers that reduce cycle inventory in a supply chain without raising cost.

## 11.1 THE ROLE OF CYCLE INVENTORY IN A SUPPLY CHAIN

A *lot* or *batch size* is the quantity that a stage of a supply chain either produces or purchases at a time. Consider, for example, a computer store that sells an average of four printers a day. The store manager, however, orders 80 printers from the manufacturer each time he places an order. The lot or batch size in this case is 80 printers. Given daily sales of four printers, it takes an average of 20 days before the store sells the entire lot and purchases a replenishment lot. The computer store holds an inventory of printers because the manager purchases a lot size larger than the store's daily sales. *Cycle inventory* is the average inventory in a supply chain due to either production or purchases in lot sizes that are larger than those demanded by the customer.



**FIGURE 11-1** Inventory Profile of Jeans at Jean-Mart

In the rest of this chapter, we use the following notation:

$Q$ : Quantity in a lot or batch size

$D$ : Demand per unit time

Here, we ignore the impact of demand variability and assume that demand is stable. In Chapter 12, we introduce demand variability and its impact on safety inventory.

Let us consider the cycle inventory of jeans at Jean-Mart, a department store. The demand for jeans is relatively stable at  $D = 100$  pairs of jeans per day. The store manager at Jean-Mart currently purchases in lots of  $Q = 1,000$  pairs. The *inventory profile* of jeans at Jean-Mart is a plot depicting the level of inventory over time, as shown in Figure 11-1.

Because purchases are in lots of  $Q = 1,000$  units, whereas demand is only  $D = 100$  units per day, it takes 10 days for an entire lot to be sold. Over these 10 days, the inventory of jeans at Jean-Mart declines steadily from 1,000 units (when the lot arrives) to 0 (when the last pair is sold). This sequence of a lot arriving and demand depleting inventory until another lot arrives repeats itself every 10 days, as shown in the inventory profile in Figure 11-1.

When demand is steady, cycle inventory and lot size are related as follows:

$$\text{Cycle inventory} = \frac{\text{lot size}}{2} = \frac{Q}{2} \quad (11.1)$$

For a lot size of 1,000 units, Jean-Mart carries a cycle inventory of  $Q/2 = 500$  pairs of jeans. From Equation 11.1, we see that cycle inventory is proportional to the lot size. A supply chain in which stages produce or purchase in larger lots has more cycle inventory than a supply chain in which stages produce and purchase in smaller lots. For example, if a competing department store with the same demand purchases in lot sizes of 200 pairs of jeans, it will carry a cycle inventory of only 100 pairs of jeans.

Lot sizes and cycle inventory also influence the flow time of material within the supply chain. Recall from Little's law (Equation 3.1) that

$$\text{Average flow time} = \frac{\text{average inventory}}{\text{average flow rate}}$$

For any supply chain, average flow rate equals demand. We thus have

$$\text{Average flow time resulting from cycle inventory} = \frac{\text{cycle inventory}}{\text{demand}} = \frac{Q}{2D}$$

For lot sizes of 1,000 pairs of jeans and daily demand of 100 pairs of jeans, we obtain

$$\text{Average flow time resulting from cycle inventory} = \frac{Q}{2D} = \frac{1,000}{200} = 5 \text{ days}$$

Cycle inventory at the Jean-Mart store thus adds five days to the average amount of time that jeans spend in the supply chain. The larger the cycle inventory, the longer is the lag time between when a product is produced and when it is sold. A lower level of cycle inventory is always desirable, because long time lags leave a firm vulnerable to demand changes in the marketplace. A lower cycle inventory also decreases a firm's working capital requirement. Toyota, for example, keeps a cycle inventory of only a few hours of production between the factory and most suppliers. As a result, Toyota is never left with unneeded parts, and its working capital requirements are less than those of its competitors. Toyota also allocates very little space in the factory to inventory.

Before we suggest actions that a manager can take to reduce cycle inventory, it is important to understand why stages of a supply chain produce or purchase in large lots and how lot size reduction affects supply chain performance.

Cycle inventory is held to take advantage of economies of scale and reduce cost within a supply chain. To understand how the supply chain achieves these economies of scale, we first identify supply chain costs that are influenced by lot size.

The *average price paid per unit purchased* is a key cost in the lot-sizing decision. A buyer may increase the lot size if this action results in a reduction in the price paid per unit purchased. For example, if the jeans manufacturer charges \$20 per pair for orders under 500 pairs of jeans and \$18 per pair for larger orders, the store manager at Jean-Mart gets the lower price by ordering in lots of at least 500 pairs of jeans. The price paid per unit is referred to as the *material cost* and is denoted by  $C$ . It is measured in \$/unit. In many practical situations, material cost displays economies of scale and increasing lot size decreases material cost.

The *fixed ordering cost* includes all costs that do not vary with the size of the order but are incurred each time an order is placed. There may be a fixed administrative cost to place an order, a trucking cost to transport the order, and a labor cost to receive the order. Jean-Mart incurs a cost of \$400 for the truck regardless of the number of pairs of jeans shipped. If the truck can hold up to 2,000 pairs of jeans, a lot size of 100 pairs results in a transportation cost of \$4/pair, whereas a lot size of 1,000 pairs results in a transportation cost of \$0.40/pair. Given the fixed transportation cost per batch, the store manager can reduce transportation cost per unit by increasing the lot size. The fixed ordering cost per lot or batch is denoted by  $S$  (commonly thought of as a setup cost) and is measured in \$/lot. The ordering cost also displays economies of scale, and increasing the lot size decreases the fixed ordering cost per unit purchased.

*Holding cost* is the cost of carrying one unit in inventory for a specified period of time, usually one year. It is a combination of the cost of capital, the cost of physically storing the inventory, and the cost that results from the product becoming obsolete. The holding cost is denoted by  $H$  and is measured in \$/unit/year. It may also be obtained as a fraction,  $h$ , of the unit cost of the product. Given a unit cost of  $C$ , the holding cost  $H$  is given by

$$H = hC \quad (11.2)$$

The total holding cost increases with an increase in lot size and cycle inventory.

To summarize, the costs that must be considered in any lot-sizing decision are

- Average price per unit purchased, \$ $C$ /unit
- Fixed ordering cost incurred per lot, \$ $S$ /lot
- Holding cost incurred per unit per year, \$ $H$ /unit/year =  $hC$

Later in the chapter, we discuss how the various costs may be estimated in practice. However, for the purposes of this discussion, we assume they are already known.

The primary role of cycle inventory is to allow different stages in a supply chain to purchase product in lot sizes that minimize the sum of the material, ordering, and holding costs. If a manager considers the holding cost alone, he or she will reduce the lot size and cycle inventory. Economies of scale in purchasing and ordering, however, motivate a manager to increase the lot size and cycle inventory. A manager must make the trade-off that minimizes total cost when making lot-sizing decisions.

Ideally, cycle inventory decisions should be made considering the total cost across the entire supply chain. In practice, however, it is generally the case that each stage makes its cycle inventory decisions independently. As we discuss later in the chapter, this practice increases the level of cycle inventory as well as the total cost in the supply chain.

### Key Point

Cycle inventory exists in a supply chain because different stages exploit economies of scale to lower total cost. The costs considered include material cost, fixed ordering cost, and holding cost.

Any stage of the supply chain exploits economies of scale in its replenishment decisions in the following three typical situations:

1. A fixed cost is incurred each time an order is placed or produced.
2. The supplier offers price discounts based on the quantity purchased per lot.
3. The supplier offers short-term price discounts or holds trade promotions.

In the following sections, we review how purchasing managers can take advantage of these situations.

## 11.2 ESTIMATING CYCLE INVENTORY-RELATED COSTS IN PRACTICE

When setting cycle inventory levels in practice, a common hurdle is estimating the ordering and holding costs. Given the robustness of cycle inventory models, it is better to get a good approximation quickly rather than spend a lot of time trying to estimate costs exactly.

Our goal is to identify incremental costs that change with the lot-sizing decision. We can ignore costs that are unchanged with a change in lot size. For example, if a factory is running at 50 percent of capacity and all labor is full time and not earning overtime, it can be argued that the incremental setup cost for labor is zero. Reducing the lot size in this case will not have any impact on setup cost until either labor is fully utilized (and earning overtime) or machines are fully utilized (with a resulting loss in production capacity).

### Inventory Holding Cost

Holding cost is estimated as a percentage of the cost of a product and is the sum of the following major components:

- **Cost of capital:** This is the dominant component of holding cost for products that do not become obsolete quickly. The appropriate approach is to evaluate the *weighted-average cost of capital (WACC)*,<sup>1</sup> which takes into account the required return on the firm's equity and the cost of its debt. These are weighted by the amount of equity and debt financing that the firm has. The formula for the WACC is

$$WACC = \frac{E}{D + E} (R_f + \beta \times MRP) + \frac{D}{D + E} R_b(1 - t)$$

where

$E$  = amount of equity

$D$  = amount of debt

$R_f$  = risk-free rate of return (which is usually in the mid-single digits)

$\beta$  = the firm's beta

<sup>1</sup> See Brealey and Myers (2000).

$MRP$  = market risk premium (which is around the high single digits)

$R_b$  = rate at which the firm can borrow money (related to its debt rating)

$t$  = tax rate

The WACC is adjusted for use in a pretax setting as follows:

$$\text{Pretax WACC} = \text{after-tax WACC}/(1 - t)$$

The pretax WACC is appropriate for a firm that can increase its business using funds released by reducing inventories because inventory calculations are done pretax. Most of these numbers can be found in a company's annual report and in any equity research report on the company. The borrowing rate comes from tables listing the rates charged for bonds from firms with the same credit ratings. The risk-free rate is the return on U.S. Treasuries, and the market risk premium is the return of the market above the risk-free rate. If access to a company's financial structure is not available, a good approximation can be made by using numbers from public companies in the same industry and of similar size.

- **Obsolescence (or spoilage) cost:** The obsolescence cost estimates the rate at which the value of the stored product drops because its market value or quality falls. This cost can range dramatically, from rates of many thousands percent to virtually zero, depending on the type of product. Perishable products have high obsolescence rates. Even nonperishables can have high obsolescence rates if they have short life cycles. A product with a life cycle of six months has an effective obsolescence cost of 200 percent. At the other end of the spectrum are products such as crude oil that take a long time to become obsolete or spoil. For such products, a low obsolescence rate may be applied.
- **Handling cost:** Handling cost should include only incremental receiving and storage costs that vary with the quantity of product received. Quantity-independent handling costs that vary with the number of orders should be included in the order cost. The quantity-dependent handling cost often does not change if quantity varies within a range. If the quantity is within this range (e.g., the range of inventory a crew of four people can unload per period of time), incremental handling cost added to the holding cost is zero. If the quantity handled requires more people, an incremental handling cost is added to the holding cost.
- **Occupancy cost:** The occupancy cost reflects the incremental change in space cost due to changing cycle inventory. If the firm is being charged based on the actual number of units held in storage, we have the direct occupancy cost. Firms often lease or purchase a fixed amount of space. As long as a marginal change in cycle inventory does not change the space requirements, the incremental occupancy cost is zero. Occupancy costs often take the form of a step function, with a sudden increase in cost when capacity is fully utilized and new space must be acquired.
- **Miscellaneous costs:** The final component of holding cost deals with a number of other relatively small costs. These costs include theft, security, damage, tax, and additional insurance charges that are incurred. Once again, it is important to estimate the incremental change in these costs on changing cycle inventory.

## Ordering Cost

The ordering cost includes all incremental costs associated with placing or receiving an extra order that are incurred regardless of the size of the order. Components of ordering cost include the following:

- **Buyer time:** Buyer time is the incremental time of the buyer placing the extra order. This cost should be included only if the buyer is utilized fully. The incremental cost of getting an idle buyer to place an order is zero and does not add to the ordering cost. Electronic ordering can significantly reduce the buyer time to place an order.
- **Transportation costs:** A fixed transportation cost is often incurred regardless of the size of the order. For instance, if a truck is sent to deliver every order, it costs the same amount



to send a half-empty truck as it does a full truck. Less-than-truckload pricing also includes a fixed component that is independent of the quantity shipped and a variable component that increases with the quantity shipped. The fixed component should be included in the ordering cost.

- **Receiving costs:** Some receiving costs are incurred regardless of the size of the order. These include any administration work such as purchase order matching and any effort associated with updating inventory records. Receiving costs that are quantity dependent should not be included here.
- **Other costs:** Each situation can have costs unique to it that should be considered if they are incurred for each order regardless of the quantity of that order.

The ordering cost is estimated as the sum of all its component costs. It is important that the ordering cost include only the incremental change in real cost for an additional order. The ordering cost is often a step function that is zero when the resource is not fully utilized, but takes on a large value when the resource is fully utilized. At that point the ordering cost is the cost of the additional resource required.

### 11.3 ECONOMIES OF SCALE TO EXPLOIT FIXED COSTS

To better understand the trade-offs discussed in this section, consider a situation that often arises in daily life—the purchase of groceries and other household products. These may be purchased at a nearby convenience store or at a Sam’s Club (a large warehouse club selling consumer goods), which is generally located much farther away. The fixed cost of going shopping is the time it takes to go to either location. This fixed cost is much lower for the nearby convenience store. Prices, however, are higher at the local convenience store. Taking the fixed cost into account, we tend to tailor our lot size decision accordingly. When we need only a small quantity, we go to the nearby convenience store because the benefit of a low fixed cost outweighs the cost of the convenience store’s higher prices. When we are buying a large quantity, however, we go to Sam’s Club, where the lower prices over the larger quantity purchased more than make up for the increase in fixed cost.

In this section, we focus on the situation in which a fixed cost associated with placing, receiving, and transporting an order is incurred each time the order is placed. A purchasing manager wants to minimize the total cost of satisfying demand and must therefore make the appropriate cost trade-offs when making the lot-sizing decision. We start by considering the lot-sizing decision for a single product.

#### Lot Sizing for a Single Product (Economic Order Quantity)

As Best Buy sells its current inventory of HP computers, the purchasing manager places a replenishment order for a new lot of  $Q$  computers. Including the cost of transportation, Best Buy incurs a fixed cost of  $\$S$  per order. The purchasing manager must decide on the number of computers to order from HP in a lot. For this decision, we assume the following inputs:

$D$  = Annual demand of the product

$S$  = Fixed cost incurred per order

$C$  = Cost per unit

$h$  = Holding cost per year as a fraction of product cost

Assume that HP does not offer any discounts, and each unit costs  $\$C$  no matter how large an order is. The holding cost is thus given by  $H = hC$  (using Equation 11.2). The model is developed using the following basic assumptions:

1. Demand is steady at  $D$  units per unit time.
2. No shortages are allowed, that is, all demand must be supplied from stock.
3. Replenishment lead time is fixed (initially assumed to be zero).

The purchasing manager makes the lot-sizing decision to minimize the total cost the store incurs. He or she must consider three costs when deciding on the lot size:

- Annual material cost
- Annual ordering cost
- Annual holding cost

Because purchase price is independent of lot size, we have

$$\text{Annual material cost} = CD$$

The number of orders must suffice to meet the annual demand  $D$ . Given a lot size of  $Q$ , we thus have

$$\text{Number of orders per year} = \frac{D}{Q} \quad (11.3)$$

Because an order cost of  $S$  is incurred for each order placed, we infer that

$$\text{Annual ordering cost} = \left(\frac{D}{Q}\right)S \quad (11.4)$$

Given a lot size of  $Q$ , we have an average inventory of  $Q/2$ . The annual holding cost is thus the cost of holding  $Q/2$  units in inventory for one year and is given as


$$\text{Annual holding cost} = \left(\frac{Q}{2}\right)H = \left(\frac{Q}{2}\right)hC$$

The total annual cost,  $TC$ , is the sum of all three costs and is given as

$$\text{Total annual cost, } TC = CD + \left(\frac{D}{Q}\right)S + \left(\frac{Q}{2}\right)hC$$

Figure 11-2 shows the variation in different costs as the lot size is changed. Observe that the annual holding cost increases with an increase in lot size. In contrast, the annual ordering cost declines with an increase in lot size. The material cost is independent of lot size because we have assumed the price to be fixed. The total annual cost thus first declines and then increases with an increase in lot size.

From the perspective of the manager at Best Buy, the optimal lot size is one that minimizes the total cost to Best Buy. It is obtained by taking the first derivative of the total cost with respect to  $Q$  and setting it equal to 0 (see Appendix 11A at the end of this chapter). The optimal lot size



**FIGURE 11-2** Effect of Lot Size on Costs at Best Buy

is referred to as the *economic order quantity (EOQ)*. It is denoted by  $Q^*$  and is given by the following equation:

$$\text{Optimal lot size, } Q^* = \sqrt{\frac{2DS}{hC}} \quad (11.5)$$

Note that for this formula, it is important to use the same time units for the holding cost rate  $h$  and the demand  $D$ . With each lot or batch of size  $Q^*$ , the cycle inventory in the system is given by  $Q^*/2$ . The flow time spent by each unit in the system is given by  $Q^*/(2D)$ . As the optimal lot size increases, so does the cycle inventory and the flow time. The optimal ordering frequency is given by  $n^*$ , where

$$n^* = \frac{D}{Q^*} = \sqrt{\frac{DhC}{2S}} \quad (11.6)$$

In Example 11-1, we illustrate the EOQ formula and the procedure to make lot-sizing decisions.

---

### EXAMPLE 11-1 Economic Order Quantity

Demand for the Deskpro computer at Best Buy is 1,000 units per month. Best Buy incurs a fixed order placement, transportation, and receiving cost of \$4,000 each time an order is placed. Each computer costs Best Buy \$500 and the retailer has a holding cost of 20 percent. Evaluate the number of computers that the store manager should order in each replenishment lot.

#### Analysis:

In this case, the store manager has the following inputs:

Annual demand,  $D = 1,000 \times 12 = 12,000$  units

Order cost per lot,  $S = \$4,000$

Unit cost per computer,  $C = \$500$

Holding cost per year as a fraction of unit cost,  $h = 0.2$

Using the EOQ formula (Equation 11.5), the optimal lot size is

$$\text{Optimal order size} = Q^* = \sqrt{\frac{2 \times 12,000 \times 4,000}{0.2 \times 500}} = 980$$

To minimize the total cost at Best Buy, the store manager orders a lot size of 980 computers for each replenishment order. The cycle inventory is the average resulting inventory and (using Equation 11.1) is given by

$$\text{Cycle inventory} = \frac{Q^*}{2} = \frac{980}{2} = 490$$

For a lot size of  $Q^* = 980$ , the store manager evaluates

$$\text{Number of orders per year} = \frac{D}{Q^*} = \frac{12,000}{980} = 12.24$$

$$\text{Annual ordering and holding cost} = \frac{D}{Q^*} S + \left(\frac{Q^*}{2}\right) hC = 97,980$$

$$\text{Average flow time} = \frac{Q^*}{2D} = \frac{490}{12,000} = 0.041 \text{ year} = 0.49 \text{ month}$$

Each computer thus spends 0.49 month, on average, at Best Buy before it is sold because it was purchased in a batch of 980.

---

A few key insights can be gained from Example 11-1. Using a lot size of 1,100 (instead of 980) increases annual costs to \$98,636 (from \$97,980). Even though the order size is more than 10 percent larger than the optimal order size  $Q^*$ , total cost increases by only 0.67 percent. This issue can be relevant in practice. Best Buy may find that the economic order quantity for CDs is 6.5 cases. The manufacturer may be reluctant to ship half a case and may want to charge extra for this service. Our discussion illustrates that Best Buy is perhaps better off with lot sizes of six or seven cases, because this change has a small impact on its inventory-related costs but can save on any fee that the manufacturer charges for shipping half a case.

### Key Point

Total ordering and holding costs are relatively stable around the economic order quantity. A firm is often better served by ordering a convenient lot size close to the economic order quantity rather than the precise EOQ.

If demand at Best Buy increases to 4,000 computers a month (demand has increased by a factor of 4), the EOQ formula shows that the optimal lot size doubles and the number of orders placed per year also doubles. In contrast, average flow time decreases by a factor of 2. In other words, as demand increases, cycle inventory measured in terms of days (or months) of demand should reduce if the lot-sizing decision is made optimally. This observation can be stated as the following Key Point:

### Key Point

If demand increases by a factor of  $k$ , the optimal lot size increases by a factor of  $\sqrt{k}$ . The number of orders placed per year should also increase by a factor of  $\sqrt{k}$ . Flow time attributed to cycle inventory should decrease by a factor of  $\sqrt{k}$ .

Let us return to the situation in which monthly demand for the Deskpro model is 1,000 computers. Now assume that the manager would like to reduce the lot size to  $Q = 200$  units to reduce flow time. If this lot size is decreased without any other change, we have

$$\text{Annual inventory-related costs} = \left(\frac{D}{Q}\right)S + \left(\frac{Q}{2}\right)hC = 250,000$$

This is significantly higher than the total cost of \$97,980 that Best Buy incurred when ordering in lots of 980 units as in Example 11-1. Thus, there are clear financial reasons why the store manager would be unwilling to reduce the lot size to 200. To make it feasible to reduce the lot size, the manager should work to reduce the fixed order cost. If the fixed cost associated with each lot is reduced to \$1,000 (from the current value of \$4,000), the optimal lot size reduces to 490 (from the current value of 980). We illustrate the relationship between desired lot size and order cost in Example 11-2.

### EXAMPLE 11-2 Relationship Between Desired Lot Size and Ordering Cost

The store manager at Best Buy would like to reduce the optimal lot size from 980 to 200. For this lot size reduction to be optimal, the store manager wants to evaluate how much the ordering cost per lot should be reduced.

#### Analysis:

In this case we have

$$\text{Desired lot size, } Q^* = 200$$

$$\text{Annual demand, } D = 1,000 \times 12 = 12,000 \text{ units}$$

Unit cost per computer,  $C = \$500$

Holding cost per year as a fraction of inventory value,  $h = 0.2$

Using the EOQ formula (Equation 11.5), the desired order cost is

$$S = \frac{hC(Q^*)^2}{2D} = \frac{0.2 \times 500 \times 200^2}{2 \times 12,000} = 166.7$$

Thus, the store manager at Best Buy would have to reduce the order cost per lot from \$4,000 to \$166.7 for a lot size of 200 to be optimal.

The observation in Example 11-2 may be stated as in the following Key Point:

### Key Point

To reduce the optimal lot size by a factor of  $k$ , the fixed order cost  $S$  must be reduced by a factor of  $k^2$ .

### Production Lot Sizing

In the EOQ formula, we have implicitly assumed that the entire lot arrives at the same time. While this may be a reasonable assumption for a retailer receiving a replenishment lot, it is not reasonable in a production environment in which production occurs at a specified rate, say,  $P$ . In a production environment, inventory thus builds up at a rate of  $P - D$  when production is on, and inventory is depleted at a rate of  $D$  when production is off.

With  $D$ ,  $h$ ,  $C$ , and  $S$  as defined earlier, the EOQ formula can be modified to obtain the economic production quantity (EPQ) as follows:

$$Q^P = \sqrt{\frac{2DS}{(1 - D/P)hC}}$$

The annual setup cost in this case is given by

$$\left(\frac{D}{Q^P}\right)S$$

The annual holding cost is given by

$$(1 - D/P)\left(\frac{Q^P}{2}\right)hC$$

Observe that the economic production quantity is the EOQ multiplied by a correction factor that approaches 1 as the production rate becomes much faster than the demand.

For the remainder of this chapter, we restrict our attention to the case in which the entire replenishment lot arrives at the same time, a scenario that applies in most supply chain settings.

### Aggregating Multiple Products in a Single Order

As we have discussed earlier, a key to reducing lot size is the reduction of the fixed cost incurred per lot. One major source of fixed costs is transportation. In several companies, the array of products sold is divided into families or groups, with each group managed independently by a separate product manager. This results in separate orders and deliveries for each product family, thus increasing the overall cycle inventory. Aggregating orders and deliveries across product families is an effective mechanism to lower cycle inventories. We illustrate the idea of aggregating shipments using the following example.

Consider the data from Example 11-1. Assume that Best Buy purchases four computer models and the demand for each of the four models is 1,000 units per month. In this case, if each

product manager orders separately, she would order a lot size of 980 units. Across the four models, the total cycle inventory would thus be  $4 \times 980 / 2 = 1960$  units.

Now consider the case in which the store manager at Best Buy realizes that all four model shipments originate from the same source. She asks the product managers to coordinate their purchasing to ensure that all four products arrive on the same truck. In this case, the optimal combined lot size across all four models turns out to be 1,960 units (use  $S = \$4,000$ ,  $D = 4 \times 12,000 = 48,000$ ,  $hC = \$500 \times 0.2 = \$10$  in Equation 11.5). This is equivalent to 490 units for each model. As a result of aggregating orders and spreading the fixed transportation cost across multiple products originating from the same supplier, it becomes financially optimal for the store manager at Best Buy to reduce the lot size for each individual product. This action significantly reduces the cycle inventory as well as cost to Best Buy.

Another way to achieve this result is to have a single delivery coming from multiple suppliers (allowing fixed transportation cost to be spread across multiple suppliers) or to have a single truck delivering to multiple retailers (allowing fixed transportation cost to be spread across multiple retailers). Firms that import product to the United States from Asia have worked hard to aggregate their shipments across suppliers (often by building hubs in Asia that all suppliers deliver to), allowing them to maintain transportation economies of scale while getting smaller and more frequent deliveries from each supplier. The benefits of aggregation can be stated as in the following Key Point:

### Key Point

Aggregating replenishment across products, retailers, or suppliers in a single order allows for a reduction in lot size for individual products because fixed ordering and transportation costs are now spread across multiple products, retailers, or suppliers.

Wal-Mart and other retailers such as Seven-Eleven Japan have facilitated aggregation across multiple supply and delivery points without storing intermediate inventories through the use of cross-docking. Each supplier sends full truckloads to the distribution center (DC), containing an aggregate delivery destined for multiple retail stores. At the DC, each inbound truck is unloaded, product is cross-docked, and outbound trucks are loaded. Each outbound truck now contains product aggregated from several suppliers destined for one retail store.

When considering fixed costs, one cannot ignore the receiving or loading costs. As more products are included in a single order, the product variety on a truck increases. The receiving warehouse now has to update inventory records for more items per truck. In addition, the task of putting inventory into storage now becomes more expensive because each distinct item must be stocked in a separate location. Thus, when attempting to reduce lot sizes, it is important to focus on reducing these costs. Advanced shipping notices (ASN) are files that contain precise records of the contents of the truck that are sent electronically by the supplier to the customer. These electronic notices facilitate updating of inventory records as well as the decision regarding storage locations, helping reduce the fixed cost of receiving. RFID technology is also likely to help reduce the fixed costs associated with receiving that are related to product variety. The reduced fixed cost of receiving makes it optimal to reduce the lot size ordered, thus reducing cycle inventory.

We next analyze how optimal lot sizes may be determined when there are fixed costs associated with each lot as well as the variety in the lot.

### Lot Sizing with Multiple Products or Customers

In general, the ordering, transportation, and receiving costs of an order grow with the variety of products or pickup points. For example, it is cheaper for Wal-Mart to receive a truck containing a single product than it is to receive a truck containing many different products, because the inventory update and restocking effort is much less for a single product. A portion of the fixed cost of an order

can be related to transportation (this depends only on the load and is independent of product variety on the truck). A portion of the fixed cost is related to loading and receiving (this cost increases with variety on the truck). We now discuss how optimal lot sizes may be determined in such a setting.

Our objective is to arrive at lot sizes and an ordering policy that minimize the total cost. We assume the following inputs:

$D_i$ : Annual demand for product  $i$

$S$ : Order cost incurred each time an order is placed, independent of the variety of products included in the order

$s_i$ : Additional order cost incurred if product  $i$  is included in the order

In the case of Best Buy and multiple models, the store manager may consider three approaches to the lot-sizing decision:

1. Each product manager orders his or her model independently.
2. The product managers jointly order every product in each lot.
3. Product managers order jointly but not every order contains every product; that is, each lot contains a selected subset of the products.

The first approach does not use any aggregation and results in high cost. The second approach aggregates all products in each order. The weakness of the second approach is that low-demand products are aggregated with high-demand products in every order. This complete aggregation results in high costs if the product-specific order cost for the low-demand products is large. In such a situation, it may be better to order the low-demand products less frequently than the high-demand products. This practice results in a reduction of the product-specific order cost associated with the low-demand product. As a result, the third approach is likely to yield the lowest cost. However, it is more complex to coordinate.

We consider the example of Best Buy purchasing computers and illustrate the effect of each of the three approaches on supply chain costs.

**LOTS ARE ORDERED AND DELIVERED INDEPENDENTLY FOR EACH PRODUCT** In this approach, each product is ordered independently of the others. This scenario is equivalent to applying the EOQ formula to each product when evaluating lot sizes, as illustrated in Example 11-3.

---

### EXAMPLE 11-3 Multiple Products with Lots Ordered and Delivered Independently

Best Buy sells three models of computers, the Litepro, the Medpro, and the Heavypro. Annual demands for the three products are  $D_L = 12,000$  for the Litepro,  $D_M = 1,200$  units for the Medpro, and  $D_H = 120$  units for the Heavypro. Each model costs Best Buy \$500. A fixed transportation cost of \$4,000 is incurred each time an order is delivered. For each model ordered and delivered on the same truck, an additional fixed cost of \$1,000 is incurred for receiving and storage. Best Buy incurs a holding cost of 20 percent. Evaluate the lot sizes that the Best Buy manager should order if lots for each product are ordered and delivered independently. Also evaluate the annual cost of such a policy.

#### Analysis:

In this example, we have the following information:

Demand,  $D_L = 12,000/\text{year}$ ,  $D_M = 1,200/\text{year}$ ,  $D_H = 120/\text{year}$

Common order cost,  $S = \$4,000$

Product-specific order cost,  $s_L = \$1,000$ ,  $s_M = \$1,000$ ,  $s_H = \$1,000$

Holding cost,  $h = 0.2$

Unit cost,  $C_L = \$500$ ,  $C_M = \$500$ ,  $C_H = \$500$

**Table 11-1** Lot Sizes and Costs for Independent Ordering

	Litepro	Medpro	Heavypro
Demand per year	12,000	1,200	120
Fixed cost/order	\$5,000	\$5,000	\$5,000
Optimal order size	1,095	346	110
Cycle inventory	548	173	55
Annual holding cost	\$54,772	\$17,321	\$5,477
Order frequency	11.0/year	3.5/year	1.1/year
Annual ordering cost	\$54,772	\$17,321	\$5,477
Average flow time	2.4 weeks	7.5 weeks	23.7 weeks
Annual cost	\$109,544	\$34,642	\$10,954

Note: While these figures are correct, some may differ from calculations due to rounding.

Because each model is ordered and delivered independently, a separate truck delivers each model. Thus, a fixed ordering cost of \$5,000 (\$4,000 + \$1,000) is incurred for each product delivery. The optimal ordering policies and resulting costs for the three products (when the three products are ordered independently) are evaluated using the EOQ formula (Equation 11.5) and are shown in Table 11-1.

The Litepro model is ordered 11 times a year, the Medpro model is ordered 3.5 times a year, and the Heavypro model is ordered 1.1 times each year. The annual ordering and holding cost Best Buy incurs if the three models are ordered independently turns out to be \$155,140.

Independent ordering is simple to execute but ignores the opportunity to aggregate orders. Thus, the product managers at Best Buy could potentially lower costs by combining orders on a single truck. We next consider the scenario in which all three products are ordered and delivered each time an order is placed.

**LOTS ARE ORDERED AND DELIVERED JOINTLY FOR ALL THREE MODELS** Here, all three models are included each time an order is placed. In this case, the combined fixed order cost per order is given by

$$S^* = S + s_L + s_M + s_H$$

The next step is to identify the optimal ordering frequency. Let  $n$  be the number of orders placed per year. We then have

$$\begin{aligned} \text{Annual order cost} &= S^* n \\ \text{Annual holding cost} &= \frac{D_L h C_L}{2n} + \frac{D_M h C_M}{2n} + \frac{D_H h C_H}{2n} \end{aligned}$$

The total annual cost is thus given by

$$\text{Total annual cost} = \frac{D_L h C_L}{2n} + \frac{D_M h C_M}{2n} + \frac{D_H h C_H}{2n} + S^* n$$

The optimal order frequency minimizes the total annual cost and is obtained by taking the first derivative of the total cost with respect to  $n$  and setting it equal to 0. This results in the optimal order frequency  $n^*$ , where

$$n^* = \sqrt{\frac{D_L h C_L + D_M h C_M + D_H h C_H}{2S^*}} \quad (11.7)$$



Equation 11.7 can be generalized to the case in which there are  $k$  items consolidated on a single order as follows:

$$n^* = \sqrt{\frac{\sum_{i=1}^k D_i h C_i}{2S^*}} \quad (11.8)$$

Truck capacity can also be included in this setting by comparing the total load for the optimal  $n^*$  with truck capacity. If the optimal load exceeds truck capacity,  $n^*$  is increased until the load equals truck capacity. By applying Equation 11.8 for different values of  $k$ , we can also find the optimal number of items or suppliers to be aggregated in a single delivery.

In Example 11-4, we consider the case in which the product managers at Best Buy order all three models each time they place an order.

#### EXAMPLE 11-4 Products Ordered and Delivered Jointly

Consider the Best Buy data in Example 11-3. The three product managers have decided to aggregate and order all three models each time they place an order. Evaluate the optimal lot size for each model.

##### Analysis:

Because all three models are included in each order, the combined order cost is

$$S^* = S + s_L + s_M + s_H = \$7,000 \text{ per order}$$

The optimal order frequency is obtained using Equation 11.7 and is given by

$$n^* = \sqrt{\frac{12,000 \times 100 + 1,200 \times 100 + 120 \times 100}{2 \times 7,000}} = 9.75$$

Thus, if each model is to be included in every order and delivery, the product managers at Best Buy should place 9.75 orders each year. In this case, the ordering policies and costs are as shown in Table 11-2.

Because 9.75 orders are placed each year and each order costs a total of \$7,000, we have

$$\text{Annual order cost} = 9.75 \times 7,000 = \$68,250$$

The annual ordering and holding cost, across the three sizes, of the aforementioned policy is given by

$$\text{Annual ordering and holding cost} = \$61,512 + \$6,151 + \$615 + \$68,250 = \$136,528$$

Observe that the product managers at Best Buy lower the annual cost from \$155,140 to \$136,528 by ordering all products jointly. This represents a decrease of about 12 percent.

**Table 11-2** Lot Sizes and Costs for Joint Ordering at Best Buy

	Litepro	Medpro	Heavypro
Demand per year ( $D$ )	12,000	1,200	120
Order frequency ( $n^*$ )	9.75/year	9.75/year	9.75/year
Optimal order size ( $D/n^*$ )	1,230	123	12.3
Cycle inventory	615	61.5	6.15
Annual holding cost	\$61,512	\$6,151	\$615
Average flow time	2.67 weeks	2.67 weeks	2.67 weeks

In Example 11-5, we consider optimal aggregation of orders or deliveries in the presence of capacity constraints.

### EXAMPLE 11-5 Aggregation with Capacity Constraint

W.W. Grainger sources from hundreds of suppliers and is considering the aggregation of inbound shipments to lower costs. Truckload shipping costs \$500 per truck along with \$100 per pickup. Average annual demand from each supplier is 10,000 units. Each unit costs \$50 and Grainger incurs a holding cost of 20 percent. What is the optimal order frequency and order size if Grainger decides to aggregate four suppliers per truck? What is the optimal order size and frequency if each truck has a capacity of 2,500 units?

#### Analysis:

In this case, W.W. Grainger has the following inputs:

Demand per product,  $D_i = 10,000$

Holding cost,  $h = 0.2$

Unit cost per product,  $C_i = \$50$

Common order cost,  $S = \$500$

Supplier-specific order cost,  $s_i = \$100$

The combined order cost from four suppliers is given by

$$S^* = S + S_1 + S_2 + S_3 + S_4 = \$900 \text{ per order}$$

From Equation 11.8, the optimal order frequency is

$$n^* = \sqrt{\frac{\sum_{i=1}^4 D_i h C_i}{2S^*}} = \sqrt{\frac{4 \times 10,000 \times 0.2 \times 50}{2 \times 900}} = 14.91$$

It is thus optimal for Grainger to order 14.91 times per year. The annual ordering cost per supplier is

$$\text{Annual order cost} = 14.91 \times \frac{900}{4} = \$3,354$$

The quantity ordered from each supplier is  $Q = 10,000/14.91 = 671$  units per order. The annual holding cost per supplier is

$$\text{Annual holding cost per supplier} = \frac{hC_i Q}{2} = 0.2 \times 50 \times \frac{671}{2} = \$3,355$$

This policy, however, requires a total capacity per truck of  $4 \times 671 = 2,684$  units. Given a truck capacity of 2,500 units, the order frequency must be increased to ensure that the order quantity from each supplier is  $2,500/4 = 625$ . Thus, W.W. Grainger should increase the order frequency to  $10,000/625 = 16$ . This action will increase the annual order cost per supplier to \$3,600 and decrease the annual holding cost per supplier to \$3,125.

The main advantage of ordering all products jointly is that it is easy to administer and implement. The disadvantage is that it is not selective enough in combining the particular models that should be ordered together. If product-specific order costs are high and products vary significantly in terms of their sales, it is possible to lower costs by being selective about the products being aggregated in a joint order.

Next, we consider a policy under which the product managers do not necessarily order all models each time an order is placed but still coordinate their orders.

**LOTS ARE ORDERED AND DELIVERED JOINTLY FOR A SELECTED SUBSET OF THE PRODUCTS**

We first illustrate how being selective in aggregating orders in a single order can lower costs. Consider Example 11-4 in which the manager decides to aggregate all three computer models in every order. The optimal policy from Example 11-4 is to order 9.75 times a year. The disadvantage of this policy is that the Heavypro, with annual demand of only 120 units is also ordered 9.75 times. Given that a model-specific cost of \$1,000 is incurred with each order, we are essentially adding  $1,000/(120/9.75) = \$81.25$  in order cost to each Heavypro. If we were to include the Heavypro in every fourth order (instead of every order), we would save  $9,750 \times (3/4) = \$7,312.5$  in product-specific ordering cost (save 3 out of 4 product-specific orders) while incurring an additional  $500 \times 0.2 \times ((120/9.75)/2) \times 3 = \$3,692.3$  in holding cost (because the lot size of Heavypro would increase from  $120/9.75$  to  $(120 \times 4)/9.75$ ). Such a policy would thus decrease annual cost relative to complete aggregation by more than \$3,600. This example points to the value of being more selective when aggregating orders.

We now discuss a procedure that is more selective in combining products to be ordered jointly. The procedure we discuss here does not necessarily provide the optimal solution. It does, however, yield an ordering policy whose cost is close to optimal. The approach of the procedure is to first identify “the most frequently” ordered product that is included in every order. The base fixed cost  $S$  is then entirely allocated to this product. For each of the “less frequently” ordered products  $i$ , the ordering frequency is determined using only the product-specific ordering cost  $s_i$ . The frequencies are then adjusted so that each product  $i$  is included every  $m_i$  orders, where  $m_i$  is an integer. We now detail the procedure used.

We first describe the procedure in general and then apply it to the specific example. Assume that the products are indexed by  $i$ , where  $i$  varies from 1 to  $l$  (assuming a total of  $l$  products). Each product  $i$  has an annual demand  $D_i$ , a unit cost  $C_i$ , and a product-specific order cost  $s_i$ . The common order cost is  $S$ .

**Step 1:** As a first step, identify the most frequently ordered product, assuming each product is ordered independently. In this case, a fixed cost of  $S + s_i$  is allocated to each product. For each product  $i$  (using Equation 11.6), evaluate the ordering frequency:

$$\bar{n}_i = \sqrt{\frac{hC_iD_i}{2(S + s_i)}}$$

This is the frequency at which product  $i$  would be ordered if it were the only product being ordered (in which case a fixed cost of  $S + s_i$  would be incurred per order). Let  $\bar{n}$  be the frequency of the most frequently ordered product  $i^*$ ; that is,  $\bar{n}$  is the maximum among all  $\bar{n}_i$  ( $\bar{n} = \bar{n}_{i^*} = \max \{\bar{n}_i, i = 1, \dots, l\}$ ). The most frequently ordered product is  $i^*$  included each time an order is placed.

**Step 2:** For all products  $i \neq i^*$ , evaluate the ordering frequency:

$$\bar{\bar{n}}_i = \sqrt{\frac{hC_iD_i}{2s_i}}$$

$\bar{\bar{n}}_i$  represents the desired order frequency if product  $i$  incurs the product-specific fixed cost  $s_i$  only each time it is ordered.

**Step 3:** Our goal is to include each product  $i \neq i^*$  with the most frequently ordered product  $i^*$  after an integer number of orders. For all  $i \neq i^*$ , evaluate the frequency of product  $i$  relative to the most frequently ordered product  $i^*$  to be  $m_i$ , where

$$m_i = \left\lceil \frac{\bar{n}}{\bar{\bar{n}}_i} \right\rceil$$

In this case,  $\lceil \cdot \rceil$  is the operation that rounds a fraction up to the closest integer. Product  $i$  will be included with the most frequently ordered product  $i^*$  every  $m_i$  orders. Given that the most frequently ordered product  $i^*$  is included in every order,  $m_{i^*} = 1$ .

**Step 4:** Having decided the ordering frequency of each product  $i$ , recalculate the ordering frequency of the most frequently ordered product  $i^*$  to be  $n$ , where

$$n = \sqrt{\frac{\sum_{i=1}^I hC_i m_i D_i}{2(S + \sum_{i=1}^I s_i / m_i)}} \quad (11.9)$$

Note that  $n$  is a better ordering frequency for the most frequently ordered product  $i^*$  than  $\bar{n}$  because it takes into account the fact that each of the other products  $i$  is included with  $i^*$  every  $m_i$  orders.

**Step 5:** For each product, evaluate an order frequency of  $n_i = n/m_i$  and the total cost of such an ordering policy. The total annual cost is given by

$$TC = nS + \sum_{i=1}^I n_i s_i + \sum_{i=1}^I \left( \frac{D_i}{2n_i} \right) hC_i$$

The procedure described above results in *tailored aggregation*, with higher-demand products ordered more frequently and lower-demand products ordered less frequently. Example 11-6 considers tailored aggregation for the Best Buy ordering decision in Example 11-3.

### EXAMPLE 11-6 Lot Sizes Ordered and Delivered Jointly for a Selected Subset That Varies by Order

Consider the Best Buy data in Example 11-3. Product managers have decided to order jointly, but to be selective about which models they include in each order. Evaluate the ordering policy and costs using the procedure discussed previously.

#### Analysis:

Recall that  $S = \$4,000$ ,  $s_L = \$1,000$ ,  $s_M = \$1,000$ ,  $s_H = \$1,000$ . Applying Step 1, we obtain

$$\bar{n}_L = \sqrt{\frac{hC_L D_L}{2(S + s_L)}} = 11.0, \quad \bar{n}_M = \sqrt{\frac{hC_M D_M}{2(S + s_M)}} = 3.5, \quad \bar{n}_H = \sqrt{\frac{hC_H D_H}{2(S + s_H)}} = 1.1$$

Clearly Litepro is the most frequently ordered model. Thus, we set  $\bar{n} = 11.0$ .

We now apply Step 2 to evaluate the frequency with which Medpro and Heavypro are included with Litepro in the order. We first obtain

$$\bar{\bar{n}}_M = \sqrt{\frac{hC_M D_M}{2s_M}} = 7.7 \quad \text{and} \quad \bar{\bar{n}}_H = \sqrt{\frac{hC_H D_H}{2s_H}} = 2.4$$

Next, we apply Step 3 to evaluate

$$m_M = \left\lceil \frac{\bar{n}}{\bar{\bar{n}}_M} \right\rceil = \left\lceil \frac{11.0}{7.7} \right\rceil = 2 \quad \text{and} \quad m_H = \left\lceil \frac{\bar{n}}{\bar{\bar{n}}_H} \right\rceil = \left\lceil \frac{11.0}{2.4} \right\rceil = 5$$

Thus, Medpro is included in every second order and Heavypro is included in every fifth order (Litepro, the most frequently ordered model, is included in every order). Now that we have decided on the ordering frequency of each model, apply Step 4 (Equation 11.9) to recalculate the ordering frequency of the most frequently ordered model as

$$n = \sqrt{\frac{hC_L m_L D_L + hC_M m_M D_M + hC_H m_H D_H}{2(S + s_L/m_L + s_M/m_M + s_H/m_H)}} = 11.47$$

**Table 11-3** Lot Sizes and Costs for Ordering Policy Using Heuristic

	Litepro	Medpro	Heavypro
Demand per year ( $D$ )	12,000	1,200	120
Order frequency ( $n$ )	11.47/year	5.74/year	2.29/year
Order size ( $D/n$ )	1,046	209	52
Cycle inventory	523	104.5	26
Annual holding cost	\$52,307	\$10,461	\$2,615
Average flow time	2.27 weeks	4.53 weeks	11.35 weeks

Thus, the Litepro is ordered 11.47 times per year. Next, we apply Step 5 to obtain an ordering frequency for each product:

$$n_L = 11.47/\text{year}, n_M = 11.47/2 = 5.74/\text{year}, \text{ and } n_H = 11.47/5 = 2.29/\text{year}$$

The ordering policies and resulting costs for the three products are shown in Table 11-3.

The annual holding cost of this policy is \$65,383.5. The annual order cost is given by

$$nS + n_L s_L + n_M s_M + n_H s_H = \$65,383.5$$

The total annual cost is thus equal to \$130,767. Tailored aggregation results in a cost reduction of \$5,761 (about 4 percent) compared to the joint ordering of all models. The cost reduction results because each model-specific fixed cost of \$1,000 is not incurred with every order.

From the Best Buy examples, it follows that aggregation can provide significant cost savings and reduction in cycle inventory in the supply chain. When product-specific order costs ( $s_i$ ) are small relative to the fixed cost  $S$ , complete aggregation, whereby every product is included in every order, is very effective. Tailored aggregation provides little additional value in this setting and may not be worth the additional complexity. If Examples 11-3, 11-4, and 11-6 are repeated with  $s_i = \$300$ , we find that tailored aggregation decreases costs by only about 1 percent relative to complete aggregation, whereas complete aggregation decreases costs by more than 25 percent relative to no aggregation. As product-specific order costs increase, however, tailored aggregation becomes more effective. In general, complete aggregation should be used when product-specific order costs are small, and tailored aggregation should be used when product-specific order costs are large.

We have looked at fixed ordering costs and their impact on the inventory and costs in a supply chain. What is most significant from this discussion is that the key to reducing lot sizes is focusing on the reduction of fixed costs associated with each lot ordered. These costs and the processes causing them must be well understood so appropriate action may be taken.

Next, we consider lot sizes when material cost displays economies of scale.

### Key Point

A key to reducing cycle inventory is the reduction of lot size. A key to reducing lot size without increasing costs is reducing the fixed cost associated with each lot. This may be achieved by reducing the fixed cost itself or by aggregating lots across multiple products, customers, or suppliers. When aggregating across multiple products, customers, or suppliers, simple aggregation is effective when product-specific order costs are small, and tailored aggregation is best if product-specific order costs are large.

## 11.4 ECONOMIES OF SCALE TO EXPLOIT QUANTITY DISCOUNTS

We now consider pricing schedules that encourage buyers to purchase in large lots. There are many instances in business-to-business transactions in which the pricing schedule displays economies of scale, with prices decreasing as lot size increases. A discount is *lot size-based* if the pricing schedule offers discounts based on the quantity ordered in a single lot. A discount is *volume based* if the discount is based on the total quantity purchased over a given period, regardless of the number of lots purchased over that period. In this section, we will see that lot size-based quantity discounts tend to increase the lot size and cycle inventory in a supply chain. Two commonly used lot size-based discount schemes are

- All unit quantity discounts
- Marginal unit quantity discount or multi-block tariffs

In order to investigate the impact of such quantity discounts on the supply chain, we must answer the following two basic questions:

1. Given a pricing schedule with quantity discounts, what is the optimal purchasing decision for a buyer seeking to maximize profits? How does this decision affect the supply chain in terms of lot sizes, cycle inventories, and flow times?
2. Under what conditions should a supplier offer quantity discounts? What are appropriate pricing schedules that a supplier seeking to maximize profits should offer?

We start by studying the optimal response of a retailer (the buyer) when faced with either of the two lot size-based discount schemes offered by a manufacturer (the supplier). The retailer's objective is to select lot sizes to minimize the total annual material, order, and holding costs. Next, we evaluate the optimal lot size in the case of all unit quantity discounts.

### All Unit Quantity Discounts

In all unit quantity discounts, the pricing schedule contains specified break points  $q_0, q_1, \dots, q_r$ , where  $q_0 = 0$ . If an order placed is at least as large as  $q_i$  but smaller than  $q_{i+1}$ , each unit is obtained at a cost of  $C_i$ . In general, the unit cost decreases as the quantity ordered increases; that is,  $C_0 \geq C_1 \geq \dots \geq C_r$ . For all unit discounts, the average unit cost varies with the quantity ordered, as shown in Figure 11-3. The retailer's objective is to decide on lot sizes to maximize profits or, equivalently, to minimize the sum of material, order, and holding costs. The solution procedure evaluates the optimal lot size for each price and picks the lot size that minimizes the overall cost.

**Step 1:** Evaluate the optimal lot size for each price  $C_i, 0 \leq i \leq r$  as follows:

$$Q_i = \sqrt{\frac{2DS}{hC_i}} \quad (11.10)$$




FIGURE 11-3 Average Unit Cost with All Unit Quantity Discounts

**Step 2:** We next select the order quantity  $Q_i^*$  for each price  $C_i$ . There are three possible cases for  $Q_i$ :

1.  $q_i \leq Q_i < q_{i+1}$
2.  $Q_i < q_i$
3.  $Q_i \geq q_{i+1}$

Case 3 can be ignored for  $Q_i$  because it is considered for  $Q_{i+1}$ . Thus, we need to consider only the first two cases. If  $q_i \leq Q_i < q_{i+1}$ , then set  $Q_i^* = Q_i$ . If  $Q_i < q_i$ , then a lot size of  $Q_i$  does not result in a discount. In this case, set  $Q_i^* = q_i$  to qualify for the discounted price of  $C_i$  per unit.

**Step 3:** For each  $i$ , calculate the total annual cost of ordering  $Q_i^*$  units (this includes order cost, holding cost, and material cost) as follows:

$$\text{Total annual cost, } TC_i = \left(\frac{D}{Q_i^*}\right)S + \frac{Q_i^*}{2}hC_i + DC_i \quad (11.11)$$

**Step 4:** Select order quantity  $Q_i^*$  with the lowest total cost  $TC_i$ .

Goyal (1995) has shown that this procedure can be further shortened by identifying a cutoff price  $C^*$  above which the optimal solution cannot occur. Recall that  $C_r$  is the lowest unit cost above the final threshold quantity  $q_r$ . The cutoff is obtained as follows:

$$C^* = \frac{1}{D} \left( DC_r + \frac{DS}{q_r} + \frac{h}{2}q_rC_r - \sqrt{2hDSC_r} \right)$$

In Example 11-7, we evaluate the optimal lot size given an all unit quantity discount.

**EXAMPLE 11-7 All Unit Quantity Discounts**

Drugs Online (DO) is an online retailer of prescription drugs and health supplements. Vitamins represent a significant percentage of its sales. Demand for vitamins is 10,000 bottles per month. DO incurs a fixed order placement, transportation, and receiving cost of \$100 each time an order for vitamins is placed with the manufacturer. DO incurs a holding cost of 20 percent. The manufacturer uses the following all unit discount pricing schedule. Evaluate the number of bottles that the DO manager should order in each lot.

Order Quantity	Unit Price
0–4,999	\$3.00
5,000–9,999	\$2.96
10,000 or more	\$2.92

**Analysis:**

In this case, the manager has the following inputs:

$$q_0 = 0, q_1 = 5,000, q_2 = 10,000$$

$$C_0 = \$3.00, C_1 = \$2.96, C_2 = \$2.92$$

$$D = 120,000/\text{year}, S = \$100/\text{lot}, h = 0.2$$

Using Step 1 and Equation 11.10 we obtain

$$Q_0 = \sqrt{\frac{2DS}{hC_0}} = 6,324; Q_1 = \sqrt{\frac{2DS}{hC_1}} = 6,367; Q_2 = \sqrt{\frac{2DS}{hC_2}} = 6,410$$

In Step 2, we ignore  $i = 0$  because  $Q_0 = 6,324 > q_1 = 5,000$ . For  $i = 1, 2$ , we obtain

$$Q_1^* = Q_1 = 6,367; Q_2^* = q_2 = 10,000$$

In Step 3, we obtain the total costs using Equation 11.11 as follows:

$$TC_1 = \left( \frac{D}{Q_1^*} \right) S + \left( \frac{Q_1^*}{2} \right) hC_1 + DC_1 = \$358,969; \quad TC_2 = \$354,520$$

Observe that the lowest total cost is for  $i = 2$ . Thus, it is optimal for DO to order  $Q_2^* = 10,000$  bottles per lot and obtain the discount price of \$2.92 per bottle.

If the manufacturer in Example 11-7 sold all bottles for \$3, it would be optimal for DO to order in lots of 6,324 bottles. The quantity discount is an incentive for DO to order in larger lots of 10,000 bottles, raising both the cycle inventory and the flow time. The impact of the discount is further magnified if DO works hard to reduce its fixed ordering cost to  $S = \$4$ . Then, the optimal lot size in the absence of a discount is 1,265 bottles. In the presence of the all unit quantity discount, the optimal lot size is still 10,000 bottles. In this case, the presence of quantity discounts leads to an eightfold increase in average inventory as well as flow time at DO.

Pricing schedules with all unit quantity discounts encourage retailers to order in larger lots to take advantage of price discounts. This adds to the average inventory and flow time in a supply chain. This increase in inventory raises a question about the value that all unit quantity discounts offer in a supply chain. Before we consider this question, we discuss marginal unit quantity discounts.

### Marginal Unit Quantity Discounts

Marginal (or incremental) unit quantity discounts are also referred to as *multi-block tariffs*. In this case, the pricing schedule contains specified breakpoints  $q_0, q_1, \dots, q_r$ . It is not the *average cost* of a unit but the *marginal cost* of a unit that decreases at a breakpoint (in contrast to the all unit discount scheme). If an order of size  $q$  is placed, the first  $q_1 - q_0$  units are priced at  $C_0$ , the next  $q_2 - q_1$  are priced at  $C_1$ , and in general  $q_{i+1} - q_i$  units are priced at  $C_i$ . The marginal cost per unit varies with the quantity purchased, as shown in Figure 11-4.

Faced with such a pricing schedule, the retailer's objective is to decide on a lot size that maximizes profits or, equivalently, minimizes material, order, and holding costs.

The solution procedure discussed here evaluates the optimal lot size for each marginal price  $C_i$  (this forces a lot size between  $q_i$  and  $q_{i+1}$ ) and then settles on the lot size that minimizes the overall cost. A more streamlined procedure has been provided by Hu and Munson (2002).

For each value of  $i$ ,  $0 \leq i \leq r$ , let  $V_i$  be the cost of ordering  $q_i$  units. Define  $V_0 = 0$  and  $V_i$  for  $0 \leq i \leq r$  as follows:

$$V_i = C_0(q_1 - q_0) + C_1(q_2 - q_1) + \dots + C_{i-1}(q_i - q_{i-1}) \quad (11.12)$$




FIGURE 11-4 Marginal Unit Cost with Marginal Unit Quantity Discount



For each value of  $i$ ,  $0 \leq i \leq r - 1$ , consider an order of size  $Q$  in the range  $q_i$  to  $q_{i+1}$  units; that is,  $q_{i+1} \geq Q \geq q_i$ . The material cost of each order of size  $Q$  is given by  $V_i + (Q - q_i)C_i$ . The various costs associated with such an order are as follows:

$$\text{Annual order cost} = \left(\frac{D}{Q}\right)S$$

$$\text{Annual holding cost} = [V_i + (Q - q_i)C_i]h/2$$

$$\text{Annual materia cost} = \frac{D}{Q}[V_i + (Q - q_i)C_i]$$

The total annual cost is the sum of the three costs and is given by

$$\text{Total annual cost} = \left(\frac{D}{Q}\right)S + [V_i + (Q - q_i)C_i]h/2 + \frac{D}{Q}[V_i + (Q - q_i)C_i]$$

**Step 1:** Evaluate the optimal lot size using Equation 11.13 for each price  $C_i$ . The optimal lot size for price  $C_i$  is obtained by taking the first derivative of the total cost with respect to the lot size and setting it equal to 0. This results in an optimal lot size of

$$\text{Optimal lot size for price } C_i \text{ is } Q_i = \sqrt{\frac{2D(S + V_i - q_iC_i)}{hC_i}} \quad (11.13)$$

Observe that the optimal lot size is obtained using a formula very much like the EOQ formula (Equation 11.5), except that the presence of the quantity discount has the effect of raising the fixed cost per order by  $V_i - q_iC_i$  (from  $S$  to  $S + V_i - q_iC_i$ ).

**Step 2:** We next select the order quantity  $Q_i^*$  for each price  $C_i$ . There are three possible cases for  $Q_i$ :

1. If  $q_i \leq Q_i \leq q_{i+1}$  then set  $Q_i^* = Q_i$
2. If  $Q_i < q_i$  then set  $Q_i^* = q_i$
3. If  $Q_i > q_{i+1}$  then set  $Q_i^* = q_{i+1}$

**Step 3:** Calculate the total annual cost of ordering  $Q_i^*$  units as follows:

$$TC_i = \left(\frac{D}{Q_i^*}\right)S + [V_i + (Q_i^* - q_i)C_i]h/2 + \frac{D}{Q_i^*}[V_i + (Q_i^* - q_i)C_i] \quad (11.14)$$

**Step 4:** Select order size  $Q_i^*$  with the lowest cost  $TC_i$ .

In Example 11-8, we evaluate the optimal lot size given a marginal unit quantity discount.

### EXAMPLE 11-8 Marginal Unit Quantity Discounts

Let us return to DO from Example 11-7. Assume that the manufacturer uses the following marginal unit discount pricing schedule:

Order Quantity	Marginal Unit Price
0–5,000	\$3.00
5,000–10,000	\$2.96
Over 10,000	\$2.92

This implies that if an order is placed for 7,000 bottles, the first 5,000 are at a unit cost of \$3.00, with the remaining 2,000 at a unit cost of \$2.96. Evaluate the number of bottles that DO should order in each lot.

**Analysis:**

In this case, we have

$$\begin{aligned}q_0 &= 0, q_1 = 5,000, q_2 = 10,000 \\C_0 &= \$3.00, C_1 = \$2.96, C_2 = \$2.92 \\D &= 120,000/\text{year}, S = \$100/\text{lot}, h = 0.2\end{aligned}$$

Using Equation 11.12, we obtain

$$\begin{aligned}V_0 &= 0; V_1 = 3(5,000 - 0) = \$15,000 \\V_2 &= 3(5,000 - 0) + 2.96(10,000 - 5,000) = \$29,800\end{aligned}$$

Using Step 1 and Equation 11.13, we obtain

$$\begin{aligned}Q_0 &= \sqrt{\frac{2D(S + V_0 - q_0C_0)}{hC_0}} = 6,324 \\Q_1 &= \sqrt{\frac{2D(S + V_1 - q_1C_1)}{hC_1}} = 11,028 \\Q_2 &= \sqrt{\frac{2D(S + V_2 - q_2C_2)}{hC_2}} = 16,961\end{aligned}$$

In Step 2, we set  $Q_0^* = q_1 = 5,000$  because  $Q_0 = 6,324 > q_1 = 5,000$ . Similarly, we obtain  $Q_1^* = q_2 = 10,000$  and  $Q_2^* = Q_2 = 16,961$ .

In Step 3, we obtain the total cost for  $i = 0, 1, 2$  using Equation 11.14 to be

$$\begin{aligned}TC_0 &= \left(\frac{D}{Q_0^*}\right)S + [V_0 + (Q_0^* - q_0)C_0]h/2 + \frac{D}{Q_0^*}[V_0 + (Q_0^* - q_0)C_0] = \$363,900 \\TC_1 &= \left(\frac{D}{Q_1^*}\right)S + [V_1 + (Q_1^* - q_1)C_1]h/2 + \frac{D}{Q_1^*}[V_1 + (Q_1^* - q_1)C_1] = \$361,780 \\TC_2 &= \left(\frac{D}{Q_2^*}\right)S + [V_2 + (Q_2^* - q_2)C_2]h/2 + \frac{D}{Q_2^*}[V_2 + (Q_2^* - q_2)C_2] = \$360,365\end{aligned}$$

Observe that the lowest cost is for  $i = 2$ . Thus, it is optimal for DO to order in lots of  $Q_2^* = 16,961$  bottles. This is much larger than the optimal lot size of 6,324 when the manufacturer does not offer any discount.

---

If the fixed cost of ordering is \$4, the optimal lot size for DO is 15,755 with the discount compared to a lot size of 1,265 without the discount. This discussion demonstrates that there can be significant order sizes and thus significant cycle inventory in the absence of any formal fixed ordering costs as long as quantity discounts are offered. Thus, quantity discounts lead to a significant buildup of cycle inventory in a supply chain. In many supply chains, quantity discounts contribute more to cycle inventory than fixed ordering costs. This forces us once again to question the value of quantity discounts in a supply chain.

**Why Quantity Discounts?**

We have seen that the presence of lot size–based quantity discounts tends to increase the level of cycle inventory in the supply chain. We now develop arguments supporting the presence of lot size–based quantity discounts in a supply chain. In each case, we look for circumstances under

which a lot size–based quantity discount increases the supply chain surplus. Quantity discounts can increase the supply chain surplus for the following two main reasons:

1. Improved coordination to increase total supply chain profits
2. Extraction of surplus through price discrimination

Munson and Rosenblatt (1998) also provide other factors, such as marketing, that motivate sellers to offer quantity discounts. We now discuss each of the two situations in greater detail.

**COORDINATION TO INCREASE TOTAL SUPPLY CHAIN PROFITS** A supply chain is *coordinated* if the decisions the retailer and supplier make maximize total supply chain profits. In reality, each stage in a supply chain may have a separate owner and thus attempt to maximize that stage’s own profits. For example, each stage of a supply chain is likely to make lot-sizing decision with an objective of minimizing its own overall costs. The result of this independent decision making can be a lack of coordination in a supply chain because actions that maximize retailer profits may not maximize supply chain profits. In this section, we discuss how a manufacturer may use appropriate quantity discounts to ensure that total supply chain profits are maximized even if the retailer is acting to maximize its own profits.

**Quantity discounts for commodity products.** Economists have argued that for commodity products such as milk, a competitive market exists and costs are driven down to the products’ marginal cost. In this case, the market sets the price and the firm’s objective is to lower costs in order to increase profits. Consider, for example, the online retailer DO, discussed earlier. It can be argued that it sells a commodity product. In this supply chain, both the manufacturer and DO incur costs related to each order placed by the retailer. The manufacturer incurs fixed costs related to order setup and fulfillment ( $S_M$ ) and holding costs ( $h_M C_M$ ) as it builds up inventory to replenish the order. Similarly, DO incurs fixed costs ( $S_R$ ) for each order it places and holding costs ( $h_R C_R$ ) for the inventory it holds as it slowly sells an order. Even though both parties incur costs associated with the lot-sizing decision made by DO, the retailer makes its lot-sizing decisions based solely on costs it faces. This results in lot-sizing decisions that are locally optimal but do not maximize the supply chain surplus. We illustrate this idea in Example 11-9.

### EXAMPLE 11-9 The Impact of Locally Optimal Lot Sizes on a Supply Chain

Demand for vitamins is 10,000 bottles per month. DO incurs a fixed order placement, transportation, and receiving cost of \$100 each time it places an order for vitamins with the manufacturer. DO incurs a holding cost of 20 percent. The manufacturer charges \$3 for each bottle of vitamins purchased. Evaluate the optimal lot size for DO.

Each time DO places an order, the manufacturer has to process, pack, and ship the order. The manufacturer has a line packing bottles at a steady rate that matches demand. The manufacturer incurs a fixed-order filling cost of \$250, production cost of \$2 per bottle, and a holding cost of 20 percent. What is the annual fulfillment and holding cost incurred by the manufacturer as a result of DO’s ordering policy?

#### Analysis:

In this case, we have

$$D = 120,000/\text{year}, S_R = \$100/\text{lot}, h_R = 0.2, C_R = \$3$$

$$S_M = \$250/\text{lot}, h_M = 0.2, C_M = \$2$$

Using the EOQ formula (Equation 11.5), we obtain the optimal lot size and annual cost for DO to be:

$$Q_R = \sqrt{\frac{2DS_R}{h_R C_R}} = \sqrt{\frac{2 \times 120,000 \times 100}{0.2 \times 3}} = 6,324$$

$$\text{Annual cost for DO} = \left(\frac{D}{Q_R}\right)S_R + \left(\frac{Q_R}{2}\right)h_R C_R = \$3,795$$

If DO orders in lots sizes of  $Q_R = 6,324$ , the annual cost incurred by the manufacturer is obtained to be:

$$\text{Annual cost for manufacturer} = \left(\frac{D}{Q_R}\right)S_M + \left(\frac{Q_R}{2}\right)h_M C_M = \$6,009$$

The annual supply chain cost (manufacturer + DO) is thus  $\$6,009 + \$3,795 = \$9,804$ .

In Example 11-9, DO picks the lot size of 6,324 with an objective of minimizing only its own costs. From a supply chain perspective, the optimal lot size should account for the fact that both DO and the manufacturer incur costs associated with each replenishment lot. If we assume that the manufacturer produces at a rate that matches demand (as assumed in Example 11-9), the total supply chain cost of using a lot size  $Q$  is obtained as follows:

$$\text{Annual cost for DO and manufacturer} = \left(\frac{D}{Q}\right)S_R + \left(\frac{Q}{2}\right)h_R C_R + \left(\frac{D}{Q}\right)S_M + \left(\frac{Q}{2}\right)h_M C_M$$

The optimal lot size ( $Q^*$ ) for the supply chain is obtained by taking the first derivative of the total cost with respect to  $Q$  and setting it equal to 0 as follows:

$$Q^* = \sqrt{\frac{2D(S_R + S_M)}{h_R C_R + h_M C_M}} = 9,165$$

If DO orders in lots of  $Q^* = 9,165$  units, the total costs for DO and the manufacturer are as follows:

$$\text{Annual cost for DO} = \left(\frac{D}{Q^*}\right)S_R + \left(\frac{Q^*}{2}\right)h_R C_R = \$4,059$$

$$\text{Annual cost for manufacturer} = \left(\frac{D}{Q^*}\right)S_M + \left(\frac{Q^*}{2}\right)h_M C_M = \$5,106$$

Observe that if DO orders a lot size of 9,165 units, the supply chain cost decreases to \$9,165 (from \$9,804 when DO ordered its own optimal lot size of 6,324). There is thus an opportunity for the supply chain to save \$639. The challenge, however, is that ordering in lots of 9,165 bottles raises the cost for DO by \$264 per year from \$3,795 to \$4,059 (even though it reduces overall supply chain costs). The manufacturer's costs, in contrast, go down by \$903 from \$6,009 to \$5,106 per year. Thus, the manufacturer must offer DO a suitable incentive for DO to raise its lot size. A lot size-based quantity discount is an appropriate incentive in this case. Example 11-10 provides details of how the manufacturer can design a suitable quantity discount that gets DO to order in lots of 9,165 units even though DO is optimizing its own profits (and not total supply chain profits).

### EXAMPLE 11-10 Designing a Suitable Lot Size-Based Quantity Discount

Consider the data from Example 11-9. Design a suitable quantity discount that gets DO to order in lots of 9,165 units when it aims to minimize only its own total costs.

#### Analysis:

Recall that ordering in lots of 9,165 units instead of 6,324 increases annual ordering and holding costs for DO by \$264. Thus, the manufacturer needs to offer an incentive of at least \$264 per year to DO in terms of decreased material cost if DO orders in lots of 9,165 units. Decreasing material

cost by \$264/year from sales of 120,000 units implies that material cost must be decreased from \$3/unit to  $\$3 - 264/120,000 = \$2.9978/\text{unit}$  if DO orders in lots of 9,165.

Thus, the appropriate quantity discount is for the manufacturer to charge \$3 if DO orders in lots that are smaller than 9,165 units and discount the price to \$2.9978 for orders of 9,165 or more.

Observe that offering a lot size–based discount in this case decreases total supply chain cost. It does, however, increase the lot size the retailer purchases and thus increases cycle inventory in the supply chain.

### Key Point

For commodity products for which price is set by the market, manufacturers with large fixed costs per lot can use lot size–based quantity discounts to maximize total supply chain profits. Lot size–based discounts, however, increase cycle inventory in the supply chain.

Our discussion on coordination for commodity products highlights the important link between the lot size–based quantity discount offered and the order costs incurred by the manufacturer. As the manufacturer works on lowering order or setup cost, the discount it offers to retailers should change. For a low enough setup or order cost, the manufacturer gains little from using a lot size–based quantity discount. In Example 11-9 discussed earlier, if the manufacturer lowers its fixed cost per order from \$250 to \$100, the total supply chain costs are close to the minimum without quantity discounts even if DO is trying to minimize its cost. Thus, if its fixed order costs are lowered to \$100, it makes sense for the manufacturer to eliminate all quantity discounts. In most companies, however, marketing and sales design quantity discounts, while operations works on reducing setup or order cost. As a result, changes in pricing do not always occur in response to setup cost reduction in manufacturing. It is important that the two functions coordinate these activities.

**Quantity discounts for products for which the firm has market power.** Now consider the scenario in which the manufacturer has invented a new vitamin pill, Vitaherb, which is derived from herbal ingredients and has other properties highly valued in the market. Few competitors have a similar product, so it can be argued that the price at which the retailer DO sells Vitaherb influences demand. Assume that the annual demand faced by DO is given by the demand curve  $360,000 - 60,000 p$ , where  $p$  is the price at which DO sells Vitaherb. The manufacturer incurs a production cost of  $C_M = \$2$  per bottle of Vitaherb sold. The manufacturer must decide on the price  $C_R$  to charge DO, and DO in turn must decide on the price  $p$  to charge the customer. The profit at DO ( $Prof_R$ ) and the manufacturer ( $Prof_M$ ) as a result of this policy is given by

$$Prof_R = (p - C_R)(360,000 - 60,000 p); \quad Prof_M = (C_R - C_M)(360,000 - 60,000 p)$$

DO picks the price  $p$  to maximize  $Prof_R$ . Taking the first derivative with respect to  $p$  and setting it to 0, we obtain the following relationship between  $p$  and  $C_R$

$$p = 3 + \frac{C_R}{2} \quad (11.15)$$

Given that the manufacturer is aware that DO is aiming to optimize its own profits, the manufacturer is able to use the relationship between  $p$  and  $C_R$  to obtain its own profits to be

$$Prof_M = (C_R - C_M) \left( 360,000 - 60,000 \left( 3 + \frac{C_R}{2} \right) \right) = (C_R - 2)(180,000 - 30,000 C_R)$$

The manufacturer picks its price  $C_R$  to minimize  $Prof_M$ . Taking the first derivative of  $Prof_M$  with respect  $C_R$  to and setting it to 0 we obtain  $C_R = \$4$ . Substituting back into Equation 11.15,

we obtain  $p = \$5$ . Thus, when DO and the manufacturer make their pricing decisions independently, it is optimal for the manufacturer to charge a wholesale price of  $C_R = \$4$  and for DO to charge a retail price of  $p = \$5$ . The total market demand in this case is  $360,000 - 60,000p = 60,000$  bottles. DO makes a profit of  $Prof_R = (5 - 4)(360,000 - 60,000 \times 5) = \$60,000$  and the manufacturer makes a profit of  $Prof_M = (4 - 2)(360,000 - 60,000 \times 5) = \$120,000$ .

Now consider the case in which the two stages coordinate their pricing decisions with a goal of maximizing the supply chain profit  $Prof_{SC}$ , which is given by

$$Prof_{SC} = (p - C_M)(360,000 - 60,000p)$$

The optimal retail price is obtained by setting the first derivative of  $Prof_{SC}$  with respect to  $p$  to 0. We thus obtain the coordinated retail price to be

$$p = 3 + \frac{C_M}{2} = 3 + \frac{2}{2} = \$4$$

If the two stages coordinate pricing and DO prices at  $p = \$4$ , market demand is  $360,000 - 60,000p = 120,000$  bottles. The total supply chain profit if the two stages coordinate is  $Prof_{SC} = (\$4 - \$2) \times 120,000 = \$240,000$ . As a result of each stage settings its price independently, the supply chain thus loses \$60,000 in profit. This phenomenon is referred to as *double marginalization*. Double marginalization leads to a loss in profit because the supply chain margin is divided between two stages, but each stage makes its pricing decision considering only its local profits.

### Key Point

The supply chain profit is lower if each stage of the supply chain makes its pricing decisions independently, with the objective of maximizing its own profit. A coordinated solution results in higher profit.

Given that independent pricing decision lower supply chain profits, it is important to consider pricing schemes that may help recover some of these profits even when each stage of the supply chain continues to act independently. We propose two pricing schemes that the manufacturer may use to achieve the coordinated solution and maximize supply chain profits even though DO acts in a way that maximizes its own profit.

**1. Two-part tariff:** In this case, the manufacturer charges its entire profit as an up-front franchise fee  $ff$  (which could be anywhere between the noncoordinated manufacturer profit  $Prof_M$  and the difference between the coordinated supply chain profit and the noncoordinated retailer profit,  $Prof_{SC} - Prof_R$ ) and then sells to the retailer at cost, that is, the manufacturer sets its wholesale price  $C_R = C_M$ . This pricing scheme is referred to as a two-part tariff because the manufacturer sets both the franchise fee and the wholesale price. The retail pricing decision is thus based on maximizing its profits  $(p - C_M)(360,000 - 60,000p) - ff$ . Under the two-part tariff, the franchise fee  $ff$  is paid up front and is thus a fixed cost that does not change with the retail price  $p$ . The retailer DO is thus effectively maximizing the coordinated supply chain profits  $Prof_{SC} = (p - C_M)(360,000 - 60,000p)$ . Taking the first derivative with respect to  $p$  and setting it equal to 0, the optimal coordinated retail price  $p$  is evaluated to be

$$p = 3 + \frac{C_M}{2}$$

In the case of DO, recall that total supply chain profit when the two stages coordinate is  $Prof_{SC} = \$240,000$  with DO charging the customer \$4 per bottle of Vitaherb. The profit made by DO when the two stages do not coordinate is  $Prof_R = \$60,000$ . One option available to the manufacturer is to construct a two-part tariff by which DO is charged an up-front fee of  $ff = Prof_{SC} - Prof_R = \$180,000$  and material cost of  $C_R = C_M = \$2$  per bottle. DO maximizes

its profit if it prices the vitamins at  $p = 3 + C_M/2 = 3 + 2/2 = \$4$  per bottle. It has annual sales of  $360,000 - 60,000 p = 120,000$  and profits of \$60,000. The manufacturer makes a profit of \$180,000, which it charges up front. Observe that the use of a two-part tariff has increased supply chain profits from \$180,000 to \$240,000 even though the retailer DO has made a locally optimal pricing decision given the two-part tariff. A similar result can be obtained as long as the manufacturer sets the up-front fee  $ff$  to be any value between \$120,000 and \$180,000 with a wholesale price of  $C_R = C_M$ .

**2. Volume-based quantity discount:** Observe that the two-part tariff is really a volume-based quantity discount whereby the retailer DO pays a lower average unit cost as it purchases larger quantities each year (the franchise fee  $ff$  is amortized over more units). This observation can be made explicit by designing a volume-based discount scheme that gets the retailer DO to purchase and sell the quantity sold when the two stages coordinate their actions.

Recall that the coordinated solution results in a retail price of  $p = 3 + C_M/2 = 3 + 2/2 = 4$ . This retail price results in total demand of  $d^{coord} = 360,000 - 60,000 \times 4 = 120,000$ . The objective of the manufacturer is to design a volume-based discounting scheme that gets the retailer DO to buy (and sell)  $d^{coord} = 120,000$  units each year. The pricing scheme must be such that retailer gets a profit of at least \$60,000, and the manufacturer gets a profit of at least \$120,000 (these are the profits that DO and the manufacturer made when their actions were not coordinated).

Several such pricing schemes can be designed. One such scheme is for the manufacturer to charge a wholesale price of  $C_R = \$4$  per bottle (this is the same wholesale price that is optimal when the two stages are not coordinated) for annual sales below  $d^{coord} = 120,000$  units, and to charge  $C_R = \$3.50$  (any value between \$3.00 and \$3.50 will work) for sales of 120,000 or more. It is then optimal for DO to order 120,000 units in the year and price them at  $p = \$4$  per bottle to the customers (to ensure that they are all sold). The total profit earned by DO  $(360,000 - 60,000 \times p) \times (p - C_R) = \$60,000$ . The total profit earned by the manufacturer is  $120,000 \times (C_R - \$2) = \$180,000$  when  $C_R = \$3.50$ . The total supply chain profit is \$240,000, which is higher than the \$180,000 that the supply chain earned when actions were not coordinated.

If the manufacturer charges \$3.00 (instead of \$3.50) for sales of 120,000 units or more, it is still optimal for DO to order 120,000 units in the year and price them at  $p = \$4$  per bottle. The only difference is that the total profit earned by DO now increases to \$120,000 while that for the manufacturer now drops to \$120,000. The total supply chain profits remain at \$240,000. The price that the manufacturer is able to charge (between \$3.00 and \$3.50) for sales of 120,000 or more will depend on the relative bargaining power of the two parties.

At this stage, we have seen that even in the absence of inventory-related costs, quantity discounts play a role in supply chain coordination and improved supply chain profits. Unless the manufacturer has large fixed costs associated with each lot, the discount schemes that are optimal are volume based and not lot size based. It can be shown that even in the presence of large fixed costs for the manufacturer, a two-part tariff or volume-based discount, with the manufacturer passing on some of the fixed cost to the retailer, optimally coordinates the supply chain and maximizes profits given the assumption that customer demand decreases when the retailer increases price.

A key distinction between lot size-based and volume discounts is that lot-size discounts are based on the quantity purchased per lot, not the rate of purchase. Volume discounts, in contrast, are based on the rate of purchase or volume purchased on average per specified time period (say, a month, quarter, or year). Lot size-based discounts tend to raise the cycle inventory in the supply

### Key Point

For products for which the firm has market power, two-part tariffs or volume-based quantity discounts can be used to achieve coordination in the supply chain and maximize supply chain profits.

### Key Point

---

For products for which a firm has market power, lot size–based discounts are not optimal for the supply chain even in the presence of inventory costs. In such a setting, either a two-part tariff or a volume-based discount, with the supplier passing on some of its fixed cost to the retailer, is needed for the supply chain to be coordinated and maximize profits.

chain by encouraging retailers to increase the size of each lot. Volume-based discounts, in contrast, are compatible with small lots that reduce cycle inventory. Lot size–based discounts make sense only when the manufacturer incurs high fixed cost per order. In all other instances, it is better to have volume-based discounts.

One can make the point that even with volume-based discounts, retailers will tend to increase the size of the lot toward the end of the evaluation period. For example, assume that the manufacturer offers DO a 2 percent discount if the number of bottles of Vitaherb purchased over a quarter exceeds 40,000. This policy will not affect the lot sizes DO orders early during the quarter, and DO will order in small lots to match the quantity ordered with demand. Consider a situation, however, in which DO has sold only 30,000 bottles with a week left before the end of the quarter. To get the quantity discount, DO may order 10,000 bottles over the last week even though it expects to sell only 3,000. In this case, cycle inventory in the supply chain goes up in spite of the fact that there is no lot size–based quantity discount. The situation in which orders peak toward the end of a financial horizon is referred to as the *hockey stick phenomenon* because demand increases dramatically toward the end of a period, similar to the way a hockey stick bends upward toward its end. This phenomenon has been observed in many industries. One possible solution is to base the volume discounts on a rolling horizon. For example, each week the manufacturer may offer DO the volume discount based on sales over the past 12 weeks. Such a rolling horizon dampens the hockey stick phenomenon by making each week the last week in some 12-week horizon.

Thus far, we have discussed only the scenario in which the supply chain has a single retailer. One may ask whether our insights are robust and also apply if the supply chain has multiple retailers, each with different demand curves, all supplied by a single manufacturer. As one would expect, the form of the discount scheme to be offered becomes more complicated in these settings (typically, instead of having only one break point at which the volume-based discount is offered, there are multiple breakpoints). The basic form of the optimal pricing scheme, however, does not change. The optimal discount continues to be volume based, with the average price charged to the retailers decreasing as the rate of purchase (volume purchased per unit time) increases.

**PRICE DISCRIMINATION TO MAXIMIZE SUPPLIER PROFITS** *Price discrimination* is the practice whereby a firm charges differential prices to maximize profits. An example of price discrimination is airlines: Passengers traveling on the same plane often pay different prices for their seats.

As discussed in Chapter 16, setting a fixed price for all units does not maximize profits for the manufacturer. In principle, the manufacturer can obtain the entire area under the demand curve above its marginal cost by pricing each unit differently based on customers' marginal evaluation at each quantity. Quantity discounts are one mechanism for price discrimination because customers pay different prices based on the quantity purchased.

Next we discuss trade promotions and their impact on lot sizes and cycle inventory in the supply chain.

### Key Point

---

Price discrimination to maximize profits at the manufacturer may also be a reason to offer quantity discounts within a supply chain.



## 11.5 SHORT-TERM DISCOUNTING: TRADE PROMOTIONS

Manufacturers use *trade promotions* to offer a discounted price to retailers and a time period over which the discount is effective. For example, a manufacturer of canned soup may offer a price discount of 10 percent for the shipping period December 15 to January 25. For all purchases within the specified time horizon, retailers get a 10 percent discount. In some cases, the manufacturer may require specific actions from the retailer, such as displays, advertising, promotion, and so on, to qualify for the trade promotion. Trade promotions are quite common in the consumer packaged-goods industry, with manufacturers promoting different products at different times of the year.

The goal of trade promotions is to influence retailers to act in a way that helps the manufacturer achieve its objectives. A few of the key goals (from the manufacturer's perspective) of a trade promotion are as follows:<sup>2</sup>

1. Induce retailers to use price discounts, displays, or advertising to spur sales.
2. Shift inventory from the manufacturer to the retailer and the customer.
3. Defend a brand against competition.

Although these may be the manufacturer's objectives, it is not clear that they are always achieved as the result of a trade promotion. Our goal in this section is to investigate the impact of a trade promotion on the behavior of the retailer and the performance of the entire supply chain. The key to understanding this impact is to focus on how a retailer reacts to a trade promotion that a manufacturer offers. In response to a trade promotion, the retailer has the following options:

1. Pass through some or all of the promotion to customers to spur sales.
2. Pass through very little of the promotion to customers but purchase in greater quantity during the promotion period to exploit the temporary reduction in price.

The first action lowers the price of the product for the end customer, leading to increased purchases and thus increased sales for the entire supply chain. The second action does not increase purchases by the customer but increases the amount of inventory held at the retailer. As a result, the cycle inventory and flow time within the supply chain increase.

A *forward buy* occurs when a retailer purchases in the promotional period for sales in future periods. A forward buy helps reduce the retailer's future cost of goods for product sold after the promotion ends. Although a forward buy is often the retailer's appropriate response to a price promotion, it usually increases demand variability with a resulting increase in inventory and flow times within the supply chain, and it can decrease supply chain profits.


Our objective in this section is to understand a retailer's optimal response when faced with a trade promotion. We identify the factors affecting the forward buy and quantify the size of a forward buy by the retailer. We also identify factors that influence the amount of the promotion that a retailer passes on to the customer.

We first illustrate the impact of a trade promotion on forward buying behavior of the retailer. Consider a Cub Foods supermarket selling chicken noodle soup manufactured by the Campbell Soup Company. Customer demand for chicken noodle soup is  $D$  cans per year. The price Campbell charges is  $\$C$  per can. Cub Foods incurs a holding cost of  $h$  (per dollar of inventory held for a year). Using the EOQ formula (Equation 11.5), Cub Foods normally orders in the following lot sizes:

$$Q^* = \sqrt{\frac{2DS}{hC}}$$

Campbell announces that it is offering a discount of  $\$d$  per can for the coming four-week period. Cub Foods must decide how much to order at the discounted price compared to the lot size of  $Q^*$  that it normally orders. Let  $Q^d$  be the lot size ordered at the discounted price.

<sup>2</sup> See Blattberg and Neslin (1990) for more details.



**FIGURE 11-5** Inventory Profile for Forward Buying

The costs the retailer must consider when making this decision are material cost, holding cost, and order cost. Increasing the lot size  $Q^d$  lowers the material cost for Cub Foods because it purchases more cans (for sale now and in the future) at the discounted price. Increasing the lot size  $Q^d$  increases the holding cost because inventories increase. Increasing the lot size  $Q^d$  lowers the order cost for Cub Foods because some orders that would otherwise have been placed are now not necessary. Cub Food's goal is to make the trade-off that minimizes the total cost.

The inventory pattern when a lot size of  $Q^d$  is followed by lot sizes of  $Q^*$  is shown in Figure 11-5. The objective is to identify  $Q^d$  that minimizes the total cost (material cost + ordering cost + holding cost) over the time interval during which the quantity  $Q^d$  (ordered during the promotion period) is consumed.

The precise analysis in this case is complex, so we present a result that holds under some restrictions.<sup>3</sup> The first key assumption is that the discount is offered once, with no future discounts. The second key assumption is that the retailer takes no action (such as passing on part of the trade promotion) to influence customer demand. The customer demand thus remains unchanged. The third key assumption is that we analyze a period over which the demand is an integer multiple of  $Q^*$ . With these assumptions, the optimal order quantity at the discounted price is given by

$$Q^d = \frac{dD}{(C-d)h} + \frac{CQ^*}{C-d} \quad (11.16)$$

In practice, retailers are often aware of the timing of the next promotion. If the demand until the next anticipated trade promotion is  $Q_1$ , it is optimal for the retailer to order  $\min\{Q^d, Q_1\}$ . Observe that the quantity  $Q^d$  ordered as a result of the promotion is larger than the regular order quantity  $Q^*$ . The forward buy in this case is given by

$$\text{Forward buy} = Q^d - Q^*$$

Even for relatively small discounts, the order size increases by a large quantity, as illustrated in Example 11-11.

<sup>3</sup> See Silver, Pyke, and Petersen (1998) for a more detailed discussion.

**EXAMPLE 11-11 Impact of Trade Promotions on Lot Sizes**

DO is a retailer that sells Vitaherb, a popular vitamin diet supplement. Demand for Vitaherb is 120,000 bottles per year. The manufacturer currently charges \$3 for each bottle, and DO incurs a holding cost of 20 percent. DO currently orders in lots of  $Q^* = 6,324$  bottles. The manufacturer has offered a discount of \$0.15 for all bottles purchased by retailers over the coming month. How many bottles of Vitaherb should DO order given the promotion?

**Analysis:**

In the absence of any promotion, DO orders in lot sizes of  $Q^* = 6,324$  bottles. Given a monthly demand of  $D = 10,000$  bottles, DO normally orders every 0.6324 months. In the absence of the trade promotion we have the following:

$$\text{Cycle inventory at DO} = Q^*/2 = 6,324/2 = 3,162 \text{ bottles}$$

$$\text{Average flow time} = Q^*/2D = 6,324/(2D) = 0.3162 \text{ months}$$

The optimal lot size during the promotion is obtained using Equation 11.15 and is given by

$$Q^d = \frac{dD}{(C-d)h} + \frac{CQ^*}{C-d} = \frac{0.15 \times 120,000}{(3.00 - 0.15) \times 0.20} + \frac{3 \times 6,324}{3.00 - 0.15} = 38,236$$

During the promotion, DO should place an order for a lot size of 38,236. In other words, DO places an order for 3.8236 months' worth of demand. In the presence of the trade promotion we have

$$\text{Cycle inventory at DO} = Q^d/2 = 38,236/2 = 19,118 \text{ bottles}$$

$$\text{Average flow time} = Q^d/(2D) = 38,236/(20,000) = 1.9118 \text{ months}$$

In this case, the forward buy is given by

$$\text{Forward buy} = Q^d - Q^* = 38,236 - 6,324 = 31,912 \text{ bottles}$$

As a result of this forward buy, DO will not place any order for the next 3.8236 months (without a forward buy, DO would have placed another  $31,912/6,324 = 5.05$  orders for 6,324 bottles each during this period). Observe that a 5 percent discount causes the lot size to increase by more than 500 percent.

As the example illustrates, forward buying as a result of trade promotions leads to a significant increase in the quantity ordered by the retailer. The large order is then followed by a period of low orders to compensate for the inventory built up at the retailer. The fluctuation in orders as a result of trade promotions is one of the major contributors to the bullwhip effect discussed in Chapter 10. The retailer can justify the forward buying during a trade promotion because it decreases its total cost. In contrast, the manufacturer can justify this action only as a competitive necessity (to counter a competitor's promotion) or if it has either inadvertently built up a lot of excess inventory or the forward buy allows the manufacturer to smooth demand by shifting it from peak- to low-demand periods. In practice, manufacturers often build up inventory in anticipation of planned promotions. During the trade promotion, this inventory shifts to the retailer, primarily as a forward buy. If the forward buy during trade promotions is a significant fraction of total sales, manufacturers end up reducing the revenues they earn from sales because most of the product is sold at a discount. The increase in inventory and the decrease in revenues often lead to a reduction in manufacturer as well as total supply chain profits as a result of trade promotions.<sup>4</sup>

<sup>4</sup> See Blattberg and Neslin (1990) for more details.

**Key Point**

Trade promotions lead to a significant increase in lot size and cycle inventory because of forward buying by the retailer. This generally results in reduced supply chain profits unless the trade promotion reduces demand fluctuations.

Now let us consider the extent to which the retailer may find it optimal to pass through some of the discount to the end customer to spur sales. As Example 11-12 shows, it is not optimal for the retailer to pass through the entire discount to the customer. In other words, it is optimal for the retailer to capture part of the promotion and pass through only part of it to the customer.

**EXAMPLE 11-12 How Much of a Discount Should the Retailer Pass Through?**

Assume that DO faces a demand curve for Vitaherb of  $300,000 - 60,000 p$ . The normal price charged by the manufacturer to the retailer is  $C_R = \$3$  per bottle. Ignoring all inventory-related costs, evaluate the optimal response of DO to a discount of \$0.15 per unit.

**Analysis:**

The profits for DO, the retailer, are given as follows:

$$Prof_R = (300,000 - 60,000 p) p - (300,000 - 60,000 p) C_R$$

The retailer prices to maximize profits, and the optimal retail price is obtained by setting the first derivative of retailer profits with respect to  $p$  to 0. This implies that

$$300,000 - 120,000 p + 60,000 C_R = 0$$

or

$$p = (300,000 + 60,000 C_R) / 120,000 \quad (11.17)$$

Substituting  $C_R = \$3$  into Equation 11.17, we obtain a retail price of  $p = \$4$ . As a result, the customer demand at the retailer in the absence of the promotion is

$$D_R = 300,000 - 60,000 p = 60,000$$

During the promotion, the manufacturer offers a discount of \$0.15, resulting in a price to the retailer of  $C_R = \$2.85$ . Substituting into Equation 11.17, the optimal price set by DO is

$$p = (300,000 + 60,000 \times 2.85) / 120,000 = \$3.925$$

Observe that the retailer's optimal response is to pass through only \$0.075 of the \$0.15 discount to the customer. The retailer does not pass through the entire discount. At the discounted price, DO experiences a demand of

$$D_R = 300,000 - 60,000 p = 64,500$$

This represents an increase of 7.5 percent in demand relative to the base case. It is optimal here for DO to pass on half the trade promotion discount to the customers. This action results in a 7.5 percent increase in customer demand.

From Examples 11-11 and 11-12, observe that the increase in customer demand resulting from a trade promotion (7.5 percent of demand in Example 11-12) is insignificant relative to the increased purchase by the retailer due to forward buying (500 percent from Example 11-11). The impact of the increase in customer demand may be further dampened by customer behavior. For many products, such as detergent and toothpaste, most of the increase in customer purchases is a forward buy by the customer; customers are unlikely to start brushing their teeth more frequently

### Key Point

Faced with a short-term discount, it is optimal for retailers to pass through only a fraction of the discount to the customer, keeping the rest for themselves. Simultaneously, it is optimal for retailers to increase the purchase lot size and forward buy for future periods. Thus, trade promotions often lead to an increase of cycle inventory in a supply chain without a significant increase in customer demand.

simply because they have purchased a lot of toothpaste. For such products, a trade promotion does not truly increase demand.

Manufacturers have always struggled with the fact that retailers pass along only a small fraction of a trade discount to the customer. In a study conducted by Kurt Salmon and Associates, almost a quarter of all distributor inventories in the dry-grocery supply chain could be attributed to forward buying.<sup>5</sup>

Our previous discussion supports the claim that trade promotions generally increase cycle inventory in a supply chain and hurt performance. This realization has led many firms, including the world's largest retailer, Wal-Mart, and several manufacturers such as Procter & Gamble, to adopt "every day low pricing" (EDLP). Here, the price is fixed over time and no short-term discounts are offered. This eliminates any incentive for forward buying. As a result, all stages of the supply chain purchase in quantities that match demand.

In general, the discount passed through by the retailer to the consumer is influenced by the retailer deal elasticity, which is the increase in retail sales per unit discount in price. The higher the deal elasticity, the more of the discount the retailer is likely to pass through to the consumer. Thus, trade promotions by the manufacturer may make sense for products with a high deal elasticity that ensures high pass-through by the retailer, and high holding costs that ensure low forward buying. Blattberg and Neslin (1990) identify paper goods as products with high deal elasticity and holding cost. They also identify trade promotions as being more effective with strong brands relative to weak brands.

Trade promotions may also make sense as a competitive response. In a category such as cola, some customers are loyal to their brand while others switch depending on the brand being offered at the lowest price. Consider a situation in which one of the competitors, say Pepsi, offers retailers a trade promotion. Retailers increase their purchases of Pepsi and pass through some of the discount to the customer. Price-sensitive customers increase their purchase of Pepsi. If a competitor such as Coca-Cola does not respond, it loses some market share in the form of price-sensitive customers. A case can be made that a trade promotion by Coca-Cola is justified in such a setting as a competitive response. Observe that with both competitors offering trade promotions, there is no real increase in demand for either unless customer consumption grows. Inventory in the supply chain, however, does increase for both brands. This is then a situation in which trade promotions are a competitive necessity, but they increase supply chain inventory, leading to reduced profits for all competitors.

Trade promotions should be designed so that retailers limit their forward buying and pass along more of the discount to end customers. The manufacturer's objective is to increase market share and sales without allowing the retailer to forward buy significant amounts. This outcome can be achieved by offering discounts to the retailer that are based on actual sales to customers rather than the amount purchased by the retailer. The discount price thus applies to items sold to customers (sell-through) during the promotion, not the quantity purchased by the retailer (sell-in). This eliminates all incentive for forward buying.

Given the information technology in place, many manufacturers today offer scanner-based promotions by which the retailer receives credit for the promotion discount for every unit sold. Another option is to limit the allocation to a retailer based on past sales. This is also an effort to limit the amount that the retailer can forward buy. It is unlikely, however, that retailers will accept such schemes for weak brands.

<sup>5</sup> See Kurt Salmon Associates (1993).

## 11.6 MANAGING MULTIECHELON CYCLE INVENTORY


A *multiechelon* supply chain has multiple stages and possibly many players at each stage. The lack of coordination in lot sizing decisions across the supply chain results in high costs and more cycle inventory than required. The goal in a multiechelon system is to decrease total costs by coordinating orders across the supply chain.

Consider a simple multiechelon system with one manufacturer supplying one retailer. Assume that production is instantaneous, so the manufacturer can produce a lot when needed. If the two stages are not synchronized, the manufacturer may produce a new lot of size  $Q$  right after shipping a lot of size  $Q$  to the retailer. Inventory at the two stages in this case is as shown in Figure 11-6. In this case, the retailer carries an average inventory of  $Q/2$  and the manufacturer carries an average inventory of about  $Q$ .


Overall supply chain inventory can be lowered if the manufacturer synchronizes its production to be ready just in time to be shipped to the retailer. In this case, the manufacturer carries no inventory and the retailer carries an average inventory of  $Q/2$ . Synchronization of production and replenishment allows the supply chain to lower total cycle inventory from about  $3Q/2$  to  $Q/2$ .

For a simple multiechelon supply chain with only one player at each stage, ordering policies in which the lot size at each stage is an integer multiple of the lot size at its immediate customer have been shown to be quite close to optimal. When lot sizes are integer multiples, coordination of ordering across stages allows for a portion of the delivery to a stage to be cross-docked on to the next stage. The extent of cross-docking depends on the ratio of the fixed cost of ordering  $S$  and the holding cost  $H$  at each stage. The closer this ratio is between two stages, the higher is the optimal percentage of cross-docked product. Munson, Hu, and Rosenblatt (2003) provide optimal order quantities in a multiechelon setting with a single manufacturer supplying a single retailer.

If one party (distributor) in a supply chain supplies multiple parties (retailers) at the next stage of the supply chain, it is important to distinguish retailers with high demand from those with low demand. In this setting, Roundy (1985) has shown that a near-optimal policy results if



**FIGURE 11-6** Inventory Profile at Retailer and Manufacturer with No Synchronization




**FIGURE 11-7** Illustration of an Integer Replenishment Policy

retailers are grouped such that all retailers in one group order together and, for any retailer, either the ordering frequency is an integer multiple of the ordering frequency at the distributor or the ordering frequency at the distributor is an integer multiple of the frequency at the retailer. An integer replenishment policy has every player ordering periodically, with the length of the reorder interval for each player an integer multiple of some base period. An example of such a policy is shown in Figure 11-7. Under this policy, the distributor places a replenishment order every two weeks. Some retailers place replenishment orders every week, and others place replenishment orders every two or four weeks. Observe that for retailers ordering more frequently than the distributor, the retailers' ordering frequency is an integer multiple of the distributor's frequency. For retailers ordering less frequently than the distributor, the distributor's ordering frequency is an integer multiple of the retailers' frequency.

If an integer replenishment policy is synchronized across the two stages, the distributor can cross-dock part of its supply on to the next stage. All shipments to retailers ordering no more frequently than the distributor (every two or four weeks) are cross-docked as shown in Figure 11-7. For retailers ordering more frequently (every week) than the distributor, half the orders are cross-docked, with the other half shipped from inventory as shown in Figure 11-7.

Integer replenishment policies for the supply chain shown in Figure 11-8 can be summarized as follows:

- Divide all parties within a stage into groups such that all parties within a group order from the same supplier and have the same reorder interval.
- Set reorder intervals across stages such that the receipt of a replenishment order at any stage is synchronized with the shipment of a replenishment order to at least one of its customers. The synchronized portion can be cross-docked.



**FIGURE 11-8** A Multiechelon Distribution Supply Chain

### Key Point

Integer replenishment policies can be synchronized in multiechelon supply chains to keep cycle inventory and order costs low. Under such policies, the reorder interval at any stage is an integer multiple of a base reorder interval. Synchronized integer replenishment policies facilitate a high level of cross-docking across the supply chain.

- For customers with a longer reorder interval than the supplier, make the customer's reorder interval an integer multiple of the supplier's interval and synchronize replenishment at the two stages to facilitate cross-docking. In other words, a supplier should cross-dock all orders from customers who reorder less frequently than the supplier.
- For customers with a shorter reorder interval than the supplier, make the supplier's reorder interval an integer multiple of the customer's interval and synchronize replenishment at the two stages to facilitate cross-docking. In other words, a supplier should cross-dock one out of every  $k$  shipments to a customer who orders more frequently than the supplier, where  $k$  is an integer.
- The relative frequency of reordering depends on the setup cost, holding cost, and demand at different parties.

Whereas the integer policies discussed above synchronize replenishment within the supply chain and decrease cycle inventories, they increase safety inventories, because of the lack of flexibility with the timing of a reorder, as discussed in Chapter 12. Thus, these policies make the most sense for supply chains in which cycle inventories are large and demand is relatively predictable.

## 11.7 SUMMARY OF LEARNING OBJECTIVES

**1. Balance the appropriate costs to choose the optimal lot size and cycle inventory in a supply chain.** Cycle inventory generally equals half the lot size. Therefore, as the lot size grows, so does the cycle inventory. In deciding on the optimal amount of cycle inventory, the supply chain



goal is to minimize the total cost—the order cost, holding cost, and material cost. As cycle inventory increases, so does the holding cost. However, the order cost and, in some instances, the material cost decrease with an increase in lot size and cycle inventory. The EOQ balances the three costs to obtain the optimal lot size. The higher the order and transportation cost, the higher the lot size and cycle inventory.

**2. Understand the impact of quantity discounts on lot size and cycle inventory.** Lot size–based quantity discounts increase the lot size and cycle inventory within the supply chain because they encourage buyers to purchase in larger quantities to take advantage of the decrease in price.

**3. Devise appropriate discounting schemes for a supply chain.** Quantity discounts are justified to increase total supply chain profits when independent lot-sizing decisions in a supply chain lead to suboptimal solutions from an overall supply chain perspective. If suppliers have large fixed costs, suitable lot size–based quantity discounts can be justified because they help coordinate the supply chain. Volume-based discounts are more effective than lot size–based discounts in increasing supply chain profits without increasing lot size and cycle inventory.

**4. Understand the impact of trade promotions on lot size and cycle inventory.** Trade promotions increase inventory and total supply chain costs through forward buying, which shifts future demand to the present and creates a spike in demand followed by a dip. The increased variability raises inventories and costs.

**5. Identify managerial levers that reduce lot size and cycle inventory in a supply chain without increasing cost.** The key managerial levers for reducing lot size and thus cycle inventory in the supply chain without increasing cost are the following:

- Reduce fixed ordering and transportation costs incurred per order.
- Implement volume-based discounting schemes rather than individual lot size–based discounting schemes.
- Eliminate or reduce trade promotions and encourage EDLP. Base trade promotions on sell-through rather than sell-in to the retailer.

---

## Discussion Questions

1. Consider a supermarket deciding on the size of its replenishment order from Procter & Gamble. What costs should it take into account when making this decision?
2. Discuss how various costs for the supermarket in Question 1 change as it decreases the lot size ordered from Procter & Gamble.
3. As demand at the supermarket chain in Question 1 grows, how would you expect the cycle inventory measured in days of inventory to change? Explain.
4. The manager at the supermarket in Question 1 wants to decrease the lot size without increasing the costs he incurs. What actions can he take to achieve this objective?
5. Discuss why supply chain profits may be hurt by a retailer making lot-sizing decisions with the sole objective of minimizing its own costs. What advantage would result if the entire supply chain could coordinate this decision?
6. When are quantity discounts justified in a supply chain?
7. What is the difference between lot size–based and volume-based quantity discounts?
8. Why do manufacturers such as Kraft and Sara Lee offer trade promotions? What impact do trade promotions have on the supply chain? How should trade promotions be structured to maximize their impact while minimizing the additional cost they impose on the supply chain?
9. Why is it appropriate to include only the incremental cost when estimating the holding and order cost for a firm?

---

## Exercises

1. Harley-Davidson has its engine assembly plant in Milwaukee and its motorcycle assembly plant in Pennsylvania. Engines are transported between the two plants using trucks, with each trip costing \$1,000. The motorcycle plant assembles and sells 300 motorcycles each day. Each engine costs \$500, and Harley incurs a holding cost of 20 percent per year. How many engines should Harley load onto each truck? What is the cycle inventory of engines at Harley?

2. As part of its initiative to implement just-in-time (JIT) manufacturing at the motorcycle assembly plant in Exercise 1, Harley has reduced the number of engines loaded on each truck to 100. If each truck trip still costs \$1,000, how does this decision impact annual inventory costs at Harley? What should the cost of each truck be if a load of 100 engines is to be optimal for Harley?
3. Harley purchases components from three suppliers. Components purchased from Supplier A are priced at \$5 each and used at the rate of 20,000 units per month. Components purchased from Supplier B are priced at \$4 each and are used at the rate of 2,500 units per month. Components purchased from Supplier C are priced at \$5 each and used at the rate of 900 units per month. Currently, Harley purchases a separate truckload from each supplier. As part of its JIT drive, Harley has decided to aggregate purchases from the three suppliers. The trucking company charges a fixed cost of \$400 for the truck with an additional charge of \$100 for each stop. Thus, if Harley asks for a pickup from only one supplier, the trucking company charges \$500; from two suppliers, it charges \$600; and from three suppliers, it charges \$700. Suggest a replenishment strategy for Harley that minimizes annual cost. Compare the cost of your strategy with Harley's current strategy of ordering separately from each supplier. What is the cycle inventory of each component at Harley?
4. Prefab, a furniture manufacturer, uses 20,000 square feet of plywood per month. Its trucking company charges Prefab \$400 per shipment, independent of the quantity purchased. The manufacturer offers an all unit quantity discount with a price of \$1 per square foot for orders under 20,000 square feet, \$0.98 per square foot for orders between 20,000 square feet and 40,000 square feet, and \$0.96 per square foot for orders larger than 40,000 square feet. Prefab incurs a holding cost of 20 percent. What is the optimal lot size for Prefab? What is the annual cost of such a policy? What is the cycle inventory of plywood at Prefab? How does it compare with the cycle inventory if the manufacturer does not offer a quantity discount but sells all plywood at \$0.96 per square foot?
5. Reconsider Exercise 4 about Prefab. The manufacturer now offers a marginal unit quantity discount for the plywood. The first 20,000 square feet of any order are sold at \$1 per square foot, the next 20,000 square feet are sold at \$0.98 per square foot, and any quantity larger than 40,000 square feet is sold for \$0.96 per square foot. What is the optimal lot size for Prefab given this pricing structure? How much cycle inventory of plywood will Prefab carry given the ordering policy?
6. Dominick's supermarket chain sells Nut Flakes, a popular cereal manufactured by the Tastee cereal company. Demand for Nut Flakes is 1,000 boxes per week. Dominick's has a holding cost of 25 percent and incurs a fixed trucking cost of \$200 for each replenishment order it places with Tastee. Given that Tastee normally charges \$2 per box of Nut Flakes, how much should Dominick's order in each replenishment lot? Tastee runs a trade promotion, lowering the price of Nut Flakes to \$1.80 for a month. How much should Dominick's order be, given the short-term price reduction?
7. Flanger is an industrial distributor that sources from hundreds of suppliers. The two modes of transportation available for inbound shipping are LTL (less than truckload) and TL (truckload). LTL shipping costs \$1 per unit, whereas TL shipping cost \$400 per truck. Each truck can carry up to 1,000 units. Flanger wants a rule assigning products to shipping mode (TL or LTL) based on annual demand. Each unit costs \$50, and Flanger uses a holding cost of 20 percent. Flanger incurs a fixed cost of \$100 for each order placed with a supplier.
  - a. Determine a threshold for annual demand above which TL is preferred and below which LTL is preferred.
  - b. How does the threshold change [relative to part (a)] if unit cost is \$100 (instead of \$50) with all other data unchanged? Which mode becomes preferable as unit cost grows?
  - c. How does the threshold change [relative to part (a)] if the LTL cost comes down to \$0.8 per unit (instead of \$1 per unit)?
8. SuperPart, an auto parts distributor, has a large warehouse in the Chicago region and is deciding on a policy for the use of TL or LTL transportation for inbound shipping. LTL shipping costs \$1 per unit. TL shipping costs \$800 per truck plus \$100 per pickup. Thus, a truck used to pick up from three suppliers costs  $800 + 3 \times 100 = \$1,100$ . A truck can carry up to 2,000 units. SuperPart incurs a fixed cost of \$100 for each order placed with a supplier. Thus, an order with three distinct suppliers incurs an ordering cost of \$300. Each unit costs \$50, and SuperPart uses a holding cost of 20 percent. Assume that product from each supplier has an annual demand of 3,000 units.
  - a. What is the optimal order size and annual cost if LTL shipping is used? What is the time between orders?
  - b. What is the optimal order size and annual cost if TL shipping is used with a separate truck for each supplier? What is the time between orders?
  - c. What is the optimal order size and annual cost per product if TL shipping is used but two suppliers are grouped together per truck?
  - d. What is the optimal number of suppliers that should be grouped together? What is the optimal order size and annual cost per product in this case? What is the time between orders?
  - e. What is the shipping policy you recommend if each product has an annual demand of 3,000? What is the shipping policy you recommend for products with an annual demand of 1,500? What is the shipping policy you recommend for products with an annual demand of 18,000?
9. PlasFib is a manufacturer of synthetic fibers used for making furniture upholstery. PlasFib manufactures fiber in 50 colors on one line. When changing over from one color to the next, part of the line has to be cleaned, leading to a loss of material. Each changeover costs \$200 in lost material and changeover labor. Assume that each changeover requires the line to shut down for 0.5 hour. When it is running, the line produces fiber at the rate of 100 pounds per hour.
 

The fibers sold by PlasFib are divided into three categories. There are 5 fast-moving colors that average sales of 30,000 pounds per color per year. There are 10 medium-moving colors that average sales of 12,000 pounds per color

- per year. The remaining are slow-moving products and average sales of 2,400 pounds per year each. Each pound of fiber costs \$5 and PlasFib has a holding cost of 20 percent.
- What is the batch size that PlasFib should produce for each fast-, medium-, and slow-moving color? How many days of demand does this translate into?
  - What is the annual setup and holding cost of the policies you suggested in part (a)?
  - How many hours of plant operation will the above schedule require in a year (include a half-hour of setup per batch)?
10. TopOil, a refiner in Indiana, serves three customers near Nashville, Tennessee, and maintains consignment inventory (owned by TopOil) at each location. Currently, TopOil uses TL transportation to deliver separately to each customer. Each truck costs \$800 plus \$250 per stop. Thus, delivering to each customer separately costs \$1,050 per truck. TopOil is considering aggregating deliveries to Nashville on a single truck. Demand at the large customer is 60 tons a year, demand at the medium customer is 24 tons per year, and demand at the small customer is 8 tons per year. Product cost for TopOil is \$10,000 per ton, and it uses a holding cost of 25 percent. Truck capacity is 12 tons.
- What is the annual transportation and holding cost if TopOil ships a full truckload each time a customer is running out of stock? How many days of inventory is carried at each customer under this policy?
  - What is the optimal delivery policy to each customer if TopOil ships separately to each of them? What is the annual transportation and holding cost? How many days of inventory is carried at each customer under this policy?
  - What is the optimal delivery policy to each customer if TopOil aggregates shipments to each of the three customers on every truck that goes to Nashville? What is the annual transportation and holding cost? How many days of inventory are carried at each customer under this policy?
  - Can you come up with a tailored policy that has lower costs than the policies in (b) or (c)? What are the costs and inventories for your suggested policy?
11. Crunchy, a cereal manufacturer, has dedicated a plant for one major retail chain. Sales at the retail chain average about 20,000 boxes a month and production at the plant keeps pace with this average demand. Each box of cereal costs Crunchy \$3 and is sold to the retailer at a wholesale price of \$5. Both Crunchy and the retailer use a holding cost of 20 percent. For each order placed, the retailer incurs an ordering cost of \$200. Crunchy incurs the cost of transportation and loading that totals \$1,000 per order shipped.
- Given that it is trying to minimize its ordering and holding costs, what lot size will the retailer ask for in each order? What is the annual ordering and holding cost for the retailer as a result of this policy? What is the annual ordering and holding cost for Crunchy as a result of this policy? What is the total inventory cost across both parties as a result of this policy?
  - What lot size minimizes the inventory costs (ordering, delivery, and holding) across both Crunchy and the retailer? How much reduction in cost relative to (a) results from this policy?
  - Design an all unit quantity discount that results in the retailer ordering the quantity in (b).
  - How much of the \$1,000 delivery cost should Crunchy pass along to the retailer for each lot to get the retailer to order the quantity in (b)?
12. The Orange company has introduced a new music device called the J-Pod. The J-Pod is sold through Good Buy, a major electronics retailer. Good Buy has estimated that demand for the J-Pod will depend on the final retail price  $p$  according to the demand curve
- $$\text{Demand } D = 2,000,000 - 2,000p$$
- The production cost for Orange is \$100 per J-Pod.
- What wholesale price should Orange charge for the J-Pod? At this wholesale price, what retail price should Good Buy set? What are the profits for Orange and Good Buy at equilibrium?
  - If Orange decides to discount the wholesale price by \$40, how much of a discount should Good Buy offer to customers if it wants to maximize its own profits? What fraction of the discount offered by Orange does Good Buy pass along to the customer?
13. The Orange company prices J-Pods at \$550 per unit. Good Buy sells the J-Pods at \$775. Annual demand at this retail price turns out to be 450,000 units. Good Buy incurs ordering, receiving, and transportation costs of \$10,000 for each lot of J-Pods ordered. The holding cost used by the retailer is 20 percent.
- What is the optimal lot size that Good Buy should order?
  - The Orange company has discounted J-Pods by \$40 for the short term (about the next two weeks). Good Buy has decided not to change the retail price but may change the lot size ordered from Orange. How should Good Buy adjust its lot size given this discount? How much does the lot size increase because of the discount?

## Bibliography

- Blattberg, Robert C., and Scott A. Neslin. *Sales Promotion: Concepts, Methods, and Strategies*. Upper Saddle River, NJ: Prentice Hall, 1990.
- Brealey, Richard A., and Stewart C. Myers. *Principles of Corporate Finance*. Boston, MA: Irwin McGraw-Hill, 2000.
- Buzzell, Robert, John Quelch, and Walter Salmon. "The Costly Bargain of Trade Promotions." *Harvard Business Review* (March–April 1990): 141–149.
- Crowther, John F. "Rationale for Quantity Discounts." *Harvard Business Review* (March–April 1964): 121–127.

- Dolan, Robert J. "Quantity Discounts: Managerial Issues and Research Opportunities." *Marketing Science* 6 (1987): 1–24.
- Federgruen, Awi, and Yu-Sheng Zheng. "Optimal Power-of-Two Replenishment Strategies in Capacitated General Production/Distribution Networks." *Management Science* 39 (1993): 710–727.
- Goyal, Suresh K. "A Simple Procedure for Price Break Models." *Production Planning & Control* 6 (1995): 584–585.
- Hu, Jianli, and Charles L. Munson. "Dynamic Demand Lot-sizing Rules for Incremental Quantity Discounts." *Journal of the Operational Research Society* 53 (2002): 855–863.
- Kurt Salmon Associates, Inc. *Efficient Consumer Response*. Washington, DC: Food Marketing Institute, 1993.
- Lee, Hau L., and Corey Billington. "Managing Supply Chain Inventories: Pitfalls and Opportunities." *Sloan Management Review* (Spring 1992): 65–73.
- Maxwell, William L., and John A. Muckstadt. "Establishing Consistent and Realistic Reorder Intervals in Production-Distribution Systems." *Operations Research* 33 (1985): 1316–1341.
- Munson, Charles L., Jianli Hu, and Meir J. Rosenblatt. "Teaching the Costs of Uncoordinated Supply Chains." *Interfaces* 33 (2003): 24–39.
- Munson, Charles L., and Meir J. Rosenblatt. "Theories and Realities of Quantity Discounts." *Production and Operations Management* 7 (1998): 352–369.
- Roundy, Robin. "98%-Effective Integer-Ratio Lot-Sizing for One-Warehouse Multi-Retailer Systems." *Management Science* 31 (1985): 1416–1429.
- Roundy, Robin. "A 98%-Effective Lot-Sizing Rule for a Multi-Product, Multi-Stage Production Inventory System." *Mathematics of Operations Research* 11 (1986): 699–727.
- Silver, Edward A., David Pyke, and Rein Petersen. *Inventory Management and Production Planning and Scheduling*. New York: Wiley, 1998.
- Zipkin, Paul H. *Foundations of Inventory Management*. Boston, MA: Irwin McGraw-Hill, 2000.

## CASE STUDY

### Delivery Strategy at MoonChem

John Kresge, vice president of supply chain, was very concerned as he left the meeting at MoonChem, a manufacturer of specialty chemicals. The year-end meeting evaluated financial performance and discussed the fact that the firm was achieving only two inventory turns a year. A more careful look revealed that more than half the inventory MoonChem owned was in consignment with its customers. This was very surprising, given that only 20 percent of its customers carried consignment inventory. John was responsible for inventory as well as transportation costs. He decided to take a careful look at the management of consignment inventory and come up with an appropriate plan.

### MoonChem Operations

MoonChem, a manufacturer of specialty chemicals, had eight manufacturing plants and 40 distribution centers. The plants manufactured the base chemicals, and the distribution centers mixed them to produce hundreds of end products that fit customer specifications. In the specialty chemicals market, MoonChem decided to differentiate itself in the Midwest region by providing consignment inventory to its customers. The company wanted to take this strategy national if it proved effective. MoonChem kept the chemicals required by each customer in the Midwest region on consignment at


the customers' sites. Customers used the chemicals as needed, and MoonChem managed replenishment to ensure availability. In most instances, consumption of chemicals by customers was stable. MoonChem owned the consignment inventories and was paid for the chemicals as they were used.

### Distribution at MoonChem

MoonChem used Golden trucking, a full-truckload carrier, for all its shipments. Each truck had a capacity of 40,000 pounds, and Golden charged a fixed rate given the origin and destination, regardless of the quantity shipped on the truck. MoonChem sent full truckloads to each customer to replenish its consignment inventory.

### The Illinois Pilot Study

John decided to take a careful look at his distribution operations. He focused on the State of Illinois, which was supplied from the Chicago distribution center. He broke up Illinois into a collection of zip codes that were contiguous, as shown in Figure 11-9. He restricted attention to the Peoria region, which was classified as zip code 615. A careful study of the Peoria region revealed 2 large customers, 6 medium-sized customers, and



**FIGURE 11-9** Illinois Zip Code Map

12 small customers. The annual consumption at each type of customer was as shown in Table 11-4. Golden charged \$400 for each shipment from Chicago to Peoria, and MoonChem's policy was to send a full truckload to each customer as needed.

John checked with Golden to find out what it would take to include shipments for multiple customers on a single load. Golden informed him that it would

charge \$350 per truck and add \$50 for each drop-off that Golden was responsible for. Thus, if Golden carried a truck that had to make one delivery, the total charge would be \$400. However, if a truck had to make four deliveries, the total charge would be \$550.

Each pound of chemical in consignment cost MoonChem \$1, and MoonChem had a holding cost of 25 percent. John wanted to analyze different options for

**Table 11-4** Customer Profile for MoonChem in Peoria Region

Customer Type	Number of Customers	Consumption (Pounds per Month)
Small	12	1,000
Medium	6	5,000
Large	2	12,000

distribution available in the Peoria region to decide on the optimal distribution policy. The detailed study of the Peoria region would provide the blueprint for the distribution strategy that MoonChem planned to roll out nationally.

2. Consider different delivery options and evaluate the cost of each. What delivery option do you recommend for MoonChem?
3. How does your recommendation impact consignment inventory for MoonChem?

### QUESTIONS

1. What is the annual cost of MoonChem's strategy of sending full truckloads to each customer in the Peoria region to replenish consignment inventory?

## APPENDIX 11A

### Economic Order Quantity

#### Objective:

Derive the economic order quantity (EOQ) formula.

#### Analysis:

Given an annual demand  $D$ , order cost  $S$ , unit cost  $C$ , and holding cost  $h$ , our goal is to estimate the lot size  $Q$  that minimizes the total annual cost. For a lot size of  $Q$ , the total annual cost is given by

$$\text{Total annual cost, } TC = (D/Q)S + (Q/2)hC + CD$$

To minimize the total cost, we take the first derivative with respect to the lot size  $Q$  and set it to zero. Taking the first derivative with respect to  $Q$ , we have

$$\frac{d(TC)}{dQ} = -\frac{DS}{Q^2} + \frac{hC}{2}$$

Setting the first derivative to be zero, the EOQ is given by

$$Q^2 = \frac{2DS}{hC} \quad \text{or} \quad Q = \sqrt{\frac{2DS}{hC}}$$



# Managing Uncertainty in a Supply Chain: Safety Inventory

## LEARNING OBJECTIVES

After reading this chapter, you will be able to


1. Understand the role of safety inventory in a supply chain.
2. Identify factors that influence the required level of safety inventory.
3. Describe different measures of product availability.
4. Utilize managerial levers available to lower safety inventory and improve product availability.

In this chapter, we discuss how safety inventory can help a supply chain improve product availability in the presence of supply and demand variability. We discuss various measures of product availability and how managers can set safety inventory levels to provide the desired product availability. We also explore what managers can do to reduce the amount of safety inventory required while maintaining or even improving product availability.

## 12.1 THE ROLE OF SAFETY INVENTORY IN A SUPPLY CHAIN

*Safety inventory* is inventory carried to satisfy demand that exceeds the amount forecasted for a given period. Safety inventory is carried because demand is uncertain, and a product shortage may result if actual demand exceeds the forecast demand. Consider, for example, Bloomingdale's, a high-end department store. Bloomingdale's sells purses purchased from Gucci, an Italian manufacturer. Given the high transportation cost from Italy, the store manager at Bloomingdale's orders in lots of 600 purses. Demand for purses at Bloomingdale's averages 100 a week. Gucci takes three weeks to deliver the purses to Bloomingdale's in response to an order. If there is no demand uncertainty and exactly 100 purses are sold each week, the store manager at Bloomingdale's can place an order when the store has exactly 300 purses remaining. In the absence of demand uncertainty, such a policy ensures that the new lot arrives just as the last purse is being sold at the store.

However, given demand fluctuations and forecast errors, actual demand over the three weeks may be higher or lower than the 300 purses forecasted. If the actual demand at Bloomingdale's is higher than 300, some customers will be unable to purchase purses, resulting in a potential loss of margin for Bloomingdale's. The store manager thus decides to place an order with Gucci when the store still has 400 purses. This policy improves



**FIGURE 12-1** Inventory Profile with Safety Inventory

product availability for the customer because the store now runs out of purses only if the demand over the three weeks exceeds 400. Given an average weekly demand of 100 purses, the store will have an average of 100 purses remaining when the replenishment lot arrives. Safety inventory is the average inventory remaining when the replenishment lot arrives. Thus, Bloomingdale's carries a safety inventory of 100 purses.

Given a lot size of  $Q = 600$  purses, the cycle inventory, the focus of the previous chapter, is  $Q/2 = 300$  purses. The inventory profile at Bloomingdale's in the presence of safety inventory is shown in Figure 12-1, which illustrates that the average inventory at Bloomingdale's is the sum of the cycle and safety inventories.

This example illustrates a trade-off that a supply chain manager must consider when planning safety inventory. On one hand, raising the level of safety inventory increases product availability and thus the margin captured from customer purchases. On the other hand, raising the level of safety inventory increases inventory holding costs. This issue is particularly significant in industries in which product life cycles are short and demand is volatile. Carrying excessive inventory can help counter demand volatility but can really hurt if new products come on the market and demand for the product in inventory dries up. The inventory on hand then becomes worthless.

In today's business environment, it has become easier for customers to search across stores for product availability. If Amazon is out of a title, a customer can easily check to see if barnesandnoble.com has the title available. The increased ease of searching puts pressure on firms to improve product availability. Simultaneously, product variety has grown with increased customization. As a result, markets have become increasingly heterogeneous and demand for individual products is unstable and difficult to forecast. Both the increased variety and the greater pressure for availability push firms to raise the level of safety inventory they hold. Given the product variety and high demand uncertainty in most high-tech supply chains, a significant fraction of the inventory carried is safety inventory.

As product variety has grown, however, product life cycles have shrunk. Thus, it is more likely that a product that is "hot" today will be obsolete tomorrow, which increases the cost to firms of carrying too much inventory. Thus, a key to the success of any supply chain is to figure out ways to decrease the level of safety inventory carried without hurting the level of product availability.

The importance of reduced safety inventories is emphasized by the experience of Nordstrom, Macy's, and Saks during the 2008–2009 recession. Nordstrom outperformed the other two chains by moving its inventories about twice as fast as its competitors. In 2008 (2009), Nordstrom carried an average of about 2 (2) months, Macy's carried about 4 (4.15) months, and Saks carried about 4.24 (4.67) months of inventory. A key to Nordstrom's success has been its ability to provide a high level of product availability to customers while carrying low levels of



safety inventory in its supply chain. This fact has also played an important role in the success of Zara, Wal-Mart, and Seven-Eleven Japan.

For any supply chain, three key questions need to be considered when planning safety inventory:

1. What is the appropriate level of product availability?
2. How much safety inventory is needed for the desired level of product availability?
3. What actions can be taken to improve product availability while reducing safety inventory?

The first question is discussed in detail in Chapter 13. The remainder of this chapter focuses on answering the second and third questions assuming a desired level of product availability. Next, we consider factors that influence the appropriate level of safety inventory.

## 12.2 DETERMINING THE APPROPRIATE LEVEL OF SAFETY INVENTORY

The appropriate level of safety inventory is determined by the following two factors:

- The uncertainty of both demand and supply
- The desired level of product availability

As the uncertainty of supply or demand grows, the required level of safety inventories increases. Consider the sale of smart phones at B&M Office Supplies. When a new smart phone model is introduced, demand is highly uncertain. B&M thus carries a much higher level of safety inventory relative to demand. As the market's reaction to the new model becomes clearer, uncertainty is reduced and demand is easier to predict. At that point, B&M can carry a lower level of safety inventory relative to demand.

As the desired level of product availability increases, the required level of safety inventory also increases. If B&M targets a higher level of product availability for the new phone model, it must carry a higher level of safety inventory for that model.

Next, we discuss some measures of demand uncertainty.

### Measuring Demand Uncertainty

As discussed in Chapter 7, demand has a systematic as well as a random component. The goal of forecasting is to predict the systematic component and estimate the random component. The random component is usually estimated as the standard deviation of forecast error. We assume the following inputs for demand:

$D$ : Average demand per period

$\sigma_D$ : Standard deviation of demand (forecast error) per period

For now, we assume that weekly demand for the phone at B&M is normally distributed, with a mean of  $D$  and a standard deviation of  $\sigma_D$ . Even though standard deviation of demand is not necessarily the same as forecast error we treat the two to be interchangeable in our discussion. Safety inventory calculations should really be based on forecast error.

*Lead time* is the gap between when an order is placed and when it is received. In our discussion, we denote the lead time by  $L$ . In the B&M example,  $L$  is the time between when B&M orders phones and when they are delivered. In this case, B&M is exposed to the uncertainty of demand during the lead time. Whether B&M is able to satisfy all demand from inventory depends on the demand for phones experienced during the lead time and the inventory B&M has when a replenishment order is placed. Thus, B&M must estimate the uncertainty of demand during the lead time, not just a single period. We now evaluate the distribution of demand over  $L$  periods, given the distribution of demand during each period.

**EVALUATING DEMAND DISTRIBUTION OVER  $L$  PERIODS** Assume that demand for each period  $i$ ,  $i = 1, \dots, L$  is normally distributed with a mean  $D_i$  and standard deviation  $\sigma_i$ . Let  $\rho_{ij}$  be

the correlation coefficient of demand between periods  $i$  and  $j$ . In this case, the total demand during  $L$  periods is normally distributed with a mean of  $D_L$  and a standard deviation of  $\sigma_L$ , where the following is true:

$$D_L = \sum_{i=1}^L D_i \quad \sigma_L = \sqrt{\sum_{i=1}^L \sigma_i^2 + 2 \sum_{i>j} \rho_{ij} \sigma_i \sigma_j} \quad (12.1)$$

Demand in two periods is *perfectly positively correlated* if  $\rho_{ij} = 1$ . Demand in two periods is *perfectly negatively correlated* if  $\rho_{ij} = -1$ . Demand in two periods is *independent* if  $\rho_{ij} = 0$ . Assume that demand during each of  $L$  periods is independent and normally distributed with a mean of  $D$  and a standard deviation of  $\sigma_D$ . From Equation 12.1, we find that total demand during the  $L$  periods is normally distributed with a mean  $D_L$  and a standard deviation of  $\sigma_L$ , where the following is true:

$$D_L = D^*L \quad \sigma_L = \sqrt{L}\sigma_D \quad (12.2)$$

Another important measure of uncertainty is the *coefficient of variation (cv)*, which is the ratio of the standard deviation to the mean. Given demand with a mean of  $\mu$  and a standard deviation of  $\sigma$ , we have

$$cv = \sigma/\mu$$

The coefficient of variation measures the size of the uncertainty relative to demand. It captures the fact that a product with a mean demand of 100 and a standard deviation of 100 has greater demand uncertainty than a product with a mean demand of 1,000 and a standard deviation of 100. Considering the standard deviation alone cannot capture this difference.

Next, we discuss some measures of product availability.

## Measuring Product Availability

Product availability reflects a firm's ability to fill a customer order out of available inventory. A *stockout* results if a customer order arrives when product is not available. There are several ways to measure product availability. Some of the important measures are listed next.

**1. Product fill rate (fr)** is the fraction of product demand that is satisfied from product in inventory. Fill rate is equivalent to the probability that product demand is supplied from available inventory. Fill rate should be measured over specified amounts of demand rather than time. Thus, it is more appropriate to measure fill rate over every million units of demand rather than every month. Assume that B&M provides smart phones to 90 percent of its customers from inventory, with the remaining 10 percent lost to a neighboring competitor because of a lack of available inventory. In this case, B&M achieves a fill rate of 90 percent.

**2. Order fill rate** is the fraction of orders that are filled from available inventory. Order fill rate should also be measured over a specified number of orders rather than time. In a multiproduct scenario, an order is filled from inventory only if all products in the order can be supplied from the available inventory. In the case of B&M, a customer may order a phone along with a laptop. The order is filled from inventory only if both the phone and the laptop are available through the store. Order fill rates tend to be lower than product fill rates because all products must be in stock for an order to be filled.

**3. Cycle service level (CSL)** is the fraction of replenishment cycles that end with all the customer demand being met. A *replenishment cycle* is the interval between two successive replenishment deliveries. The CSL is equal to the probability of not having a stockout in a replenishment cycle. CSL should be measured over a specified number of replenishment cycles. If B&M orders replenishment lots of 600 phones, the interval between the arrival of two successive replenishment lots is a replenishment cycle. If the manager at B&M manages inventory such that the store does not run out of inventory in 6 out of 10 replenishment cycles, the store achieves a CSL of 60 percent. Observe that a CSL of 60 percent typically results in a much higher fill rate. In the 60 percent of cycles in which B&M does not run out of inventory, all

customer demand is satisfied from available inventory. In the 40 percent of cycles in which a stockout does occur, most of the customer demand is satisfied from inventory. Only the small fraction toward the end of the cycle that arrives after B&M is out of inventory is lost. As a result, the fill rate is much higher than 60 percent.

The distinction between product fill rate and order fill rate is usually not significant in a single-product situation. When a firm is selling multiple products, however, this difference may be significant. For example, if most orders include 10 or more products that are to be shipped, an out-of-stock situation of one product results in the order not being filled from stock. The firm in this case may have a poor order fill rate even though it has good product fill rates. Tracking order fill rates is important when customers place a high value on the entire order being filled simultaneously.

Next, we describe two replenishment policies that are often used in practice.

### Replenishment Policies

A replenishment policy consists of decisions regarding when to reorder and how much to reorder. These decisions determine the cycle and safety inventories along with the fill rate  $fr$  and the cycle service level CSL. Replenishment policies may take any of several forms. We restrict attention to two types:

**1. Continuous review:** Inventory is continuously tracked, and an order for a lot size  $Q$  is placed when the inventory declines to the reorder point (ROP). As an example, consider the store manager at B&M who continuously tracks the inventory of phones. She orders 600 phones when the inventory drops below  $ROP = 400$ . In this case, the size of the order does not change from one order to the next. The time between orders may fluctuate given variable demand.

**2. Periodic review:** Inventory status is checked at regular periodic intervals, and an order is placed to raise the inventory level to a specified threshold. As an example, consider the purchase of film at B&M. The store manager does not track film inventory continuously. Every Thursday, employees check film inventory, and the manager orders enough so that the total of the available inventory and the size of the order equals 1,000 films. In this case, the time between orders is fixed. The size of each order, however, can fluctuate given variable demand.

These inventory policies are not comprehensive but suffice to illustrate the key managerial issues concerning safety inventories.

### Evaluating Cycle Service Level and Fill Rate Given a Replenishment Policy

We now discuss procedures for evaluating the CSL and  $fr$  given a replenishment policy. In this section, we restrict our attention to the continuous review policy. The periodic review policy is discussed in detail in Section 12.5. The continuous review policy consists of a lot size  $Q$  ordered when the inventory on hand declines to the ROP. Assume that weekly demand is normally distributed, with mean  $D$  and standard deviation  $\sigma_D$ . Assume replenishment lead time of  $L$  weeks.

**EVALUATING SAFETY INVENTORY GIVEN A REPLENISHMENT POLICY** In the case of B&M, safety inventory corresponds to the average number of phones on hand when a replenishment order arrives. Given the lead time of  $L$  weeks and a mean weekly demand of  $D$ , using Equation 12.2, we have

$$\text{Expected demand during lead time} = D^*L$$

Given that the store manager places a replenishment order when ROP phones are on hand, we have

$$\text{Safety inventory, } ss = ROP - DL \quad (12.3)$$

This is because, on average,  $D^*L$  phones will sell over the  $L$  weeks between when the order is placed and when the lot arrives. The average inventory when the replenishment lot arrives will thus be  $ROP - D^*L$ . The evaluation of safety inventory for a given inventory policy is described in Example 12-1.

**EXAMPLE 12-1 Evaluating Safety Inventory Given an Inventory Policy**

Assume that weekly demand for phones at B&M Office Supplies is normally distributed, with a mean of 2,500 and a standard deviation of 500. The manufacturer takes two weeks to fill an order placed by the B&M manager. The store manager currently orders 10,000 phones when the inventory on hand drops to 6,000. Evaluate the safety inventory and the average inventory carried by B&M. Also evaluate the average time a phone spends at B&M.

**Analysis:**

Under this replenishment policy, we have

Average demand per week,  $D = 2,500$

Standard deviation of weekly demand,  $\sigma_D = 500$

Average lead time for replenishment,  $L = 2$  weeks

Reorder point,  $ROP = 6,000$

Average lot size,  $Q = 10,000$

Using Equation 12.3, we thus have

$$\text{Safety inventory, } ss = ROP - D^*L = 6,000 - 5,000 = 1,000$$

B&M thus carries a safety inventory of 1,000 phones. From Chapter 11, recall that

$$\text{Cycle inventory} = Q/2 = 10,000/2 = 5,000$$

We thus have

$$\text{Average inventory} = \text{cycle inventory} + \text{safety inventory} = 5,000 + 1,000 = 6,000$$

B&M thus carries an average of 6,000 phones in inventory. Using Little's law (Equation 3.1), we have

$$\text{Average flow time} = \text{average inventory}/\text{throughput} = 6,000/2,500 = 2.4 \text{ weeks}$$

Each phone thus spends an average of 2.4 weeks at B&M.

Next, we discuss how to evaluate the CSL given a replenishment policy.

**EVALUATING CYCLE SERVICE LEVEL GIVEN A REPLENISHMENT POLICY** Given a replenishment policy, our goal is to evaluate CSL, the probability of not stocking out in a replenishment cycle. We return to B&M's continuous review replenishment policy of ordering  $Q$  units when the inventory on hand drops to the ROP. The lead time is  $L$  weeks and weekly demand is normally distributed, with a mean of  $D$  and a standard deviation of  $\sigma_D$ . Observe that a stockout occurs in a cycle if demand during the lead time is larger than the ROP. Thus, we have

$$CSL = \text{Prob}(\text{demand during lead time of } L \text{ weeks} \leq ROP)$$

To evaluate this probability, we need to obtain the distribution of demand during the lead time. From Equation 12.2, we know that demand during lead time is normally distributed, with a mean of  $D_L$  and a standard deviation of  $\sigma_L$ . Using the notation for the normal distribution from Appendix 12A and the equivalent Excel function from Equation 12.21 in Appendix 12B, the CSL is

$$CSL = F(ROP, D_L, \sigma_L) = \text{NORMDIST}(ROP, D_L, \sigma_L, 1) \quad (12.4)$$

We now illustrate this evaluation in Example 12-2.

### EXAMPLE 12-2 Evaluating Cycle Service Level Given a Replenishment Policy

Weekly demand for phones at B&M is normally distributed, with a mean of 2,500 and a standard deviation of 500. The replenishment lead time is two weeks. Assume that the demand is independent from one week to the next. Evaluate the CSL resulting from a policy of ordering 10,000 phones when there are 6,000 phones in inventory.

#### Analysis:

In this case, we have

$$Q = 10,000, \text{ ROP} = 6,000, L = 2 \text{ weeks}$$

$$D = 2,500/\text{week}, \sigma_D = 500$$

Observe that B&M runs the risk of stocking out during the lead time of two weeks between when an order is placed and when the replenishment arrives. Thus, whether or not a stockout occurs depends on the demand during the lead time of two weeks.

Because demand across time is independent, we use Equation 12.2 to obtain demand during the lead time to be normally distributed with a mean of  $D_L$  and a standard deviation of  $\sigma_L$ , where

$$D_L = D^*L = 2 \times 2,500 = 5,000 \quad \sigma_L = \sqrt{L}\sigma_D = \sqrt{2} \times 500 = 707$$

Using Equation 12.4, the CSL is evaluated as

$$\begin{aligned} \text{CSL} &= F(\text{ROP}, D_L, \sigma_L) = \text{NORMDIST}(\text{ROP}, D_L, \sigma_L, 1) \\ &= \text{NORMDIST}(6,000, 5,000, 707, 1) = 0.92 \end{aligned}$$

A CSL of 0.92 implies that in 92 percent of the replenishment cycles, B&M supplies all demand from available inventory. In the remaining 8 percent of the cycles, stockouts occur and some demand is not satisfied because of the lack of inventory.

Next, we discuss the evaluation of the fill rate given a replenishment policy.

**EVALUATING FILL RATE GIVEN A REPLENISHMENT POLICY** Recall that fill rate measures the proportion of customer demand that is satisfied from available inventory. Fill rate is generally a more relevant measure than cycle service level because it allows the retailer to estimate the fraction of demand that is turned into sales. The two measures are closely related, as raising the cycle service level also raises the fill rate for a firm. Our discussion focuses on evaluating fill rate for a continuous review policy under which  $Q$  units are ordered when the quantity on hand drops to the ROP.

To evaluate the fill rate, it is important to understand the process by which a stockout occurs during a replenishment cycle. A stockout occurs if the demand during the lead time exceeds the ROP. We thus need to evaluate the average amount of demand in excess of the ROP in each replenishment cycle.

The *expected shortage per replenishment cycle* (ESC) is the average units of demand that are not satisfied from inventory in stock per replenishment cycle. Given a lot size of  $Q$  (which is also the average demand in a replenishment cycle), the fraction of demand lost is thus  $\text{ESC}/Q$ . The product fill rate  $fr$  is thus given by

$$fr = 1 - \text{ESC}/Q = (Q - \text{ESC})/Q \quad (12.5)$$

A shortage occurs in a replenishment cycle only if the demand during the lead time exceeds the ROP. Let  $f(x)$  be the density function of the demand distribution during the lead time. The ESC is given by

$$\text{ESC} = \int_{x=\text{ROP}}^{\infty} (x - \text{ROP}) f(x) dx \quad (12.6)$$

When demand during the lead time is normally distributed with mean  $D_L$  and standard deviation  $\sigma_L$ , given a safety inventory  $ss$ , Equation 12.6 can be simplified to

$$ESC = -ss \left[ 1 - F_s \left( \frac{ss}{\sigma_L} \right) \right] + \sigma_L f_s \left( \frac{ss}{\sigma_L} \right) \quad (12.7)$$

where  $F_s$  is the standard normal cumulative distribution function and  $f_s$  is the standard normal density function. The standard normal distribution has a mean of 0 and a standard deviation of 1. A detailed description of the normal distribution is given in Appendix 12A. Details of the simplification in Equation 12.7 are described in Appendix 12C. Using Excel functions (Equations 12.24 and 12.25) discussed in Appendix 12B, ESC may be evaluated (using Equation 12.7) as

$$ESC = -ss[1 - NORMDIST(ss/\sigma_L, 0, 1, 1)] + \sigma_L NORMDIST(ss/\sigma_L, 0, 1, 0) \quad (12.8)$$

Given the ESC, we can use Equation 12.5 to evaluate the fill rate  $fr$ . Next, we illustrate this evaluation in Example 12-3.

### EXAMPLE 12-3 Evaluating Fill Rate Given a Replenishment Policy

From Example 12-2, recall that weekly demand for phones at B&M is normally distributed, with a mean of 2,500 and a standard deviation of 500. The replenishment lead time is two weeks. Assume that the demand is independent from one week to the next. Evaluate the fill rate resulting from the policy of ordering 10,000 phones when there are 6,000 phones in inventory.

#### Analysis:

From the analysis of Example 12-2, we have

Lot size,  $Q = 10,000$

Average demand during lead time,  $D_L = 5,000$

Standard deviation of demand during lead time,  $\sigma_L = 707$

Using Equation 12.3, we obtain

$$\text{Safety inventory, } ss = ROP - D_L = 6,000 - 5,000 = 1,000$$

From Equation 12.8, we thus have

$$ESC = -1,000[1 - NORMDIST(1,000/707, 0, 1, 1)] + 707 NORMDIST(1,000/707, 0, 1, 0) = 25$$

Thus, on average, in each replenishment cycle, 25 phones are demanded by customers but not available in inventory. Using Equation 12.5, we thus obtain the following fill rate:

$$fr = (Q - ESC)/Q = (10,000 - 25)/10,000 = 0.9975$$

In other words, 99.75 percent of the demand is filled from inventory in stock. This is much higher than the CSL of 92 percent that resulted in Example 12-2 for the same replenishment policy.

All the calculations for Example 12-3 may be done easily in Excel, as shown in Figure 12-2.

A few key observations should be made. First, observe that the fill rate (0.9975) in Example 12-3 is significantly higher than the CSL (0.92) in Example 12-2 for the same replenishment policy. Next, by rerunning the examples with a different lot size, we can observe the impact of lot-size changes on the service level. Increasing the lot size of phones from 10,000 to 20,000 has no impact on the CSL (which stays at 0.92). The fill rate, however, now increases

	A	B	C	D	E
1	<b>Inputs</b>				
2	$Q$	$D$	$\sigma_D$	$L$	$ss$
3	10,000	2,500	500	2	1,000
4	<b>Distribution of demand during lead time</b>				
5	$D_L$	$\sigma_L$			
6	5,000	707			
7	<b>Cycle Service Level and Fill Rate</b>				
8	$CSL$	$ESC$	$f_r$		
9	0.92	25.13	0.9975		

Cell	Cell Formula	Equation
A6	=B3*D3	12.2
B6	=SQRT(D3)*C3	12.2
A9	=NORMDIST(A6+E3, A6, B6, 1)	12.4
B9	=-E3*(1-NORMDIST(E3/B6, 0, 1, 1)) + B6*NORMDIST(E3/B6, 0, 1, 0)	12.8
C9	=(A3-B9)/A3	12.5

**FIGURE 12-2** Excel Solution of Example 12-3

to 0.9987. This happens because an increase in lot size results in fewer replenishment cycles. In the case of B&M, an increase in lot size from 10,000 to 20,000 results in replenishment occurring once every eight weeks instead of once every four weeks. With a 92 percent CSL, a lot size of 10,000 results in, on average, one cycle with a stockout per year. With a lot size of 20,000, we have, on average, one stockout every two years. Thus, the fill rate is higher.

### Key Point

Both fill rate and cycle service level increase as the safety inventory is increased. For the same safety inventory, an increase in lot size increases the fill rate but not the cycle service level.

We now discuss how the appropriate level of safety inventory may be obtained given a desired CSL or fill rate.

### Evaluating Safety Inventory Given Desired Cycle Service Level or Fill Rate

In many practical settings, firms have a desired level of product availability and want to design replenishment policies that achieve this level. For example, Wal-Mart has a desired level of product availability for each product sold in a store. The store manager must design a replenishment policy with the appropriate level of safety inventory to meet this goal. The desired level of product availability may be determined by trading off the cost of holding inventory with the cost of a stockout. This trade-off is discussed in detail in Chapter 13. In other instances, the desired level of product availability (in terms of CSL or fill rate) is stated explicitly in contracts, and management must design replenishment policies that achieve the desired target.

**EVALUATING REQUIRED SAFETY INVENTORY GIVEN DESIRED CYCLE SERVICE LEVEL** Our goal is to obtain the appropriate level of safety inventory given the desired CSL. We assume that a continuous review replenishment policy is followed. Consider the store manager at Wal-Mart responsible for designing replenishment policies for all products in the store. He has targeted a

CSL for the basic box of Lego building blocks. Given a lead time of  $L$ , the store manager wants to identify a suitable reorder point  $ROP$  and safety inventory that achieves the desired service level. Assume that demand for Legos at Wal-Mart is normally distributed and independent from one week to the next. We assume the following inputs:

Desired cycle service level =  $CSL$

Mean demand during lead time =  $D_L$

Standard deviation of demand during lead time =  $\sigma_L$

From Equation 12.3, recall that  $ROP = D_L + ss$ . The store manager needs to identify safety inventory  $ss$  such that the following is true:

$$\text{Probability}(\text{demand during lead time} \leq D_L + ss) = CSL$$

Given that demand is normally distributed (using Equation 12.4), the store manager must identify safety inventory  $ss$  such that the following is true:

$$F(D_L + ss, D_L, \sigma_L) = CSL$$

Given the definition of the inverse normal in Appendix 12A and the equivalent Excel function from Appendix 12B, we obtain

$$\begin{aligned} D_L + ss &= F^{-1}(CSL, D_L, \sigma_L) = \text{NORMINV}(CSL, D_L, \sigma_L) \\ \text{or } ss &= F^{-1}(CSL, D_L, \sigma_L) - D_L = \text{NORMINV}(CSL, D_L, \sigma_L) - D_L \end{aligned}$$

Using the definition of the standard normal distribution and its inverse from Appendix 12A, and the equivalent Excel function from Appendix 12B, it can also be shown that the following is true:

$$ss = F_S^{-1}(CSL) \times \sigma_L = F_S^{-1}(CSL) \times \sqrt{L}\sigma_D = \text{NORMSINV}(CSL) \times \sqrt{L}\sigma_D \quad (12.9)$$

In Example 12-4, we illustrate the evaluation of safety inventory given a desired CSL.

---

#### **EXAMPLE 12-4** Evaluating Safety Inventory Given a Desired Cycle Service Level

Weekly demand for Legos at a Wal-Mart store is normally distributed, with a mean of 2,500 boxes and a standard deviation of 500. The replenishment lead time is two weeks. Assuming a continuous-review replenishment policy, evaluate the safety inventory that the store should carry to achieve a CSL of 90 percent.

##### **Analysis:**

In this case we have

$$Q = 10,000, \text{ CSL} = 0.9, L = 2 \text{ weeks}$$

$$D = 2,500/\text{week}, \sigma_D = 500$$

Because demand across time is independent, we use Equation 12.2 to find demand during the lead time to be normally distributed with a mean of  $D_L$  and a standard deviation of  $\sigma_L$ , where

$$D_L = D^*L = 2 \times 2,500 = 5,000 \quad \sigma_L = \sqrt{L}\sigma_D = \sqrt{2} \times 500 = 707$$

Using Equation 12.9, we obtain

$$ss = F_S^{-1}(CSL) \times \sigma_L = \text{NORMSINV}(CSL) \times \sigma_L = \text{NORMSINV}(0.90) \times 707 = 906$$

Thus, the required safety inventory to achieve a CSL of 90 percent is 906 boxes.

---



**EVALUATING REQUIRED SAFETY INVENTORY GIVEN DESIRED FILL RATE** We now evaluate the required safety inventory given a desired fill rate  $fr$  and the fact that a continuous review replenishment policy is followed. Consider the store manager at Wal-Mart targeting a fill rate  $fr$  for Lego building blocks. The current replenishment lot size is  $Q$ . The first step is to obtain the ESC using Equation 12.5. The expected shortage per replenishment cycle is

$$ESC = (1 - fr)Q$$

The next step is to obtain a safety inventory  $ss$  that solves Equation 12.7 (and its Excel equivalent, Equation 12.8) given the ESC evaluated earlier. It is not possible to give a formula that provides the answer. The appropriate safety inventory that solves Equation 12.8 can be obtained easily using Excel and trying different values of  $ss$ . In Excel, the safety inventory may also be obtained directly using the tool *GOALSEEK*, as illustrated in Example 12-5.

---

### EXAMPLE 12-5 Evaluating Safety Inventory Given Desired Fill Rate

Weekly demand for Legos at a Wal-Mart store is normally distributed, with a mean of 2,500 boxes and a standard deviation of 500. The replenishment lead time is two weeks. The store manager currently orders replenishment lots of 10,000 boxes from Lego. Assuming a continuous-review replenishment policy, evaluate the safety inventory the store should carry to achieve a fill rate of 97.5 percent.

#### Analysis:

In this case we have

Desired fill rate,  $fr = 0.975$

Lot size,  $Q = 10,000$  boxes

Standard deviation of demand during lead time,  $\sigma_L = 707$

From Equation 12.5, we thus obtain an ESC as

$$ESC = (1 - fr)Q = (1 - 0.975)10,000 = 250$$

Now we need to solve Equation 12.7 for the safety inventory  $ss$ , where

$$ESC = 250 = -ss \left[ 1 - F_s \left( \frac{ss}{\sigma_L} \right) \right] + \sigma_L f_s \left( \frac{ss}{\sigma_L} \right) = -ss \left[ 1 - F_s \left( \frac{ss}{707} \right) \right] + 707 f_s \left( \frac{ss}{707} \right)$$

Using Equation 12.8, this equation may be restated with Excel functions as follows:

$$250 = -ss[1 - \text{NORMDIST}(ss/707, 0, 1, 1)] + 707\text{NORMDIST}(ss/707, 0, 1, 0) \quad (12.10)$$

Equation 12.10 may be solved in Excel by trying different values of  $ss$  until the equation is satisfied. A more elegant approach for solving Equation 12.10 is to use the Excel tool *GOALSEEK* as follows.

First set up the spreadsheet as shown in Figure 12-3, where cell D3 can have any value for the safety inventory  $ss$ .

Invoke *GOALSEEK* using Data | What-If Analysis | Goal Seek. In the *GOALSEEK* dialog box, enter the data as shown in Figure 12-3 and click the OK button. In this case, cell D3 is changed until the value of the formula in cell A6 equals 250.

Using *GOALSEEK*, we obtain a safety inventory of  $ss = 67$  boxes as shown in Figure 12-3. Thus, the store manager at Wal-Mart should target a safety inventory of 67 boxes to achieve the desired fill rate of 97.5 percent.

---

Next, we identify the factors that affect the required level of safety inventory.

	A	B	C	D
1	<b>Input</b>			<b>Variable</b>
2	<i>fr</i>	$\sigma_L$	<i>Q</i>	<i>ss</i>
3	0.975	707	10000	67
4	<b>Formula</b>			
5	<i>ESC</i>			
6	250			
7				
8				
9				
10				
11				

Cell	Cell Formula	Equation
A6	$-D3*(1-NORMSDIST(D3/B3, 0, 1, 1)) + B3*NORMDIST(D3/B3, 0, 1, 0)$	12.10

FIGURE 12-3 Spreadsheet to Solve for *ss* Using GOALSEEK

### Impact of Desired Product Availability and Uncertainty on Safety Inventory

The two key factors that affect the required level of safety inventory are the desired level of product availability and uncertainty. We now discuss the impact that each factor has on the safety inventory.

As the desired product availability goes up, the required safety inventory also increases because the supply chain must now be able to accommodate uncommonly high demand or uncommonly low supply. For the Wal-Mart situation in Example 12-5, we evaluate the required safety inventory for varying levels of fill rate as shown in Table 12-1.

Observe that raising the fill rate from 97.5 percent to 98.0 percent requires an additional 116 units of safety inventory, whereas raising the fill rate from 99.0 percent to 99.5 percent requires an additional 268 units of safety inventory. Thus, the marginal increase in safety inventory grows as product availability rises. This phenomenon highlights the importance of selecting suitable product availability levels. It is important for a supply chain manager to be aware of the products that require a high level of availability and hold high safety inventories only for those products. It is not appropriate to select a high level of product availability and require it arbitrarily for all products.

#### Key Point

The required safety inventory grows rapidly with an increase in the desired product availability.

Table 12-1 Required Safety Inventory for Different Values of Fill Rate

Fill Rate	Safety Inventory
97.5%	67
98.0%	183
98.5%	321
99.0%	499
99.5%	767

From Equation 12.9, we see that the required safety inventory  $ss$  is also influenced by the standard deviation of demand during the lead time,  $\sigma_L$ . The standard deviation of demand during the lead time is influenced by the duration of the lead time  $L$  and the standard deviation of periodic demand  $\sigma_D$ , as shown in Equation 12.2. The relationship between safety inventory and  $\sigma_D$  is linear, in that a 10 percent increase in  $\sigma_D$  results in a 10 percent increase in safety inventory. Safety inventory also increases with an increase in lead time  $L$ . The safety inventory, however, is proportional to the square root of the lead time (if demand is independent over time) and thus grows more slowly than the lead time itself.

### Key Point

The required safety inventory increases with an increase in the lead time and the standard deviation of periodic demand.

A goal of any supply chain manager is to reduce the level of safety inventory required in a way that does not adversely affect product availability. The previous discussion highlights two key managerial levers that may be used to achieve this goal:

**1. Reduce the supplier lead time  $L$ :** If lead time decreases by a factor of  $k$ , the required safety inventory decreases by a factor of  $\sqrt{k}$ . The only caveat here is that reducing the supplier lead time requires significant effort from the supplier, whereas reduction in safety inventory occurs at the retailer. Thus, it is important for the retailer to share some of the resulting benefits as discussed in Chapter 10. Wal-Mart, Seven-Eleven Japan, and many other retailers apply tremendous pressure on their suppliers to reduce the replenishment lead time. Apparel retailer Zara has built its entire strategy around using local flexible production to reduce replenishment lead times. In each case, the benefit has manifested itself in the form of reduced safety inventory while maintaining the desired level of product availability.

**2. Reduce the underlying uncertainty of demand (represented by  $\sigma_D$ ):** If  $\sigma_D$  is reduced by a factor of  $k$ , the required safety inventory also decreases by a factor of  $k$ . A reduction in  $\sigma_D$  may be achieved by better market intelligence and the use of more sophisticated forecasting methods. Seven-Eleven Japan provides its store managers with detailed data about prior demand along with weather and other factors that may influence demand. This market intelligence allows the store managers to make better forecasts, reducing uncertainty. In most supply chains, however, the key to reducing the underlying forecast uncertainty is to link all forecasts throughout the supply chain to customer demand data. A lot of the demand uncertainty exists only because each stage of the supply chain plans and forecasts independently. This distorts demand throughout the supply chain, increasing uncertainty. Improved coordination, as discussed in Chapter 10, can often reduce the demand uncertainty significantly. Zara plans its production and replenishment based on actual sales at its retail stores to ensure that no unnecessary uncertainties are introduced. Both Wal-Mart and Seven-Eleven Japan share demand information with their suppliers, reducing uncertainty and thus safety inventory within the supply chain.

We illustrate the benefits of reducing lead time and demand uncertainty in Example 12-6.

### EXAMPLE 12-6 Benefits of Reducing Lead Time and Demand Uncertainty

Weekly demand for white shirts at a Target store is normally distributed, with a mean of 2,500 and a standard deviation of 800. The replenishment lead time from the current supplier is nine weeks. The store manager aims for a cycle service level of 95 percent. What savings in safety

inventory can the store expect if the supplier reduces lead time to one week? What savings in safety inventory can the store expect if the demand uncertainty is reduced such that the standard deviation of demand is only 400?

**Analysis:**

For the base case we have

$$D = 2,500/\text{week}, \sigma_D = 800, CSL = 0.95$$

From Equation 12.9, we thus obtain the base case safety inventory to be

$$ss = \text{NORMSINV}(CSL) \times \sqrt{L}\sigma_D = \text{NORMSINV}(.95) \times \sqrt{9} \times 800 = 3,948$$

If the supplier reduces the lead time  $L$  to one week, the required safety inventory is given by

$$ss = \text{NORMSINV}(CSL) \times \sqrt{L}\sigma_D = \text{NORMSINV}(.95) \times \sqrt{1} \times 800 = 1,316$$

Thus, reducing the lead time from nine weeks to one week reduces the required safety inventory by 2,632 shirts.

We now consider the benefits of reducing forecast error. If Target reduces the standard deviation from 800 to 400 (for the nine-week lead time), the required safety inventory is obtained as follows:

$$ss = \text{NORMSINV}(CSL) \times \sqrt{L}\sigma_D = \text{NORMSINV}(.95) \times \sqrt{9} \times 400 = 1,974$$

Thus, reducing the standard deviation (equal to forecast error) of demand from 800 to 400 reduces the required safety inventory by 1,974 shirts.

### 12.3 IMPACT OF SUPPLY UNCERTAINTY ON SAFETY INVENTORY

In our discussion to this point, we have focused on situations with demand uncertainty in the form of a forecast error. In many practical situations, supply uncertainty also plays a significant role. The impact of supply uncertainty is well illustrated by the impact of the grounding of *MSC Napoli* on the south coast of Britain in January 2007. The container ship was carrying more than 1,000 tons of nickel, a key ingredient of stainless steel. Given that 1,000 tons was almost 20 percent of the 5,052 tons of nickel then stored in warehouses globally, this delay in bringing nickel to market resulted in significant shortages and raised the price of nickel by about 20 percent in the first 3½ weeks of January 2007. Supply uncertainty arises because of many factors including production delays, transportation delays, and quality problems. Supply chains must account for supply uncertainty when planning safety inventories.

In this section, we incorporate supply uncertainty by assuming that lead time is uncertain and identify the impact of lead time uncertainty on safety inventories. Assume that the customer demand per period for Dell computers and the replenishment lead time from the component supplier are normally distributed. We are provided the following inputs:

$D$ : Average demand per period

$\sigma_D$ : Standard deviation of demand per period

$L$ : Average lead time for replenishment

$s_L$ : Standard deviation of lead time

We consider the safety inventory requirements given that Dell follows a continuous review policy to manage component inventory. Dell experiences a stockout of components if demand during the lead time exceeds the ROP, that is, the quantity on hand when Dell places a replenishment order. Thus, we need to identify the distribution of customer demand during the lead time. Given that

both lead time and periodic demand are uncertain, demand during the lead time is normally distributed with a mean of  $D_L$  and a standard deviation  $\sigma_L$ , where

$$D_L = D^*L \quad \sigma_L = \sqrt{L\sigma_D^2 + D^2s_L^2} \quad (12.11)$$

Given the distribution of demand during the lead time in Equation 12.11 and a desired CSL, Dell can obtain the required safety inventory using Equation 12.9. If product availability is specified as a fill rate, Dell can obtain the required safety inventory using the procedure outlined in Example 12-5. In Example 12-7, we illustrate the impact of lead time uncertainty on the required level of safety inventory at Dell.

### EXAMPLE 12-7 Impact of Lead Time Uncertainty on Safety Inventory

Daily demand for PCs at Dell is normally distributed, with a mean of 2,500 and a standard deviation of 500. A key component in PC assembly is the hard drive. The hard drive supplier takes an average of  $L = 7$  days to replenish inventory at Dell. Dell is targeting a CSL of 90 percent (providing a fill rate close to 100 percent) for its hard drive inventory. Evaluate the safety inventory of hard drives that Dell must carry if the standard deviation of the lead time is seven days. Dell is working with the supplier to reduce the standard deviation to zero. Evaluate the reduction in safety inventory that Dell can expect as a result of this initiative.

#### Analysis:

In this case, we have

Average demand per period,  $D = 2,500$

Standard deviation of demand per period,  $\sigma_D = 500$

Average lead time for replenishment,  $L = 7$  days

Standard deviation of lead time,  $s_L = 7$  days

We first evaluate the distribution of demand during the lead time. Using Equation 12.11, we have

Mean demand during lead time,  $D_L = D^*L = 2,500 \times 7 = 17,500$

Standard deviation of demand during lead time  $\sigma_L = \sqrt{L\sigma_D^2 + D^2s_L^2}$   
 $= \sqrt{7 \times 500^2 + 2,500^2 \times 7^2} = 17,550$

The required safety inventory is obtained using Equations 12.9 and 12.26 as follows:

$$ss = F_S^{-1}(CSL) \times \sigma_L = NORMSINV(CSL) \times \sigma_L = NORMSINV(0.90) \times 17,550 \\ = 22,491 \text{ hard drives}$$

If the standard deviation of lead time is seven days, Dell must carry a safety inventory of 22,491 drives. Observe that this is equivalent to about nine days of demand for hard drives.

In Table 12-2, we provide the required safety inventory as Dell works with the supplier to reduce standard deviation of lead time ( $s_L$ ) from six down to zero. From Table 12-2, observe that the reduction in lead time uncertainty allows Dell to reduce its safety inventory of hard drives by a significant amount. As the standard deviation of lead time declines from seven days to zero, the amount of safety inventory declines from about nine days of demand to less than a day of demand.

The preceding example emphasizes the impact of lead time variability on safety inventory requirements (and thus material flow time) and the large potential benefits from reducing lead time variability or improving on-time deliveries. Often, safety inventory calculations in practice do not include any measure of supply uncertainty, resulting in levels that may be lower than required. This hurts product availability.

**Table 12-2** Required Safety Inventory as a Function of Lead Time Uncertainty

$s_L$	$\sigma_L$	ss (units)	ss (days)
6	15,058	19,298	7.72
5	12,570	16,109	6.44
4	10,087	12,927	5.17
3	7,616	9,760	3.90
2	5,172	6,628	2.65
1	2,828	3,625	1.45
0	1,323	1,695	0.68

**Key Point**

A reduction in supply uncertainty can help dramatically reduce safety inventory required without hurting product availability.

In practice, variability of supply lead time is caused by practices at both the supplier as well as the party receiving the order. Suppliers sometimes have poor planning tools that do not allow them to schedule production in a way that can be executed. Today, most supply chain planning software suites have good production planning tools that allow suppliers to promise lead times that can be met. This helps reduce lead time variability. In other instances, the behavior of the party placing the order often increases lead time variability. In one instance, a distributor placed orders to all suppliers on the same day of the week. As a result, all deliveries arrived on the same day of the week. The surge in deliveries made it impossible for all of them to be recorded into inventory on the day they arrived. This led to a perception that supply lead times were long and variable. Just by leveling out the orders over the week, the lead time and the lead time variability were significantly reduced, allowing the distributor to reduce its safety inventory.

Next, we discuss how aggregation can help reduce the amount of safety inventory in the supply chain.

**12.4 IMPACT OF AGGREGATION ON SAFETY INVENTORY**

In practice, supply chains have varying degrees of inventory aggregation. For example, Barnes & Noble sells books and music from retail stores with inventory geographically distributed across the country. Amazon, in contrast, ships all its books and music from a few facilities. Seven-Eleven Japan has many small convenience stores densely distributed across Japan. In contrast, supermarkets tend to be much larger, with fewer outlets that are not as densely distributed. Redbox rents its movies from tens of thousands of kiosks distributed across the United States. In contrast, Netflix centralizes its DVD inventory at fewer than 60 distribution centers.

Our goal is to understand how aggregation in each of these cases affects forecast accuracy and safety inventories. Consider  $k$  regions, with demand in each region normally distributed with the following characteristics:

$D_i$ : Mean weekly demand in region  $i$ ,  $i = 1, \dots, k$

$\sigma_i$ : Standard deviation of weekly demand in region  $i$ ,  $i = 1, \dots, k$

$\rho_{ij}$ : Correlation of weekly demand for regions  $i, j$ ,  $1 \leq i \neq j \leq k$

There are two ways to serve demand in the  $k$  regions. One is to have local inventories in each region and the other is to aggregate all inventories into one centralized facility. Our goal is to compare safety inventories in the two cases. With a replenishment lead time of  $L$  and a desired cycle service level  $CSL$ , the total safety inventory in the decentralized case is (using Equation 12.9).

$$\text{Total safety inventory in decentralized option} = \sum_{i=1}^k F_S^{-1}(CSL) \times \sqrt{L} \times \sigma_i \quad (12.12)$$

If all inventories are aggregated in a central location, we need to evaluate the distribution of aggregated demand. The aggregate demand is normally distributed, with a mean of  $D^C$ , standard deviation of  $\sigma_D^C$ , and a variance of  $\text{var}(D^C)$  as follows:

$$D^C = \sum_{i=1}^k D_i; \quad \text{var}(D^C) = \sum_{i=1}^k \sigma_i^2 + 2 \sum_{i>j} \rho_{ij} \sigma_i \sigma_j; \quad \sigma_D^C = \sqrt{\text{var}(D^C)} \quad (12.13)$$

Observe that Equation 12.13 is like Equation 12.1 except that we are aggregating across  $k$  regions rather than  $L$  periods. If all  $k$  regions have demand that is independent ( $\rho_{ij} = 0$ ) and identically distributed, with mean  $D$  and standard deviation  $\sigma_D$ , Equation 12.13 can be simplified as

$$D^C = kD \quad \sigma_D^C = \sqrt{k} \sigma_D \quad (12.14)$$

Using Equations 12.9 and 12.14, the required safety inventory at the centralized location is given as

$$\text{Required safety inventory on aggregation} = F_S^{-1}(CSL) \times \sqrt{L} \times \sigma_D^C \quad (12.15)$$

The holding cost savings on aggregation per unit sold are obtained by dividing the savings in holding cost by the total demand  $kD$ . If  $H$  is the holding cost per unit, using Equations 12.13 and 12.15, the savings per units are

Holding-cost savings on aggregation per unit sold

$$= \frac{F_S^{-1}(CSL) \times \sqrt{L} \times H}{D^C} \times \left( \sum_{i=1}^k \sigma_i - \sigma_D^C \right) \quad (12.16)$$

From Equation 12.13, it follows that the difference  $\left( \sum_{i=1}^k \sigma_i - \sigma_D^C \right)$  is influenced by the correlation coefficients  $\rho_{ij}$ . This difference is large when the correlation coefficients are close to  $-1$  (negative correlation) and shrinks as they approach  $+1$  (positive correlation). Inventory savings on aggregation are always positive as long as the correlation coefficients are less than 1. From Equation 12.16, we thus draw the following conclusions regarding the value of aggregation:

- The safety inventory savings on aggregation increase with the desired cycle service level  $CSL$ .
- The safety inventory savings on aggregation increase with the replenishment lead time  $L$ .
- The safety inventory savings on aggregation increase with the holding cost  $H$ .
- The safety inventory savings on aggregation increase with the coefficient of variation of demand.
- The safety inventory savings on aggregation decrease as the correlation coefficients increase.

In Example 12-8, we illustrate the inventory savings on aggregation and the impact of the correlation coefficient on these savings.

### EXAMPLE 12-8 Impact of Correlation on Value of Aggregation

A BMW dealership has four retail outlets serving the entire Chicago area (disaggregate option). Weekly demand at each outlet is normally distributed, with a mean of  $D = 25$  cars and a standard deviation of  $\sigma_D = 5$ . The lead time for replenishment from the manufacturer is  $L = 2$  weeks.

Each outlet covers a separate geographic area, and the correlation of demand across any pair of areas is  $\rho$ . The dealership is considering the possibility of replacing the four outlets with a single large outlet (aggregate option). Assume that the demand in the central outlet is the sum of the demand across all four areas. The dealership is targeting a CSL of 0.90. Compare the level of safety inventory needed in the two options as the correlation coefficient  $\rho$  varies between 0 and 1.

### Analysis:

We provide a detailed analysis for the case when demand in each area is independent (i.e.,  $\rho = 0$ ). For each retail outlet we have

Standard deviation of weekly demand,  $\sigma_D = 5$ .

Replenishment lead time,  $L = 2$  weeks

Using Equation 12.12, the required safety inventory in the decentralized option for  $CSL = 0.90$  is

$$\begin{aligned} \text{Total required safety inventory, } ss &= k \times F_s^{-1}(CSL) \times \sqrt{L} \times \sigma_D \\ &= 4 \times F_s^{-1}(0.9) \times \sqrt{2} \times 5 = 4 \times NORMSINV(0.9) \times \sqrt{2} \times 5 = 36.24 \text{ cars} \end{aligned}$$

Now consider the aggregate option. Because demand in all four areas is independent,  $\rho = 0$ . Using Equation 12.14, the standard deviation of aggregate weekly demand is

$$\text{Standard deviation of weekly demand at central outlet, } \sigma_D^C = \sqrt{4} \times 5 = 10$$

For a CSL of 0.90, safety inventory required for the aggregate option (using Equation 12.15) is given as

$$ss = F_s^{-1}(0.90) \times \sqrt{L} \times \sigma_D^C = NORMSINV(0.90) \times \sqrt{2} \times 10 = 18.12$$


Using Equations 12.12 to 12.15, the required level of safety inventory for the disaggregate as well as the aggregate option can be obtained for different values of  $\rho$  as shown in Table 12-3. Observe that the safety inventory for the disaggregate option is higher than for the aggregate option except when all demands are perfectly positively correlated. The benefit of aggregation decreases as demand in different areas is more positively correlated.

Example 12-8 and the previous discussion demonstrate that aggregation reduces demand uncertainty and thus the required safety inventory as long as the demand being aggregated is not perfectly positively correlated. Demand for most products does not show perfect positive correlation across different geographic regions. Products such as heating oil are likely to have demand that is positively correlated across nearby regions. In contrast, products such as milk and sugar are likely to have demand that is much more independent across regions. If demand in different geographic regions is about the same size and independent, aggregation reduces safety inventory by the square root of the number of areas aggregated. In other words, if the number of independent stocking locations decreases by a factor of  $n$ , the average safety inventory is expected to decrease by a factor of  $\sqrt{n}$ . This principle is referred to as the *square-root law* and is illustrated in Figure 12-4.

**Table 12-3** Safety Inventory in the Disaggregate and Aggregate Options

$\rho$	Disaggregate Safety Inventory	Aggregate Safety Inventory
0	36.24	18.12
0.2	36.24	22.92
0.4	36.24	26.88
0.6	36.24	30.32
0.8	36.24	33.41
1.0	36.24	36.24





**FIGURE 12-4** Square-Root Law

Most online retailers exploit the benefits of aggregation in terms of reduced inventories. For example, Blue Nile sells diamonds online and serves the entire United States out of one warehouse. As a result, it has lower levels of diamond inventories than jewelry chains such as Tiffany and Zales, which must keep inventory in every retail store.

There are, however, situations where physical aggregation of inventories in one location may not be optimal. There are two major disadvantages of aggregating all inventories in one location:

1. Increase in response time to customer order
2. Increase in transportation cost to customer

Both disadvantages result because the average distance between the inventory and the customer increases with aggregation. Either the customer has to travel farther to reach the product or the product has to be shipped over longer distances to reach the customer. A retail chain such as Gap has the option of building many small retail outlets or a few large ones. Gap tends to have many smaller outlets distributed evenly in a region because this strategy reduces the distance that customers travel to reach a store. If Gap had one large centralized outlet, the average distance that customers need to travel would increase and thus the response time would increase. A desire to decrease customer response time is thus the impetus for the firm to have multiple outlets. Another example is McMaster-Carr, a distributor of MRO supplies. McMaster-Carr uses UPS for shipping product to customers. Because shipping charges are based on distance, having one centralized warehouse increases the average shipping cost as well as the response time to the customer. Thus, McMaster-Carr has five warehouses that allow it to provide next-day delivery to a large fraction of the United States. Next-day delivery by UPS would not be feasible at a reasonable cost if McMaster-Carr had only one warehouse. Even Amazon, which started with one warehouse in Seattle, has added more warehouses in other parts of the United States in an effort to improve response time and reduce transportation cost to the customer. We illustrate the trade-offs of centralization in Example 12-9.

### **EXAMPLE 12-9** Trade-offs of Physical Centralization

An online retailer is debating whether to serve the United States through four regional distribution centers or one national distribution center. Weekly demand in each region is normally distributed, with a mean of 1,000 and a standard deviation of 300. Demand experienced in each region is independent, and supply lead time is four weeks. The online retailer has a holding cost of 20 percent and the cost of each product is \$1,000. The retailer promises its customers next-day delivery. With four regional distribution centers, the retailer can provide next-day delivery using ground transportation at a cost of \$10/unit. With a single national distribution center, the retailer

will have to use a more expensive mode of transport that will cost \$13/unit for next-day service. Building and operating four regional DCs costs \$150,000 per year more than building and operating one national distribution center. What distribution network do you recommend? Assume a desired CSL of 0.95.

**Analysis:**

Observe that centralization decreases facility and inventory costs but increases transportation costs. We thus evaluate the change in each cost category on aggregation. We start with inventory costs. For each region we have

$$D = 1,000/\text{week}, \sigma_D = 300, L = 4 \text{ weeks}$$

Given the desired  $CSL = 0.95$ , the required safety inventory across all four regional distribution centers is obtained using Equation 12.9 to be

$$\begin{aligned} \text{Total required safety inventory, } ss &= 4 \times F_s^{-1}(CSL) \times \sqrt{L} \times \sigma_D \\ &= 4 \times \text{NORMSINV}(0.95) \times \sqrt{4} \times 300 = 3,948 \end{aligned}$$

Now consider the aggregate option. Because demand in all four areas is independent,  $\rho = 0$ . Using Equation 12.14, the standard deviation of aggregate weekly demand is

$$\text{Standard deviation of weekly demand at national distribution center, } \sigma_D^C = \sqrt{4} \times 300 = 600$$

For a CSL of 0.95, safety inventory required for the aggregate option (using Equation 12.15) is given as

$$ss = F_s^{-1}(0.95) \times \sqrt{L} \times \sigma_D^C = \text{NORMSINV}(0.95) \times \sqrt{4} \times 600 = 1,974$$

We can now evaluate the changes in inventory, transportation, and facility costs upon aggregation as follows:

$$\begin{aligned} \text{Decrease in annual inventory holding cost on aggregation} &= (3,948 - 1,974) \times \$1,000 \times 0.2 \\ &= \$394,765 \end{aligned}$$

$$\text{Decrease in annual facility costs on aggregation} = \$150,000$$

$$\text{Increase in annual transportation costs on aggregation} = 52 \times 1,000 \times (13 - 10) = \$624,000$$

Observe that in this case the annual costs for the online retailer increase by  $\$624,000 - \$394,765 - \$150,000 = \$79,235$  upon aggregation. The online retailer is better off with four regional distribution centers.

Example 12-9 and the previous discussion highlight instances in which physical aggregation of inventory at one location may not be optimal. However, aggregating safety inventory has clear benefits. We now discuss various methods by which a supply chain can extract the benefits of aggregation without having to physically centralize all inventories in one location.

**Information Centralization**

Redbox uses *information centralization* to virtually aggregate its inventories of DVDs despite having tens of thousands of vending machines. The company has set up an online system that allows customers to locate nearby vending machines with the DVD they are searching for in stock. This allows Redbox to provide a much higher level of product availability than would be possible if a customer found out about availability only by visiting a vending machine. The benefit of information centralization derives from the fact that most customers get their DVD from the vending machine closest to their house. In case of a stockout at the closest vending machine, the customer is served from another vending machine, thus improving product availability without adding to inventories.

Retailers such as Gap also use information centralization effectively. If a store does not have the size or color that a customer wants, store employees can use their information system to inform the customer of the closest store with the product in inventory. Customers can then either go to this store or have the product delivered to their house. Gap thus uses information centralization to virtually aggregate inventory across all retail stores even though the inventory is physically separated. This allows Gap to reduce the amount of safety inventory it carries while providing a high level of product availability.

Wal-Mart has an information system in place that allows store managers to search other stores for an excess of items that may be hot sellers at their stores. Wal-Mart provides transportation that allows store managers to exchange products so they arrive at stores where they are in high demand. In this case, Wal-Mart uses information centralization with a responsive transportation system to reduce the amount of safety inventory carried while providing a high level of product availability.

### Specialization

Most supply chains provide a variety of products to customers. When inventory is carried at multiple locations, a key decision for a supply chain manager is whether all products should be stocked at every location. Clearly, a product that does not sell in a geographic region should not be carried in inventory by the warehouse or retail store located there. For example, it does not make sense for a Sears retail store in southern Florida to carry a wide variety of snow boots in inventory.

Another important factor that must be considered when making stocking decisions is the reduction in safety inventory that results from aggregation. If aggregation reduces the required safety inventory for a product by a large amount, it is better to carry the product in one central location. If aggregation reduces the required safety inventory for a product by a small amount, it may be best to carry the product in multiple decentralized locations to reduce response time and transportation cost.

The reduction in safety inventory due to aggregation is strongly influenced by the demand's coefficient of variation. For a product with a low coefficient of variation, disaggregate demand can be forecast with accuracy. As a result, the benefit from aggregation is minimal. For a product with a high coefficient of variation of demand, disaggregate demand is difficult to forecast. In this case, aggregation improves forecast accuracy significantly, providing great benefits. We illustrate this idea in Example 12-10.

---

#### **EXAMPLE 12-10** Impact of Coefficient of Variation on Value of Aggregation

Assume that W.W. Grainger, a supplier of MRO products, has 1,600 stores distributed throughout the United States. Consider two products—large electric motors and industrial cleaners. Large electric motors are high-value items with low demand, whereas the industrial cleaner is a low-value item with high demand. Each motor costs \$500 and each can of cleaner costs \$30. Weekly demand for motors at each store is normally distributed, with a mean of 20 and a standard deviation of 40. Weekly demand for cleaner at each store is normally distributed, with a mean of 1,000 and a standard deviation of 100. Demand experienced by each store is independent, and supply lead time for both motors and cleaner is four weeks. W.W. Grainger has a holding cost of 25 percent. For each of the two products, evaluate the reduction in safety inventories that will result if they are removed from retail stores and carried only in a centralized DC. Assume a desired CSL of 0.95.

#### **Analysis:**

The evaluation of safety inventories and the value of aggregation for each of the two products is shown in Table 12-4. All calculations use the approach discussed earlier and illustrated in

**Table 12-4** Value of Aggregation at W.W. Grainger

	Motors	Cleaner
<b>Inventory is stocked in each store</b>		
Mean weekly demand per store	20	1,000
Standard deviation	40	100
Coefficient of variation	2.0	0.1
Safety inventory per store	132	329
Total safety inventory	211,200	526,400
Value of safety inventory	\$105,600,000	\$15,792,000
<b>Inventory is aggregated at the DC</b>		
Mean weekly aggregate demand	32,000	1,600,000
Standard deviation of aggregate demand	1,600	4,000
Coefficient of variation	0.05	0.0025
Aggregate safety inventory	5,264	13,159
Value of safety inventory	\$2,632,000	\$394,770
<b>Savings</b>		
Total inventory saving on aggregation	\$102,968,000	\$15,397,230
Total holding cost saving on aggregation	\$25,742,000	\$3,849,308
Holding cost saving per unit sold	\$15.47	\$0.046
Savings as a percentage of product cost	3.09%	0.15%

Example 12-8. As Table 12-4 shows, the inventory reduction benefit from centralizing motors is much larger than the benefit from centralizing cleaner. From this analysis, W.W. Grainger should stock cleaner at the stores and motors in the DC. Given that cleaner is a high-demand item, customers will be able to pick it up on the same day at the stores. Given that motors are a low-demand item, customers may be willing to wait the extra day that shipping from the DC will entail.

### Key Point

The higher the coefficient of variation of an item, the greater is the reduction in safety inventories as a result of centralization.

Items with low demand are referred to as *slow-moving items* and typically have a high coefficient of variation, whereas items with high demand are referred to as *fast-moving items* and typically have a low coefficient of variation. For many supply chains, specializing the distribution network with fast-moving items stocked at decentralized locations close to the customer and slow-moving items stocked at a centralized location can significantly reduce the safety inventory carried without hurting customer response time or adding to transportation costs. The centralized location then specializes in handling slow-moving items.

Of course, other factors also need to be considered when deciding on the allocation of products to stocking locations. For example, an item that is considered an emergency item because the customer needs it urgently may be stocked at stores even if it has a high coefficient of variation. One also needs to consider the cost of the item. High-value items provide a greater benefit from centralization than do low-value items.

It is important for firms with bricks-and-mortar stores to take the idea of specialization into account when they design their online strategy. Consider, for example, a bookstore chain such as Barnes & Noble, which carries about 100,000 titles at each retail store. The titles carried can be divided into two broad categories—best sellers with high demand and other books with much lower demand. Barnes & Noble can design an online strategy under which the retail stores carry primarily best sellers in inventory. They also carry one or at most two copies of each of the other titles, to allow customers to browse. Customers can access all titles that are not in the store via electronic kiosks in the store, which provide access to barnesandnoble.com inventory. This strategy allows customers to access an increased variety of books from Barnes & Noble stores. Customers place orders for low-volume titles with barnesandnoble.com while purchasing high-volume titles at the store itself. This strategy of specialization allows Barnes & Noble to aggregate all slow-moving items to be sold by the online channel. All best sellers are decentralized and carried close to the customer. The supply chain thus reduces inventory costs for slow-moving items at the expense of somewhat higher transportation costs. For the fast-moving items, the supply chain provides a lower transportation cost and better response time by carrying the items at retail stores close to the customer.

Gap follows a similar strategy and integrates its online channel with its retail stores. Terminals are available at the retail stores for placing orders online. The retail stores carry fast-moving items, and the customer is able to order slow-moving colors or sizes online. Gap is thus able to increase the variety of products available to customers while keeping supply chain inventories down. Walmart.com has also employed a strategy of carrying slower-moving items online.

### Product Substitution

*Substitution* refers to the use of one product to satisfy demand for a different product. Substitution may occur in two situations:

1. **Manufacturer-driven substitution:** The manufacturer or supplier makes the decision to substitute. Typically, the manufacturer substitutes a higher-value product for a lower-value product that is not in inventory. For example, Dell may install a 1.2 terabyte hard drive into a customer order requiring a 1 terabyte drive, if the smaller drive is out of stock.
2. **Customer-driven substitution:** Customers make the decision to substitute. For example, a customer walking into a Wal-Mart store to buy a gallon of detergent may buy the half-gallon size if the gallon size is not available. The customer substitutes the half-gallon size for the gallon size.

In both cases, exploiting substitution allows the supply chain to satisfy demand using aggregate inventories, which permits the supply chain to reduce safety inventories without hurting product availability. In general, given two products or components, substitution may be one-way (i.e., only one of the products [components] substitutes for the other) or two-way (i.e., either product [component] substitutes for the other). We briefly discuss one-way substitution in the context of manufacturer-driven substitution and two-way substitution in the context of customer-driven substitution.

**MANUFACTURER-DRIVEN ONE-WAY SUBSTITUTION** Consider a PC manufacturer selling direct to customers that offers drives that vary in size from 100 to 300 gigabytes. Customers are charged according to the size of drive that they select, with larger sizes being more expensive. If a customer orders a 200-gigabyte drive and the PC manufacturer is out of drives of this size, there are two possible choices: (1) delay or deny the customer order or (2) substitute a larger drive that is in stock (say, a 220-gigabyte drive) and fill the customer order on time. The first case is potentially a lost sale or loss of future sales because the customer experiences a delayed delivery. In the second case, the manufacturer installs a higher-cost component, reducing the company's profit margin. These factors, along with the fact that only larger drives can substitute for smaller drives, must be considered when the manufacturer makes inventory decisions for individual drive sizes.

Substitution allows the PC manufacturer to aggregate demand across the components, reducing safety inventories required. The value of substitution increases as demand uncertainty increases. Thus, the PC manufacturer should consider substitution for components displaying high demand uncertainty.

The desired degree of substitution is influenced by the cost differential between the higher-value and lower-value component. If the cost differential is very small, the PC manufacturer should aggregate most of the demand and carry most of its inventory in the form of the higher-value component. As the cost differential increases, the benefit of substitution decreases. In this case, the PC manufacturer will find it more profitable to carry inventory of each of the two components and decrease the amount of substitution.

The desired level of substitution is also influenced by the correlation of demand between the products. If demand between two components is strongly positively correlated, there is little value in substitution. As demand for the two components becomes less positively correlated (or even negatively correlated), the benefit of substitution increases.

### Key Point

Manufacturer-driven substitution increases overall profitability for the manufacturer by allowing some aggregation of demand, which reduces the inventory requirements for the same level of availability.

**CUSTOMER-DRIVEN TWO-WAY SUBSTITUTION** Consider W.W. Grainger selling two brands of motors, GE and SE, which have similar performance characteristics. Customers are generally willing to purchase either brand, depending on product availability. If W.W. Grainger managers do not recognize customer substitution, they will not encourage it. For a given level of product availability, they will thus have to carry high levels of safety inventory of each brand. If its managers recognize and encourage customer substitution, they can aggregate the safety inventory across the two brands, thereby improving product availability.

W.W. Grainger does a good job of recognizing customer substitution. When a customer calls or goes online to place an order and the product she requests is not available, the customer is immediately told the availability of all equivalent products that she may substitute. Most customers ultimately buy a substitute product in this case. W.W. Grainger exploits this substitution by managing safety inventory of all substitutable products jointly. Recognition and exploitation of customer substitution allows W.W. Grainger to provide a high level of product availability with lower levels of safety inventory.

A good understanding of customer-driven substitution is important in the retail industry. It must be exploited when merchandising to ensure that substitute products are placed near each other, allowing a customer to buy one if the other is out of stock. In the online channel, substitution requires a retailer to present the availability of substitute products if the one the customer requests is out of stock. The supply chain is thus able to reduce the required level of safety inventory while providing a high level of product availability.

### Key Point

Recognition of customer-driven substitution and joint management of inventories across substitutable products allows a supply chain to reduce the required safety inventory while ensuring a high level of product availability.

The demand uncertainties and the correlation of demand between the substitutable products influence the benefit to a retailer from exploiting substitution. The greater the demand uncertainty, the greater is the benefit of substitution. The less positive the correlation of demand between substitutable products, the greater is the benefit from exploiting substitution.

### Component Commonality

In any supply chain, a significant amount of inventory is held in the form of components. A single product such as a PC contains hundreds of components. When a supply chain is producing a large variety of products, component inventories can easily become very large. The use of common components in a variety of products is an effective supply chain strategy to exploit aggregation and reduce component inventories.

Dell sells thousands of PC configurations to customers. An extreme option for Dell is to design distinct components that are suited to the performance of a particular configuration. Dell would use different memory, hard drive, modem, and other components for each distinct finished product. The other option is to design products such that different combinations of the components result in different finished products.

Without common components, the uncertainty of demand for any component is the same as the uncertainty of demand for the finished product in which it is used. Given the large number of components in each finished product, demand uncertainty will be high, resulting in high levels of safety inventory. When products with common components are designed, the demand for each component is an aggregation of the demand for all the finished products of which the component is a part. Component demand is thus more predictable than the demand for any one finished product. This fact reduces the component inventories carried in the supply chain. This idea has been a key factor for success in the PC industry and has also started to play a big role in the auto industry. With increasing product variety, component commonality is a key to reducing supply chain inventories without hurting product availability. We illustrate the basic idea behind component commonality in Example 12-11.

---

#### EXAMPLE 12-11 Value of Component Commonality

Assume that Dell is to manufacture 27 PCs with three distinct components: processor, memory, and hard drive. Under the disaggregate option, Dell designs specific components for each PC, resulting in  $3 \times 27 = 81$  distinct components. Under the common-component option, Dell designs PCs such that three distinct processors, three distinct memory units, and three distinct hard drives can be combined to create 27 PCs. Each component is thus used in nine PCs. Monthly demand for each of the 27 PCs is independent and normally distributed, with a mean of 5,000 and a standard deviation of 3,000. The replenishment lead time for each component is one month. Dell is targeting a CSL of 95 percent for component inventory. Evaluate the safety inventory requirements with and without the use of component commonality. Also evaluate the change in safety inventory requirements as the number of finished products of which a component is a part varies from one to nine.

#### Analysis:

We first evaluate the disaggregate option, in which components are specific to a PC. For each component, we have

$$\text{Standard deviation of monthly demand} = 3,000$$

Given a lead time of one month and a total of 81 components across 27 PCs, we thus use Equation 12.12 to obtain

$$\text{Total safety inventory required} = 81 \times \text{NORMSINV}(0.95) \times \sqrt{1} \times 3,000 = 399,699 \text{ units}$$

In the case of component commonality, each component ends up in nine finished products. Therefore, the demand at the component level is the sum of demand across nine products. Using Equations 12.14 and 12.15, the safety inventory required for each component is thus

$$\begin{aligned} \text{Safety inventory per common component} &= \text{NORMSINV}(0.95) \times \sqrt{1} \times \sqrt{9} \times 3,000 \\ &= 14,804 \text{ units} \end{aligned}$$

**Table 12-5** Marginal Benefit of Component Commonality

Number of Finished Products per Component	Safety Inventory	Marginal Reduction in Safety Inventory	Total Reduction in Safety Inventory
1	399,699		
2	282,630	117,069	117,069
3	230,766	51,864	168,933
4	199,849	30,917	199,850
5	178,751	21,098	220,948
6	163,176	15,575	236,523
7	151,072	12,104	248,627
8	141,315	9,757	258,384
9	133,233	8,082	266,466

With component commonality, there are a total of nine distinct components. The total safety inventory across all nine components is thus

$$\text{Total safety inventory required} = 9 \times 14,804 = 133,236$$

Thus, having each component common to nine products results in a reduction in safety inventory for Dell from 399,699 to 133,236 units.

In Table 12-5, we evaluate the marginal benefit in terms of reduction in safety inventory as a result of increasing component commonality. Starting with the required safety inventory when each component is used in only one finished product, we evaluate the safety inventory as the number of products in which a component is used increases to nine. Observe that component commonality decreases the required safety inventory for Dell. The marginal benefit of commonality, however, declines as a component is used in more and more finished products.

As a component is used in more finished products, it needs to be more flexible. As a result, the cost of producing the component typically increases with increasing commonality. Given that the marginal benefit of component commonality decreases as we increase commonality, we need to trade off the increase in component cost and the decrease in safety inventory when deciding on the appropriate level of component commonality.


### Key Point

Component commonality decreases the safety inventory required. The marginal benefit, however, decreases with increasing commonality.

### Postponement

*Postponement* is the ability of a supply chain to delay product differentiation or customization until closer to the time the product is sold. The goal is to have common components in the supply chain for most of the push phase and move product differentiation as close to the pull phase of the supply chain as possible. For example, the final mixing of paint today is done at the retail store after the customer has selected the color she wants. Thus, paint variety is produced only when demand is known with certainty. Postponement coupled with component commonality allows paint retailers to carry significantly lower safety inventories than in the past when mixing was done at the paint factory. In the past, the factory manager had to forecast paint demand by color





**FIGURE 12-5** Supply Chain Flows with Postponement

when planning production. Today, a factory manager needs to forecast only aggregate paint demand because mixing has been postponed until after customer demand is known. As a result, each retail store primarily carries aggregate inventory in the form of base paint that is configured to the appropriate color based on customer demand.

Another classic example of postponement is the production process at Benetton to make colored knit garments. The original process called for the thread to be dyed and then knitted and assembled into garments. The entire process required up to six months. Because the color of the final garment was fixed the moment the thread was dyed, demand for individual colors had to be forecast far in advance (up to six months). Benetton developed a manufacturing technology that allowed it to dye knitted garments to the appropriate color. Now *greige* thread (the term used for thread that has not yet been dyed) can be purchased, knitted, and assembled into garments before dyeing. The dyeing of the garments is done much closer to the selling season. In fact, part of the dyeing is done after the start of the selling season, when demand is known with great accuracy. In this case, Benetton has postponed the color customization of the knit garments. When thread is purchased, only the aggregate demand across all colors needs to be forecast. Given that this decision is made far in advance, when forecasts are least likely to be accurate, there is great advantage to this aggregation. As Benetton moves closer to the selling season, the forecast uncertainty reduces. At the time Benetton dyes the knit garments, demand is known with a high degree of accuracy. Thus, postponement allows Benetton to exploit aggregation and significantly reduce the level of safety inventory carried. Supply chain flows with and without postponement are illustrated in Figure 12-5.

Without component commonality and postponement, product differentiation occurs early on in the supply chain, and most of the supply chain inventories are disaggregate. Postponement allows the supply chain to delay product differentiation. As a result, most of the inventories in the supply chain are aggregate. Postponement thus allows a supply chain to exploit aggregation to reduce safety inventories without hurting product availability. We illustrate the benefits of postponement in Example 12-12. A more nuanced discussion of the value of postponement is given in Chapter 13.

### **EXAMPLE 12-12** Value of Postponement

Consider a paint retailer who sells 100 different colors of paint. Assume that weekly demand for each color is independent and is normally distributed with a mean of 30 and a standard deviation of 10. The replenishment lead time from the paint factory is two weeks and the retailer aims for a  $CSL = 0.95$ . How much safety stock will the retailer have to hold if paint is mixed at the factory and held in inventory at the retailer as individual colors? How does the safety stock requirement change if the retailer holds base paint (supplied by the paint factory) and mixes colors on demand?

**Analysis:**

We first evaluate the disaggregate option, in which the retailer holds safety inventory for each color sold. For each color we have

$$D = 30/\text{week}, \sigma_D = 10, L = 2 \text{ weeks}$$

Given the desired  $CSL = 0.95$ , the required safety inventory across all 100 colors is obtained using Equation 12.9 to be

$$\begin{aligned} \text{Total required safety inventory, } ss &= 100 \times F_s^{-1}(CSL) \times \sqrt{L} \times \sigma_D \\ &= 100 \times NORMSINV(0.95) \times \sqrt{2} \times 10 = 2,326 \end{aligned}$$

Now consider the option whereby mixing is postponed until after the customer orders. Safety inventory is held in the form of base paint, whose demand is an aggregate of demand of the 100 colors. Because demand in all 100 colors is independent,  $\rho = 0$ . Using Equation 12.14, the standard deviation of aggregate weekly demand of base paint is

$$\text{Standard deviation of weekly demand of base paint, } \sigma_D^C = \sqrt{100} \times 10 = 100$$

For a  $CSL$  of 0.95, safety inventory required for the aggregate option (using Equation 12.15) is given as

$$ss = F_s^{-1}(0.95) \times \sqrt{L} \times \sigma_D^C = NORMSINV(0.95) \times \sqrt{2} \times 100 = 233$$

Observe that postponement reduces the required safety inventory at the paint retailer from 2,326 units to 233 units.

Postponement can be a powerful concept for the online channel. When ordering over the Internet, customers are implicitly willing to wait a little for the order to arrive. This delay offers the supply chain an opportunity to reduce inventories by postponing product differentiation until after the customer order arrives. It is important that the manufacturing process be designed in a way that enables assembly to be completed quickly. All PC manufacturers are already postponing assembly for their online orders. Several furniture and window manufacturers have also postponed some of the assembly processes for their orders.

## 12.5 IMPACT OF REPLENISHMENT POLICIES ON SAFETY INVENTORY

In this section, we describe the evaluation of safety inventories for both continuous and periodic-review replenishment policies. We highlight the fact that periodic review policies require more safety inventory than continuous review policies for the same level of product availability. To simplify the discussion, we focus on the  $CSL$  as the measure of product availability. The managerial implications are the same if we use fill rate; the analysis, however, is more cumbersome.

### Continuous Review Policies

Given that continuous review policies were discussed in detail in Section 12.2, we reiterate only the main points here. When using a continuous review policy, a manager orders  $Q$  units when the inventory drops to the ROP. Clearly, a continuous review policy requires technology that monitors the level of available inventory. This is the case for many firms such as Wal-Mart and Dell, whose inventories are monitored continuously.

Given a desired  $CSL$ , our goal is to identify the required safety inventory  $ss$  and the ROP. We assume that demand is normally distributed, with the following inputs:

$D$ : Average demand per period

$\sigma_D$ : Standard deviation of demand per period

$L$ : Average lead time for replenishment

The ROP represents the available inventory to meet demand during the lead time  $L$ . A stockout occurs if the demand during the lead time is larger than the ROP. If demand across periods is independent, demand during the lead time is normally distributed with the following:

$$\text{Mean demand during lead time, } D_L = D^*L$$

$$\text{Standard deviation of demand during lead time, } \sigma_L = \sqrt{L}\sigma_D$$

Given the desired CSL, the required safety inventory ( $ss$ ) obtained using Equation 12.9 and the ROP obtained using Equation 12.3 are

$$ss = F_S^{-1}(CSL) \times \sigma_L = NORMSINV(CSL) \times \sqrt{L}\sigma_D, \text{ ROP} = D_L + ss$$

A manager using a continuous review policy has to account only for the uncertainty of demand during the lead time. This is because the continuous monitoring of inventory allows the manager to adjust the timing of the replenishment order, depending on the demand experienced. If demand is very high, inventory reaches the ROP quickly, leading to a quick replenishment order. If demand is very low, inventory drops slowly to the ROP, leading to a delayed replenishment order. The manager, however, has no recourse during the lead time once a replenishment order has been placed. The available safety inventory thus must cover for the uncertainty of demand over this period.

Typically, in continuous review policies, the lot size ordered is kept fixed between replenishment cycles. The optimal lot size may be evaluated using the EOQ formula discussed in Chapter 10.

### Periodic Review Policies

In periodic review policies, inventory levels are reviewed after a fixed period of time  $T$  and an order is placed such that the level of current inventory plus the replenishment lot size equals a prespecified level called the *order-up-to level* (OUL). The *review interval* is the time  $T$  between successive orders. Observe that the size of each order may vary, depending on the demand experienced between successive orders and the resulting inventory at the time of ordering. Periodic review policies are simpler for retailers to implement because they do not require that the retailer have the capability of monitoring inventory continuously. Suppliers may also prefer them because they result in replenishment orders placed at regular intervals.

Let us consider the store manager at Wal-Mart who is responsible for designing a replenishment policy for Lego building blocks. He wants to analyze the impact on safety inventory if he decides to use a periodic review policy. Demand for Legos is normally distributed and independent from one week to the next. We assume the following inputs:

$D$ : Average demand per period

$\sigma_D$ : Standard deviation of demand per period

$L$ : Average lead time for replenishment

$T$ : Review interval

$CSL$ : Desired cycle service level

To understand the safety inventory requirement, we track the sequence of events over time as the store manager places orders. The store manager places the first order at time 0 such that the lot size ordered and the inventory on hand sum to the order-up-to level, OUL. Once an order is placed, the replenishment lot arrives after the lead time  $L$ . The next review period is time  $T$ , when the store manager places the next order, which then arrives at time  $T + L$ . The OUL represents the inventory available to meet all demand that arises between periods 0 and  $T + L$ . The Wal-Mart store will experience a stockout if demand during the time interval between 0 and  $T + L$  exceeds the OUL. Thus, the store manager must identify an OUL such that the following is true:

$$\text{Probability}(\text{demand during } L + T \leq \text{OUL}) = CSL$$



Average lead time for replenishment,  $L = 2$  weeks

Review interval,  $T = 4$  weeks

We first obtain the distribution of demand during the time interval  $T + L$ . Using Equation 12.2, demand during the time interval  $T + L$  is normally distributed, with

$$\text{Mean demand during } T + L \text{ periods, } D_{T+L} = (T + L)D = (2 + 4)2,500 = 15,000$$

$$\begin{aligned} \text{Standard deviation of demand during } T + L \text{ periods, } \sigma_{T+L} &= \sqrt{T + L} \sigma_D \\ &= (\sqrt{4 + 2}) 500 = 1,225 \end{aligned}$$

From Equation 12.18, the required safety inventory for a  $CSL = 0.90$  is given as

$$\begin{aligned} ss &= F_S^{-1}(CSL) \times \sigma_{T+L} = \text{NORMSINV}(CSL) \times \sigma_{T+L} \\ &= \text{NORMSINV}(0.90) \times 1,225 = 1,570 \text{ boxes} \end{aligned}$$

Using Equation 12.17, the OUL is given by

$$OUL = D_{T+L} + ss = 15,000 + 1,570 = 16,570$$

The store manager thus orders the difference between 16,570 and current inventory every four weeks.

We can now compare the safety inventory required when using continuous and periodic review policies. With a continuous review policy, the safety inventory is used to cover for demand uncertainty over the lead time  $L$ . With a periodic review policy, the safety inventory is used to cover for demand uncertainty over the lead time and the review interval  $L + T$ . Given that higher uncertainty must be accounted for, periodic review policies require a higher level of safety inventory. This argument can be confirmed by comparing the results in Examples 12-4 and 12-13. For a 90 percent  $CSL$ , the store manager requires a safety inventory of 906 boxes when using a continuous review and a safety inventory of 1,570 boxes when using a periodic review.

### Key Point

Periodic review replenishment policies require more safety inventory than continuous review policies for the same lead time and level of product availability.

Of course, periodic review policies are somewhat simpler to implement because they do not require continuous tracking of inventory. Given the broad use of bar codes and point-of-sale systems as well as the emergence of RFID technology, continuous tracking of all inventories is much more commonplace today than it was a decade ago. In some instances, companies partition their products based on their value. High-value products are managed using continuous review policies, and low-value products are managed using periodic review policies. This makes sense if the cost of perpetual tracking of inventory is more than the savings in safety inventory that result from switching all products to a continuous review policy.

## 12.6 MANAGING SAFETY INVENTORY IN A MULTIECHELON SUPPLY CHAIN

In our discussion so far, we have assumed that each stage of the supply chain has a well-defined demand and supply distribution that it uses to set its safety inventory levels. In practice, this is not true for multiechelon supply chains. Consider a simple multiechelon supply chain with a supplier feeding a retailer who sells to the final customer. The retailer needs to know demand as well as supply uncertainty to set safety inventory levels. Supply uncertainty, however, is influenced by the level of safety

inventory the supplier chooses to carry. If a retailer order arrives when the supplier has enough inventory, the supply lead time is short. In contrast, if the retailer order arrives when the supplier is out of stock, the replenishment lead time for the retailer increases. Thus, if the supplier increases its level of safety inventory, the retailer can reduce the safety inventory it holds. This implies that the level of safety inventory at all stages in a multiechelon supply chain should be related.

All inventory between a stage and the final customer is called the *echelon inventory*. Echelon inventory at a retailer is just the inventory at the retailer or in the pipeline coming to the retailer. Echelon inventory at a distributor, however, includes inventory at the distributor and all retailers served by the distributor. In a multiechelon setting, reorder points and order-up-to levels at any stage should be based on echelon inventory and not local inventory. Thus, a distributor should decide its safety inventory levels based on the level of safety inventory carried by all retailers supplied by it. The more safety inventory retailers carry, the less safety inventory the distributor needs to carry. As retailers decrease the level of safety inventory they carry, the distributor has to increase its safety inventory to ensure regular replenishment at the retailers.

If all stages in a supply chain attempt to manage their echelon inventory, the issue of how the inventory is divided among various stages becomes important. Carrying inventory upstream in a supply chain allows for more aggregation and thus reduces the amount of inventory required. Carrying inventory upstream, however, increases the probability that the final customer will have to wait because product is not available at a stage close to him or her. Thus, in a multiechelon supply chain, a decision must be made with regard to the level of safety inventory carried at different stages. If inventory is expensive to hold and customers are willing to tolerate a delay, it is better to increase the amount of safety inventory carried upstream, far from the final customer, to exploit the benefits of aggregation. If inventory is inexpensive to hold and customers are time sensitive, it is better to carry more safety inventory downstream, closer to the final customer.

## 12.7 THE ROLE OF IT IN INVENTORY MANAGEMENT

Besides the basics of formalizing inventory replenishment procedures for thousands of SKUs, the two most significant contributions of IT systems can be improved inventory visibility and better coordination in the supply chain.

An excellent example of the benefits of improved inventory visibility is Nordstrom, a department store chain in the United States. The company was always very good at managing its inventories (IT systems played an important role here) but had historically separated its online inventories and its store inventories. In September 2009, the company started integrating store inventories on to its Web site. Customers are now able to access inventory no matter where it was available. If they prefer home delivery, Nordstrom can now use store inventory to serve them. If, however, they prefer to pick up the item themselves, Nordstrom allows them to reserve it for pickup. The increased inventory visibility allows Nordstrom to serve its online customers better while also drawing more traffic to stores. In 2010, Wal-Mart also added a similar feature called “Pick Up Today” that allows customers to place orders online and pick them up a few hours later at a retail store. Customers are alerted (typically through a text message) when the order is ready. Redbox uses inventory visibility at each of its vending machines to guide customers to the closest kiosk that has the desired DVD in stock. In each example, the increased visibility provided by IT systems allows the firm to improve product availability to the customer without increasing inventories.

Another area in which improved visibility could play a significant role is locating in-store or in-warehouse inventory. It is often the case that a store or warehouse has inventory available but in the wrong place. The net result is a loss in product availability despite carrying inventory. Good RFID systems have the potential to address this issue. While there has been limited success using RFID systems at the item level in stores (there has been some success with high-value apparel), there has been success in areas like warehousing of aircraft spare parts.

IT systems have also played a significant role in better integrating different stages of the supply chain. A classic example is the continuous replenishment program (CRP) set up between

Procter and Gamble (P&G) and Wal-Mart that allowed P&G to replenish diaper inventory at Wal-Mart based on the visibility of available inventories and sales at Wal-Mart. This coordination allowed the two firms to improve service levels while reducing inventories. Over time, the program evolved into collaborative planning, forecasting, and replenishment (discussed in greater detail in Chapter 10), which allows better coordination of planning and replenishment across multiple supply chain partners through improved visibility of inventories and sales. While each of these programs uses IT as a foundation, it is important to acknowledge that success requires important organizational changes and leadership commitment as discussed in Chapter 10. Good IT systems are a necessary but not a sufficient condition for success.

It is important to recognize that the value of the IT system in each of the cases discussed above is tightly linked to the accuracy of the inventory information. Inaccurate inventory information leads to flawed decisions and could in the worst case create mistrust among supply chain partners attempting to coordinate the decisions and actions. A study by DeHoratius and Raman (2008) found that about 65 percent of the inventory records checked for a retailer were inaccurate. That is, for 65 percent of the records checked, the inventory on hand did not match the inventory showing in the IT system. Without reasonably accurate inventory records, the value provided by an IT system will be limited.

## 12.8 ESTIMATING AND MANAGING SAFETY INVENTORY IN PRACTICE

**1. Account for the fact that supply chain demand is lumpy.** In practice, a manufacturer or distributor does not order one unit at a time but instead often orders in a large lot. Thus, demand observed by different stages of the supply chain tends to be lumpy. Lumpiness adds to the variability of demand. For example, when using a continuous review policy, lumpiness may lead to inventory dropping far below the ROP before a replenishment order is placed. On average, inventory will drop below the ROP by half the average size of an order. The lumpiness can be accounted for in practice by raising the safety inventory suggested by the models discussed earlier by half the average size of an order.

**2. Adjust inventory policies if demand is seasonal.** In practice, demand is often seasonal, with the mean and the standard deviation of demand varying by the time of year. Thus, a given reorder point or order-up-to level may correspond to 10 days of demand during the low-demand season and only 2 days of demand during the peak demand season. If the lead time is one week, stockouts are certain to occur during the peak season. In the presence of seasonality, it is not appropriate to select an average demand and standard deviation over the year to evaluate fixed reorder points and order-up-to levels. Both the mean and the standard deviation of demand must be adjusted by the time of year to reflect changing demand. Corresponding adjustments in the reorder points, order-up-to levels, and safety inventories must be made over the year. Adjustments for changes in the mean demand over the year are generally more significant than adjustments for changes in variability.

**3. Use simulation to test inventory policies.** Given that demand is most likely not normally distributed and may be seasonal, it is a good idea to test and adjust inventory policies using a computer simulation before they are implemented. The simulation should use a demand pattern that truly reflects actual demand, including any lumpiness as well as seasonality. The inventory policies obtained using the models discussed in the chapter can then be tested and adjusted if needed to obtain the desired service levels. Surprisingly powerful simulations can be built using Excel, as we discuss in Chapter 13. Identifying problems in a simulation can save a lot of time and money compared to facing these problems once the inventory policy is in place.

**4. Start with a pilot.** Even a simulation cannot identify all problems that may arise when using an inventory policy. Once an inventory policy has been selected and tested using simulation, it is often a good idea to start implementation with a pilot program of products that

are representative of the entire set of products in inventory. By starting with a pilot, many of the problems (both in the inventory policies themselves and in the process of applying the policies) can be solved. Getting these problems solved before the policy is rolled out to all the products can save a lot of time and money.

**5. Monitor service levels.** Once an inventory policy has been implemented, it is important that its performance be tracked and monitored. Monitoring is crucial because it allows a supply chain to identify when a policy is not working well and make adjustments before supply chain performance is affected significantly. Monitoring requires not just tracking the inventory levels but also tracking any stockouts that may result. Historically, firms have not tracked stockouts very well, partly because they are difficult to track and partly because of the perception that stockouts affect the customer but not the firm itself. Stockouts can be difficult to measure in a situation such as a supermarket, where the customer simply does not buy the product when it is not on the shelf. However, there are simple ways to estimate stockouts. At a supermarket, the fraction of time that a shelf does not contain a product may be used to estimate the fill rate. Stockouts are in fact easier to estimate online, where the number of clicks on an out-of-stock product can be measured. Given the fraction of clicks that turn into orders and the average size of an order, demand during a stockout can be estimated.

**6. Focus on reducing safety inventories.** Given that safety inventory is often a large fraction of the total inventory in a supply chain, the ability to reduce safety inventory without hurting product availability can significantly increase supply chain profitability. This is particularly important in the high-tech industry, where product life cycles are short. In this chapter, we discussed a variety of managerial levers that can help reduce safety inventories without hurting availability. Supply chain managers must focus continuously on using these levers to reduce safety inventories.

## 12.9 SUMMARY OF LEARNING OBJECTIVES

**1. Understand the role of safety inventory in a supply chain.** Safety inventory helps a supply chain provide customers with a high level of product availability in spite of supply and demand uncertainty. It is carried just in case demand exceeds the amount forecasted or supply arrives later than expected.

**2. Identify factors that influence the required level of safety inventory.** Safety inventory is influenced by demand uncertainty, replenishment lead times, lead time variability, and desired product availability. As any one of them increases, the required safety inventory also increases. The required safety inventory is also influenced by the inventory policy implemented. Continuous review policies require less safety inventory than periodic review policies.

**3. Describe different measures of product availability.** The three basic measures of product availability are product fill rate, order fill rate, and cycle service level. Product fill rate is the fraction of demand for a product that is successfully filled. Order fill rate is the fraction of orders that are completely filled. Cycle service level is the fraction of replenishment cycles in which no stockouts occur.

**4. Utilize managerial levers available to lower safety inventory and improve product availability.** The required level of safety inventory may be reduced and product availability may be improved if a supply chain can reduce demand uncertainty, replenishment lead times, and the variability of lead times. A switch from periodic monitoring to continuous monitoring can also help reduce inventories. Another key managerial lever to reduce the required safety inventories is to exploit aggregation. This may be achieved by physically aggregating inventories, virtually aggregating inventories using information centralization, specializing inventories based on demand volume, exploiting substitution, using component commonality, and postponing product differentiation.



## Discussion Questions

1. What is the role of safety inventory in the supply chain?
2. Explain how a reduction in lead time can help a supply chain reduce safety inventory without hurting product availability.
3. What are the pros and cons of the various measures of product availability?
4. Describe the two types of ordering policies and the impact that each of them has on safety inventory.
5. What is the impact of supply uncertainty on safety inventory?
6. Why can a Home Depot with a few large stores provide a higher level of product availability with lower inventories than a hardware store chain such as True-Value with many small stores?
7. Why is Amazon able to provide a large variety of books and music with less safety inventory than a bookstore chain selling through retail stores?
8. In the 1980s, paint was sold by color and size in paint stores. Today, paint is mixed at the paint store according to the color required. Discuss what, if any, impact this change has on safety inventories in the supply chain.
9. A new technology allows books to be printed in 10 minutes. Barnes & Noble has decided to purchase these machines for each store. It must decide which books to carry in stock and which books to print on demand using this technology. Do you recommend it for best sellers or for other books? Why?
10. Consider a firm like Zara that has developed production capabilities with very short replenishment lead times. Do you think this capability is more valuable for its online operations or its store operation? Why?
11. As a firm gets better at postponement (can postpone at lower cost), should it increase / leave unchanged / decrease the variety that it offers? Why?
12. What capabilities can local suppliers in high-cost countries develop if they are to effectively compete against overseas suppliers in low-cost countries? Discuss how each capability impacts the level of inventory in the supply chain.

## Exercises

1. Weekly demand for Motorola cell phones at a Best Buy store is normally distributed, with a mean of 300 and a standard deviation of 200. Motorola takes two weeks to supply a Best Buy order. Best Buy is targeting a CSL of 95 percent and monitors its inventory continuously. How much safety inventory of cell phones should Best Buy carry? What should its ROP be?
2. Reconsider the Best Buy store in Exercise 1. The store manager has decided to follow a periodic review policy to manage inventory of cell phones. She plans to order every three weeks. Given a desired CSL of 95 percent, how much safety inventory should the store carry? What should its OUL be?
3. Assume that the Best Buy store in Exercise 1 has a policy of ordering cell phones from Motorola in lots of 500. Weekly demand for Motorola cell phones at the store is normally distributed, with a mean of 300 and a standard deviation of 200. Motorola takes two weeks to supply an order. If the store manager is targeting a fill rate of 99 percent, what safety inventory should the store carry? What should its ROP be?
4. Weekly demand for HP printers at a Sam's Club store is normally distributed, with a mean of 250 and a standard deviation of 150. The store manager continuously monitors inventory and currently orders 1,000 printers each time the inventory drops to 600 printers. HP currently takes two weeks to fill an order. How much safety inventory does the store carry? What CSL does Sam's Club achieve as a result of this policy? What fill rate does the store achieve?
5. Return to the Sam's Club store in Exercise 4. Assume that the supply lead time from HP is normally distributed, with a mean of 2 weeks and a standard deviation of 1.5 weeks. How much safety inventory should Sam's Club carry if it wants to provide a CSL of 95 percent? How does the required safety inventory change as the standard deviation of lead time is reduced from 1.5 weeks to zero in intervals of 0.5 weeks?
6. Gap has started selling through its online channel along with its retail stores. Management has to decide which products to carry at the retail stores and which products to carry at a central warehouse to be sold only via the online channel. Gap currently has 900 retail stores in the United States. Weekly demand for size large khaki pants at each store is normally distributed, with a mean of 800 and a standard deviation of 100. Each pair of pants costs \$30. Weekly demand for purple cashmere sweaters at each store is normally distributed, with a mean of 50 and a standard deviation of 50. Each sweater costs \$100. Gap has a holding cost of 25 percent. Gap manages all inventories using a continuous review policy, and the supply lead time for both products is four weeks. The targeted CSL is 95 percent. How much reduction in holding cost per unit sold can Gap expect on moving each of the two products from the stores to the online channel? Which of the two products should Gap carry at the stores, and which should it carry at the central warehouse for the online channel? Why? Assume demand from one week to the next to be independent.
7. Epson produces printers in its Taiwan factory for sale in Europe. Printers sold in different countries differ in terms of the power outlet as well as the language of the manuals. Currently, Epson assembles and packs printers for sale in individual countries. The distribution of weekly demand in different countries is normally distributed, with means and standard deviations as shown in Table 12-6.

**Table 12-6** Weekly Demand for Epson Printers in Europe

Country	Mean Demand	Standard Deviation
France	3,000	2,000
Germany	4,000	2,200
Spain	2,000	1,400
Italy	2,500	1,600
Portugal	1,000	800
UK	4,000	2,400

Assume demand in different countries to be independent. Given that the lead time from the Taiwan factory is eight weeks, how much safety inventory does Epson require in Europe if it targets a CSL of 95 percent?

Epson decides to build a central DC in Europe. It will ship base printers (without power supply) to the DC. When an order is received, the DC will assemble power supplies, add manuals, and ship the printers to the appropriate country. The base printers are still to be manufactured in Taiwan with a lead time of eight weeks. How much saving of safety inventory can Epson expect as a result?

8. Return to the Epson data in Exercise 7. Each printer costs Epson \$200, and the holding cost is 25 percent. What saving in holding cost can Epson expect as a result of building the European DC? If final assembly in the European DC adds \$5 to the production cost of each printer, would you recommend the move? Suppose that Epson is able to cut the production and delivery lead time from its Taiwan factory to four weeks using good information systems. How much savings in holding cost can Epson expect without the European DC? How much savings in holding cost can the firm expect with the European DC?
9. Return to the Epson data in Exercise 7. Assume that demand in different countries is not independent. Demand in any pair of countries is correlated with a correlation coefficient of  $\rho$ . Evaluate the holding cost savings that Epson gains as a result of building a European DC as  $\rho$  increases from 0 (independent demand) to 1 (perfectly positively correlated demand) in intervals of 0.2.
10. Motorola obtains cell phones from its contract manufacturer located in China to serve the U.S. market. The U.S. market is served from a warehouse located in Memphis, Tennessee. Daily demand at the Memphis warehouse is normally distributed, with a mean of 5,000 and a standard deviation of 4,000. The warehouse aims for a CSL of 99 percent. The company is debating whether to use sea or air transportation from China. Sea transportation results in a lead time of 36 days and costs \$0.50 per phone. Air transportation results in a lead time of 4 days and costs \$1.50 per phone. Each phone costs \$100, and Motorola uses a holding cost of 20 percent. Given the minimum lot sizes, Motorola would order 100,000 phones at a time (on average, once every 20 days) if using sea transport and 5,000 phones at a time (on average, daily) if using air transport. To begin with, assume that Motorola takes ownership of the inventory on delivery.
  - a. Assuming that Motorola follows a continuous review policy, what reorder point and safety inventory should the warehouse aim for when using sea or air transportation? How many days of safety and cycle inventory will Motorola carry under each policy?
  - b. How many days of cycle inventory does Motorola carry under each policy?
  - c. Under a continuous review policy, do you recommend sea or air transportation if Motorola does not own the inventory while it is in transit? Does your answer change if Motorola has ownership of the inventory while it is in transit?
11. Return to the problem data in Exercise 10. Assume that Motorola follows a periodic review policy. Given lot sizes by sea and air, Motorola would have to place an order every 20 days using sea transport but could order daily using air transport.
  - a. Assume that Motorola follows a periodic review policy. What order-up-to level and safety inventory should the warehouse aim for when using sea or air transportation? How many days of safety inventory will Motorola carry under each policy?
  - b. How many days of cycle inventory does Motorola carry under each policy?
  - c. Under a periodic review policy, do you recommend sea or air transportation? Does your answer change if Motorola has ownership of the inventory while it is in transit?
12. DoorRed Pharmacy replenishes one of its best-selling drugs using a continuous review policy. Daily demand for the drug is normally distributed, with a mean of 300 and a standard deviation of 100. The wholesaler can process a replenishment request in two days. The current replenishment policy is to order 1,500 units when there are 750 units on hand.
  - a. What is the cycle service level that DoorRed achieves with its policy?
  - b. What is the fill rate that DoorRed achieves with its policy?
  - c. What change in fill rate would DoorRed achieve if it increased its reorder point from 750 to 800?
13. Return to the DoorRed Pharmacy in Exercise 12. For the drug under discussion, DoorRed wants to adjust its reorder point from 750 to achieve a fill rate of 99.9 percent. What reorder point should it use?
14. The DoorRed pharmacy has 25 retail outlets in the Chicago region. The current policy is to carry every drug in each retail outlet. DoorRed is investigating the possibility of centralizing some of the drugs in one central location. Delivery charge would increase by \$0.02 per unit if a drug were centralized. The increase in delivery charge comes from the additional cost of operating the shuttle from the central location to each of the other locations. At each retail outlet, DoorRed has weekly replenishment (a replenishment order is placed once every seven days), and replenishment orders with suppliers must be placed three days before delivery. DoorRed plans to stick to once-a-week ordering even if a drug is centralized.

- DoorRed uses an inventory holding cost of 20 percent and aims for a cycle service level of 99 percent. Assume that demand across stores is independent.
- Consider a drug with daily demand at each store that is normally distributed, with a mean of 300 and a standard deviation of 50. The drug costs \$10 per unit. What is the annual holding cost of safety inventory across all retail stores? If the drug were centralized in one location, what would the annual cost of holding safety inventory at the central location be? What would the annual increase in delivery charge be? Do you recommend centralization?
  - Now consider a drug with daily demand at each store that is normally distributed, with a mean of 5 and a standard deviation of 4. The drug costs \$10 per unit. What is the annual holding cost of safety inventory across all retail stores? If the drug were centralized in one location, what would the annual cost of holding safety inventory at the central location be? What would the annual increase in delivery charge be? Do you recommend centralization?
  - Does your answer to (a) and (b) change if the demand across stores has a correlation coefficient of 0.5?
15. Toyota has decided to set up regional warehouses where some variants of the Scion will be customized and shipped to dealers on demand. Customizing and shipping on demand will raise production and transportation cost per car by \$100. Each car costs \$20,000, and Toyota has a holding cost of 20 percent. Cars at the dealer are owned by Toyota for the first 90 days. Thus, for all practical purposes, Toyota owns all inventory, whether at the dealers or at the regional warehouse. Consider a region with 5 large dealers and 30 small dealers. Toyota has partitioned the variants into two groups—popular variants and uncommon variants. Weekly demand for the two types of variants in the two types of dealers is shown in Table 12-7. The goal is to provide a 95 percent cycle service level using a continuous review policy. Replenishment lead times for both dealers and regional warehouses are four weeks. Customization and shipping from a regional warehouse to a dealer can be done in a day, and this time can be ignored. Assume demand to be independent across all dealers.
- How much safety inventory of a popular variant is required at a large or small dealer?
  - What is the safety inventory required if inventory for the popular variant (for both large and small dealers) is centralized at the regional warehouse by Toyota?
  - What is the safety inventory required if inventory for the popular variant at small dealers is centralized at the regional warehouse but that for large dealers is decentralized?
  - Given the additional customization and transportation cost, which structure do you recommend for the popular variant?
  - Repeat parts (a) to (d) for the uncommon variant.
  - How should Toyota structure inventories given its regional warehouses?
16. Orion is a global company that sells copiers. Orion currently sells 10 variants of a copier, with all inventory kept in finished-goods form. The primary component that differentiates the copiers is the printing subassembly. An idea being discussed is to introduce commonality in the printing subassembly so that final assembly can be postponed and inventories kept in component form. Currently, each copier costs \$1,000 in terms of components. Introducing commonality in the print subassembly will increase component costs to \$1,025. One of the 10 variants represents 80 percent of the total demand. Weekly demand for this variant is normally distributed, with a mean of 1,000 and a standard deviation of 200. Each of the remaining nine variants has a weekly demand of 28 with a standard deviation of 20. Orion aims to provide a 95 percent level of service. Replenishment lead time for components is four weeks. Copier assembly can be completed in a matter of hours. Orion manages all inventories using a continuous review policy and uses a holding cost of 20 percent.
- How much safety inventory of each variant must Orion keep without component commonality? What is the annual holding cost?
  - How much safety inventory must be kept in component form if Orion uses common components for all variants? What is the annual holding cost? What is the increase in component cost using commonality? Is commonality justified across all variants?
  - At what cost of commonality will complete commonality be justified?
  - Now consider the case in which Orion uses component commonality for only the nine low-demand variants. How much reduction in safety inventory does Orion achieve in this case? What are the savings in terms of annual holding cost? Is this more restricted form of commonality justified?
  - At what cost of commonality will commonality across the low-volume variants be justified?

**Table 12-7** Weekly Demand at Car Dealers

	Popular Variant		Uncommon Variant	
	Mean	Standard Deviation	Mean	Standard Deviation
Large dealer	50	15	8	5
Small dealer	10	5	2	2

## Bibliography

- DeHoratius, Nicole, and Ananth Raman. "Inventory Record Inaccuracy: An Empirical Analysis." *Management Science* 54 (April 2008): 627–641.
- Federgruen, Awi, and Yu-Sheng Zheng. "An Efficient Algorithm for Computing an Optimal (r,Q) Policy in Continuous Review Stochastic Inventory Systems." *Operations Research* 40 (July–August 1992): 808–813.
- Feitzinger, Edward, and Hau L. Lee. "Mass Customization at Hewlett Packard." *Harvard Business Review* (January–February 1997): 116–121.
- Gallego, Guillermo. "New Bounds and Heuristics for (Q,r) Policies." *Management Science* 44 (February 1998): 219–233.
- Geary, Steve, Paul Childerhouse, and Denis Towill. "Uncertainty and the Seamless Supply Chain." *Supply Chain Management Review* (July–August 2002): 52–61.
- Kopczak, Laura, and Hau L. Lee. "Hewlett-Packard Co.: Deskjet Printer Supply Chain (A)." Stanford University Case GS3A. 2001.
- Lee, Hau L. "Design for Supply Chain Management: Concepts and Examples." In R. Sarin, ed. *Perspectives in Operations Management*, pp. 45–65. Norwell, MA: Kluwer Academic Publishers, 1993.
- Lee, Hau L., and Corey Billington. "Managing Supply Chain Inventory." *Sloan Management Review* (Spring 1992): 65–73.
- Lee, Hau L., Corey Billington, and Brent Carter. "Hewlett-Packard Gains Control of Inventory and Service Through Design for Localization." *Interfaces* (July–August 1993): 1–11.
- Nahmias, Steven. *Production and Operations Analysis*. Burr Ridge, IL: Richard P. Irwin, 1997.
- Signorelli, Sergio, and James L. Heskett. 1984. "Benetton (A)." Harvard Business School Case 9–685–014, 1984.
- Silver, Edward A., David Pyke, and Rein Petersen. *Inventory Management and Production Planning and Scheduling*. New York: Wiley, 1998.
- Tayur, Sridhar, Ram Ganeshan, and Michael Magazine, eds. *Quantitative Models for Supply Chain Management*. Boston: Kluwer Academic Publishers, 1999.
- Trent, Robert J. "Managing Inventory Investment Effectively." *Supply Chain Management Review* (March–April 2002): 28–35.
- Zipkin, Paul H. *Foundations of Inventory Management*. Boston: Irwin McGraw-Hill, 2000.

## CASE STUDY

### Managing Inventories at ALKO Inc.

ALKO began in 1943 in a garage workshop set up by John Williams at his Cleveland home. John had always enjoyed tinkering, and in February 1948 he obtained a patent for one of his designs for lighting fixtures. He decided to produce it in his workshop and tried marketing it in the Cleveland area. The product sold well, and by 1957 ALKO had grown to a \$3 million company. Its lighting fixtures were well known for their outstanding quality. By then, it sold a total of five products.


In 1963, John took the company public. Since then, ALKO has been very successful, and the company has started distributing its products nationwide. As competition intensified in the 1980s, ALKO introduced many new lighting fixture designs. The company's profitability, however, began to worsen despite the fact that ALKO had taken great care to ensure that product quality did not suffer. The problem was that margins had begun to shrink as competition in the market intensified. At this point, the board decided that a complete reorganization was needed, starting at the top. Gary Fisher was hired to reorganize and restructure the company.

When Fisher arrived in 2009, he found a company teetering on the edge. He spent his first few months trying to understand the company business and the way

it was structured. Fisher realized that the key was in the operating performance. Although the company had always been outstanding at developing and producing new products, it had historically ignored its distribution system. The belief within the company was that once you make a good product, the rest takes care of itself. Fisher set up a task force to review the company's current distribution system and come up with recommendations.

### The Current Distribution System

The task force noted that ALKO had 100 products in its 2009 line. All production occurred at three facilities located in the Cleveland area. For sales purposes, the contiguous United States was divided into five regions, as shown in Figure 12-7. A DC owned by ALKO operated in each of these regions. Customers placed orders with the DCs, which tried to supply them from product in inventory. As the inventory for any product diminished, the DC in turn ordered from the plants. The plants scheduled production based on DC orders. Orders were transported from plants to the DCs in TL quantities because order sizes tended to be large. On the other



**FIGURE 12-7** Sales Regions for ALKO

hand, shipments from the DC to the customer were LTL. ALKO used a third-party trucking company for both transportation legs. In 2009, TL costs from the plants to DCs averaged \$0.09 per unit. LTL shipping costs from a DC to a customer averaged \$0.10 per unit. On average, five days were necessary between the time a DC placed an order with a plant and the time the order was delivered from the plant.

The policy in 2009 was to stock each item in every DC. A detailed study of the product line had shown that there were three basic categories of products in terms of the volume of sales. They were categorized as types High, Medium, and Low. Demand data for a representative product in each category is shown in Table 12-8. Products 1, 3, and 7 are representative of High, Medium, and Low demand products, respectively. Of the 100 products that ALKO sold, 10 were of type High, 20 of type Medium, and 70 of type Low. Each of their demands was identical to those of the representative products 1, 3, and 7, respectively.


The task force identified that plant capacities allowed any reasonable order to be produced in four days. Thus, a plant shipped out an order four days after receiving it. After one day in transit, the order reached the DC. The replenishment lead time was thus five days. The DCs ordered using a periodic review policy with a reorder interval of six days. The holding cost incurred was \$0.15 per unit per day whether the unit was in transit or in storage. All DCs carried safety inventories to ensure a CSL of 95 percent.

### Alternative Distribution Systems

The task force recommended that ALKO build a national distribution center (NDC) outside Chicago. The task force recommended that ALKO close its five DCs and move all inventory to the NDC. Warehouse capacity was measured in terms of the total number of units handled per year (i.e., the warehouse capacity was given in terms of the annual demand supplied

**Table 12-8** Distribution of Daily Demand at ALKO

	Region 1	Region 2	Region 3	Region 4	Region 5
Part 1 M	35.48	22.61	17.66	11.81	3.36
Part 1 SD	6.98	6.48	5.26	3.48	4.49
Part 3 M	2.48	4.15	6.15	6.16	7.49
Part 3 SD	3.16	6.20	6.39	6.76	3.56
Part 7 M	0.48	0.73	0.80	1.94	2.54
Part 7 SD	1.98	1.42	2.39	3.76	3.98



**FIGURE 12-8** Construction Costs for NDC

from the warehouse). The cost of constructing a warehouse is shown in Figure 12-8. However, ALKO expected to recover \$50,000 for each warehouse that it closed. The CSL out of the NDC would continue to be 95 percent.

Given that Chicago is close to Cleveland, the inbound transportation cost from the plants to the NDC would fall to \$0.05 per unit. The total replenishment lead time for the Chicago NDC would still be five days (four days for production + one day in transit). Given the increased average distance, however, the outbound transportation cost to customers from the NDC would increase to \$0.24 per unit.

Other possibilities the task force considered include building a national distribution center while keeping the regional DCs open. In this case, some products would be stocked at the regional DCs, whereas others would be stocked at the NDC.

### Fisher's Decision

Gary Fisher pondered the task force report. It had not detailed any of the numbers supporting the decision. He decided to evaluate the numbers before making his decision.

### QUESTIONS

1. What is the annual inventory and distribution cost of the current distribution system?
2. What are the savings that would result from following the task force recommendation and setting up an NDC? Evaluate the savings as the correlation coefficient of demand in any pair of regions varies from 0 to 0.5 to 1.0. Do you recommend setting up an NDC?
3. Suggest other options that Fisher should consider. Evaluate each option and recommend a distribution system for ALKO that would be most profitable. How dependent is your recommendation on the correlation coefficient of demand across different regions?

## CASE STUDY

### Should Packing be Postponed to the DC?

Penang Electronics (PE) is a contract manufacturer that produces and packages private label products for several retail chains including Target, Best Buy, Staples, and Office Max. In each case, the basic product is identical with the only difference being the labeling and the packaging. Thus, the labeled and packed version of the product destined for Target cannot be sent to Best Buy.

Currently, a production facility in Malaysia is used to manufacture, label, and pack all products. The manufacturing facility replenishes a distribution center (DC) in St. Louis from which the contract manufacturer fills all customer orders. The manufacturing and transportation

lead time from Penang to St. Louis is nine weeks. PE uses a continuous review policy to manage inventories at its DC and aims to provide a cycle service level of 95 percent for each product to every customer.

The previous month had been very challenging because Best Buy requested 5,000 additional units beyond what was available at the DC, whereas Target ordered 3,500 units less and Staples ordered 4,000 units less. Even though there was sufficient product inventory available at the DC (in the form of the basic product), PE could not meet the Best Buy request because the excess inventory available was labeled and packed for other customers. The DC had leftover inventory from Target

and Staples, which unfortunately could not be used to serve Best Buy. PE had lost business and surplus inventory all because of the wrong labels and packaging!

### Labeling and Packaging at the DC

The vice president of supply chain at PE proposed postponing the final labeling and packaging to the DC. Her logic was that postponing labeling and packaging to the DC would allow PE to use all available inventories to serve any customer. In particular, the situation that arose the past month when Best Buy did not get its entire order could have been avoided through postponement. If packaging was shifted to the DC, the lead time of manufacturing and transporting the basic product from Malaysia would continue to be about nine weeks. Labeling and packaging were relatively quick steps and the response time from the DC to the customer was not expected to change.

The DC management was opposed to this idea because it would add additional work that was different from what they had done so far. A detailed study of the production process had shown that labeling and packaging at the DC cost \$2 per unit more than the cost of labeling and packaging in Malaysia. DC management believed that this increase in cost would be held against them once the process was changed, and they would be under constant pressure to lower cost. They also believed it would complicate the work they did when filling an order and could adversely impact customer service.

### Evaluating the Two Options

To evaluate the two options, a team from both manufacturing and the DC was set up. The team decided to focus its analysis on three major product categories—computers, printers, and scanners, and four major customers—Target, Best Buy, Staples, and Office Max. Weekly demand for each product and customer is shown in Table 12-9. In each case, “Mean” indicates the average weekly demand, and “SD” indicates the standard deviation of weekly demand. All demand was assumed to be normally distributed. PE incurred a total cost of \$1,000 per computer, \$300 per printer and \$100 per scanner. Given the short life cycle of these products, PE used a holding cost of 30 percent when making its inventory decisions. The team analyzed the impact of postponement on safety inventories before making a final recommendation.

### QUESTIONS

1. What is the annual inventory cost of the current system in which product is produced, labeled, and packed in Malaysia before being shipped to the DC?
2. How would the inventory cost change if labeling and packaging were moved to the DC? Evaluate the change in inventory costs as the correlation coefficient of demand between any pair of customers varies from 0 to 0.5 to 1.0.
3. How should PE set up its production, labeling, and packaging processes? Does your answer change if the additional cost of labeling and packaging at the DC is reduced to \$1 (from the current value of \$2)?

**Table 12-9** Distribution of Weekly Demand by Product and Customer


	Computers		Printers		Scanners	
	Mean	SD	Mean	SD	Mean	SD
Target	1,000	700	2,000	1,000	4,000	1,000
Best Buy	700	600	1,500	800	4,500	900
Office Max	800	600	1,200	600	2,000	700
Staples	500	400	900	500	1,400	500

## APPENDIX 12A

### The Normal Distribution

A continuous random variable  $X$  has a *normal distribution* with mean  $\mu$  and standard deviation  $\sigma > 0$  if the probability density function  $f(x, \mu, \sigma)$  of the random variable is given by

$$f(x, \mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left[-\frac{(x - \mu)^2}{2\sigma^2}\right] \quad (12.20)$$



**FIGURE 12-9** Normal Density Function

The normal density function is as shown in Figure 12-9.

The *cumulative normal distribution function* is denoted by  $F(x, \mu, \sigma)$  and is the probability that a normally distributed random variable with mean  $\mu$  and standard deviation  $\sigma$  takes on a value less than or equal to  $x$ . The cumulative normal distribution function and the density function are related as follows:

$$F(x, \mu, \sigma) = \int_{X=-\infty}^x f(X, \mu, \sigma) dX$$

A normal distribution with a mean  $\mu = 0$  and standard deviation  $\sigma = 1$  is referred to as the *standard normal distribution*. The standard normal density function is denoted by  $f_S(x)$  and the cumulative standard normal distribution function is denoted by  $F_S(x)$ . Thus,

$$f_S(x) = f(x, 0, 1) \text{ and } F_S(x) = F(x, 0, 1)$$

Given a probability  $p$ , the inverse normal  $F^{-1}(p, \mu, \sigma)$  is the value  $x$  such that  $p$  is the probability that the normal random variable takes on a value  $x$  or less. Thus, if  $F(x, \mu, \sigma) = p$  then  $x = F^{-1}(p, \mu, \sigma)$ . The inverse of the standard normal distribution is denoted by  $F_S^{-1}(p)$ . Thus,

$$F_S^{-1}(p) = F^{-1}(p, 0, 1).$$

## APPENDIX 12B

### The Normal Distribution in Excel

The following Excel functions can be used to evaluate various normal distribution functions:

$$F(x, \mu, \sigma) = \text{NORMDIST}(x, \mu, \sigma, 1) \quad (12.21)$$

$$f(x, \mu, \sigma) = \text{NORMDIST}(x, \mu, \sigma, 0) \quad (12.22)$$

$$F^{-1}(p, \mu, \sigma) = \text{NORMINV}(p, \mu, \sigma) \quad (12.23)$$

The Excel functions to evaluate various standard normal distribution functions are listed next.

$$F_S(x) = \text{NORMDIST}(x, 0, 1, 1) \text{ or } \text{NORMSDIST}(x) \quad (12.24)$$

$$f_S(x) = \text{NORMDIST}(x, 0, 1, 0) \quad (12.25)$$

$$F_S^{-1}(p) = \text{NORMSINV}(p) \quad (12.26)$$



## APPENDIX 12C

### Expected Shortage Cost per Cycle

#### Objective:

Establish an alternative formula for expected shortage cost (ESC) to be evaluated using Excel.

#### Analysis:

Given a reorder point of  $ROP = D_L + ss$ , the ESC is given as

$$\begin{aligned} ESC &= \int_{x=ROP}^{\infty} (x - ROP) f(x) dx \\ &= \int_{x=D_L+ss}^{\infty} (x - D_L - ss) f(x) dx \end{aligned}$$

Given that the demand during lead time is normally distributed with a mean  $D_L$  and a standard deviation  $\sigma_L$ , we have (using Equation 12.20)

$$ESC = \int_{x=D_L+ss}^{\infty} (x - D_L - ss) \frac{1}{\sqrt{2\pi}\sigma_L} e^{-(x-D_L)^2/2\sigma_L^2} dx$$

Substitute the following:

$$z = \frac{(x - D_L)}{\sigma_L}$$

This implies that

$$dx = \sigma_L dz$$

Thus, we have

$$\begin{aligned} ESC &= \int_{z=ss/\sigma_L}^{\infty} (z\sigma_L - ss) \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz \\ &= -ss \int_{z=ss/\sigma_L}^{\infty} \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz \\ &\quad + \sigma_L \int_{z=ss/\sigma_L}^{\infty} z \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz \end{aligned}$$

Recall that  $F_S(\cdot)$  is the cumulative distribution function and  $f_S(\cdot)$  is the probability density function for the standard normal distribution with mean 0 and standard deviation 1. Using Equation 12.20 and the definition of the standard normal distribution, we have

$$1 - F_S(y) = \int_{z=y}^{\infty} f_S(z) dz = \int_{z=y}^{\infty} \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz$$

Substitute  $w = z^2/2$  into the expression for ESC. This implies that

$$ESC = -ss[1 - F_S(ss/\sigma_L)] + \sigma_L \int_{w=ss^2/2\sigma_L^2}^{\infty} \frac{1}{\sqrt{2\pi}} e^{-w} dw$$

or

$$ESC = -ss[1 - F_S(ss/\sigma_L)] + \sigma_L f_S(ss/\sigma_L)$$

Using Equations 12.24 and 12.25, ESC may be evaluated using Excel as follows:

$$ESC = -ss[1 - NORMDIST(ss/\sigma_L, 0, 1, 1)] + \sigma_L NORMDIST(ss/\sigma_L, 0, 1, 0)$$

## APPENDIX 12D

### Evaluating Safety Inventory for Slow-Moving Items

#### Objective:

Devise a procedure for evaluating safety inventory for slow-moving items whose demand can be approximated using a Poisson distribution.

#### Discussion:

For slow-moving items, the normal distribution is not a good estimation for the demand distribution. A better approach is to use the Poisson distribution with demand arriving at a rate  $D$ . In such a setting,  $(Q, r)$  policies are known to be optimal. Under a  $(Q, r)$  policy, an order is placed whenever the inventory position drops to or below the reorder point  $r$ , and the order size is  $nQ$ , where  $n$  is the number of batches of size  $Q$  required to raise the inventory position to be in the interval  $(r, r + Q)$ .

For the Poisson distribution, given a constant lead time  $L$ , the average demand over the lead time is given by  $LD$ , and the variance of demand over the lead time is given by  $\sigma^2 = \sqrt{LD}$ . Efficient algorithms to obtain the  $Q$  and  $r$  are given by Federgruen and Zheng (1992). The results we present are based on Gallego (1992), who has given effective heuristics to solve the problem.

If  $H$  is the holding cost per unit per unit time,  $p$  the fixed shortage cost per unit per unit time, and  $S$  the fixed order cost per batch, Gallego suggests a batch size of  $Q^*$ , where

$$Q^* = \text{Min} \left( \sqrt{2}, \sqrt[4]{1 + \left( \frac{(H + p)L}{2S} \right)^2} \right) \sqrt{\frac{2DS}{H}} \quad (12.27)$$

He shows that the use of batch size  $Q^*$  results in a cost that is no more than 7 percent from the optimal batch size. The reorder point  $r^*$  can be obtained using a procedure discussed by Federgruen and Zheng (1992). The long-run average cost  $C(r, Q)$  of an  $(r, Q)$  policy when demand is Poisson is given by

$$C(r, Q) = \frac{DS}{Q} + \frac{1}{Q} \sum_{y=r+1}^{r+Q} \left\{ H \sum_{i=0}^y (y - i) p_i + p \sum_{i=y+1}^{\infty} (i - y) p_i \right\}, \quad (12.28)$$

where

$$P_i = \frac{e^{-DL} (DL)^i}{i!}, i = 0, 1, \dots$$

The reorder point  $r^*$  is obtained by inserting the batch size  $Q^*$  from Equation 12.27 into Equation 12.28 and searching for the value  $r^*$  that minimizes the cost  $C(r, Q^*)$ . Given that  $C(r, Q^*)$  is unimodal [as shown by Federgruen and Zheng (1992)],  $r^*$  can be obtained using a binary search over the integers.



# Determining the Optimal Level of Product Availability

## LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Identify the factors affecting the optimal level of product availability and evaluate the optimal cycle service level.
2. Use managerial levers that improve supply chain profitability through optimal service levels.
3. Understand conditions under which postponement is valuable in a supply chain.
4. Allocate limited supply capacity among multiple products to maximize expected profits.

In this chapter, we explore the process of determining the optimal level of product availability to be offered to customers. The chapter examines the components that go into the calculation of the optimal service level and the various ways that this calculation can be performed. We discuss and demonstrate how different managerial levers can be used to improve supply chain profitability by increasing the level of product availability while reducing inventories.

## 13.1 THE IMPORTANCE OF THE LEVEL OF PRODUCT AVAILABILITY

The level of product availability is measured using the cycle service level or the fill rate, which are metrics for the amount of customer demand satisfied from available inventory. The level of product availability, also referred to as the customer service level, is one of the primary measures of a supply chain's responsiveness. A supply chain can use a high level of product availability to improve its responsiveness and attract customers, thus increasing revenue for the supply chain. However, a high level of product availability requires large inventories, which raise supply chain costs. Therefore, a supply chain must achieve a balance between the level of availability and the cost of inventory. The optimal level of product availability is one that maximizes supply chain profitability.

In the fourth quarter of 2008, U.S. inventories shot up by \$6.2 billion because of the rapid decline in demand that hit retailers and manufacturers. For some manufacturers, the situation was exaggerated because of the excess inventory of raw materials, such as steel and plastics, they had built up anticipating price increases. Retailers were also hit hard with some, such as Saks Fifth Avenue, slashing prices by 70 percent during the holiday season to spur demand. The excess inventories and the drop in demand led to several retailers, such as Steve and Barry and Circuit

City, declaring bankruptcy during this period. In contrast, Nintendo missed out on an estimated \$1.3 billion in sales during the 2007 holiday season because of a failure to meet soaring global demand of its Wii video game console. These examples make clear that having too high or too low a level of product availability has a significant impact on supply chain profits.

Whether the optimal level of availability is high or low depends on where a particular company believes it can maximize profits. Nordstrom has focused on providing a high level of product availability and has used its reputation for responsiveness to become a successful department store chain. However, prices at Nordstrom are higher than at a discount store, where the level of product availability is lower. Power plants ensure that they (almost) never run out of fuel because a shutdown is extremely expensive, resulting in several days of lost production. Some power plants try to maintain several months of fuel supply to avoid any probability of running out. In contrast, most supermarkets carry only a few days' supply of product, and out-of-stock situations do occur with some frequency.

The Internet allows a customer to easily shop at an alternative store if the first choice is out of stock. This competitive environment puts pressure on online retailers to increase their level of availability. Simultaneously, significant price competition has lowered prices online. Web retailers with excess inventory find it difficult to be profitable. Providing the optimal level of product availability is thus a key to success online.

In the examples described earlier, firms provide different levels of product availability. Every supply chain manager must use factors that influence the optimal level of product availability to target that optimal level and identify managerial levers that increase supply chain surplus. Next, we identify factors that affect the optimal level of product availability.

## 13.2 FACTORS AFFECTING OPTIMAL LEVEL OF PRODUCT AVAILABILITY

To understand the factors that influence the optimal level of product availability, consider L.L.Bean, a large mail-order company that sells apparel. One of the products L.L.Bean sells is ski jackets. The selling season for ski jackets is from November to February. The buyer at L.L.Bean currently purchases the entire season's supply of ski jackets from the manufacturer before the start of the selling season. Providing a high level of product availability requires the purchase of a large number of jackets. Although a high level of product availability is likely to satisfy all demand that arises, it is also likely to result in a large number of unsold jackets at the end of the season, with L.L.Bean losing money on unsold jackets. In contrast, a low level of product availability is likely to result in few unsold jackets. However, it is quite likely that L.L.Bean will have to turn away customers willing to buy jackets because they are sold out. In this scenario, L.L.Bean loses potential profit by losing customers. The buyer at L.L.Bean must balance the loss from having too many unsold jackets (in case the number of jackets ordered is more than demand) and the lost profit from turning away customers (in case the number of jackets ordered is less than demand) when deciding the level of product availability.

The *cost of overstocking* is denoted by  $C_o$  and is the loss incurred by a firm for each unsold unit at the end of the selling season. The *cost of understocking* is denoted by  $C_u$  and is the margin lost by a firm for each lost sale because there is no inventory on hand. The cost of understocking should include the margin lost from current as well as future sales if the customer does not return. In summary, the two key factors that influence the optimal level of product availability are

- Cost of overstocking the product
- Cost of understocking the product

We illustrate and develop this relationship in the context of a buying decision at L.L.Bean. The first point to observe is that deciding on an optimal level of product availability makes sense only in the context of demand uncertainty. Traditionally, many firms have forecast a consensus

**Table 13-1** Demand Distribution for Parkas at L.L.Bean

Demand $D_i$ (in hundreds)	Probability $p_i$	Cumulative Probability of Demand Being $D_i$ or Less ( $P_i$ )	Probability of Demand Being Greater than $D(1-P_i)$
4	0.01	0.01	0.99
5	0.02	0.03	0.97
6	0.04	0.07	0.93
7	0.08	0.15	0.85
8	0.09	0.24	0.76
9	0.11	0.35	0.65
10	0.16	0.51	0.49
11	0.20	0.71	0.29
12	0.11	0.82	0.18
13	0.10	0.92	0.08
14	0.04	0.96	0.04
15	0.02	0.98	0.02
16	0.01	0.99	0.01
17	0.01	1.00	0.00

estimate of demand without any measure of uncertainty. In this setting, firms do not make a decision regarding the level of availability; they simply order the consensus forecast. Over the past decade, firms have developed a better appreciation for uncertainty and have started developing forecasts that include a measure of uncertainty. Incorporating uncertainty and deciding on the optimal level of product availability can increase profits relative to using a consensus forecast.

L.L.Bean has a buying committee that decides on the quantity of each product to be ordered. Based on demand over the past few years, the buyers have estimated the demand distribution for a women's red ski parka to be as shown in Table 13-1. This is a deviation from its traditional practice of using the average historical demand as the consensus forecast. To simplify the discussion, we assume that all demand is in hundreds of parkas. The manufacturer also requires that L.L.Bean place orders in multiples of 100. In Table 13-1,  $p_i$  is the probability that demand equals  $D_i$ , and  $P_i$  is the probability that demand is less than or equal to  $D_i$ . From Table 13-1, we evaluate the expected demand of Parkas as

$$\text{Expected demand} = \sum D_i p_i = 1,026$$

Under the old policy of ordering the expected value, the buyers would have ordered 1,000 parkas. However, demand is uncertain and Table 13-1 shows that there is a 51 percent probability that demand will be 1,000 or less. Thus, a policy of ordering a thousand parkas results in a cycle service level of 51 percent at L.L.Bean. The buying committee must decide on an order size and cycle service level that maximizes the profits from the sale of parkas at L.L.Bean.

The loss that L.L.Bean incurs from an unsold parka and the profit that L.L.Bean makes on each parka it sells influences the buying decision. Each parka costs L.L.Bean  $c = \$45$  and is priced in the catalog at  $p = \$100$ . Any unsold parkas at the end of the season are sold at the outlet store for  $\$50$ . Holding the parka in inventory and transporting it to the outlet store costs L.L.Bean  $\$10$ . Thus, L.L.Bean recovers a salvage value of  $s = \$40$  for each parka that is unsold at the end of the season. L.L.Bean makes a profit of  $p - c = \$55$  on each parka it sells and incurs a loss of  $c - s = \$5$  on each unsold parka that is sold at the outlet store.

The expected profit from ordering 1,000 parkas is given as

$$\begin{aligned} \text{Expected profit} &= \sum_{i=4}^{10} [D_i(p - c) - (1,000 - D_i)(c - s)]p_i + \sum_{i=11}^{17} 1,000(p - c)p_i \\ &= [400 \times 55 - 600 \times 5] \times 0.01 + [500 \times 55 - 500 \times 5] \times 0.02 + [600 \\ &\quad \times 55 - 400 \times 5] \times 0.04 + [700 \times 55 - 300 \times 5] \times 0.08 + [800 \times 55 - 200 \\ &\quad \times 5] \times 0.09 + [900 \times 55 - 100 \times 5] \times 0.11 + [1000 \times 55 - 0 \times 5] \times 0.16 \\ &\quad + 1000 \times 55 \times 0.20 + 1000 \times 55 \times 0.11 + 1000 \times 55 \times 0.10 + 1000 \\ &\quad \times 55 \times 0.04 + 1000 \times 55 \times 0.02 + 1000 \times 55 \times 0.01 + 1000 \times 55 \times 0.01 \\ &= \$49,900 \end{aligned}$$

To decide whether to order 1,100 parkas, the buying committee must determine the impact of buying the extra 100 units. If 1,100 parkas are ordered, the extra 100 are sold (for a profit of \$5,500) if demand is 1,100 or higher. Otherwise, the extra 100 units are sent to the outlet store at a loss of \$500. From Table 13-1, we see that there is a probability of 0.49 that demand is 1,100 or higher and a 0.51 probability that demand is 1,000 or less. Thus, we deduce the following:

$$\begin{aligned} \text{Expected profit from the extra 100 parkas} &= 5,500 \times \text{Prob}(\text{demand} \geq 1,100) \\ &- 500 \times \text{Prob}(\text{demand} < 1,100) = \$5,500 \times 0.49 - \$500 \times 0.51 = \$2,440 \end{aligned}$$

The total expected profit from ordering 1,100 parkas is thus \$52,340, which is almost 5 percent higher than the expected profit from ordering 1,000 parkas. Using the same approach, we evaluate the marginal contribution of each additional 100 parkas as in Table 13-2. Note that the expected marginal contribution is positive up to 1,300 parkas, but it is negative from that point on. Thus, the optimal order size is 1,300 parkas. From Table 13-2, we have


$$\begin{aligned} \text{Expected profit from ordering 1,300 parkas} &= \$49,900 + \$2,440 \\ &\quad + \$1,240 + \$580 = \$54,160 \end{aligned}$$

This is more than an 8 percent increase in profitability relative to the policy of ordering the expected value of 1,000 parkas.

A plot of total expected profits versus the order quantity is shown in Figure 13-1. The optimal order quantity maximizes the expected profit. For L.L.Bean, the optimal order quantity is 1,300 parkas, which provides a CSL of 92 percent. Observe that with a CSL of 0.92, L.L.Bean has a fill rate that is much higher. If demand is 1,300 or less, L.L.Bean achieves a fill

**Table 13-2** Expected Marginal Contribution of Each Additional 100 Parkas

Additional Hundreds	Expected Marginal Benefit	Expected Marginal Cost	Expected Marginal Contribution
11th	$5,500 \times 0.49 = 2,695$	$500 \times 0.51 = 255$	$2,695 - 255 = 2,440$
12th	$5,500 \times 0.29 = 1,595$	$500 \times 0.71 = 355$	$1,595 - 355 = 1,240$
13th	$5,500 \times 0.18 = 990$	$500 \times 0.82 = 410$	$990 - 410 = 580$
14th	$5,500 \times 0.08 = 440$	$500 \times 0.92 = 460$	$440 - 460 = -20$
15th	$5,500 \times 0.04 = 220$	$500 \times 0.96 = 480$	$220 - 480 = -260$
16th	$5,500 \times 0.02 = 110$	$500 \times 0.98 = 490$	$110 - 490 = -380$
17th	$5,500 \times 0.01 = 55$	$500 \times 0.99 = 495$	$55 - 495 = -440$



**FIGURE 13-1** Expected Profit as a Function of Order Quantity at L.L.Bean

rate of 100 percent, because all demand is satisfied. If demand is more than 1,300 (say,  $D$ ), part of the demand ( $D - 1,300$ ) is not satisfied. In this case, a fill rate of  $1,300/D$  is achieved. Overall, the fill rate achieved at L.L.Bean if 1,300 parkas are ordered is given by

$$\begin{aligned} fr &= 1 \times \text{Prob}(\text{demand} \leq 1,300) + \sum_{D_i > 1,300} (1,300/D_i)p_i \\ &= 1 \times 0.92 + (1300/1400) \times 0.04 + (1300/1500) \times \\ &\quad 0.02 + (1300/1600) \times 0.01 + (1300/1700) \times 0.01 \\ &= 0.99 \end{aligned}$$

Thus, with a policy of ordering 1,300 parkas, L.L.Bean satisfies, on average, 99 percent of its demand from parkas in inventory.

In the L.L.Bean example, we have a cost of overstocking of  $C_o = c - s = \$5$  and a cost of understocking of  $C_u = p - c = \$55$ . As these costs change, the optimal level of product availability also changes. In the next section, we develop the relationship between the desired CSL and the cost of overstocking and understocking for seasonal items.

### Optimal Cycle Service Level for Seasonal Items with a Single Order in a Season

In this section, we focus attention on seasonal products such as ski jackets, for which all leftover items must be disposed of at the end of the season. The assumption is that the leftover items from the previous season are not used to satisfy demand for the current season. Assume a retail price per unit of  $p$ , a cost of  $c$ , and a salvage value of  $s$ . We consider the following inputs:

$C_o$ : Cost of overstocking by one unit,  $C_o = c - s$

$C_u$ : Cost of understocking by one unit,  $C_u = p - c$

$CSL^*$ : Optimal cycle service level

$O^*$ : Corresponding optimal order size

$CSL^*$  is the probability that demand during the season will be at or below  $O^*$ . At the optimal cycle service level  $CSL^*$ , the marginal contribution of purchasing an additional unit is zero. If the order quantity is raised from  $O^*$  to  $O^* + 1$ , the additional unit sells if demand is larger than  $O^*$ . This occurs with probability  $1 - CSL^*$  and results in a contribution of  $p - c$ . We thus have

$$\text{Expected benefit of purchasing extra unit} = (1 - CSL^*)(p - c)$$

The additional unit remains unsold if demand is at or below  $O^*$ . This occurs with probability  $CSL^*$  and results in a cost of  $c - s$ . We thus have

$$\text{Expected cost of purchasing extra unit} = CSL^*(c - s)$$

Thus, the expected marginal contribution of raising the order size from  $O^*$  to  $O^* + 1$  is given by

$$(1 - CSL^*)(p - c) - CSL^*(c - s)$$

Because the expected marginal contribution must be 0 at the optimal cycle service level, we have

$$CSL^* = \text{Prob}(\text{Demand} \leq O^*) = \frac{p - c}{p - s} = \frac{C_u}{C_u + C_o} = \frac{1}{1 + (C_o/C_u)} \quad (13.1)$$

A more rigorous derivation of the previously mentioned formula is provided in Appendix 13A. The optimal  $CSL^*$  has also been referred to as the *critical fractile*. The resulting optimal order quantity maximizes the firm's profit. If demand during the season is normally distributed, with a mean of  $\mu$  and a standard deviation of  $\sigma$ , the optimal order quantity is given by

$$O^* = F^{-1}(CSL^*, \mu, \sigma) = \text{NORMINV}(CSL^*, \mu, \sigma) \quad (13.2)$$

When demand is normally distributed, with a mean of  $\mu$  and a standard deviation of  $\sigma$ , the expected profit from ordering  $O$  units is given by

$$\begin{aligned} \text{Expected profit} = & (p - s)\mu F_s\left(\frac{O - \mu}{\sigma}\right) - (p - s)\sigma f_s\left(\frac{O - \mu}{\sigma}\right) \\ & - O(c - s)F(O, \mu, \sigma) + O(p - c)[1 - F(O, \mu, \sigma)] \end{aligned}$$

The derivation of this formula is provided in Appendix 13B and Appendix 13C. Here  $F_S$  is the standard normal cumulative distribution function and  $f_S$  is the standard normal density function discussed in Appendix 12A of Chapter 12. The expected profit from ordering  $O$  units is evaluated in Excel using Equations 12.21, 12.24, and 12.25 as follows:

$$\begin{aligned} \text{Expected profits} = & (p - s)\mu \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 1] \\ & - (p - s)\sigma \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 0] \\ & - O(c - s)\text{NORMDIST}(O, \mu, \sigma, 1) \\ & + O(p - c)[1 - \text{NORMDIST}(O, \mu, \sigma, 1)] \quad (13.3) \end{aligned}$$

Example 13-1 illustrates the use of Equations 13.1 and 13.2 to obtain the optimal cycle service level and order quantity.

### EXAMPLE 13-1 Evaluating the Optimal Service Level for Seasonal Items

The manager at Sportmart, a sporting goods store, has to decide on the number of skis to purchase for the winter season. Based on past demand data and weather forecasts for the year, management has forecast demand to be normally distributed, with a mean of  $\mu = 350$  and a standard deviation of  $\sigma = 100$ . Each pair of skis costs  $c = \$100$  and retails for  $p = \$250$ . Any unsold skis at the end of the season are disposed of for \$85. Assume that it costs \$5 to hold a pair of skis in inventory for the season. How many skis should the manager order to maximize expected profits?



**Analysis:**

In this case, we have

$$\text{Salvage value} = s = \$85 - \$5 = \$80$$

$$\text{Cost of understocking} = C_u = p - c = \$250 - \$100 = \$150$$

$$\text{Cost of overstocking} = C_o = c - s = \$100 - \$80 = \$20$$

Using Equation 13.1, we deduce that the optimal CSL is

$$CSL^* = \text{Prob}(\text{Demand} \leq O^*) = \frac{C_u}{C_u + C_o} = \frac{150}{150 + 20} = 0.88$$

Using Equation 13.2, the optimal order size is

$$O^* = \text{NORMINV}(CSL^*, \mu, \sigma) = \text{NORMINV}(0.88, 350, 100) = 468$$

Thus, it is optimal for the manager at Sportmart to order 468 pairs of skis even though the expected number of sales is 350. In this case, because the cost of understocking is much higher than the cost of overstocking, management is better off ordering more than the expected value to cover for the uncertainty of demand.

Using Equation 13.3, the expected profits from ordering  $O^*$  units are

$$\begin{aligned} \text{Expected profits} &= (p - s)\mu \text{NORMDIST}[(O^* - \mu)/\sigma, 0, 1, 1] \\ &\quad - (p - s)\sigma \text{NORMDIST}[(O^* - \mu)/\sigma, 0, 1, 0] \\ &\quad - O^*(c - s)\text{NORMDIST}(O^*, \mu, \sigma, 1) \\ &\quad + O^*(p - c)[1 - \text{NORMDIST}(O^*, \mu, \sigma, 1)] \\ &= 59,500 \text{NORMDIST}(1.18, 0, 1, 1) - 17,000 \text{NORMDIST}(1.18, 0, 1, 0) \\ &\quad - 9,360 \text{NORMDIST}(468, 350, 100, 1) \\ &\quad + 70,200 [1 - \text{NORMDIST}(468, 350, 100, 1)] = \$49,146 \end{aligned}$$

The expected profit from ordering 350 pairs of skis can be evaluated as \$45,718. Thus, ordering 468 pairs results in an expected profit that is almost 8 percent higher than the profit obtained from ordering the expected value of 350 pairs.

When  $O$  units are ordered, a firm is left with either too much or too little inventory, depending on demand. When demand is normally distributed, with expected value  $\mu$  and standard deviation  $\sigma$ , the expected quantity overstocked at the end of the season is given by

$$\text{Expected overstock} = (O - \mu)F_S\left(\frac{O - \mu}{\sigma}\right) + \sigma f_S\left(\frac{O - \mu}{\sigma}\right)$$

The derivation of this formula is provided in Appendix 13D. The formula can be evaluated using Excel as follows:

$$\begin{aligned} \text{Expected overstock} &= (O - \mu)\text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 1] \\ &\quad + \sigma \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 0] \end{aligned} \quad (13.4)$$

The expected quantity understocked at the end of the season is given by

$$\text{Expected understock} = (\mu - O) \left[ 1 - F_S \left( \frac{O - \mu}{\sigma} \right) \right] + \sigma f_S \left( \frac{O - \mu}{\sigma} \right)$$

The derivation of this formula is provided in Appendix 13E. The formula can be evaluated using Excel as follows:

$$\begin{aligned} \text{Expected understock} &= (\mu - O) [1 - \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 1]] \\ &\quad + \sigma \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 0] \end{aligned} \quad (13.5)$$

Example 13-2 illustrates the use of Equations 13.4 and 13.5 to evaluate the quantity expected to be overstocked and understocked as a result of an ordering policy.

---

### EXAMPLE 13-2 Evaluating Expected Overstock and Understock

Demand for skis at Sportmart is normally distributed with a mean of  $\mu = 350$  and a standard deviation of  $\sigma = 100$ . The manager has decided to order 450 pairs of skis for the upcoming season. Evaluate the expected overstock and understock as a result of this policy.

#### Analysis:

We have an order size  $O = 450$ . An overstock results if demand during the season is less than 450. The expected overstock can be obtained using Equation 13.4 as

$$\begin{aligned} \text{Expected overstock} &= (O - \mu) \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 1] \\ &\quad + \sigma \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 0] \\ &= (450 - 350) \text{NORMDIST}[(450 - 350)/100, 0, 1, 1] \\ &\quad + 100 \text{NORMDIST}[(450 - 350)/100, 0, 1, 0] = 108 \end{aligned}$$

Thus, the policy of ordering 450 pairs of skis results in an expected overstock of 108 pairs.

An understock occurs if demand during the season is higher than 450 pairs. The expected understock can be evaluated using Equation 13.5 as follows:

$$\begin{aligned} \text{Expected understock} &= (\mu - O) [1 - \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 1]] \\ &\quad + \sigma \text{NORMDIST}[(O - \mu)/\sigma, 0, 1, 0] \\ &= (350 - 450) [1 - \text{NORMDIST}[(450 - 350)/100, 0, 1, 1]] \\ &\quad + 100 \text{NORMDIST}[(450 - 350)/100, 0, 1, 0] = 8 \end{aligned}$$

Thus, the policy of ordering 450 pairs results in an expected understock of 8 pairs. Note that the expected understock *and* overstock are positive in virtually every case. This result may seem counterintuitive initially, but it makes sense because the values used to calculate an expected understock or overstock are always greater than or equal to zero. For example, if demand is 500 and 450 jackets are in inventory, there is an understock of 50 and an overstock of 0 (not -50). This guarantees that the expected value of each will be greater than or equal to zero.

---

## ONE-TIME ORDERS IN THE PRESENCE OF QUANTITY DISCOUNTS

In this section, we consider a buyer who has to make a single order when the seller offers a price discount based on the quantity purchased. Such a situation may arise in the context of seasonal items such as apparel, for which the manufacturer offers a lower price per unit if order quantities exceed a given threshold. Such decisions also arise at the end of the life cycle for a product or spare parts. Future demand for the product or spare parts is uncertain, and the buyer has a single opportunity to order. The buyer must account for the discount when selecting the order size.

Consider a retailer of spare parts who has one last chance to order parts before the manufacturer stops production. The part has a retail price per unit of  $p$ , a cost to the retailer (without discount) of  $c$ , and a salvage value of  $s$ . The manufacturer has offered a discounted price of  $c_d$  if the retailer orders at least  $K$  units. The retailer can make its order size decision using the following steps:

1. Using  $C_o = c - s$  and  $C_u = p - c$ , evaluate the optimal cycle service level  $CSL^*$  and order size  $O^*$  without a discount using Equations 13.1 and 13.2, respectively. Evaluate the expected profit from ordering  $O^*$  using Equation 13.3.
2. Using  $C_o = c_d - s$  and  $C_u = p - c_d$ , evaluate the optimal cycle service level  $CSL_d^*$  and order size  $O_d^*$  with a discount using Equations 13.1 and 13.2, respectively. If  $O_d^* \geq K$ , evaluate the expected profit from ordering  $O_d^*$  units using Equation 13.3. If  $O_d^* < K$ , evaluate the expected profit from ordering  $K$  units using Equation 13.3.
3. Order  $O^*$  units if the profit in step 1 is higher. If the profit in step 2 is higher, order  $O_d^*$  units if  $O_d^* \geq K$  or  $K$  units if  $O_d^* < K$ .

We illustrate the procedure in Example 13-3.

### EXAMPLE 13-3 Evaluating Service Level with Quantity Discounts

SparesRUs, an auto parts retailer, must decide on the order size for a 20-year-old model of brakes. The manufacturer plans to discontinue production of these brakes after this last production run. SparesRUs has forecast remaining demand for the brakes to be normally distributed, with a mean of 150 and a standard deviation of 40. The brakes have a retail price of \$200. Any unsold brakes are useless and have no salvage value. The manufacturer plans to sell each brake for \$50 if the order is for less than 200 brakes and \$45 if the order is for at least 200 brakes. How many brakes should SparesRUs order?

#### Analysis:

In step 1, we calculate the optimal order quantity at the regular price  $c = \$50$ :

$$\text{Cost of understocking} = C_u = p - c = \$200 - \$50 = \$150$$

$$\text{Cost of overstocking} = C_o = c - s = \$50 - \$0 = \$50$$

Using Equation 13.1, we deduce that the optimal CSL is

$$CSL^* = \text{Prob}(\text{Demand} \leq O^*) = \frac{C_u}{C_u + C_o} = \frac{150}{150 + 50} = 0.75$$

Using Equation 13.2, the optimal order size is

$$O^* = \text{NORMINV}(CSL^*, \mu, \sigma) = \text{NORMINV}(0.75, 150, 40) = 177$$

Using Equation 13.3, the expected profit if SparesRUs does not go after the discount is

$$\text{Expected profit from ordering 177 units} = \$19,958$$

In step 2, we consider the discount price  $c_d = \$45$  and obtain

$$\text{Cost of understocking} = C_u = p - c_d = \$200 - \$45 = \$155$$

$$\text{Cost of overstocking} = C_o = c_d - s = \$45 - \$0 = \$45$$

Using Equation 13.1, we deduce that the optimal CSL with the discount price is

$$CSL_d^* = \text{Prob}(\text{Demand} \leq O_d^*) = \frac{C_u}{C_u + C_o} = \frac{155}{155 + 45} = 0.775$$

Using Equation 13.2, the optimal order size is

$$O_d^* = \text{NORMINV}(CSL_d^*, \mu, \sigma) = \text{NORMINV}(0.775, 150, 40) = 180$$

Given that  $180 < 200$ , the retailer must order at least 200 brakes to benefit from the discount. Thus, we calculate the expected profit from ordering 200 units using Equation 13.3 as

$$\text{Expected profits from ordering 200 units at } \$45 \text{ each} = \$20,595$$

It is thus optimal for SparesRUs to order 200 brakes to take advantage of the quantity discount. The expected overstock can be calculated using Equation 13.4 to be 52.

## Desired Cycle Service Level for Continuously Stocked Items

In this section, we focus on products such as detergent that are ordered repeatedly by a retail store such as Wal-Mart. Wal-Mart uses safety inventory to increase the level of availability and decrease the probability of stocking out between successive deliveries. If detergent is left over in a replenishment cycle, it can be sold in the next cycle. It does not have to be disposed of at a lower cost. However, a holding cost is incurred as the product is carried from one cycle to the next. The manager at Wal-Mart is faced with the issue of deciding the CSL to aim for.

Two extreme scenarios should be considered:

1. All demand that arises when the product is out of stock is backlogged and filled later, when inventories are replenished.
2. All demand arising when the product is out of stock is lost.

Reality in most instances is somewhere in between, with some of the demand lost and other customers returning when the product is in stock. We consider both extreme cases.

We assume that demand per unit time is normally distributed, along with the following inputs:

$Q$ : Replenishment lot size

$S$ : Fixed cost associated with each order

$ROP$ : Reorder point

$D$ : Average demand per unit time

$\sigma$ : Standard deviation of demand per unit time

$ss$ : Safety inventory (recall that  $ss = ROP - D_L$ )

$CSL$ : Cycle service level

$C$ : Unit cost

$h$ : Holding cost as a fraction of product cost per unit time

$H$ : Cost of holding one unit for one unit of time.  $H = hC$

**DEMAND DURING STOCKOUT IS BACKLOGGED** We first consider the case in which all demand arising when the product is out of stock is backlogged. Because no demand is lost, minimizing costs becomes equivalent to maximizing profits. As an example, consider a Wal-Mart store selling detergent. The store manager offers a rain check at a discount of  $C_u$  to each customer wanting to buy detergent when it is out of stock. This ensures that all these customers return when inventory is replenished. Thus,  $C_u$  is the backlogging or understocking cost per unit.

If the store manager increases the level of safety inventory, more orders are satisfied from stock, resulting in lower backlogs. This decreases the backlogging or understocking cost. However, the cost of holding inventory increases. We start by considering the costs and benefits of holding an additional unit of safety inventory in each replenishment cycle. If the safety inventory is increased from  $ss$  (which provides a cycle service level, CSL) to  $ss + 1$ , the supply chain incurs cost to hold the additional unit of inventory for a replenishment cycle (which has duration  $Q/D$ ). The additional unit of safety inventory is beneficial (the benefit equals the cost of understocking  $C_u$ ) if demand during the replenishment cycle is such that more than  $ss$  units of safety inventory are consumed [this happens with probability  $(1 - \text{CSL})$ ]. We thus have the following:

Increased cost per replenishment cycle of additional safety inventory of 1 unit =  $(Q/D)H$

Benefit per replenishment cycle of additional safety inventory of 1 unit =  $(1 - \text{CSL})C_u$

In this case, the optimal cycle service level is obtained by equating the additional cost and benefit to be

$$\text{CSL}^* = 1 - \left[ \frac{HQ}{DC_u} \right] \quad (13.6)$$

Given the optimal cycle service level, the required safety inventory can be evaluated using Equation 12.9 if demand is normally distributed.

From Equation 13.6, observe that increasing the lot size  $Q$  allows the store manager at Wal-Mart to reduce the cycle service level and thus the safety inventory carried. This is because increasing the lot size increases the fill rate and thus reduces the quantity backlogged. One should be careful, however, because an increase in lot size raises the cycle inventory. In general, increasing the lot size is not an effective way for a firm to improve product availability.

If the cost of stocking out is known, one can use Equation 13.6 to obtain the appropriate cycle service level (and thus the appropriate level of safety inventory). In many practical settings, it is hard to estimate the cost of stocking out. In such a situation, a manager may want to evaluate the cost of a stockout implied by the current inventory policy. When a precise cost of stockout cannot be found, this implied stockout cost at least gives an idea of whether inventory should be increased, decreased, or kept about the same. In Example 13-4 we show how Equation 13.6 can be used to impute a cost of stocking out given an inventory policy.

---

#### **EXAMPLE 13-4** Imputing Cost of Stockout from Inventory Policy

Weekly demand for detergent at Wal-Mart is normally distributed, with a mean of  $\mu = 100$  gallons and a standard deviation of  $\sigma = 20$ . The replenishment lead time is  $L = 2$  weeks. The store manager at Wal-Mart orders 400 gallons when the available inventory drops to 300 gallons. Each gallon of detergent costs \$3. The holding cost Wal-Mart incurs is 20 percent. If all unfilled demand is backlogged and carried over to the next cycle, evaluate the cost of stocking out implied by the current replenishment policy.

**Analysis:**

In this case, we have

Lot size,  $Q = 400$  gallons

Reorder point,  $ROP = 300$  gallons

Average demand per year,  $D = 100 \times 52 = 5,200$

Standard deviation of demand per week,  $\sigma_D = 20$

Unit cost,  $C = \$3$

Holding cost as a fraction of product cost per year,  $h = 0.2$

Cost of holding one unit for one year,  $H = hC = \$0.6$

Lead time,  $L = 2$  weeks

We thus have

Mean demand over lead time,  $D_L = 200$  gallons

Standard deviation of demand over lead time,  $\sigma_L = \sigma_D\sqrt{L} = 20\sqrt{2} = 28.3$

Because demand is normally distributed, we can use Equations 12.4 and 12.21 to evaluate the CSL under the current inventory policy:

$$CSL = F(ROP, D_L, \sigma_L) = NORMDIST(300, 200, 28.3, 1) = 0.9998$$

We can thus deduce that the imputed cost of stocking out (using Equation 13.6) is given by

$$C_u = \frac{HQ}{(1 - CSL)D} = \frac{0.6 \times 400}{0.0002 \times 5,200} = \$230.8 \text{ per gallon}$$

The implication here is that if each shortage of a gallon of detergent costs Wal-Mart \$230.8, the current CSL of 0.9998 is optimal. In this particular example, one can claim that the store manager is carrying too much inventory because the cost of stocking out of detergent is unlikely to be \$230.8 per gallon.

A manager can use the previous analysis to decide if the imputed cost of stocking out, and thus the inventory policy, is reasonable.

**DEMAND DURING STOCKOUT IS LOST** When unfilled demand during the stockout period is lost, the optimal cycle service level  $CSL^*$  is given as

$$CSL^* = 1 - \frac{HQ}{HQ + DC_u} \quad (13.7)$$

We have assumed that  $C_u$  is the cost of losing one unit of demand during the stockout period. From comparing Equations 13.6 and 13.7, observe that for the same cost of understocking, a supply chain should offer a higher cycle service level if sales are lost rather than backlogged. In Example 13-5, we evaluate the optimal cycle service level if demand is lost during the stockout period.

**EXAMPLE 13-5 Evaluating Optimal Service Level When Unmet Demand Is Lost**

Consider the situation in Example 13-4 but make the assumption that all demand during a stock-out is lost. Assume that the cost of losing one unit of demand is \$2. Evaluate the optimal cycle service level that the store manager at Wal-Mart should target.

**Analysis:**

In this case, we have

Lot size,  $Q = 400$  gallons

Average demand per year,  $D = 100 \times 52 = 5,200$

Cost of holding one unit for one year,  $H = \$0.6$

Cost of understocking,  $C_u = \$2$

Using Equation 13.7, the optimal cycle service level is given as

$$CSL^* = 1 - \frac{HQ}{HQ + DC_u} = 1 - \frac{0.6 \times 400}{0.6 \times 400 + 2 \times 5,200} = 0.98$$

The store manager at Wal-Mart should target a cycle service level of 98 percent.

### 13.3 MANAGERIAL LEVERS TO IMPROVE SUPPLY CHAIN PROFITABILITY


Having identified the factors that influence the optimal level of product availability, we now focus on actions a manager can take to improve supply chain profitability. We have shown in Section 13.2 that the costs of overstocking and understocking have a direct impact on both the optimal cycle service level and profitability. Two obvious managerial levers to increase profitability are thus

1. Increasing the salvage value of each unit increases profitability (as well as the optimal cycle service level).
2. Decreasing the margin lost from a stockout increases profitability (by allowing a lower optimal cycle service level).

Strategies to increase the salvage value include selling to outlet stores so that leftover units are not merely discarded. Some companies, such as Sport Obermeyer, which sells winter wear in the United States, sell the surplus in South America, where the winter corresponds to the North American summer. The increased salvage value of the surplus allows Sport Obermeyer to provide a higher level of product availability in the United States and increase its profits. The growth of online liquidators such as Overstock.com helps retailers by increasing their salvage value for overstocked products. Increasing the salvage value of leftover units allows a firm to grow profits by providing a higher level of product availability because the cost of excess inventory has been reduced.

Strategies to decrease the margin lost in a stockout include arranging for backup sourcing (which may be more expensive) so customers are not lost forever. The practice of purchasing product from a competitor on the open market to satisfy customer demand is observed and justified by the earlier reasoning. In the MRO supply industry, McMaster-Carr and W.W. Grainger, two major competitors, are also large customers for each other.

The cost of understocking can also be decreased by providing the customer with a substitute product. Decreasing the cost of understocking allows a firm to increase profits by providing



**FIGURE 13-2** Impact of Changing  $C_o/C_u$  on Optimal Cycle Service Level

a lower level of product availability (because there are alternatives available to serve the customer), thus decreasing the amount of excess inventory at the end of the season.

The optimal cycle service level as a function of the ratio of the cost of overstocking and the cost of understocking is shown in Figure 13-2. Observe that as this ratio gets smaller, the optimal level of product availability increases. This fact explains the difference in the level of product availability between a high-end store such as Nordstrom and a discount store. Nordstrom has higher margins and thus a higher cost of understocking. It should thus provide a higher level of product availability than a discount store with lower margins and, as a result, a lower cost of stocking out.

Another significant managerial lever to improve supply chain profitability is the reduction of demand uncertainty. With reduced demand uncertainty, a supply chain manager can better match supply and demand by reducing both overstocking and understocking. A manager can reduce demand uncertainty via the following means:

1. **Improved forecasting:** Use better market intelligence and collaboration to reduce demand uncertainty.
2. **Quick response:** Reduce replenishment lead time so that multiple orders may be placed in the selling season.
3. **Postponement:** In a multiproduct setting, postpone product differentiation until closer to the point of sale.
4. **Tailored sourcing:** Use a low lead time, but perhaps an expensive supplier as a backup for a low-cost but perhaps long lead time supplier.

Next we study the impact of each of these on supply chain performance.

### Improving Forecasts: Impact on Profits and Inventories

Companies have tried to better understand their customers and coordinate actions within the supply chain to improve forecast accuracy. The use of demand planning information systems has also helped in this regard. We show that improved forecast accuracy can help a firm significantly increase its profitability while decreasing the excess inventory overstocked as well as the sales lost because of understocking. We illustrate the impact of improving forecast accuracy in Example 13-6.



**EXAMPLE 13-6 Impact of Improved Forecasts**

Consider a buyer at Bloomingdale's who is responsible for purchasing dinnerware with Christmas patterns. The dinnerware sells only during the Christmas season, and the buyer places an order for delivery in early November. Each dinnerware set costs  $c = \$100$  and sells for a retail price of  $p = \$250$ . Any sets unsold by Christmas are heavily discounted in the post-Christmas sales and are sold for a salvage value of  $s = \$80$ . The buyer has estimated that demand is normally distributed, with a mean of  $\mu = 350$ . Historically, forecast errors have had a standard deviation of  $\sigma = 150$ . The buyer has decided to conduct additional market research to get a better forecast. Evaluate the impact of improved forecast accuracy on profitability and inventories as the buyer reduces  $\sigma$  from 150 to 0 in increments of 30.

**Analysis:**

In this case, we have

$$\text{Cost of understocking} = C_u = p - c = \$250 - \$100 = \$150$$

$$\text{Cost of overstocking} = C_o = c - s = \$100 - \$80 = \$20$$

Using Equation 13.1, we have

$$CSL^* = Prob(\text{Demand} \leq O^*) \geq \frac{150}{150 + 20} = 0.88$$

The optimal order size is obtained using Equation 13.2 and the expected profit using Equation 13.3. The order size and expected profit as forecast accuracy (measured by standard deviation of forecast error) varies are shown in Table 13-3.


**Key Point**

An increase in forecast accuracy decreases both the overstocked and understocked quantity and increases a firm's profits.

Example 13-6 illustrates that as a firm improves its forecast accuracy, expected quantity overstocked and understocked declines and expected profit increases. This relationship is shown in Figure 13-3.

**Table 13-3** Expected Profit and Order Size at Bloomingdale's

Standard Deviation of Forecast Error $\sigma$	Optimal Order Size $O^*$	Expected Overstock	Expected Understock	Expected Profit
150	526	186.7	8.6	\$47,469
120	491	149.3	6.9	\$48,476
90	456	112.0	5.2	\$49,482
60	420	74.7	3.5	\$50,488
30	385	37.3	1.7	\$51,494
0	350	0	0	\$52,500



**FIGURE 13-3** Variation of Profit and Inventories with Forecast Accuracy

### Quick Response: Impact on Profits and Inventories

*Quick response* is the set of actions a supply chain takes to reduce the replenishment lead time. Supply chain managers are able to improve their forecast accuracy as lead times decrease, which allows them to better match supply with demand and increase supply chain profitability. We have discussed the benefits of lead time reduction for regularly stocked items such as detergent in Chapter 12 (see Example 12-6). We now focus on the benefits of lead time reduction for seasonal items.

To illustrate the issues, consider the example of Saks Fifth Avenue, a high-end department store, purchasing cashmere shawls from India and Nepal. The selling season for cashmere shawls is about 14 weeks. Historically, replenishment lead times have been on the order of 25 to 30 weeks. With a 30-week lead time, the buyer at Saks must order all the store expects to sell well before the start of the sales season. It is difficult for a buyer to make an accurate forecast of demand this far in advance. This results in high-demand uncertainty, leading the buyer to order either too many or too few shawls each year.

Typically, buyers are able to make accurate forecasts once they have observed sales for the first week or two in the season. If lead times can be shortened to facilitate the use of actual sales when placing part of the seasonal order, there can be significant benefits for the supply chain. Consider the situation in which manufacturers are able to reduce replenishment lead time to six weeks. This reduction allows the buyer at Saks to break up the entire season's purchase into two orders. The first order is placed six weeks before the start of the sales season. The buyer orders what the store expects to sell over the first seven weeks of the season. The first order has to be placed without observing any sales. Once the season starts, the buyer observes sales for the first week and places a second order after the first week. When placing the second order, the buyer can use sales information from the first week of the season. The improved accuracy of the buyer's predictions allows Saks to use the second order to better match supply and demand, resulting in higher profits.

When multiple orders are placed in the season, it is not possible to provide formulas like Equations 13.1 to 13.5 that specify the optimal order quantity, the expected profit, expected overstock, and expected understock. Rather, we must use simulation (see Appendix 13F) or approximations to identify the impact of different ordering policies. We illustrate the impact of being able to place multiple orders in a season using approximations on the Saks example discussed earlier.

The buyer at Saks must decide on the quantity of cashmere shawls to order from India and Nepal for the upcoming winter season. The unit cost of each shawl is \$40, and the shawl retails for \$150. A discount store purchases any leftover shawls at the end of the season for \$30 each. After the sales season of 14 weeks, any leftover shawls are sold to the discount store.

Before the start of the sales season, the buyer forecasts weekly demand to be normally distributed, with a mean of  $D = 20$  and a standard deviation of  $\sigma_D = 15$ . We compare the impact of the following two ordering policies:

1. Supply lead time is more than 15 weeks. As a result, a single order must be placed at the beginning of the season to cover the entire season's demand.
2. Supply lead time is reduced to six weeks. As a result, two orders are placed for the season, one to be delivered at the beginning of the season and the other to be placed at the end of week 1 and delivered at the beginning of week 8.

For policy 2, we assume that once the buyer sees sales for the first week, she is able to forecast demand for the first seven-week period accurately (this approximation allows us to quantify the benefits of the second order). She is still not able to predict sales for the second seven-week period. In terms of her forecasting ability for the second seven-week period, we consider two scenarios—one in which the buyer's forecast accuracy does not improve for the second order (i.e., standard deviation of forecast demand stays at 15), and another in which it improves and the buyer is able to reduce the standard deviation of the forecast to 3 instead of 15. We also assume demand is independent across weeks.

We first start with buyers placing a single order for the season. Given that the season lasts 14 weeks and demand is independent across weeks, we obtain the following (using Equation 12.1):

$$\text{Expected demand of shawls in the season} = \mu = 14D = 14 \times 20 = 280$$

$$\text{Standard deviation of seasonal demand, } \sigma = \sqrt{14}\sigma_D = \sqrt{14} \times 15 = 56.1$$

Using Equation 13.1, the optimal cycle service level is given by

$$CSL^* = \frac{p - c}{p - s} = \frac{150 - 40}{150 - 30} = 0.92$$

The optimal order quantity for a single order is obtained using Equation 13.2:

$$O^* = \text{NORMINV}(CSL^*, \mu, \sigma) = \text{NORMINV}(0.92, 280, 56.1) = 358$$

For an order of 358 shawls, we obtain

$$\text{Expected profit with a single order (using Equation 13.3)} = \$29,767$$

$$\text{Expected overstock (using Equation 13.4)} = 79.8$$

$$\text{Expected understock (using Equation 13.5)} = 2.14$$

Given that the cost of overstocking is \$10 per shawl and the cost of understocking is \$110 per shawl, we obtain

$$\text{Expected cost of overstocking} = 79.8 \times \$10 = \$798$$

$$\text{Expected cost of understocking} = 2.14 \times \$110 = \$235$$

If there were no demand uncertainty, demand over the season would be 280 shawls with a profit of  $280 \times \$110 = \$30,800$ . Observe that expected profit is reduced by  $\$30,800 - \$29,767 = \$1,033 = \$798 + \$235$  because of uncertainty. Thus, uncertainty reduces the expected profit because of overstocking and understocking.

From the above analysis, it also follows that the reduction of uncertainty as a result of shortening lead times will increase profits by at most \$1,033 in the season.

We now describe a procedure that can be used to estimate the benefit of placing two orders in a season. We assume that the first order aims to cover demand for the first seven weeks and the second order for the last seven weeks. Given that the buyer will see the first week of demand before placing the second order, we have assumed that she will accurately be able to predict sales in the first seven-week period. Thus, her second order can take into account any leftover inventory from the first order.

First consider that no improvement in forecast accuracy occurs after observing the first period demand (standard deviation of weekly demand remains 15). For each seven-week period, we obtain the following:

$$\text{Expected demand of shawls in seven weeks} = \mu_7 = 7 \times 20 = 140$$

$$\text{Standard deviation of demand over seven weeks} = \sigma_7 = \sqrt{7} \times 15 = 39.7$$

The optimal cycle service level is maintained at 0.92. Using Equation 13.2, we obtain the size of the first order to be

$$O_1 = \text{NORMINV}(CSL^*, \mu_7, \sigma_7) = \text{NORMINV}(0.92, 140, 39.7) = 195$$

For an order of 195 shawls, we obtain

$$\text{Expected profit from seven weeks (using Equation 13.3)} = \$14,670$$

$$\text{Expected overstock (using Equation 13.4)} = 56.4$$

$$\text{Expected understock (using Equation 13.5)} = 1.51$$

Recall that the buyer can accurately predict sales over the first seven-week period when she places the second order at the end of week 1. Thus, any overstock resulting from the first order will be used to adjust the size of the second order. Given that the desired starting inventory for the second seven-week period is 195 shawls and the expected overstock at the end of the first seven-week period is 56.4 shawls, the second order will be only  $195 - 56.4 = 138.6$  shawls on average. Given that all overstock from the first seven-week period is used to lower the order size for the second seven-week period, there is no overstock cost from the first order and an expected overstock at the end of the season of 56.4 shawls (this is the expected overstock when starting the seven-week period with 195 shawls).

If we assume that all shortages from the first order are lost as sales, the expected profit at the end of the season is thus given by the sum of the expected profit from each seven-week period and the overstock cost recovered from the first seven-week period as follows:

$$\text{Expected profit from season} = \$14,670 + 56.4 \times \$10 + \$14,670 = \$29,904$$


We add  $56.4 \times \$10$  to the expected profit from the first seven-week half because there is effectively no overstock that must be sold to the discount store at the end of the first seven weeks. Our analysis indicates that allowing for a second order in the season increases profits by  $\$29,904 - \$29,767 = \$137$  even if there is no improvement in forecast accuracy for the second seven-week period. The profit increase will be larger if we assume that customers who do not find the product at the end of the first seven weeks are willing to wait for the second order to arrive. The profit will increase from saving the understocking cost by a further  $1.51 \times \$110 = \$166.10$ . Observe that as a result of allowing a second order, the total order quantity has decreased from 358 shawls to  $195 + 138.6 = 333.6$  shawls. The expected overstock at the end of the season has decreased from 79.8 to 56.4 shawls.

From our analysis, we observe three important consequences of being able to place a second replenishment order in the season after observing some sales:


1. The expected total quantity ordered during the season with two orders is less than that with a single order for the same cycle service level. In other words, it is possible to provide the same level of product availability to the customer with less inventory if a second, follow-up order is allowed after observing some sales.
2. The average overstock to be disposed of at the end of the sales season is less if a follow-up order is allowed after observing some sales.
3. The profits are higher when a follow-up order is allowed during the sales season.

In other words, as the total quantity for the season is broken up into multiple smaller orders with the size of each order based on some observed sales, the buyer is better able to match supply and demand and increase profitability for Saks. These relationships are shown in Figures 13-4 and 13-5.

We now consider the case in which the buyer improves her forecast accuracy for the second order after observing some of the season's demand. As a result, the standard deviation of weekly demand forecast drops from 15 to 3 for the second seven-week period. In this setting, the first order stays at 195 shawls as discussed earlier. For the second order, however, we must



**FIGURE 13-4** Leftover Inventory versus Number of Order Cycles per Season



**FIGURE 13-5** Expected Profit versus Number of Order Cycles per Season

account for the fact that the standard deviation of weekly demand has dropped to 3. As a result, we obtain

$$\text{Expected demand of shawls in seven weeks} = \mu_7 = 7 \times 20 = 140$$

$$\text{Standard deviation of demand over first seven weeks} = \sigma_7 = \sqrt{7} \times 15 = 39.7$$

$$\text{Standard deviation of demand over second seven weeks} = \sigma_7^2 = \sqrt{7} \times 3 = 7.9$$

The optimal cycle service level is maintained at 0.92. Using Equation 13.2, we obtain the desired number of shawls at the beginning of the first seven weeks to be  $O_1 = 195$  as before and that at the beginning of the second seven weeks to be  $O_2$  where:

$$O_2 = \text{NORMINV}(\text{CSL}^*, \mu_7, \sigma_7^2) = \text{NORMINV}(0.92, 140, 7.9) = 151$$

As in the previous analysis, we assume that the buyer is accurately able to predict sales for the first seven-week period after observing sales for the first week. She thus accounts for the overstock at the end of the first seven week period when placing her second order. Given an overstock of 56.4 shawls from the first order, the net second order is thus  $151 - 56.4 = 94.6$  shawls. With 151 shawls at the start of the second seven weeks, we obtain

$$\text{Expected profit from second order (using Equation 13.3)} = \$15,254$$

$$\text{Expected overstock (using Equation 13.4)} = 11.3$$

$$\text{Expected understock (using Equation 13.5)} = 0.30$$

Again observe that there is no overstock cost at the end of the first seven weeks. Thus, the net profits for the season are  $\$14,670$  (first seven weeks) +  $56.4 \times \$10$  (no overstock at the end of first seven weeks) +  $\$15,254$  (second seven weeks) =  $\$30,488$ . If forecast accuracy improves as a result of observing early seasonal demand, the season's profit increases by  $\$30,488 - \$29,767 = \$721$ . The expected overstock at the end of the season has now declined to 11.3 units. If customers who do not find the product at the end of the first seven weeks are willing to wait for the second order to arrive, the profit increases by a further  $\$166.10$  as discussed earlier. A second order and improved forecast accuracy as a result of seeing early season sales thus increase profits and decrease overstocks.

### Key Point

If quick response allows multiple replenishment orders in the season, profits increase and the overstock and understock quantity decreases. Multiple replenishments allow the supply chain to better match supply and demand by being able to respond to trends rather than having to forecast them.

Zara, the Spanish apparel retailer, built its entire strategy around quick response. At a time when most of its competitors were cutting costs by outsourcing production to low-cost countries, Zara focused on reducing response time by setting up production facilities in Spain. While competitors had lead times that ranged from three to nine months, Zara was able to reduce its design to shelf lead times to three to four weeks. Given a three-month sales season (for each of fall, winter, spring, and summer), competitors were forced to make sourcing decisions well before the start of a season. In contrast, Zara divided the three-month sales season into three 1-month periods. For the first month, Zara decided on quantities without knowing what sales would be like. These quantities, however, were much lower than what the competition was required to order for the entire three-month season. For the second month, Zara made its production decisions after observing the first week of demand (Zara also observed demand at its

competition). For the third month, Zara made its production decisions after observing the entire first month of sales. In each instance, observing sales allowed Zara to significantly improve its forecast accuracy. The result was that Zara was able to bring in more of what was selling without wasting precious production capacity on what was not likely to sell. Quick response allowed Zara to respond to trends rather than have to predict them. This resulted in higher profits for Zara because it produced what was selling and had less overstock and understock. The *New York Times* reported in 2006 that “Zara books 85 percent of the full ticket price for its merchandise while the industry average is 60 percent.”

From our previous discussion, quick response is clearly advantageous to a retailer in a supply chain—with one caveat. As the manufacturer reduces replenishment lead times, allowing for a second order, we have seen that the retailer’s order size drops. In effect, the manufacturer sells less to the retailer. Thus, quick response results in the manufacturer making a lower profit in the short term if all else is unchanged. This is an important point to consider, because decreasing replenishment lead times requires tremendous effort from the manufacturer, yet seems to benefit the retailer at the expense of the manufacturer. The benefits resulting from quick response should be shared appropriately across the supply chain. This was easier for Zara, which was vertically integrated into responsive manufacturing and retailing. It can be a challenge, however, for retailers who outsource manufacturing.

### Postponement: Impact on Profits and Inventories

As discussed in Chapter 12, postponement refers to the delay of product differentiation until closer to the sale of the product. With postponement, all activities prior to product differentiation require aggregate forecasts that are more accurate than individual product forecasts. Individual product forecasts are required close to the time of sale when demand is known with greater accuracy. As a result, postponement allows a supply chain to better match supply with demand. Postponement can be a powerful managerial lever to increase profitability. It can be particularly valuable for online sales because of the lag that exists between the time customers place an order and when they expect delivery. If the supply chain can postpone product differentiation until after receiving the customer order, a significant increase in profits and reduction in inventories can be achieved.

The major benefit of postponement arises from the improved matching of supply and demand. There is, however, a cost associated with postponement, because the production cost using postponement is typically higher than the production cost without it. For example, the production process at Benetton, where assembled knit garments are dyed, costs about 10 percent more than if dyed thread is knitted. Similarly, when retailers mix paint at stores in place of the factory, manufacturing costs increase because there is a loss of economies of scale in mixing. Given the increased production cost from postponement, a company should ensure that the inventory benefits of postponement are larger than the additional costs.

Postponement is valuable for a firm that sells a large variety of products with demand that is unpredictable, independent, and comparable in size. We illustrate this using the example of Benetton selling knit garments in solid colors. Starting with thread, two steps are needed to complete the garment—dyeing and knitting. Traditionally, thread was dyed and then the garment was knitted (Option 1). Benetton developed a procedure whereby dyeing was postponed until after the garment was knitted (Option 2).

Benetton sells each knit garment at a retail price  $p = \$50$ . Option 1 (no postponement) results in a manufacturing cost of \$20, whereas Option 2 (postponement) results in a manufacturing cost of \$22 per garment. Benetton disposes of any unsold garments at the end of the season in a clearance for  $s = \$10$  each. The knitting or manufacturing process takes a total of 20 weeks. For the sake of discussion, we assume that Benetton sells garments in four colors. Twenty weeks in advance, Benetton forecasts demand for each color to be normally distributed, with a mean of  $\mu = 1,000$  and a standard deviation of  $\sigma = 500$ . Demand for each color is independent. With Option 1, Benetton makes the buying decision for each color 20 weeks before the sale period and holds separate inventories for each color. With Option 2, Benetton forecasts only the aggregate

uncolored thread to purchase 20 weeks in advance. The inventory held is based on the aggregate demand across all four colors. Benetton decides the quantity for individual colors after demand is known. We now quantify the impact of postponement for Benetton.

With Option 1, Benetton must decide on the quantity of colored thread to purchase for each color. For each color we have

Retail price,  $p = \$50$

Manufacturing cost,  $c = \$20$

Salvage value,  $s = \$10$

Using Equation 13.1, we obtain the optimal cycle service level for each color as

$$CSL^* = \frac{p - c}{p - s} = \frac{30}{40} = 0.75$$

Using Equation 13.2, the optimal purchase quantity of thread in each color is

$$O^* = NORMINV(CSL^*, \mu, \sigma) = NORMINV(0.75, 1000, 500) = 1,337$$

Thus, it is optimal for Benetton to produce 1,337 units of each color. Using Equation 13.3, the expected profit from each color is

$$\text{Expected profits} = \$23,664$$

Using Equations 13.4 and 13.5, the expected overstock and understock for each color is

$$\text{Expected overstock} = 412$$

$$\text{Expected understock} = 75$$

Using Option 1, across all four colors Benetton thus produces  $4 \times 1,337 = 5,348$  sweaters. This results in an expected profit of  $4 \times 23,664 = \$94,576$ , with an average of  $4 \times 412 = 1,648$  sweaters sold on clearance at the end of the season and  $4 \times 75 = 300$  customers turned away for lack of sweaters.

Under Option 2, Benetton has to decide only the total number of sweaters across all four colors to be produced, because they can be dyed to the appropriate color once demand is known. In this case we have

Retail price,  $p = \$50$

Manufacturing cost,  $c = \$22$

Salvage value,  $s = \$10$

Using Equation 13.1, the optimal cycle service level for each color is

$$CSL^* = \frac{p - c}{p - s} = \frac{28}{40} = 0.70$$

Given that demand for each color is independent, total demand across all four colors can be evaluated using Equation 12.13 to be normally distributed, with a mean of  $\mu_A$  and a standard deviation of  $\sigma_A$ , where

$$\mu_A = 4 \times 1,000 = 4,000 \quad \sigma_A = \sqrt{4} \times 500 = 1,000$$

Using Equation 13.2, the optimal aggregate production quantity for Benetton is given by  $O_A^*$ , where

$$O_A^* = NORMINV(0.7, \mu_A, \sigma_A) = NORMINV(0.7, 4000, 1000) = 4,524$$



Under Option 2, it is optimal for Benetton to produce 4,524 undyed sweaters to be dyed as demand by color is available. The expected profit with postponement is evaluated using Equation 13.3 as

$$\text{Expected profits} = \$98,092$$

Using Equation 13.4, the expected overstock is 715 and the expected understock is 190. Thus, postponement increases expected profits for Benetton from \$94,576 to \$98,092. Expected overstock declines from 1,648 to 715, and the expected understock declines from 300 to 190. Clearly, the use of postponement and production using Option 2 is a good choice for Benetton in this case.

The benefits of postponement decrease significantly if demand across the different colors is positively correlated. In the Benetton example, we find that postponement is not valuable if the correlation coefficient across each color is 0.2 or higher.

The benefits of postponement also decrease significantly if demand is more predictable. If the standard deviation of demand for each color decreases to 300 or less, our analysis shows that Option 2 with postponement results in lower profits than Option 1 without postponement.

### Key Point

Postponement allows a firm to increase profits and better match supply and demand if the firm produces a large variety of products whose demand is unpredictable and not positively correlated, and is of about the same size.

Postponement is not very effective if a large fraction of demand comes from a single product. The benefit from aggregation is small in this case, whereas the increased production cost applies to all items produced. We illustrate this idea once again using Benetton as an example.

Assume that demand for red sweaters at Benetton is forecast to be normally distributed, with a mean of  $\mu_{red} = 3,100$  and a standard deviation of  $\sigma_{red} = 800$ . Demand for the other three colors is forecast to be normally distributed, with a mean of  $\mu = 300$  and a standard deviation of  $\sigma = 200$ . Observe that red sweaters constitute about 80 percent of demand.

Under Option 1, the optimal cycle service level  $CSL^*$  is 0.75, as evaluated earlier. Using Equation 13.2, the optimal production of red sweaters is given by

$$O_{red}^* = NORMINV(CSL^*, \mu_{red}, \sigma_{red}) = NORMINV(0.75, 3100, 800) = 3,640$$

Using Equation 13.3, the expected profit from red sweaters is \$82,831. Using Equation 13.4, the expected overstock of red sweaters is 659; using Equation 13.5, the expected understock of red sweaters is 119. For each of the other three colors, we can similarly evaluate the optimal production to be  $O^*$  where

$$O^* = NORMINV(CSL^*, \mu, \sigma) = NORMINV(0.75, 300, 200) = 435$$

This results in an expected profit of \$6,458, an expected overstock of 165, and an expected understock of 30 for each of the other three colors. Across all four colors, Option 1 thus results in the following:

$$\text{Total production} = 3,640 + 3 \times 435 = 4,945$$

$$\text{Expected profit} = \$82,831 + 3 \times \$6,458 = \$102,205$$

$$\text{Expected overstock} = 659 + 3 \times 165 = 1,154$$

$$\text{Expected understock} = 119 + 3 \times 30 = 209$$

Under Option 2, Benetton has to decide only the total production across all four colors. Given that demand for each color is independent, total demand across all four colors can be evaluated using Equation 12.13 to be normally distributed, with a mean of  $\mu_A$  and a standard deviation of  $\sigma_A$ , where

$$\mu_A = 3,100 + 3 \times 300 = 4,000; \sigma_A = \sqrt{800^2 + 3 \times 200^2} = 872$$

Under Option 2, we repeat all calculations to obtain the following:

Total production = 4,457

Expected profit = \$99,872

Expected overstock = 623

Expected understock = 166

In this case, Benetton sees its profits decline even though both overstock and understock have decreased as a result of postponement. This is because a large fraction of demand is from red sweaters, which can already be forecast with reasonably good accuracy. Postponement and the resulting aggregation thus do little to improve the forecasting accuracy of red sweaters. They do, however, improve the forecasting accuracy for the other three colors, but they represent a small fraction of demand. Meanwhile, the production costs increase for all sweaters (including red sweaters). As a result, the increased production costs outweigh the benefits from postponement across all colors.

### Key Point

Postponement may reduce overall profits for a firm if a single product contributes the majority of the demand because the increased manufacturing expense due to postponement outweighs the small benefit that aggregation provides in this case.

Next, we discuss how tailored postponement can be an effective strategy when complete postponement is not appropriate.

### Tailored Postponement: Impact on Profits and Inventories

In *tailored postponement*, a firm uses production with postponement to satisfy a part of its demand, with the rest being satisfied without postponement. Tailored postponement produces higher profits than when no postponement is used or all products are manufactured using postponement. Under tailored postponement, a firm produces the amount that is likely to sell using the lower-cost production method without postponement. The firm produces the portion of demand that is uncertain using postponement. On the portion of the demand that is certain, postponement provides little value in terms of increased forecast accuracy. The firm thus produces that portion using the lower-cost method to lower manufacturing cost. On the portion of demand that is uncertain, postponement significantly improves forecast accuracy. The firm is thus willing to incur the increased production cost to achieve the benefit from the improved matching of supply and demand. We illustrate the idea of tailored postponement, returning to the example of Benetton.

One way to implement tailored postponement is to produce high-demand, predictable products without postponement and produce only the unpredictable products using postponement. Let us return to the Benetton data with red sweaters constituting about 80 percent of demand. Recall that demand for red sweaters at Benetton is forecast to be normally distributed, with a mean of  $\mu_{red} = 3,100$  and a standard deviation of  $\sigma_{red} = 800$ . Demand for the other three colors is forecast to be normally distributed, with a mean of  $\mu = 300$  and a standard deviation of  $\sigma = 200$ . We evaluated that postponing all colors decreases profits for Benetton by more than

\$2,000 (from \$102,205 to \$99,872). However, if we tailor postponement so that red sweaters are made using the traditional method and only the other colors are postponed, profits actually increase by \$1,009 to \$103,213.

A more sophisticated approach to postponement separates all demand into base load and variation. The base load is manufactured using the low-cost method without postponement, and only the variation is made using postponement. This more sophisticated form of tailored sourcing is more complex to implement but can be valuable even when all products being postponed have similar demand as we illustrate next. Consider the scenario in which Benetton is selling four colors, and the forecast demand for each color is normally distributed, with a mean of  $\mu = 1,000$  and a standard deviation of  $\sigma = 500$ . We have observed earlier that the use of complete postponement (every sweater is postponed) in this instance increases profits at Benetton from \$94,576 to \$98,092.

We now consider a situation in which Benetton applies tailored postponement and uses both Option 1 (dye thread and then knit garment) and Option 2 (dye knit garment) for production. For each color, Benetton identifies a quantity  $Q_1$  (the base load) to be manufactured using Option 1 and an aggregate quantity  $Q_A$  to be manufactured using Option 2, with colors for the aggregate quantity being assigned when demand is known. We now identify the appropriate tailored postponement policy and its impact on profits and inventories. There is no formula that can be used to evaluate the optimal policy and profits in this case. We thus resort to simulations to study the impact of different policies. The results of various simulations are shown in Table 13-4. From Table 13-4, we see that Benetton can increase its expected profit to \$104,603 by using a tailored postponement policy under which 800 units of each color are produced using Option 1 and 1,550 units are produced using Option 2. The resulting profit is higher than if all units are produced entirely using Option 1 (no postponement) or Option 2 (complete postponement). It is quite likely that demand for each color will be 800 or higher. The tailored postponement policy exploits this fact and produces these units using Option 1, which has a low cost. The remaining units are produced using Option 2 so that demand uncertainty can be reduced by aggregation.

### Key Point

Tailored postponement allows a firm to increase its profitability by postponing only the uncertain part of the demand and producing the predictable part at a lower cost without postponement. Tailored postponement is more profitable than either no postponement or complete postponement but can be complex to implement.

**Table 13-4** Average of 500 Simulations for Tailored Postponement Policies

Manufacturing Policy		Average Profit	Average Overstock	Average Understock
$Q_1$	$Q_A$			
0	4,524	\$97,847	510	210
1,337	0	\$94,377	1,369	282
700	1,850	\$102,730	308	168
800	1,550	\$104,603	427	170
900	950	\$101,326	607	266
900	1,050	\$101,647	664	230
1,000	850	\$100,312	815	195
1,000	950	\$100,951	803	149
1,100	550	\$99,180	1,026	211
1,100	650	\$100,510	1,008	185

## Tailored Sourcing: Impact on Profits and Inventories

In *tailored sourcing*, firms use a combination of two supply sources, one focusing on cost but unable to handle uncertainty well, and the other focusing on flexibility to handle uncertainty, but at a higher cost. For tailored sourcing to be effective, having supply sources such that one serves as the backup to the other is not sufficient. The two sources must focus on different capabilities. The low-cost source must focus on being efficient and should be required to supply only the predictable portion of the demand. The flexible source should focus on being responsive and be required to supply the uncertain portion of the demand. As a result, tailored sourcing allows a firm to increase its profits and better match supply and demand. The value of tailored sourcing depends on the reduction in cost that can be achieved as a result of one source facing no variability. If this benefit is small, tailored sourcing may not be ideal because of the added complexity of implementation. Tailored sourcing may be volume based or product based, depending on the source of uncertainty.

In *volume-based tailored sourcing*, the predictable part of a product's demand is produced at an efficient facility, whereas the uncertain portion is produced at a flexible facility. Benetton provides an example of volume-based tailored sourcing. Benetton requires retailers to commit to about 65 percent of their orders about seven months before the start of the sales season. Benetton subcontracts production of this portion without uncertainty to low-cost sources that have long lead times of several months. For the other 35 percent, Benetton allows retailers to place orders much closer to or even after the start of the selling season. All uncertainty is concentrated in this portion of the order. Benetton produces this portion of the order in a plant it owns that is very flexible. Production at the Benetton plant is more expensive than production at the subcontractor's. However, the plant can produce with a lead time of weeks, whereas subcontractors have a lead time of several months. A combination of the two sources allows Benetton to reduce its inventories while incurring a high cost of production for only a fraction of its demand. This allows it to increase profits.

Volume-based tailored sourcing should be considered by firms that have moved a lot of their production overseas to take advantage of lower costs. The lower costs have also been accompanied by longer lead times. In such a situation, having a flexible local source with short lead times can be an effective complement to the long lead time overseas supplier even if the local source is more expensive. Long lead times require large safety inventories, and the resulting mismatch of supply and demand hurts profits. The presence of the local source allows the firm to carry lower safety inventories and supply any excess demand from the local source. The most effective combination is for the overseas source to focus on replenishing cycle inventories, ignoring uncertainty. The local source is used as a backup any time demand exceeds the inventory available.

Allon and Van Mieghem (2010) describe a high-tech manufacturer of wireless transmission components with facilities in China and Mexico. The Chinese facility was cheaper but had lead times that were five to ten times longer than those from Mexico. A simulation study indicated that the use of tailored sourcing was the most effective strategy in this case. Allon and Van Mieghem (2010) recommend a *tailored base-surge* (TBS) inventory policy whereby a constant base load is sourced from the cheaper source (China in this case), with the responsive source (Mexico in this case) being used any time inventory dropped below a threshold. Their simulations indicate that sourcing roughly 75 percent of the demand from the cheaper source as base load with the rest coming from the responsive source as needed is a fairly effective tailored sourcing policy in practice. Their results show that the fraction of demand allocated as base load to the cheaper source increases as the demand and the cost difference with the responsive facility grows. The fraction of demand allocated as base load to the cheaper source decreases as the reliability of the cheaper source decreases or the volatility of demand and the holding cost of inventory grow.

In *product-based tailored sourcing*, low-volume products with uncertain demand are obtained from a flexible source whereas high-volume products with less demand uncertainty are obtained from an efficient source. An example of product-based tailored sourcing is Levi Strauss. Levi sells

standard-sized jeans as well as jeans that can be customized. Standard jeans have relatively stable demand, whereas demand for custom jeans is unpredictable. Custom jeans are produced at a flexible facility, whereas standard jeans are produced at an efficient facility. Zara also follows such a product-based tailored sourcing strategy, obtaining more than half its production from responsive plants in Europe with the rest coming from lower cost plants in Asia. Its most fashionable items that have the least predictable demand are made in responsive European facilities. Clothes that are more predictable and can sell for longer periods, such as basic T-shirts, are sourced from the cheaper Asian facilities.

In some instances, new products have uncertain demand while well-established products have more stable demand. Product-based tailored sourcing may be implemented with a flexible facility focusing on new products, and efficient facilities focusing on the well-established products. This is often the case in the pharmaceutical industry.

### 13.4 SETTING PRODUCT AVAILABILITY FOR MULTIPLE PRODUCTS UNDER CAPACITY CONSTRAINTS

In our discussion up to this point, we have assumed that a firm can set its desired level of product availability, and no constraints interfere with this choice. A common scenario in which this assumption fails occurs when the desired level of product availability results in an order size that exceeds the available capacity at the supplier. When ordering a single product, it is optimal for the buyer to order the minimum of the available capacity and the optimal order quantity. When ordering multiple products, however, the buyer needs to consider the trade-off between ordering more of one product versus another.

Consider a department store that plans to order two styles of sweaters from an Italian supplier. Demand for the high-end sweater is forecast to be normally distributed, with a mean of  $\mu_1 = 1,000$  and a standard deviation of  $\sigma_1 = 300$ . Demand for the mid-range sweater is normally distributed, with a mean of  $\mu_2 = 2,000$  and a standard deviation of  $\sigma_2 = 400$ . The high-end sweater has a retail price of  $p_1 = \$150$ , a cost  $c_1 = \$50$ , and a salvage value of  $s_1 = \$35$ . The mid-range sweater has a retail price of  $p_2 = \$100$ , a cost  $c_2 = \$40$ , and a salvage value of  $s_2 = \$25$ . Using Equation 13.1, the optimal level of product availability for the high-end sweater is 0.87 and that for the mid-range sweater is 0.8. Thus, without capacity constraints, it is optimal for the department store to order 1,337 units of the high-end sweater and 2,337 units of the mid-range sweater. If the supplier has a capacity constraint of 3,000 units, the desired ordering policy is not feasible, and the department store must decrease the size of its order by a total of at least 674 units. Where should this decrease come from? Should the decrease be evenly divided between the two products?

First let us consider the simplistic approach of decreasing the order size of each product by 337 units to get an order of 1,000 high-end sweaters and 2,000 mid-range sweaters. This order size meets the capacity constraint and the expected profit is \$194,268 (using Equation 13.3). To check whether this order size is optimal, we can think in terms of how capacity is allocated to the two styles. Let us assume that we have decided to allocate 1,000 units to the high-end sweater and 1,999 units to the mid-range sweater. That leaves only the last unit of capacity to be allocated. Which sweater should this unit be assigned to? It is reasonable to make this decision based on the expected marginal contribution to profits if this unit of capacity is allocated to each of the two styles. The last unit of capacity should be allocated to the sweater with the higher expected marginal contribution. Recall that  $F_i(Q_i)$  is the probability that demand for product  $i$  is  $Q_i$  or less and let  $MC_i(Q_i)$  be the marginal contribution of a sweater of type  $i$  if quantity  $Q_i$  is ordered. The expected marginal contribution is evaluated similar to that in Table 13-2 and is obtained as follows:

$$\begin{aligned} \text{Expected marginal contribution for high-end sweater} &= MC_1(1,000) \\ &= p_1[1 - F_1(1,000)] + s_1F_1(1,000) - c_1 \\ &= 150 \times (1 - 0.5) + 35 \times 0.5 - 50 = \$42.50 \end{aligned}$$

$$\begin{aligned}
\text{Expected marginal contribution for mid-range sweater} &= MC_2(1,999) \\
&= p_2[1 - F_2(1,999)] + s_2F_2(1,999) - c_2 \\
&= 100 \times (1 - 0.499) + 25 \times 0.499 - 40 = \$22.57
\end{aligned}$$

Clearly, it is better to allocate the last unit of capacity to the high-end sweater rather than the mid-range sweater. In fact, changing the order size to 1,001 high-end sweaters and 1,999 mid-range sweaters increases the expected profits by almost \$20. One can now decrease the order size for the mid-range sweater to 1,998 and ask how the last unit of capacity should be allocated. Repeating the above procedure indicates that the order size for the high-end sweaters should be increased to at least 1,002. In fact, the order size for the high-end sweater should be increased until the expected marginal contribution for the high-end sweater is the same as that for the mid-range sweater. At that point, it no longer makes sense to move capacity from one type of sweater to another. The optimal allocation of capacity turns out to be 1,089 high-end sweaters and 1,911 mid-range sweaters. The expected profits for this order size are \$195,152. Observe that at optimality, the high-end sweater is allocated a relatively high share of the available capacity because its margin relative to the cost of overstocking is higher than that of the mid-range sweater.

The idea of allocating the available capacity to the product with the highest expected marginal contribution can be converted into a solution procedure. Let each product  $i$  have a mean demand of  $\mu_i$  and a standard deviation of  $\sigma_i$ . Product  $i$  has a retail price of  $p_i$ , a cost  $c_i$ , and a salvage value of  $s_i$ . If quantity  $Q_i$  is allocated to product  $i$ , the expected marginal contribution is obtained as

$$MC_i(Q_i) = p_i[1 - F_i(Q_i)] + s_iF_i(Q_i) - c_i$$

The following procedure allocates each unit of capacity to the product with the highest expected marginal contribution. Let  $B$  be the total available capacity.

1. Set quantity  $Q_i = 0$  for all products  $i$ .
2. Compute the expected marginal contribution  $MC_i(Q_i)$  for each product  $i$ .
3. If no expected marginal contribution is positive, stop. Otherwise, let  $j$  be the product with the highest expected marginal contribution. Increase  $Q_j$  by one unit.
4. If the total quantity across all products is less than  $B$ , return to step 2. Otherwise, the capacity constraint has been met and the current quantities are optimal.

Partial results from the application of the procedure described above to the department store data are shown in Table 13-5.

The order quantities under capacity constraints can also be obtained by solving an optimization problem. Let  $\Pi_i(Q_i)$  be the expected profit obtained using Equation 13.3 from ordering  $Q_i$  units of product  $i$ . The appropriate order quantities can be obtained by solving the following optimization problem:

$$\text{Max } \sum_{i=1}^n \Pi_i(Q_i)$$

Subject to

$$\begin{aligned}
\sum_{i=1}^n Q_i &\leq B \\
Q_i &\geq 0
\end{aligned}$$

**Table 13-5** Application of Solution Procedure to Obtain Order Quantities Under Capacity Constraints

Capacity Left	Expected Marginal Contribution		Order Quantity	
	High End	Mid Range	High End	Mid Range
3,000	99.95	60.00	0	0
2,900	99.84	60.00	100	0
2,100	57.51	60.00	900	0
2,000	57.51	60.00	900	100
800	57.51	57.00	900	1,300
780	54.59	57.00	920	1,300
300	42.50	43.00	1,000	1,700
200	42.50	36.86	1,000	1,800
180	39.44	36.86	1,020	1,800
40	31.89	30.63	1,070	1,890
30	30.41	30.63	1,080	1,890
10	29.67	29.54	1,085	1,905
1	29.23	29.10	1,088	1,911
0	29.09	29.10	1,089	1,911

**Key Point**

When ordering multiple products under a limited supply capacity, the allocation of capacity to products should be based on their expected marginal contribution to profits. This approach allocates a relatively higher fraction of capacity to products that have a high margin relative to their cost of overstocking.

**13.5 SETTING OPTIMAL LEVELS OF PRODUCT AVAILABILITY IN PRACTICE**

**1. Beware of preset levels of availability.** Often companies have a preset target of product availability without any justification. In such a situation, managers should probe the rationale for the targeted level of product availability. A manager can provide significant value by adjusting the targeted level of product availability to one that maximizes profits.

**2. Use approximate costs because profit-maximizing solutions are quite robust.** Companies should avoid spending an inordinate amount of effort to get exact estimates of various costs used to evaluate optimal levels of product availability. Levels of product availability close to optimal will often produce a profit that is close to the optimal profit. Thus, it is not crucial that all costs be estimated precisely. A reasonable approximation of the costs will generally produce targeted levels of product availability that are close to optimal.

**3. Estimate a range for the cost of stocking out.** Firms' efforts to set levels of product availability often get bogged down in debate over the cost of stocking out. The sometimes controversial nature of this cost and its hard-to-quantify components (such as loss of customer goodwill) make it a difficult number for people from different functions to agree on. However, it is often not necessary to estimate a precise cost of stocking out. Using a range of the cost, a manager can identify appropriate levels of availability and the associated profits. Often, profits

do not change significantly in the range, thus eliminating the need for a more precise estimation of the cost of stocking out.

**4. Tailor your response to uncertainty.** A manager should recognize that strategies such as quick response and postponement are most effective when the underlying unpredictability is large. Thus, for the portion of demand that is relatively predictable, one should focus on the lowest cost production method, even if it is not responsive. The unpredictable portion of demand, however, should be served using a more responsive approach (postponement or quick response), even if it is more expensive.

### 13.6 SUMMARY OF LEARNING OBJECTIVES

**1. Identify the factors affecting the optimal level of product availability and evaluate the optimal cycle service level.** The cost of overstocking by one unit and the lost current and future margin from understocking by one unit are the two major factors that affect the optimal level of product availability. The optimal level of availability is obtained by balancing the costs of overstocking and understocking. As the cost of overstocking increases, it is optimal to lower the targeted level of product availability. As the lost margin from being out of stock increases, it is optimal to raise the targeted level of product availability.

**2. Use managerial levers that improve supply chain profitability through optimal service levels.** A manager may increase supply chain profitability by (a) increasing the salvage value of each unit overstocked, (b) decreasing the margin lost from a stockout, (c) using improved forecasting to reduce demand uncertainty, (d) using quick response to reduce lead times and allow multiple orders in a season, (e) using postponement to delay product differentiation, and (f) using tailored sourcing with a flexible short lead time supply source serving as a backup for a low-cost supply source.

**3. Understand conditions under which postponement is valuable in a supply chain.** Postponement is valuable in a supply chain when a firm sells a large variety of products with highly unpredictable demand of about the same size that is not positively correlated. Postponement is not as valuable if demand becomes predictable or positively correlated. Postponement is also not as valuable if a large fraction of the demand comes from a few products. In such a setting, tailored postponement is most effective whereby base loads are not postponed but the variation is postponed.

**4. Allocate limited supply capacity among multiple products to maximize expected profits.** When available supply capacity is limited, it should be allocated among products based on their expected marginal contribution to profits. At the optimal allocation, the expected marginal contribution of each product is the same. When there is no capacity constraint, the expected marginal contribution of each product at optimality is zero.

### Discussion Questions

1. Consider two products with the same cost but different margins. Which product should have a higher level of product availability? Why?
2. Consider two products with the same margin carried by a retail store. Any leftover units of one product are worthless. Leftover units of the other product can be sold to outlet stores. Which product should have a higher level of availability? Why?
3. A firm improves its forecast accuracy using better market intelligence. What impact will this have on supply chain inventories and profitability? Why?
4. How can postponement of product differentiation be used to improve supply chain profitability?
5. What are some scenarios in which postponing product differentiation across all products may not be profitable? How can tailored postponement help in such situations?
6. Zara has used local production in Europe to have short replenishment lead times. How does this capability of quick response help the company improve profits in a highly volatile trendy apparel marketplace?
7. When can tailored sourcing be used to improve supply chain profits? What are some challenges with implementing tailored sourcing?



## Exercises

- Green Thumb, a manufacturer of lawn care equipment, has introduced a new product. Each unit costs \$150 to manufacture, and the introductory price is to be \$200. At this price, the anticipated demand is normally distributed, with a mean of  $\mu = 100$  and a standard deviation of  $\sigma = 40$ . Any unsold units at the end of the season are unlikely to be valuable and will be disposed of in a fire sale for \$50 each. It costs \$20 to hold a unit in inventory for the entire season. How many units should Green Thumb manufacture for sale? What is the expected profit from this policy? On average, how many customers does Green Thumb expect to turn away because of stocking out?
- The general manager at Green Thumb decides to conduct extensive market research for its new product. At the end of the market research, the manager estimates demand to be normally distributed, with a mean of  $\mu = 100$  and a standard deviation of  $\sigma = 15$ . How should Green Thumb alter its production plans in Exercise 1 as a result of the market research? How much increase in profit is it likely to observe? How does the improved forecast affect the demand lost by Green Thumb because of understocking? Use cost and price information from Exercise 1.
- The manager at Goodstone Tires, a distributor of tires in Illinois, uses a continuous review policy to manage inventory. The manager currently orders 10,000 tires when the inventory of tires drops to 6,000. Weekly demand for tires is normally distributed, with a mean of 2,000 and a standard deviation of 500. The replenishment lead time for tires is two weeks. Each tire costs Goodstone \$40, and the company sells each tire for \$80. Goodstone incurs a holding cost of 25 percent. How much safety inventory does Goodstone currently carry? At what cost of understocking is the manager's current inventory policy justified? How much safety inventory should Goodstone carry if the cost of understocking is \$80 per tire in lost current and future margin?
- Champion manufactures winter fleece jackets for sale in the United States. Demand for jackets during the season is normally distributed, with a mean of 20,000 and a standard deviation of 10,000. Each jacket sells for \$60 and costs \$30 to produce. Any leftover jackets at the end of the season are sold for \$25 at the year-end clearance sale. Holding jackets until the year-end sale adds another \$5 to their cost. A recent recruit has suggested shipping leftover jackets to South America for sale in the winter there rather than running a clearance. Each jacket will fetch a price of \$35 in South America, and all jackets sent there are likely to sell. Shipping costs add \$5 to the cost of any jacket sold in South America. Would you recommend the South American option? How will this decision affect production decisions at Champion? How will it affect profitability? On average, how many jackets will Champion ship to South America each season?
- Snoblo, a manufacturer of snowblowers, sells four models. The base model, Reguplo, has demand that is normally distributed, with a mean of 10,000 and a standard deviation of 1,000. The three other models have additional features, and each has demand that is normally distributed, with a mean of 1,000 and a standard deviation of 700. Currently all four models are manufactured on the same line at a cost of \$100 for Reguplo and \$110 for each of the other three models. Reguplo sells for \$200, whereas each of the other three models sells for \$220. Any unsold blowers are sold at the end of the season for \$80. Snoblo is considering the use of tailored sourcing by setting up two separate lines, one for Reguplo and one for the other three. Given that no changeovers will be required on the Reguplo line, the production cost of Reguplo is expected to decline to \$90. The production cost of the other three products, however, will now increase to \$120. Do you recommend tailored sourcing for Snoblo? How will tailored sourcing affect production and profits? Ignore holding costs for the snowblowers.
- AnyLogo supplies firms with apparel containing their logo to be used for promotional purposes. AnyLogo has four major customers—IBM, AT&T, HP, and Cisco. During the holiday season, the logos are adorned with a Christmas motif. Demand from each firm for apparel with the Christmas motif is normally distributed, as shown in Table 13-6.  
AnyLogo currently produces all the apparel including the logo embroidery in Sri Lanka in advance of the holiday season. Each unit costs \$15 and is sold by AnyLogo for \$50. Any leftover inventory at the end of the holiday season is essentially worthless and cannot be repurposed for a different company. It is thus donated by AnyLogo to charity. Holding the apparel in inventory adds another \$3 to the cost per unit donated to inventory. However, the donation allows AnyLogo to recover \$6 per unit in tax savings. What production quantities do you recommend for AnyLogo? What is the expected profit from the policy? On average, how much does AnyLogo expect to donate to charity each year?
- The manager at AnyLogo is considering the purchase of high-speed embroidery machines that will allow it to embroider on demand. In this case, the apparel will be made in Sri Lanka without any logo; the logo embroidery will be postponed and will be done in the United States on demand. This will raise the cost per unit to \$18. However, AnyLogo will not have any holiday or company-specific apparel to be disposed of at the end of the season. The apparel without logos can be sold for \$18 a unit to retailers. The cost of holding inventory and shipping adds \$4 to the cost of any apparel left over after the holiday season. With all other information as in Exercise 6, do you recommend that the manager at AnyLogo implement postponement? What will be the impact of postponement on profits and inventories?

**Table 13-6** Demand Distribution for AnyLogo

	IBM	AT&T	HP	Cisco
Mean	5,000	7,000	4,000	4,000
SD	2,000	2,500	2,000	2,200

8. A major fast-food company is running a promotion for children's meals for which it offers a Sharky toy. A single order will be placed for the toys. Each toy costs \$0.50, and any unsold toys will have to be scrapped at the end of the promotion. The margin from each meal (including the toy) is \$1.00, and children are likely to go to a competitor if the fast-food company is out of toys. The demand for meals with the toys is forecast to be normally distributed, with a mean of 50,000 and a standard deviation of 15,000.
- How many Sharky toys should be ordered in advance of the promotion?
  - An issue has been raised that customers who go to competitors may be lost for the long term. It has been estimated that the cost of not having toys in stock is \$5 per stockout because of the loss of current and future sales. How does this information affect the number of Sharky toys to be ordered?
9. The Highland Company (THC) is planning orders for its winter catalog. One order is to be placed at the beginning of the season. The demand forecast for one of its jackets is normal, with a mean of 5,000 and standard deviation of 2,000. Each jacket is purchased for \$100, and any unsold jackets at the end of the season will be discounted and sold through the outlet store for \$75. At this price, virtually all jackets are expected to sell. It costs another \$15 to store an unsold jacket for the season and then move it to the outlet store. The members of the buying committee disagree on the effect of stocking out and the number of jackets to be ordered. One of the members believes that 6,000 jackets should be ordered, whereas another wants to order 8,000 jackets.
- At what cost of stocking out would each member's order size be justified?
  - If the planned sale price is \$200, describe a situation in which ordering 6,000 jackets makes sense. Describe another situation in which ordering 8,000 jackets makes sense.
10. Sport Obermeyer (SO) is a manufacturer of ski apparel. A ski jacket is sourced at a cost of \$80 and sold for \$125. One order is placed at the beginning of the season. Currently, SO disposes of any unsold jackets at the end of the season to outlet stores at \$70. It costs \$10 to hold a jacket in inventory for the entire season and then ship it to an outlet store. Demand for ski jackets has been forecast to be normally distributed, with a mean of 4,000 and a standard deviation of 1,750.
- How many jackets should SO order for the season assuming a single order?
  - What is the expected profit from this policy?
  - What is the expected overstock at the end of the season that will be sent to outlet stores?
  - SO is considering an alternative under which it will ship surplus jackets at the end of the season for sale in the Southern Hemisphere. Inclusive of all costs, SO expects the salvage value to increase to \$75 under this option. How will this change affect the quantity ordered, expected profits, and expected overstock to be sent to the Southern Hemisphere? Do you recommend this option?
11. Daily demand for aspirin at DoorRed Pharmacy is normally distributed, with a mean of 40 bottles and a standard deviation of 5. The replenishment lead time from the supplier is one day. The current inventory policy at DoorRed is to order 200 bottles when the quantity on hand drops below 45. Each bottle costs DoorRed \$4, and the pharmacy uses a holding cost of 25 percent.
- If all unfilled demand is assumed to be backlogged and carried over to the next cycle, what cost of understocking justifies the current policy?
  - If all unfilled demand is assumed to be lost, what cost of stocking out justifies the current policy?
  - DoorRed believes that all unfilled demand can be backlogged if customers are given a \$1.50 discount on their next purchase (effectively making the cost of understocking \$1.50). What inventory policy do you recommend for DoorRed?
12. Lake Grove Confectionaries (LGC) sells chocolates for the holiday season in specially designed boxes. The firm sells four designs, and currently all packaging is done in the plant as chocolates are manufactured. All manufacturing and packaging for the holiday season are completed before the start of the season. The demand forecast for each of the four designs is normal, with a mean of 20,000 and a standard deviation of 8,000. Each box costs \$10 and is sold for \$20. Any unsold boxes at the end of the season are discounted to \$8, and they all sell out at this price. The cost of holding a box in inventory for the entire season before selling it at a discount is \$1.
- How many boxes of each design should LGC manufacture?
  - What is the expected profit from this policy?
  - How many boxes does LGC expect to sell at a discount?
  - An option being considered by LGC is to separate chocolate production from packaging. Chocolates will be produced before the start of the season, but packaging will be done on an express line as orders come in. The express line and separation of steps adds \$2 to the cost of production. How many boxes of chocolates should LGC manufacture if it decides to postpone packaging? What is the expected profit? How many boxes will LGC sell at a discount if it uses postponement?
  - At what additional cost of postponement (instead of the current \$2) would LGC be indifferent between operating with and without postponement?
13. The Knitting Company (TKC) is planning production for its four sweater styles that are popular during Christmas. All four styles have demand that is normally distributed. The best-selling style has an expected demand of 30,000 and a standard deviation of 5,000. Each of the other three styles has an expected demand of 10,000 with a standard deviation of 4,000. Currently all sweaters are produced before the start of the season. Production cost is \$20 per sweater, and they are sold for a wholesale price of \$35. Any unsold sweaters at the end of the season are discounted to \$15, and they all sell

- at that price. It costs \$2 to hold the sweater in inventory for the entire season if it does not sell.
- How many sweaters of each type should TKC manufacture?
  - What is the expected profit from this policy?
  - How many sweaters does TKC expect to sell at a discount?
  - TKC is considering the postponement of knitting and using flexible machines. This will require the base sweaters to be made in advance (identical for each of the four types) and the final patterns to be knit later. This will increase production cost per sweater to \$21.40. How many sweaters should TKC manufacture with postponement? What is the expected profit from this policy?
  - Another option is to produce the popular style without postponement and the other three styles using postponement. What is the expected profit under this policy?
- A designer is planning orders for its annual limited-edition ornament. Demand has been forecast to be normally distributed, with a mean of 20,000 and a standard deviation of 8,000. Each ornament costs \$30 and is sold for \$95. All unsold ornaments are destroyed at the end of the season, to ensure the value of the limited edition.
    - How many ornaments should the designer order? What is the expected profit?
    - The manufacturer has offered to discount the price to \$28 per ornament if at least 25,000 are ordered. How should the designer respond?
  - A publisher is printing calendars for the coming year. Demand for calendars is normally distributed, with a mean of 70,000 and a standard deviation of 25,000. The cost per calendar is \$3, and they are sold for \$10 each. All unsold calendars are recycled at the end of January.
    - How many calendars should the publisher have printed? What is the expected profit?
    - The printer has offered to discount the printing cost to \$2.75 per calendar if the publisher orders at least 100,000. What should the publisher do?
  - An electronics manufacturer has outsourced production of its latest MP3 players to a contract manufacturer in Asia. Demand for the players has exceeded all expectations, whereas the contract manufacturer has limited production capacity. The electronics manufacturer sells three types of players—a 40-GB player, a 20-GB player, and a 6-GB player. For the upcoming holiday season, the demand forecast for the 40-GB player is normally distributed, with a mean of 20,000 and a standard deviation of 7,000, the demand forecast for the 20-GB player has a mean of 40,000 and a standard deviation of 11,000, and the demand forecast for the 6-GB player has a mean of 80,000 and a standard deviation of 16,000. The 40-GB player has a sale price of \$200, a production cost of \$100, and a salvage value of \$80. The 20-GB player has a sale price of \$150, a production cost of \$90, and a salvage value of \$70. The 6-GB player has a sale price of \$100, a production cost of \$70, and a salvage value of \$50.
    - How many units of each type of player should the electronics manufacturer order if there are no capacity constraints?
    - The contract manufacturer has available production capacity of only 140,000 units. What is the expected profit if the electronics manufacturer orders 20,000 units of the 40-GB player, 40,000 units of the 20-GB player, and 80,000 units of the 6-GB player?
    - How many units of each type of player should the electronics manufacturer order if the available capacity is 140,000? What is the expected profit?

## Bibliography

- Allon, Gad, and Jan A. Van Mieghem. "Global Dual Sourcing: Tailored Base-Surge Allocation to Near and Offshore Production." *Management Science* 56 (January 2010): 110–124.
- Cachon, Gerard P., and Marshall L. Fisher. "Campbell Soup's Continuous Product Replenishment Program: Evaluation and Enhanced Decision Rules." *Production and Operations Management* 6 (1997): 266–276.
- Cachon, Gerard P., and Martin A. Lariviere. "Turning the Supply Chain into a Revenue Chain." *Harvard Business Review* (March 2001): 20–21.
- Clark, Theodore H., and Janice H. Hammond. "Reengineering Channel Reordering Processes to Improve Total Supply Chain Performance." *Production and Operations Management* 6 (1997): 248–265.
- Fisher, Marshall L., Janice H. Hammond, Walter R. Obermeyer, and Ananth Raman. "Making Supply Meet Demand in an Uncertain World." *Harvard Business Review* (May–June 1994): 83–93.
- Ghemawat, Pankaj, and Jose Luis Nueno. "Zara: Fast Fashion." Harvard Business School Case 9–703–497, 2006.
- Nahmias, Steven. *Production and Operations Analysis*. Burr Ridge, IL: Richard P. Irwin, 1997.
- Padmanabhan, V., and Ivan P. L. Png. "Returns Policies: Making Money by Making Good." *Sloan Management Review* (Fall 1995): 65–72.
- Pasternack, Barry A. "Optimal Pricing and Return Policies for Perishable Commodities." *Marketing Science* 4 (1985): 166–176.
- Signorelli, Sergio, and James L. Heskett. "Benetton (A)." Harvard Business School Case 9–685–014, 1984.
- Silver, Edward A., David Pyke, and Rein Petersen. *Inventory Management and Production Planning and Scheduling*. New York: Wiley, 1998.
- Tayur, Sridhar, Ram Ganeshan, and Michael Magazine, eds. *Quantitative Models for Supply Chain Management*. Boston: Kluwer Academic Publishers, 1999.
- "The Critical-Fractile Method for Inventory Planning." Harvard Business School Note 9–191–132, 1991.

## APPENDIX 13A

### Optimal Level of Product Availability

#### Objective:

Evaluate the level of product availability that maximizes profit.

#### Analysis:

Assume that the demand is a continuous nonnegative random variable with density function  $f(x)$  and cumulative distribution function  $F(x)$ .  $C_u$  is the margin per unit and, as a result, the cost of understocking per unit.  $C_o$  is the cost of overstocking per unit.

Assume that  $Q$  units are purchased and a demand of  $x$  units arises. If  $Q \leq x$ , all  $Q$  units are sold and a profit of  $QC_u$  results. On the other hand, if  $Q > x$ , only  $x$  units are sold and a profit of  $x C_u - (Q - x) C_o$  results. The expected profit  $P(Q)$  is thus given by

$$P(Q) = \int_0^Q [x C_u - (Q - x) C_o] f(x) dx + \int_Q^\infty Q C_u f(x) dx$$

To determine the value of  $Q$  that maximizes the expected profit  $P(Q)$ , we have

$$\begin{aligned} \frac{dP(Q)}{d(Q)} &= -C_o \int_0^Q f(x) dx + C_u \int_Q^\infty f(x) dx \\ &= C_u [1 - F(Q)] - C_o F(Q) = 0 \end{aligned}$$

This implies an optimal order size of  $Q^*$ , where

$$F(Q^*) = \frac{C_u}{C_u + C_o}$$

One can verify that the second derivative is negative, implying that the total expected profit is maximized at  $Q^*$ .

## APPENDIX 13B

### An Intermediate Evaluation

#### Objective:

Given that  $x$  is normally distributed, with a mean  $\mu$  and standard deviation  $\sigma$ , show that

$$\begin{aligned} A = \int_{x=-\infty}^a x f(x) dx &= \mu F_S \left[ \frac{(a - \mu)}{\sigma} \right] \\ &\quad - \sigma f_S \left[ \frac{(a - \mu)}{\sigma} \right] \end{aligned} \quad (13.8)$$

Here  $f(x)$  is the normal density function,  $f_S(\cdot)$  is the standard normal density function, and  $F_S(\cdot)$  is the standard normal cumulative distribution function.

**Analysis:**

Using Equation 12.20 we have

$$A = \int_{x=-\infty}^a xf(x)dx = \int_{-\infty}^a x \frac{1}{\sqrt{2\pi}\sigma} e^{-(x-\mu)^2/2\sigma^2} dx$$

Substitute  $z = (x - \mu)/\sigma$ . This implies that  $dx = \sigma dz$ . Thus, we have

$$\begin{aligned} A &= \int_{z=-\infty}^{(a-\mu)/\sigma} (z\sigma + \mu) \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz \\ &= \mu \int_{z=-\infty}^{(a-\mu)/\sigma} \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz + \sigma \int_{z=-\infty}^{(a-\mu)/\sigma} z \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz \end{aligned}$$

Given the relationship between the cumulative distribution function and the probability density function, we use the definition of the standard normal distribution and Equation 12.18 to obtain

$$F_S(t) = \int_{z=-\infty}^t f_S(z) dz = \int_{z=-\infty}^t \frac{1}{\sqrt{2\pi}} e^{-z^2/2} dz$$

Substitute  $w = z^2/2$  into the expression for  $A$ . This implies that  $dw = z dz$ . Thus,

$$A = \mu F_S\left[\frac{(a - \mu)}{\sigma}\right] + \sigma \int_{w=\infty}^{(a-\mu)^2/2\sigma^2} \frac{1}{\sqrt{2\pi}} e^{-w} dw$$

or

$$A = \mu F_S\left[\frac{(a - \mu)}{\sigma}\right] - \sigma f_S\left[\frac{(a - \mu)}{\sigma}\right]$$

**APPENDIX 13C****Expected Profit from an Order****Objective:**

Assume demand to be normally distributed, with a mean  $\mu$  and standard deviation  $\sigma$ . Each unit sells for a price  $\$p$  and costs  $\$c$ . Any unsold units fetch a salvage value of  $\$s$ . Obtain an expression for the expected profit if  $O$  units are ordered.

**Analysis:**

If  $O$  units are ordered and demand turns out to be  $x \leq O$ , each of the  $x$  units sold contributes  $p - c$ , whereas each of the  $(O - x)$  units unsold results in a loss of  $c - s$ . If demand is larger than  $O$ , each of the  $O$  units sold contributes  $p - c$ . We thus obtain

$$\text{Expected profits} = \int_{x=-\infty}^O [(p - c)x - (c - s)(O - x)]f(x)dx$$

$$\begin{aligned}
 & + \int_{x=0}^{\infty} O(p - c)f(x)dx = \int_{x=-\infty}^O [(p - s)x \\
 & - O(c - s)]f(x)dx + \int_{x=0}^{\infty} O(p - c)f(x)dx
 \end{aligned}$$

Using Equation 13.8, we obtain

$$\int_{x=-\infty}^O xf(x)dx = \mu F_S \left[ \frac{(O - \mu)}{\sigma} \right] - \sigma f_S \left[ \frac{(O - \mu)}{\sigma} \right]$$

We can thus evaluate the expected profits as

$$\begin{aligned}
 \text{Expected profits} &= (p - s)\mu F_S \left[ \frac{(O - \mu)}{\sigma} \right] - (p - s)\sigma f_S \left[ \frac{(O - \mu)}{\sigma} \right] \\
 & - O(c - s)F(O, \mu, \sigma) + O(p - c)[1 - F(O, \mu, \sigma)]
 \end{aligned}$$

## APPENDIX 13D

### Expected Overstock from an Order

#### Objective:

Assume demand to be normally distributed, with a mean  $\mu$  and standard deviation  $\sigma$ . Obtain an expression for the expected overstock if  $O$  units are ordered.

#### Analysis:

If  $O$  units are ordered, an overstock results only if demand is  $x < O$ . We thus have

$$\begin{aligned}
 \text{Expected overstock} &= \int_{x=-\infty}^O (O - x)f(x)dx \\
 &= \int_{x=-\infty}^O Of(x)dx - \int_{x=-\infty}^O xf(x)dx \\
 &= OF_S \left[ \frac{(O - \mu)}{\sigma} \right] - \int_{x=-\infty}^O xf(x)dx
 \end{aligned}$$

Using Equation 13.8, we thus obtain

$$\begin{aligned}
 \text{Expected overstock} &= OF_S \left[ \frac{(O - \mu)}{\sigma} \right] - \mu F_S \left[ \frac{(O - \mu)}{\sigma} \right] + \sigma f_S \left[ \frac{(O - \mu)}{\sigma} \right] \\
 &= (O - \mu)F_S \left[ \frac{(O - \mu)}{\sigma} \right] + \sigma f_S \left[ \frac{(O - \mu)}{\sigma} \right]
 \end{aligned}$$

## APPENDIX 13E

### Expected Understock from an Order

#### Objective:

Assume demand to be normally distributed, with a mean  $\mu$  and standard deviation  $\sigma$ . Obtain an expression for the expected understock if  $O$  units are ordered.

#### Analysis:

If  $O$  units are ordered, an understock results only if demand is  $x > O$ . We thus have

$$\begin{aligned} \text{Expected understock} &= \int_{x=O}^{\infty} (x - O)f(x)dx \\ &= \int_{x=O}^{\infty} xf(x)dx - \int_{x=O}^{\infty} Of(x)dx = \int_{x=-\infty}^{\infty} xf(x)dx \\ &\quad - \int_{x=-\infty}^O xf(x)dx - O\left\{1 - F_S\left[\frac{(O - \mu)}{\sigma}\right]\right\} = (\mu - O) \\ &\quad + OF_S\left[\frac{(O - \mu)}{\sigma}\right] - \int_{x=-\infty}^O xf(x)dx \end{aligned}$$

Using Equation 13.8, we thus obtain

$$\begin{aligned} \text{Expected understock} &= (\mu - O) + OF_S\left[\frac{(O - \mu)}{\sigma}\right] \\ &\quad - \mu F_S\left[\frac{(O - \mu)}{\sigma}\right] + \sigma f_S\left[\frac{(O - \mu)}{\sigma}\right] \\ &= (\mu - O)\left\{1 - F_S\left[\frac{(O - \mu)}{\sigma}\right]\right\} + \sigma f_S\left[\frac{(O - \mu)}{\sigma}\right] \end{aligned}$$

## APPENDIX 13F

### Simulation Using Spreadsheets

A simulation is a computer model that replicates a real-life situation, allowing the user to estimate what the potential outcome would be from each of a set of actions. Simulation is a powerful tool that helps evaluate the impact of business decisions on performance in an uncertain environment. In some instances, future scenarios can be modeled mathematically without simulation, and formulas can be obtained for the impact of different policies on performance. In other cases, formulas are difficult or impossible to obtain, and one must use simulation. Simulations are powerful because they can accommodate any number of complications. Problems that are impossible to solve analytically can often be solved fairly easily with simulation. A good simulation is an inexpensive way to test different actions and identify the most effective decision given an uncertain future.

Consider Lands' End, a mail-order firm that sells apparel. Lands' End faces uncertain demand and has to make decisions regarding the number of catalogs to print and mail, the number of units of each product to order, and the contracts to enter into with its suppliers. The general manager at Lands' End wants to evaluate different policies before implementing them. A simulation requires the manager to create a computer model that mimics the orders placed, inventory held, customer demand, and other processes that are part of the Lands' End supply chain.

An *instance* of demand refers to random demand obtained from a demand distribution. Each time demand is generated from a distribution, a new instance results. Based on estimates of the future demand distribution, instances of demand for different products are generated randomly. The impact of an ordering policy is evaluated for each instance of demand generated. Based on a large number of demand instances, the manager can evaluate the mean and variability of the performance of a policy. Different policies can then be compared.

## Generating Random Numbers Using Excel

A fundamental step in any simulation is the generation of random numbers that correspond to the distribution that has been estimated for future demand or some other parameter. For example, if Lands' End has estimated demand for cashmere sweaters from the winter catalog to be normally distributed, with a mean of 3,000 and a standard deviation of 1,000, the manager needs to generate several instances of demand from this distribution. Several functions available in Excel generate random numbers.

The  $RAND()$  function generates a random number that is uniformly distributed between 0 and 1. There is thus a 10 percent probability that  $RAND()$  will generate a number between 0 and 0.1, a 50 percent probability that it will generate a random number between 0 and 0.5, and a 90 percent probability that it will generate a random number between 0 and 0.9. The  $RAND()$  function can be used to generate random numbers from a variety of distributions.

The Excel function  $NORMINV(RAND(), \mu, \sigma)$  generates a random number that is normally distributed, with mean  $\mu$  and standard deviation  $\sigma$ . The Excel function  $NORMSINV(RAND())$  generates a random number that is normally distributed, with a mean of 0 and standard deviation of 1. The fact that both  $NORMINV$  and  $NORMSINV$  can generate negative numbers often poses problems when they are used to generate demand. One option is to use a maximum of 0 and  $NORMINV(RAND(), \mu, \sigma)$  to generate demand. This is appropriate if the coefficient of variation,  $cv$ , is less than 0.4. For larger coefficients of variation, it is better to use the log-normal distribution because that generates only nonnegative numbers. The Excel function  $LOGINV(RAND(), \mu, \sigma)$  generates a random number  $X$  that follows the log-normal distribution, where  $\ln(X)$  is normally distributed, with mean  $\mu$  and standard deviation  $\sigma$ . Several other demand distributions may also be generated using other Excel functions.

## Setting Up a Simulation Model

Lands' End plans to sell cashmere sweaters in its winter catalog for \$150 each. The manager expects demand to be normally distributed, with a mean of  $\mu = 3,000$  and a standard deviation of  $\sigma = 1,000$ . Toward the end of the winter season, Lands' End sends out a sales catalog with discounted prices on unsold items. The discounted price determines the demand in response to the sales catalog. The manager anticipates that the sales catalog will generate demand for cashmere sweaters with a mean of  $1,000 - 5p$  and a standard deviation of  $(1,000 - 5p)/3$ , where  $p$  is the discounted price charged. Any leftover sweaters after the sales catalog are donated to charity. Each sweater costs Lands' End \$50. Thus, the donation to charity fetches \$25 in tax benefits. Lands' End incurs a cost of \$5 per unsold sweater to store and transport them to charity, resulting in a salvage value of  $s = \$20$  per sweater sent to charity. The manager has decided to charge a discount price of  $\max(\$25, \$150 - n/20)$ , where  $n$  is the number of sweaters left over after the winter catalog. The manager wants to identify the number of sweaters that should be purchased at the start of the winter season.

The first step is to set up a simulation model that evaluates the net profit for an instance of demand during the winter season. The model constructed is shown in Figure 13-6.

## Using Data Table to Create Many Instances

Having set up the simulation model, the next step is to create many instances of random demand and evaluate the average profits from ordering 3,000 units. In Excel, *Data Tables* can be used to



	A	B	C	D	E	F	G	H	I
1	<b>Ordering and Pricing at Lands' End</b>								
2									
3	Cost of sweaters =			\$ 50					
4	Sale price in winter catalog =			\$ 150					
5	Mean demand from winter catalog =			3,000					
6	SD of demand from winter catalog =			1,000					
7	Mean discounted demand =			348					
8	SD of discounted demand =			115.83					
9									
10	Initial quantity ordered =			3000		Cost of sweaters ordered =		\$ 150,000	
11	Winter catalog demand =			2610		Revenue from winter sales =		\$ 391,500	
12	Sweaters to be discounted =			390		Revenue from discounted sales =		\$ 25,187	
13	Discounted price, $p$ =			\$130.5		Net benefit from donation =		\$ 3,940	
14	Demand at discounted price =			193		<b>Net profit =</b>		<b>\$ 270,627</b>	
15	Number sold at discount =			193					
16	Number donated to charity =			197					
17									
18	Average profit =			\$ 266,688.33		Average number of sweaters discounted =		365	
19	SD of profit =			\$ 62,588.49		Average number donated to charity =		179	

Cell Number	Cell Formula	Cell Number	Cell Formula
D7	=1000-5*D13	D16	=D12-D15
D8	=D7/3	I10	=D3*D10
D11	=int(max(0,norminv(rand(),D5,D6)))	I11	=min(D10,D11)*D4
D12	=max(0,D10-D11)	I12	=D15*D13
D13	=max(25,150-D12/20)	I13	=D16*20
D14	=int(max(0,norminv(rand(),D7,D8)))	I14	=sum(I11:I13)-I10
D15	=min(D12,D14)		

FIGURE 13-6 Excel Simulation Model for Lands' End

achieve multiple replications of the simulation. The goal is to evaluate the mean and standard deviation of profits, the average number of sweaters discounted, and the average number of sweaters donated to charity over the multiple replications. A data table is constructed in the range A23:D522 to replicate the results of the simulation for 500 instances of demand as follows:

1. Enter formula =I14 in cell B23, =D12 in cell C23, and =D16 in cell D23. As a result, the profit is copied into cell B23, the quantity discounted is copied into cell C23, and the quantity given to charity is copied into cell D23.
2. Select the range A23:D522. From the toolbar select Data | What-If Analysis | Data Table. In the Table dialog box, point to cell A23 as the Column input cell. Click on OK.

The data table is created in the range A23:D522. Each row of the data table gives the profit, quantity discounted, and quantity given to charity for an instance of random demand. Excel recalculates the simulation using new random numbers for each row in the data table. We can now obtain the average profit, average number of sweaters discounted, and average number of sweaters donated to charity from the data table. These are calculated in cells C18, I18, and I19, respectively, in Figure 13-6.

Each time the F9 key is pressed, new random numbers are generated and all entries are recalculated. The manager at Lands' End can use the simulation to evaluate the impact of different initial ordering policies on performance.

# 14



## Transportation in a Supply Chain

### LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Understand the role of transportation in a supply chain.
2. Evaluate the strengths and weaknesses of different modes of transportation.
3. Discuss the role of infrastructure and policies in transportation.
4. Identify the relative strengths and weaknesses of various transportation network design options.
5. Identify trade-offs that shippers need to consider when designing a transportation network.

In this chapter, we discuss the role of transportation within a supply chain and identify trade-offs that need to be considered when making transportation decisions. Our goal is to enable managers to make transportation strategy and design, planning, and operational decisions with an understanding of all the important pros and cons of their choices.

### 14.1 THE ROLE OF TRANSPORTATION IN A SUPPLY CHAIN

Transportation refers to the movement of product from one location to another as it makes its way from the beginning of a supply chain to the customer. Transportation is an important supply chain driver because products are rarely produced and consumed in the same location. Transportation is a significant component of the costs incurred by most supply chains. According to the Bureau of Transportation Statistics (BTS), “over 19 billion tons of freight, valued at \$13 trillion, was carried over 4.4 trillion ton-miles in the United States in 2002.”<sup>1</sup> Only three sectors—housing, health care, and food—contributed a larger share to the gross domestic product (GDP) than transportation. Transportation-related jobs employed nearly 20 million people in 2002, accounting for 16 percent of U.S. total occupational employment.

The role of transportation is even more significant in global supply chains. According to the BTS, the U.S. freight transportation network carried export and import merchandise worth more than \$2.2 trillion in 2004, an increase of 168 percent from \$822 billion in 1990. During the same period, the ratio of exports from and imports into the United States to the GDP increased from 12 percent to 21 percent.

---

<sup>1</sup> *Freight in America*, Bureau of Transportation Statistics, January 2006.

Any supply chain's success is closely linked to the appropriate use of transportation. IKEA, the Scandinavian home furnishings retailer, has built a global network with about 270 stores in 26 countries primarily on the basis of effective transportation. IKEA's sales for the year ending August 2009 reached 21.5 billion euros. Its strategy is built around providing good-quality products at low prices. Its goal is to cut prices by 2 to 3 percent each year. As a result, IKEA works hard to find the most inexpensive global source for each of its products. Modular design of its furniture allows IKEA to transport its goods worldwide much more cost effectively than a traditional furniture manufacturer. The large size of IKEA stores and shipments allows inexpensive transportation of home furnishings all the way to the retail store. Effective sourcing and inexpensive transportation allow IKEA to provide high-quality home furnishings at low prices globally.

Seven-Eleven Japan is another firm that has used transportation to achieve its strategic goals. The company has a goal of carrying products in its stores to match the needs of customers as they vary by geographic location or time of day. To help achieve this goal, Seven-Eleven Japan uses a responsive transportation system that replenishes its stores several times a day so that the products available match customers' needs. Products from different suppliers are aggregated on trucks according to the required temperature to help achieve frequent deliveries at a reasonable cost. Seven-Eleven Japan uses a responsive transportation system along with aggregation to decrease its transportation and receiving costs while ensuring that product availability closely matches customer demand.

Supply chains also use responsive transportation to centralize inventories and operate with fewer facilities. For example, Amazon relies on package carriers and the postal system to deliver customer orders from centralized warehouses. Transportation has allowed Netflix to operate a movie rental business without any stores. The company uses responsive transportation provided by the postal system along with suitably located warehouses to allow its customers to receive and return movies they want to watch.

The *shipper* is the party that requires the movement of the product between two points in the supply chain. The *carrier* is the party that moves or transports the product. For example, when Netflix uses USPS to ship its DVDs from the warehouse to the customer, Netflix is the shipper and USPS is the carrier. Besides the shipper and the carrier, two other parties have a significant impact on transportation: (1) the owners and operators of transportation infrastructure such as roads, ports, canals, and airports and (2) the bodies that set transportation policy worldwide. Actions by all four parties influence the effectiveness of transportation.

To understand transportation in a supply chain, it is important to consider the perspectives of all four parties. A carrier makes investment decisions regarding the transportation equipment (locomotives, trucks, airplanes, etc.) and in some cases infrastructure (rail) and then makes operating decisions to try to maximize the return from these assets. A shipper, in contrast, uses transportation to minimize the total cost (transportation, inventory, information, sourcing, and facility) while providing an appropriate level of responsiveness to the customer. The effectiveness of carriers is influenced by infrastructure such as ports, roads, waterways, and airports. Most transportation infrastructure throughout the world is owned and managed as a public good. It is important that infrastructure be managed in such a way that monies are available for maintenance and investment in further capacity as needed. Transportation policy sets direction for the amount of national resources that go into improving transportation infrastructure. Transportation policy also aims to prevent abuse of monopoly power; promote fair competition; and balance environmental, energy, and social concerns in transportation.

In the following sections, we discuss issues that are important from the perspective of carriers, infrastructure owners and operators, transportation policy makers, and shippers. In the next section, we discuss different modes of transportation and their cost and performance characteristics.

## 14.2 MODES OF TRANSPORTATION AND THEIR PERFORMANCE CHARACTERISTICS

Supply chains use a combination of the following modes of transportation:

- Air
- Package carriers
- Truck
- Rail
- Water
- Pipeline
- Intermodal

Commercial freight activity in the United States by mode in 2002 and the value added by each mode to GDP in 2009 is summarized in Table 14-1.

Before discussing the various modes, it is important to highlight some important trends in the U.S. economy. Between 1970 and 2002, U.S. real GDP, measured in year 2000 dollars, grew by 176 percent. Over the same period, U.S. freight transportation measured in ton-miles grew by only 73 percent. In 1970, it took 2.1 ton-miles of freight transportation to produce \$1 of goods GDP. In 2002, it took only 1.1 ton-miles to produce \$1 of GDP. This trend reflects the downsizing of products with new technology and the improved efficiency of the freight transportation system. This trend has continued since 2002.

The effectiveness of any mode of transport is affected by equipment investments and operating decisions by the carrier and the available infrastructure and transportation policies. The carrier's primary objective is to ensure good utilization of its assets while providing customers with an acceptable level of service. Carrier decisions are affected by equipment cost, fixed operating cost, variable operating costs, the responsiveness the carrier seeks to provide its target segment, and the prices that the market will bear. For example, FedEx designed a hub-and-spoke airline network for transporting packages to provide fast, reliable delivery times. UPS, in contrast, uses a combination of aircrafts, rail, and trucks to provide less expensive transportation with somewhat longer delivery times. The difference between the two transportation networks is reflected in the pricing schedule. FedEx next day delivery charges are based primarily on package size. UPS, in contrast, charges based on both size and destination. From a supply chain perspective, a hub-and-spoke air network is more appropriate when prices are independent of destination and rapid delivery is important, whereas a trucking network is more appropriate when prices vary with destination and a somewhat slower delivery is acceptable.

### Air

Major airlines in the United States that carry both passenger and cargo include American, Southwest, United, and Delta. Airlines have three cost components: (1) a fixed cost of infrastructure

**Table 14-1** Transportation Facts

Mode	Freight Value (\$ billions) in 2002	Freight Tons (billions) in 2002	Freight Ton-Miles (millions) in 2002	Value Added to GDP (Billion \$) in 2009
Air (includes truck and air)	563	6	13	61.9
Truck	9,075	11,712	1,515	113.1
Rail	392	1,979	1,372	30.8
Water	673	1,668	485	14.3
Pipeline	896	3,529	688	12.0
Multimodal	1,121	229	233	

Source: Adapted from Bureau of Transportation Statistics, *Freight in America*, January 2006.

and equipment, (2) cost of labor and fuel that is independent of the passengers or cargo on a flight but is fixed for a flight, and (3) a variable cost that depends on the passengers or cargo carried. Given that most of the cost of a flight is incurred when it takes off, an important objective of an airline is to maximize the revenue generated per flight. As a result, revenue management (see Chapter 16) is a significant factor in the success of passenger airlines.

Air carriers offer a fast and fairly expensive mode of transportation for cargo. Small, high-value items or time-sensitive emergency shipments that have to travel a long distance are best suited for air transport. Air carriers normally move shipments under 500 pounds, including high-value but lightweight high-tech products. Given the growth in high technology, the weight of freight carried by air has diminished over the past two decades even as the value of the freight has increased somewhat. In 2002, the goods U.S. businesses moved by air were valued at \$75,000 per ton, by far the highest among all modes.

The airline industry in Asia has seen significant growth in the 21<sup>st</sup> century, especially in China and India. In the United States, the industry has had a difficult time, with several carriers declaring bankruptcy in the first decade of the 21<sup>st</sup> century. This was followed by consolidation in the industry in the United States and Western Europe. After steep losses in 2008 and 2009, the industry has been profitable since 2010.

Key issues that air carriers face include identifying the location and number of hubs, assigning planes to routes, setting up maintenance schedules for planes, scheduling crews, and managing prices and availability at different prices.

### Package Carriers

*Package carriers* are transportation companies such as FedEx, UPS, and the U.S. Postal Service, which carry small packages ranging from letters to shipments weighing about 150 pounds. Package carriers use air, truck, and rail to transport time-critical smaller packages. Package carriers are expensive and cannot compete with LTL carriers on price for large shipments. The major service they offer shippers is rapid and reliable delivery. Thus, shippers use package carriers for small and time-sensitive shipments. Package carriers also provide other value-added services such as package tracking and in some cases processing and assembly of products.

Package carriers are the preferred mode of transport for online businesses such as Amazon and Dell, as well as for companies such as W.W. Grainger and McMaster-Carr that send small packages to customers. With the growth in online sales, the use of package carriers has increased significantly over the past few years. Package carriers seek out smaller and more time-sensitive shipments than air cargo carriers, especially when tracking and other value-added services are important to the shipper.

Given the small size of packages and several delivery points, consolidation of shipments is a key factor in increasing utilization and decreasing costs for package carriers. Package carriers have trucks that make local deliveries and pick up packages. Packages are then taken to large sorting centers from which they are sent by full truckload, rail, or air to the sorting center closest to the delivery point. From the delivery-point sorting center, the package is sent to customers on small trucks making milk runs (discussed later in the chapter). Key issues in this industry include the location and capacity of transfer points and information capability to facilitate and track package flow. For the final delivery to a customer, an important consideration is the scheduling and routing of the delivery trucks.

### Truck

In most of the world, trucks carry a significant fraction of the goods moved. In 2002, trucks moved 69.5 percent of U.S commercial freight by value and 60.1 percent by weight.<sup>2</sup> The trucking industry consists of two major segments—truckload (TL) or less than truckload (LTL). Trucking

<sup>2</sup> *Freight in America*, Bureau of Transportation Statistics, 2006.

is more expensive than rail but offers the advantage of door-to-door shipment and a shorter delivery time. It also has the advantage of requiring no transfer between pickup and delivery.

TL operations have relatively low fixed costs, and owning a few trucks is often sufficient to enter the business. This industry is characterized by shipments of 10,000 pounds or more, and more than 50,000 carriers offer TL services in the United States. The challenge in the TL business is that most markets have an imbalance of inbound and outbound flows. For example, New York has a significantly higher inflow of material than outflow. The goal of a TL carrier is to schedule shipments that provide high revenue while minimizing trucks' idle and empty travel time. This is best done by designing routes that pick up loads from markets where outbound demand exceeds inbound supply because these markets tend to offer the highest prices.

LTL operations are priced to encourage shipments in small lots, usually less than half a TL, as TL tends to be cheaper for larger shipments. LTL is suited for shipments that are too large to be mailed as small packages (typically more than 150 lbs.) but that constitute less than half a TL. LTL operators tend to run regional or national hub-and-spoke networks that allow consolidation of partial loads. LTL shipments take longer than TL shipments because of other loads that need to be picked up and dropped off.

To reduce accidents on the road caused by driver fatigue, the U.S. Department of Transportation issues hours-of-service regulations that limit work periods for truck drivers. Fatigue-related accidents correlate with the number of hours of driving and increase with the total length of the driver's trip. Both TL and LTL carriers must design their routes taking these rules into account.

## Rail

In 2002, rail carried about 3 percent of U.S. shipments by value, 10 percent by weight, and more than 30 percent of total ton-miles. These figures reflect the use of rail to move commodities over large distances. Rail carriers incur a high fixed cost in terms of tracks, locomotives, cars, and yards. A significant trip-related labor and fuel cost is independent of the number of cars (fuel costs do vary somewhat with the number of cars) but does vary with the distance traveled and the time taken. Any idle time, once a train is powered, is expensive because labor and fuel costs are incurred even though trains are not moving. Idle time occurs when trains exchange cars for different destinations. It also occurs because of track congestion. Labor and fuel together account for more than 60 percent of railroad expense. From an operational perspective, it is thus important for railroads to keep locomotives and crews well utilized.

The price structure and the heavy load capability make rail an ideal mode for carrying large, heavy, or high-density products over long distances. Transportation time by rail, however, can be long. Rail is thus ideal for heavy, low-value shipments that are not time sensitive. Coal, for example, is a major part of each railroad's shipments. Small, time-sensitive, short-distance or short lead time shipments rarely go by rail.

A major goal for railroad firms is to keep locomotives and crews well utilized. Major operational issues at railroads include vehicle and staff scheduling, track and terminal delays, and poor on-time performance. Railroad performance is hurt by the large amount of time taken at each transition. The travel time is usually a small fraction of the total time for a rail shipment. Delays get exaggerated because trains today are typically not scheduled but "built." In other words, a train leaves once there are enough cars to constitute the train. Cars wait for the train to build, adding to the uncertainty of the delivery time for a shipper. A railroad can improve on-time performance by scheduling some of the trains instead of building all of them. In such a setting, a more sophisticated pricing strategy that includes revenue management (see Chapter 16) needs to be instituted for scheduled trains.

## Water

Major global ocean carriers include Maersk, Evergreen Group, American President Lines, and Hanjin Shipping Co. Water transport, by its nature, is limited to certain areas. Within the

United States, water transport takes place via the inland waterway system (the Great Lakes and rivers) or coastal waters. Water transport is ideally suited for carrying large loads at low cost. Within the United States, water transport is used primarily for the movement of large bulk commodity shipments and is the cheapest mode for carrying such loads. It is, however, the slowest of all the modes, and significant delays occur at ports and terminals. This makes water transport difficult to operate for short-haul trips, although it is used effectively in Japan and parts of Europe for daily short-haul trips of a few miles.

Within the United States, the passage of the Ocean Shipping Reform Act of 1998 has been a significant event for water transport. This act allows carriers and shippers to enter into confidential contracts, effectively deregulating the industry. The act is similar to the deregulation that occurred in the trucking and airline industries more than two decades ago and is likely to have a similar impact on the shipping industry.

In global trade, water transport is the dominant mode for shipping all kinds of products. Cars, grain, apparel, and other products are shipped by sea. In 2001, merchandise trade valued at more than \$718 billion moved between the United States and foreign seaports. Maritime transportation accounted for 78 percent of the U.S. international merchandise freight by weight in 2002. For the quantities shipped and the distances involved in international trade, water transport is by far the cheapest mode of transport. A significant trend in maritime trade worldwide has been the growth in the use of containers. This has led to a demand for larger, faster, and more specialized vessels to improve the economics of container transport. Delays at ports, customs, and security and the management of containers used are major issues in global shipping. Port congestion in particular has been a big problem in the United States.

### **Pipeline**

Pipeline is used primarily for the transport of crude petroleum, refined petroleum products, and natural gas. In the United States, pipeline accounted for about 16 percent of total ton-miles in 2002. A significant initial fixed cost is incurred in setting up the pipeline and related infrastructure that does not vary significantly with the diameter of the pipeline. Pipeline operations are typically optimized at about 80 to 90 percent of pipeline capacity. Given the nature of the costs, pipelines are best suited when relatively stable and large flows are required. Pipeline may be an effective way of getting crude oil to a port or a refinery. Sending gasoline to a gas station does not justify investment in a pipeline and is done better with a truck. Pipeline pricing usually consists of two components—a fixed component related to the shipper's peak usage and a second charge relating to the actual quantity transported. This pricing structure encourages the shipper to use the pipeline for the predictable component of demand with other modes often being used to cover fluctuations.

### **Intermodal**

*Intermodal* transportation is the use of more than one mode of transport to move a shipment to its destination. A variety of intermodal combinations are possible, with the most common being truck/rail. Intermodal traffic has grown considerably with the increased use of containers for shipping and the rise of global trade. Containers are easy to transfer from one mode to another, and their use facilitates intermodal transportation. Containerized freight often uses truck/water/rail combinations, particularly for global freight. For global trade, intermodal is often the only option because factories and markets may not be next to ports. As the quantity shipped using containers has grown, the truck/water/rail intermodal combination has also grown. By 2001, intermodal activity contributed more than 20 percent of rail revenues.<sup>3</sup> On land, the rail/truck

<sup>3</sup> "The Value of Rail Intermodal to the U.S. Economy," accessed on April 29, 2011, from <http://intermodal.transportation.org/Documents/brown.pdf>.

intermodal system offers the benefit of lower cost than TL and delivery times that are better than rail, thereby bringing together different modes of transport to create a price/service offering that cannot be matched by any single mode. It also creates convenience for shippers who now deal with only one entity representing all carriers that together provide the intermodal service.

Key issues in the intermodal industry involve the exchange of information to facilitate shipment transfers between different modes because these transfers often involve considerable delays, hurting delivery time performance.

### 14.3 TRANSPORTATION INFRASTRUCTURE AND POLICIES

Roads, seaports, airports, rail, and canals are some of the major infrastructural elements that exist along nodes and links of a transportation network. In almost all countries, the government has either taken full responsibility or played a significant role in building and managing these infrastructure elements. Improved infrastructure has played a significant role in the development of transportation and the resulting growth of trade. The role of the railroads and canals in the economic development of the United States is well documented. More recently, the impact of improved road, air, and port infrastructure on the development in China is very visible.

Before considering policy questions related to transportation infrastructures, it is worth looking at the history of rail and road infrastructure in the United States to see some of the issues involved. We summarize some of the discussion by Ellison (2002) of the history of railroads and regulation in the industry. The construction of railroads in the United States occurred rapidly during the 1850s. The railroads were privately owned but were built with significant government subsidy, often in the form of land grants. By the 1870s, the railroad network connected most of the United States. Each railroad was the exclusive provider of carriage over its track. This monopoly allowed railroads to determine the price they charged as well as the level of service they provided their customers. Initial construction of new railroads led to some competition over rates. The railroad companies responded by entering into agreements with each other that effectively ended competition and raised rates. Protests by farmers and other users of the railroads led eventually to the establishment of the Interstate Commerce Commission (ICC), which prohibited discriminatory pricing. The ICC required railroads to file their rates with the ICC and made them public. The railroads responded by forming cartels to restrict supply. This led to the passage of the Sherman Antitrust Act in 1890. Responding to the financial difficulties of railways in the 1940s, the government allowed them some degree of coordination and exempted them from the antitrust regulations. With the growth of other modes of transport and the need to revitalize their assets, the railroads were in bad financial shape in the early 1970s. The Staggers Rail Act of 1980 deregulated the railroads, allowed them some rate-making powers, and eased entry and exit. The act also removed the antitrust immunity of the railroads. Deregulation in the United States was followed by a wave of reorganization and mergers within the railroad industry. Overall, deregulation has resulted in improved financial performance of the railroad industry and increased use of rail by shippers.


Levinson (1998) provides an excellent discussion of the history of road construction and pricing. In the late 1700s, turnpikes were built using public funds in Virginia, Maryland, and Pennsylvania but were then turned over to private companies that collected tolls. Over time, other turnpikes were built as a result of competition between towns to gain trade. Other than federal land grants, these roads were typically built with local effort and money. The tolls on these turnpikes were generally structured to keep local travel free and make people traveling across an area pay for this right. With the growth in railroads and canals, turnpikes suffered financially in the mid-1800s and were eventually converted into public roads. In the 20<sup>th</sup> century, as the modes of transport changed, there was a need for higher quality roads. A network of national toll-free highways was built, largely using gasoline taxes as the source of funding. At the same time, other facilities such as tunnels and bridges were often constructed as toll facilities. In many other countries, such as France and Spain, concessions were granted to private companies that received toll revenue. More recently, private toll roads have also been built in Malaysia, Indonesia, and Thailand.



From these examples, it seems reasonable that the government has to either own or regulate a monopolistic transportation infrastructure asset. When the transportation infrastructure asset has competition either within a mode or across modes, private ownership, deregulation, and competition seem to work well. The deregulation of the transportation industry within the United States is a case in point. Keep in mind, however, that roads, ports, and airports are largely public and not private because of the inherently monopolistic nature of these transportation infrastructure assets. In such a setting, the public ownership of these assets is justified. This raises the policy question of financing the construction and maintenance of these publicly owned transportation assets. Should roads be financed through a gasoline tax, or is some other form of financing such as tolls more appropriate?

Some economists have argued for public ownership of these assets with the setting of quasi-market prices to improve overall efficiency. Quasi-market prices need to take into account the discrepancy between the incentives of an individual using the transportation infrastructure and the public as a whole that owns the infrastructure. This discrepancy is illustrated in Figure 14-1 in the context of road traffic.

A vehicle driver bases his or her decision to use a highway on the cost and benefit of doing so. Figure 14-1 assumes that different people have different value for making the trip and this value is uniformly distributed over an interval. The number of users whose value from a trip exceeds a particular cost is thus defined by the demand curve. We assume a simple demand curve given by  $f = 1,000 - cost$ . The costs incurred by a motorist include any tolls and the cost of time spent on the highway and the cost of operating and maintaining the vehicle. It is well known that the time spent increases with congestion on a highway. Thus, the average cost to each motorist increases with traffic flow as shown in Figure 14-1. We start with the case when there are no tolls and motorists only incur costs related to congestion, operation, and maintenance. We assume that the total cost grows with traffic  $f$  and is given by  $total\ cost = 3f^2$ . The average cost per motorist is thus given by  $cost = 3f^2/f = 3f$ . Since there are no tolls for accessing the highway, demand will materialize based on the average congestion, operation, and maintenance cost incurred by people on the road. Given people's valuation of the trip, the number of motorists using the road is determined by the intersection of the demand curve with the average cost curve at point A as shown in Figure 14-1. For our demand curve  $f = 1,000 - cost$  and average cost function  $cost = 3f$ , we obtain  $f = 1,000 - cost = 1,000 - 3f$ . Solving this equation for  $f$ , we obtain  $f = 1,000/4 = 250$  motorists at equilibrium. This results in an average cost to motorists of  $P_0 = 3f = 3 \times 250 = 750$  and a traffic flow of  $Q_0 = f = 250$ .



**FIGURE 14-1** Impact of Average and Marginal Cost on Vehicle Flow

From the perspective of the public, however, it is more appropriate to consider how each additional motorist impacts the total cost, not just the average cost. Observe that an additional motorist increases the average cost  $3f$  by a small amount but increases the total cost  $3f^2$  across all motorists by a much larger amount. This is represented in Figure 14-1 by the marginal cost curve, which measures the marginal increase in total cost as a result of additional traffic flow. For a total cost curve  $total\ cost = 3f^2$ , the marginal cost is given by taking the derivative  $d(total\ cost)/df = 6f$ . Observe that the marginal cost curve  $6f$  is higher than the average cost curve  $3f$ . In other words, the marginal impact of a motorist on total cost is much higher than his or her average share of the impact. Ideally, we should charge motorists a toll for highway use based on this marginal cost that they add to the system. If we were to do so for our example (i.e., somehow charge  $3f$  as additional toll to raise the total marginal cost to  $6f$ ), from our demand curve, we obtain  $f = 1,000 - marginal\ cost = 1,000 - 6f$ . Solving this equation for  $f$ , we obtain an equilibrium traffic of  $f = 1,000/7 = 143$  motorists. Motorists should be charged a toll  $3f$  that depends on the amount of traffic on the highway. If the traffic is at a level below 143, motorists pay a lower toll. As traffic increases, the toll rises in proportion and this increase in costs now discourages motorists from joining the highway. At equilibrium, there are  $f = 143$  motorists on the highway, each is charged a congestion-related toll of  $3f = 3 \times 143 = 429$ , and each incurs average congestion-related costs of  $3f = 429$  for a total cost of 838 per motorist. With a toll in place, fewer motorists join the highway because they bear the true cost they are imposing on the highway system. This toll lowers the vehicle flow rate from  $Q_0 = 250$  to  $Q_1 = 143$  and reduces the average congestion cost per motorist from 750 to 429. In other words, the absence of a congestion toll results in an overuse of the transportation infrastructure and a higher resulting congestion cost on all users.

The problem is well illustrated by a simple illustration given by Vickrey (see Button and Verhoef, 1998). Each member of a group going out to dinner is likely to order an expensive item if the plan is to share the bill equally at the end instead of having each person pay his or her true charge. Thus, it is fair to say that the overall bill is higher if it is shared equally compared to each person paying based on actual consumption. The same is true with transportation infrastructure if pricing is not linked to congestion.

Quasi-market prices for transportation infrastructure thus result in higher prices at peak locations and times and lower prices otherwise. Such pricing is not commonly observed for transportation infrastructure except for roads in Singapore and city centers in a few European cities. Congestion is a major factor at several ports and airports. The Los Angeles–Long Beach port, for example, experienced significant congestion in 2004. Several factors affected the congestion, including capacity problems on railroads taking containers away, labor shortages, and technology issues. However, congestion was also affected by the desire of many shippers to bring weekly shipments from Asia over the weekend to ensure supply for the entire week. This created a peak time with significant congestion. The peak workload also becomes exaggerated as container ships get larger. In such a situation, the use of peak tolls to level out the arrivals can be an effective policy. Overall, it is important to keep in mind that transportation infrastructure faces congestion-related problems unless users are forced to internalize the marginal impact on society of their actions. It may be most effective to charge a congestion toll and use the money generated to improve the effectiveness of the transportation infrastructure.

### Key Point

Transportation infrastructures often require government ownership or regulation because of their inherently monopolistic nature. In the absence of a monopoly, deregulation and market forces help create an effective industry structure. When the infrastructure is publicly owned, it is important to price usage to reflect the marginal impact on the cost to society. If this is not done, overuse and congestion result because the cost borne by a user is less than his or her marginal impact on total cost.

## 14.4 DESIGN OPTIONS FOR A TRANSPORTATION NETWORK

The design of a transportation network affects the performance of a supply chain by establishing the infrastructure within which operational transportation decisions regarding scheduling and routing are made. A well-designed transportation network allows a supply chain to achieve the desired degree of responsiveness at a low cost. Three basic questions need to be considered when designing a transportation network between two stages of a supply chain:

1. Should transportation be direct or through an intermediate site?
2. Should the intermediate site stock product or only serve as a cross-docking location?
3. Should each delivery route supply a single destination or multiple destinations (milk run)?


Based on the answers to these questions, the supply chain ends up with a variety of transportation networks. We discuss these options and their strengths and weaknesses in the context of a buyer with multiple locations sourcing from several suppliers.

### Direct Shipment Network to Single Destination


With the direct shipment network to a single destination option, the buyer structures the transportation network so that all shipments come directly from each supplier to each buyer location, as shown in Figure 14-2. With a direct shipment network, the routing of each shipment is specified, and the supply chain manager needs to decide only the quantity to ship and the mode of transportation to use. This decision involves a trade-off between transportation and inventory costs, as discussed later in the chapter.

The major advantage of a direct shipment transportation network is the elimination of intermediate warehouses and its simplicity of operation and coordination. The shipment decision is completely local, and the decision made for one shipment does not influence others. The transportation time from supplier to buyer location is short because each shipment goes direct.

A direct shipment network to single destination is justified only if demand at buyer locations is large enough that optimal replenishment lot sizes are close to a truckload from each supplier to each location. Home Depot started with a direct shipment network, given that most of the stores it opened until about 2002 were large stores. The stores ordered in quantities that were large enough that ordering was managed locally within the store and delivery to the store arrived directly from the supplier. The direct shipment network to single destination, however, proved to be problematic as Home Depot started to open smaller stores that did not have large enough orders to justify a direct shipment.



**FIGURE 14-2** Direct Shipment Network



**FIGURE 14-3** Milk Runs from Multiple Suppliers or to Multiple Buyer Locations

### Direct Shipping with Milk Runs


A *milk run* is a route on which a truck either delivers product from a single supplier to multiple retailers or goes from multiple suppliers to a single buyer location, as shown in Figure 14-3. In direct shipping with milk runs, a supplier delivers directly to multiple buyer locations on a truck or a truck picks up deliveries destined for the same buyer location from many suppliers. When using this option, a supply chain manager has to decide on the routing of each milk run.

Direct shipping provides the benefit of eliminating intermediate warehouses, whereas milk runs lower transportation cost by consolidating shipments to multiple locations on a single truck. Milk runs make sense when the quantity destined for each location is too small to fill a truck but multiple locations are close enough to each other such that their combined quantity fills the truck. Companies such as Frito-Lay that make direct store deliveries use milk runs to lower their transportation cost. If frequent small deliveries are needed on a regular basis and either a set of suppliers or a set of retailers is in geographic proximity, the use of milk runs can significantly reduce transportation costs. For example, Toyota uses milk runs from suppliers to support its just-in-time (JIT) manufacturing system in both Japan and the United States. In Japan, Toyota has many assembly plants located close together and thus uses milk runs from a single supplier to many plants. In the United States, however, Toyota uses milk runs from many suppliers to each assembly plant given the large distance between assembly plants.

### All Shipments via Intermediate Distribution Center with Storage

Under this option, product is shipped from suppliers to a central distribution center where it is stored until needed by buyers when it is shipped to each buyer location, as shown in Figure 14-4. Storing product at an intermediate location is justified if transportation economies require large shipments on the inbound side or shipments on the outbound side cannot be coordinated. In such a situation, product comes into a DC in large quantities where it is held in inventory and sent to buyer locations in smaller replenishment lots when needed.

The presence of a DC allows a supply chain to achieve economies of scale for inbound transportation to a point close to the final destination, because each supplier sends a large shipment to the DC that contains product for all locations the DC serves. Because DCs serve locations nearby, the outbound transportation cost is not very large. For example, W.W. Grainger has its suppliers ship products to one of nine DCs (typically in large quantities), with each DC in turn replenishing stores in its vicinity with the smaller quantities they need.



**FIGURE 14-4** All Shipments via DC


It would be expensive for suppliers to try and serve each store directly. Similarly, when Home Depot sources from an overseas supplier, the product is held in inventory at the DC because the lot size on the inbound side is much larger than the sum of the lot sizes for the stores served by the DC.

### All Shipments via Intermediate Transit Point with Cross-Docking

Under this option, suppliers send their shipments to an intermediate transit point (could be a DC) where they are cross-docked and sent to buyer locations without storing them. The product flow is similar to that shown in Figure 14-4 except that there is no storage at the intermediate facility. When a DC cross-docks product, each inbound truck contains product from suppliers for several buyer locations, whereas each outbound truck contains product for a buyer location from several suppliers. Major benefits of cross-docking are that little inventory needs to be held and product flows faster in the supply chain. Cross-docking also saves on handling cost because product does not have to be moved into and out of storage. Cross-docking is appropriate when economies of scale in transportation can be achieved on both the inbound and outbound sides and both inbound and outbound shipments can be coordinated.

Wal-Mart has used cross-docking successfully to decrease inventories in the supply chain without incurring excessive transportation costs. Wal-Mart builds many large stores in a geographic area supported by a DC. As a result, the total lot size to all stores from each supplier fills trucks on the inbound side to achieve economies of scale. On the outbound side, the sum of the lot sizes from all suppliers to each retail store fills up the truck to achieve economies of scale.

Another good example of the use of a transit point with cross-docking comes from Peapod in the Chicago area. Peapod has a DC in Lake Zurich from which it delivers to its customers using milk runs. This approach proved effective for customers in the northern and western suburbs of Chicago. Peapod, however, wanted to increase its reach to the city of Chicago and the city of Milwaukee. Both are far enough from the Lake Zurich DC that a milk run wasted about two hours in transit making no productive deliveries. These markets were also small enough that they did not justify a local DC. Peapod's response has been to set up a cross-docking facility (which tends to be cheaper than a DC because no storage is involved) at each location. Peapod then sends out all deliveries to the local cross-dock facility in a larger truck and uses smaller trucks for local deliveries. The use of cross-docking at a transit point has allowed Peapod to increase the reach of the Lake Zurich DC without significantly increasing transportation expense.



**FIGURE 14-5** Milk Runs from DC

### Shipping via DC Using Milk Runs

As shown in Figure 14-5, milk runs can be used from a DC if lot sizes to be delivered to each buyer location are small. Milk runs reduce outbound transportation costs by consolidating small shipments. For example, Seven-Eleven Japan cross-docks deliveries from its fresh-food suppliers at its DCs and sends out milk runs to the retail outlets because the total shipment to a store from all suppliers does not fill a truck. The use of cross-docking and milk runs allows Seven-Eleven Japan to lower its transportation cost while sending small replenishment lots to each store. The use of cross-docking with milk runs requires a significant degree of coordination and suitable routing and scheduling.

The online grocer Peapod uses milk runs from DCs when making customer deliveries to help reduce transportation costs for small shipments to be delivered to homes. OshKosh B’Gosh, a manufacturer of children’s wear, has used this idea to virtually eliminate LTL shipments from its DC in Tennessee to retail stores.

### Tailored Network

The tailored network option is a suitable combination of previous options that reduces the cost and improves responsiveness of the supply chain. Here transportation uses a combination of cross-docking, milk runs, and TL and LTL carriers, along with package carriers in some cases. The goal is to use the appropriate option in each situation. High-demand products to high-demand retail outlets may be shipped directly, whereas low-demand products or shipments to low-demand retail outlets are consolidated to and from the DC. The complexity of managing this transportation network is high because different shipping procedures are used for each product and retail outlet. Operating a tailored network requires significant investment in information infrastructure to facilitate the coordination. Such a network, however, allows for the selective use of a shipment method to minimize the transportation as well as inventory costs.

Table 14-2 summarizes the pros and cons of the various transportation network options discussed. We illustrate some of these choices in Example 14-1.

#### **EXAMPLE 14-1** Selecting a Transportation Network

A retail chain has eight stores in a region supplied from four supply sources. Trucks have a capacity of 40,000 units and cost \$1,000 per load plus \$100 per delivery. Thus, a truck making two deliveries charges \$1,200. The cost of holding one unit in inventory at retail for a year is \$0.20.

**Table 14-2** Pros and Cons of Different Transportation Networks

Network Structure	Pros	Cons
Direct shipping	No intermediate warehouse Simple to coordinate	High inventories (due to large lot size) Significant receiving expense
Direct shipping with milk runs	Lower transportation costs for small lots Lower inventories	Increased coordination complexity
All shipments via central DC with inventory storage	Lower inbound transportation cost through consolidation	Increased inventory cost Increased handling at DC
All shipments via central DC with cross-dock	Low inventory requirement Lower transportation cost through consolidation	Increased coordination complexity
Shipping via DC using milk runs	Lower outbound transportation cost for small lots	Further increase in coordination complexity
Tailored network	Transportation choice best matches needs of individual product and store	Highest coordination complexity

The vice president of supply chain is considering whether to use direct shipping from suppliers to retail stores or setting up milk runs from suppliers to retail stores. What network do you recommend if annual sales for each product at each retail store are 960,000 units? What network do you recommend if sales for each product at each retail store are 120,000 units?

**Analysis:**

We provide a detailed analysis when annual sales of each product at each retail store are 960,000 units. Our analysis assumes that all trucks travel full. A more sophisticated analysis can be performed for which the optimal load on each truck is calculated and used in the analysis.

We first analyze the direct shipping network and assume that full truckloads will be shipped from suppliers to retail stores. In this case, we have the following:

Batch size shipped from each supplier to each store = 40,000 units

Number of shipments / year from each supplier to each store =  $960,000 / 40,000 = 24$

Annual trucking cost for direct network =  $24 \times 1,100 \times 4 \times 8 = \$844,800$

Average inventory at each store for each product =  $40,000 / 2 = 20,000$  units

Annual inventory cost for direct network =  $20,000 \times 0.2 \times 4 \times 8 = \$128,000$

Total annual cost of direct network =  $\$844,800 + \$128,000 = \$972,800$

Now we analyze the network in which suppliers run milk runs to retail stores. Milk runs increase the transportation cost but decrease the level of inventory each store has to hold. We provide a detailed analysis for the instance of suppliers running milk runs to two stores on each truck. In this case, we have the following:

Batch size shipped from each supplier to each store =  $40,000 / 2 = 20,000$  units

Number of shipments / year from each supplier to each store =  $960,000 / 20,000 = 48$

Transportation cost per shipment per store (two stores / truck) =  $1,000 / 2 + 100 = \$600$

Annual trucking cost for milk run network =  $48 \times 600 \times 4 \times 8 = \$921,600$

Average inventory at each store for each product =  $20,000 / 2 = 10,000$  units

Annual inventory cost for direct network =  $10,000 \times 0.2 \times 4 \times 8 = \$64,000$

Total annual cost of direct network =  $\$921,600 + \$64,000 = \$985,600$

This analysis shows that when demand per product per store is 960,000 units, the direct network is cheaper than running milk runs with two stores per route. Increasing the number of stores on a milk run ends up costing even more because it raises transportation costs more than it saves in holding costs.

When demand per product per store is 120,000, we first provide the detailed costs for the direct shipping network as follows (assuming all trucks travel full):

Batch size shipped from each supplier to each store = 40,000 units

Number of shipments / year from each supplier to each store =  $120,000 / 40,000 = 3$

Annual trucking cost for direct network =  $3 \times 1,100 \times 4 \times 8 = \$105,600$

Average inventory at each store for each product =  $40,000 / 2 = 20,000$  units

Annual inventory cost for direct network =  $20,000 \times 0.2 \times 4 \times 8 = \$128,000$

Total annual cost of direct network =  $\$105,600 + \$128,000 = \$233,600$

For the direct network, it turns out that it is better not to fill each truck but to send only 36,332 units per truck to minimize total annual costs. The optimal loading increases transportation costs a bit but decreases total costs to \$232,524 per year.

Now we analyze the network in which suppliers use milk runs to retail stores. We provide a detailed analysis for the instance of suppliers running milk runs to four stores on each truck and each truck travels full. In this case, we have the following:

Batch size shipped from each supplier to each store =  $40,000 / 4 = 10,000$  units

Number of shipments / year from each supplier to each store =  $120,000 / 10,000 = 12$

Transportation cost per shipment per store (four stores / truck) =  $1,000 / 4 + 100 = \$350$

Annual trucking cost for milk run network =  $12 \times 350 \times 4 \times 8 = \$134,400$

Average inventory at each store for each product =  $10,000 / 2 = 5,000$  units

Annual inventory cost for direct network =  $5,000 \times 0.2 \times 4 \times 8 = \$32,000$

Total annual cost of direct network =  $\$134,400 + \$32,000 = \$166,400$

This analysis shows that when demand per product per store is 120,000 units, the milk run network with four stores per route is cheaper than the direct network (even when truck loads are optimized). The direct network ends up costing more because of increased inventory holding costs even though transportation is cheaper. Observe that milk runs become more attractive as the amount flowing through the system decreases. In the next section, we discuss a variety of trade-offs that supply chain managers need to consider when designing and operating a transportation network.

## 14.5 TRADE-OFFS IN TRANSPORTATION DESIGN

All transportation decisions made by shippers in a supply chain network need to take into account their impact on inventory costs, facility and processing costs, the cost of coordinating operations, and the level of responsiveness provided to customers. For example, Amazon's use of package carriers to deliver products to customers increases transportation cost but allows Amazon to centralize its facilities and reduce inventory costs. If Amazon wants to reduce its transportation costs, the company must either sacrifice responsiveness to customers or increase the number of facilities and resulting inventories to move closer to customers.

The cost of coordinating operations is generally hard to quantify. Shippers should evaluate different transportation options in terms of various costs and revenues and then rank them according to coordination complexity. A manager can then make the appropriate transportation decision. Managers must consider the following trade-offs when making transportation decisions:

- Transportation and inventory cost trade-off
- Transportation cost and customer responsiveness trade-off



### Transportation and Inventory Cost Trade-Off

The trade-off between transportation and inventory costs is significant when designing a supply chain network. Two fundamental supply chain decisions involving this trade-off are

- Choice of transportation mode
- Inventory aggregation

**CHOICE OF TRANSPORTATION MODE** Selecting a transportation mode is both a planning and an operational decision in a supply chain. The decision regarding carriers with which a company contracts is a planning decision, whereas the choice of transportation mode for a particular shipment is an operational decision. For both decisions, a shipper must balance transportation and inventory costs. The mode of transportation that results in the lowest transportation cost does not necessarily lower total costs for a supply chain. Cheaper modes of transport typically have longer lead times and larger minimum shipment quantities, both of which result in higher levels of inventory in the supply chain. Modes that allow for shipping in small quantities lower inventory levels but tend to be more expensive. Apple, for example, airfreights several of its products from Asia. This choice cannot be justified on the basis of transportation cost alone. It can be justified only because the use of a faster mode of transportation for shipping valuable components allows Apple to carry low levels of inventory and still be responsive to its customers.

The impact of using different modes of transportation on inventories, response time, and costs in the supply chain is shown in Table 14-3. Each transportation mode is ranked along various dimensions, with 1 being the worst and 6 being the best.

Faster modes of transportation are preferred for products with a high value-to-weight ratio (an iPad is a good example of such a product) for which reducing inventories is important, whereas cheaper modes are preferred for products with a small value-to-weight ratio (e.g., furniture imported by IKEA) for which reducing transportation cost is important. The choice of transportation mode should take into account cycle, safety, and in-transit inventory costs besides the cost of transportation. The purchase price must also be included if it changes with the choice of transportation mode (perhaps because of a change in lot sizes). Ignoring inventory costs when making transportation decisions can result in choices that worsen the performance of a supply chain, as illustrated in Example 14-2.

#### EXAMPLE 14-2 Trade-offs When Selecting Transportation Mode

Eastern Electric (EE) is a major appliance manufacturer with a large plant in the Chicago area. EE purchases all the motors for its appliances from Westview Motors, located near Dallas. EE currently purchases 120,000 motors each year from Westview at a price of \$120 per motor.

**Table 14-3** Ranking of Transportation Modes in Terms of Supply Chain Performance (1: Worst, 6: Best)

Mode	Cycle Inventory	Safety Inventory	In-Transit Cost	Transportation Time	Transportation Cost
Rail	5	5	5	2	5
TL	4	4	4	3	3
LTL	3	3	3	4	4
Package	1	1	1	6	1
Air	2	2	2	5	2
Water	6	6	6	1	6

Demand has been relatively constant for several years and is expected to stay that way. Each motor averages about 10 pounds in weight, and EE has traditionally purchased lots of 3,000 motors. Westview ships each EE order within a day of receiving it (lead time is one day more than transit time). At its assembly plant, EE carries a safety inventory equal to 50 percent of the average demand for motors during the delivery lead time.

The plant manager at EE has received several proposals for transportation and must decide on the one to accept. The details of various proposals are provided in Table 14-4, where one cwt is equal to a hundred pounds.

Golden's pricing represents a marginal unit quantity discount (see Chapter 11). Golden's representative has proposed lowering the marginal rate for the quantity over 250 cwt in a shipment from \$4/cwt to \$3/cwt and suggested that EE increase its batch size to 4,000 motors to take advantage of the lower transportation cost. What should the plant manager do?

### Analysis:

Golden's new proposal will result in low transportation costs for EE if the plant manager orders in lots of 4,000 motors. The plant manager, however, decides to include inventory costs in the transportation decision. EE's annual cost of holding inventory is 25 percent, which implies an annual holding cost of  $H = \$120 \times 0.25 = \$30$  per motor. Shipments by rail require a five-day transit time, whereas shipments by truck have a transit time of three days. The transportation decision affects the cycle inventory, safety inventory, and in-transit inventory for EE. Therefore, the plant manager decides to evaluate the total transportation and inventory cost for each transportation option.

The AM Rail proposal requires a minimum shipment of 20,000 pounds or 2,000 motors. The replenishment lead time in this case is  $L = 5 + 1 = 6$  days. For a lot size of  $Q = 2,000$  motors, the plant manager obtains the following:

$$\text{Cycle inventory} = Q/2 = 2,000/2 = 1,000 \text{ motors}$$

$$\begin{aligned} \text{Safety inventory} &= L/2 \text{ days of demand} = (6/2)(120,000/365) \\ &= 986 \text{ motors} \end{aligned}$$

$$\text{In-transit inventory} = 120,000(5/365) = 1,644 \text{ motors}$$

$$\text{Total average inventory} = 1,000 + 986 + 1,644 = 3,630 \text{ motors}$$

$$\text{Annual holding cost using AM Rail} = 3,630 \times \$30 = \$108,900$$

AM Rail charges \$6.50 per cwt, resulting in a transportation cost of \$0.65 per motor because each motor weighs 10 pounds. Here we have approximated the holding cost because we have not included the transportation cost in the cost of the product. A more precise evaluation would set the holding cost of in-transit inventory to be \$30 (because transportation cost has not yet been incurred) and the holding cost of cycle and safety inventory to be  $120.65 \times 0.25 = \$30.16$  because transportation cost has been incurred by this stage. The precise evaluation

**Table 14-4** Transportation Proposals for EE Electric

Carrier	Range of Quantity Shipped (cwt)	Shipping Cost (\$/cwt)
AM Railroad	200+	6.50
Northeast Trucking	100+	7.50
Golden Freightways	50–150	8.00
Golden Freightways	150–250	6.00
Golden Freightways	250+	4.00

**Table 14-5** Analysis of Transportation Options for Eastern Electric

Alternative	Lot Size (Motors)	Transportation Cost	Cycle Inventory	Safety Inventory	In-Transit Inventory	Inventory Cost	Total Cost
AM Rail	2,000	\$78,000	1,000	986	1,644	\$108,900	\$186,900
Northeast	1,000	\$90,000	500	658	986	\$64,320	\$154,320
Golden	500	\$96,000	250	658	986	\$56,820	\$152,820
Golden	1,500	\$96,000	750	658	986	\$71,820	\$167,820
Golden	2,500	\$86,400	1,250	658	986	\$86,820	\$173,220
Golden	3,000	\$80,000	1,500	658	986	\$94,320	\$174,320
Golden (old proposal)	4,000	\$72,000	2,000	658	986	\$109,320	\$181,320
Golden (new proposal)	4,000	\$67,500	2,000	658	986	\$109,320	\$176,820

would result in an inventory holding cost of  $1,644 \times 30 + 1,986 \times 30.16 = \$109,218$ . The annual transportation is obtained as follows:

$$\text{Annual transportation cost using AM Rail} = 120,000 \times 0.65 = \$78,000$$

The total annual cost for inventory and transportation using AM Rail is thus \$186,900.

The plant manager then evaluates the cost associated with each transportation option as shown in Table 14-5 (we have used the approximate inventory cost in this analysis, applying the holding cost only to the unit cost and not the unit cost plus transportation cost / unit). Based on the analysis in Table 14-5 (the inventory numbers are rounded to the closest integer), the plant manager decides to sign a contract with Golden Freightways and order motors in lots of 500. This option has the highest transportation cost but the lowest overall cost. If the selection of the transportation option was made using only the transportation cost incurred, Golden's new proposal lowering the price for large shipments would look attractive. In reality, EE pays a high overall cost for this proposal because of the high inventory costs that result. Thus, considering the trade-off between inventory and transportation costs allows the plant manager to make a transportation decision that minimizes EE's total cost.

### Key Point

When selecting a mode of transportation, managers must account for unit costs and cycle, safety, and in-transit inventory costs that result from using each mode. Modes with high transportation cost can be justified if they result in significantly lower inventory costs.

**INVENTORY AGGREGATION** Firms can significantly reduce the safety inventory they require by physically aggregating inventories in one location (see Chapter 12). Most online businesses use this technique to gain advantage over firms with facilities in many locations. For example, Amazon has focused on decreasing its facility and inventory costs by holding inventory in a few warehouses, whereas booksellers such as Barnes & Noble have to hold inventory in many retail stores.

Transportation cost, however, generally increases when inventory is aggregated. If inventories are highly disaggregated, some aggregation can also lower transportation costs. Beyond a point, however, aggregation of inventories raises total transportation costs. Consider a bookstore chain such as Barnes & Noble. The inbound transportation cost to Barnes & Noble is due to the

replenishment of bookstores with new books. There is no outbound cost because customers transport their own books home. If Barnes & Noble decides to close all its bookstores and sell only online, it will have to incur both inbound and outbound transportation costs. The inbound transportation cost to warehouses will be lower than to all bookstores. On the outbound side, however, transportation cost will increase significantly because the outbound shipment to each customer will be small and will require an expensive mode such as a package carrier. The total transportation cost will increase on aggregation because each book travels the same distance as when it was sold through a bookstore, except that a large fraction of the distance is on the outbound side using an expensive mode of transportation. As the degree of inventory aggregation increases, total transportation cost goes up. Another comparison is in the video rental business between Netflix and Redbox. Netflix aggregates its inventories, thus lowering facility and inventory expense. It does, however, have to pay to ship DVDs between its DCs and customer homes. Redbox, in contrast has many vending machines that carry DVDs but incurs low transportation costs. Thus, all firms planning inventory aggregation must consider the trade-offs among transportation, inventory, and facility costs when making this decision.

Inventory aggregation is a good idea when inventory and facility costs form a large fraction of a supply chain's total costs. Inventory aggregation is useful for products with a large value-to-weight ratio and for products with high demand uncertainty. For example, inventory aggregation is valuable for new products in the PC industry, because PCs have a large value-to-weight ratio and demand for new products is uncertain. Inventory aggregation is also a good idea if customer orders are large enough to ensure sufficient economies of scale on outbound transportation. When products have a low value-to-weight ratio and customer orders are small, however, inventory aggregation may hurt a supply chain's performance because of high transportation costs. Compared to PCs, the value of inventory aggregation is smaller for best-selling books that have a lower value-to-weight ratio and more predictable demand.

We illustrate the trade-off involved in making aggregation decisions in Example 14-3.

---

### EXAMPLE 14-3 Tradeoffs When Aggregating Inventory

HighMed, a manufacturer of medical equipment used in heart procedures, is located in Madison, Wisconsin, and cardiologists use its products all over North America. The medical equipment is not sold through purchasing agents but directly to doctors. HighMed currently divides the United States into 24 territories, each with its own sales force. All product inventories are maintained locally and replenished from Madison every four weeks using UPS. The average replenishment lead time using UPS is one week. UPS charges at a rate of  $\$0.66 + 0.26x$ , where  $x$  is the quantity shipped in pounds. The products sold fall into two categories—Highval and Lowval. Highval products weigh 0.1 pounds and cost \$200 each. Lowval products weigh 0.04 pounds and cost \$30 each.

Weekly demand for Highval products in each territory is normally distributed, with a mean of  $\mu_H = 2$  and a standard deviation of  $\sigma_H = 5$ . Weekly demand for Lowval products in each territory is normally distributed, with a mean of  $\mu_L = 20$  and a standard deviation of  $\sigma_L = 5$ . HighMed maintains sufficient safety inventories in each territory to provide a *CSL* of 0.997 for each product. Holding cost at HighMed is 25 percent.

In addition to the current approach, the management team at HighMed is considering two other options:

*Option A.* Keep the current structure but replenish inventory once a week rather than once every four weeks.

*Option B.* Eliminate inventories in the territories, aggregate all inventories in a finished-goods warehouse at Madison, and replenish the warehouse once a week.

If inventories are aggregated at Madison, orders will be shipped using FedEx, which charges  $\$5.53 + 0.53x$  per shipment, where  $x$  is the quantity shipped in pounds. The factory

requires a one-week lead time to replenish finished-goods inventories at the Madison warehouse. An average customer order is for 1 unit of HighVal and 10 units of LowVal. What should HighMed do?

**Analysis:**

HighMed can reduce transportation cost by aggregating the quantity shipped at a time because prices for both UPS and FedEx display economies of scale. When comparing Option A with the current system, the management team must trade off the savings in transportation cost through less frequent replenishment with the savings in inventory cost with more frequent replenishment. When considering Option B, the management team must trade off the increase in transportation cost upon aggregation of inventories and the use of a faster but more expensive carrier (FedEx) with the decrease in inventory cost.

The management team first analyzes the current situation. For each territory,

Replenishment lead time,  $L = 1$  week

Reorder interval,  $T = 4$  weeks

$CSL = 0.997$

**1. HighMed inventory costs (current scenario):** For HighVal in each territory, the management team obtains the following:

Average lot size,  $Q_H =$  expected demand during  $T$  weeks

$$= T\mu_H = 4 \times 2 = 8 \text{ units}$$

Safety inventory,  $ss_H = F^{-1}(CSL) \times \sigma_{T+L} = F^{-1}(CSL) \times \sqrt{T+L} \times \sigma_H$

$$= F^{-1}(0.997) \times \sqrt{4+1} \times 5 = 30.7 \text{ units (see Equation 12.18)}$$

Total High Val inventory  $= Q_H/2 + ss_H = (8/2) + 30.7 = 34.7$  units

Across all 24 territories, HighMed thus carries HighVal inventory of  $24 \times 34.7 = 832.8$  units (the true number is 833.3 units if we do not round inventory values to the first decimal). For LowVal in each territory, the management team obtains the following:

Average lot size,  $Q_L =$  expected demand during  $T$  weeks  $= T\mu_L = 4 \times 20 = 80$  units

Safety inventory,  $ss_L = F^{-1}(CSL) \times \sigma_{T+L} = F^{-1}(CSL) \times \sqrt{T+L} \times \sigma_L$

$$= F^{-1}(0.997) \times \sqrt{4+1} \times 5 = 30.7 \text{ units}$$

Total LowVal inventory  $= Q_L/2 + ss_L = (80/2) + 30.7 = 70.7$  units

Across all 24 territories, HighMed thus carries LowVal inventory  $= 24 \times 70.7 = 1696.8$  units (the true number is 1697.3 if we do not round safety inventory to the first decimal).

The management team thus obtains the following:

$$\begin{aligned} \text{Annual inventory holding cost for HighMed} &= (\text{average HighVal inventory} \times \$200 \\ &\quad + \text{average LowVal inventory} \times \$30) \times 0.25 \\ &= (832.8 \times \$200 + 1696.8 \times \$30) \times 0.25 \\ &= \$54,366 (\$54,395 \text{ without rounding}) \end{aligned}$$

**2. HighMed transportation cost (current scenario):** The average replenishment order from each territory consists of  $Q_H$  units of HighVal and  $Q_L$  units of LowVal. Thus

$$\begin{aligned} \text{Average weight of each replenishment order} \\ &= 0.1Q_H + 0.04Q_L = 0.1 \times 8 + 0.04 \times 80 = 4 \text{ pounds} \end{aligned}$$

$$\begin{aligned} \text{Shipping cost per replenishment order} \\ &= \$0.66 + 0.26 \times 4 = \$1.70 \end{aligned}$$

Each territory has 13 replenishment orders per year and there are 24 territories. Thus,

$$\text{Annual transportation cost} = \$1.70 \times 13 \times 24 = \$530$$

**3. HighMed total cost (current scenario):** Annual inventory and transportation cost at HighMed = inventory cost + transportation cost = \$54,366 + \$530 = \$54,896 (\$54,926 without rounding).

The HighMed management team evaluates the costs for Option A and Option B similarly, and the results are summarized in Table 14-6. The results in Table 14-6 are reported without rounding and can be obtained from the associated spreadsheet *Table 14-6*.

From Table 14-6, observe that increasing the replenishment frequency under Option A decreases total cost at HighMed. The increase in transportation costs is much smaller than the decrease in inventory costs resulting from smaller lots. HighMed is able to reduce total cost most by aggregating all inventories and using FedEx for transportation, because the decrease in inventories upon aggregation is larger than the increase in transportation costs.

The value of aggregation is affected by transportation costs, uncertainty of demand, holding cost, and the size of customer orders. If transportation costs were to double for HighMed, the decentralized Option A becomes cheaper than the centralized Option B (in this setting, Option A costs \$32,109 whereas Option B costs \$37,402). As transportation cost increases, it becomes cheaper to decentralize inventories even though inventory costs increase.

If demand uncertainty decreases (e.g., the standard deviation of weekly demand for HighVal decreases from 5 to 2), the decentralized Option A again becomes cheaper than the centralized Option B. As demand uncertainty decreases, it becomes cheaper to decentralize inventories.

If holding cost decreases (e.g., the holding cost drops to 12.5 percent from 25 percent), the decentralized Option A again becomes cheaper than the centralized Option B. As product value or holding cost decreases it becomes cheaper to decentralize inventories.

If customer order sizes are small, the increase in transportation cost upon aggregation can be significant, and inventory aggregation may increase total costs. Reconsider the case of HighMed, but now each customer order averages 0.5 HighVal and 5 LowVal (half the size considered earlier). The costs for the current option as well as Option A remain unchanged because HighMed does not pay for outbound transportation and incurs only the cost of transporting replenishment orders under

**Table 14-6** HighMed Costs Under Different Network Options

	Current Scenario	Option A	Option B
Number of stocking locations	24	24	1
Reorder interval	4 weeks	1 week	1 week
HighVal cycle inventory	96 units	24 units	24 units
HighVal safety inventory	737.3 units	466.3 units	95.2 units
HighVal inventory	833.3 units	490.3 units	119.2 units
LowVal cycle inventory	960 units	240 units	240 units
LowVal safety inventory	737.3 units	466.3 units	95.2 units
LowVal inventory	1,697.3 units	706.3 units	335.2 units
Annual inventory cost	\$54,395	\$29,813	\$8,473
Shipment type	Replenishment	Replenishment	Customer order
Shipment size	8 HighVal + 80 LowVal	2 HighVal + 20 LowVal	1 HighVal + 10 LowVal
Shipment weight	4 lbs.	1 lb.	0.5 lb.
Annual transport cost	\$530	\$1,148	\$14,464
Total annual cost	\$54,926	\$30,961	\$22,938

both options. Option B, however, becomes more expensive because outbound transportation costs increase with a decrease in customer order size. With smaller customer orders, the costs under Option B are as follows:

$$\begin{aligned} \text{Average weight of each customer order} &= 0.1 \times 0.5 + 0.04 \times 5 = 0.25 \text{ pounds} \\ \text{Shipping cost per customer order} &= \$5.53 + 0.53 \times 0.25 = \$5.66 \\ \text{Number of customer orders per territory per week} &= 4 \\ \text{Total customer orders per year} &= 4 \times 24 \times 52 = 4,992 \\ \text{Annual transportation cost} &= 4,992 \times \$5.66 = \$28,255 \text{ } (\$28,267 \\ &\text{without rounding}) \\ \text{Total annual cost} &= \text{inventory cost} + \text{transportation cost} \\ &= \$8,474 + \$28,255 = \$36,729 \\ &\text{ } (\$36,740 \text{ without rounding}) \end{aligned}$$

Thus, with small customer orders, inventory aggregation is no longer the lowest-cost option for HighMed because of the large increase in transportation costs. The company is better off maintaining inventory in each territory and using Option A, which gives a lower total cost.

The lessons from Example 14-3 (and also Chapter 12) with regard to inventory aggregation are summarized in Table 14-7.

### Key Point

Inventory aggregation decisions must account for inventory and transportation costs. Inventory aggregation decreases supply chain costs if the product has a high value-to-weight ratio, high demand uncertainty, low transportation cost, and customer orders are large. If a product has a low value-to-weight ratio, low demand uncertainty, large transportation cost, or small customer orders, inventory aggregation may increase supply chain costs.

### Trade-off Between Transportation Cost and Customer Responsiveness

The transportation cost a supply chain incurs is closely linked to the degree of responsiveness the supply chain aims to provide. If a firm has high responsiveness and ships all orders within a day of receipt from the customer, it will have small outbound shipments resulting in a high transportation cost. If it decreases its responsiveness and aggregates orders over a longer time horizon before shipping them out, it will be able to exploit economies of scale and incur a lower transportation cost because of larger shipments. *Temporal aggregation* is the process of combining orders across time. Temporal aggregation decreases a firm's responsiveness because of shipping delay but also decreases transportation costs because of economies of scale that result from larger shipments. Thus, a firm must consider the trade-off between responsiveness and transportation cost when designing its transportation network, as illustrated in Example 14-4.

**Table 14-7** Conditions Favoring Aggregation or Disaggregation of Inventory

	Aggregate	Disaggregate
Transport cost	Low	High
Demand uncertainty	High	Low
Holding cost	High	Low
Customer order size	Large	Small

### EXAMPLE 14-4 Trade-off Between Transportation Cost and Responsiveness

Alloy Steel is a steel service center in the Cleveland area. All orders are shipped to customers using an LTL carrier that charges  $\$100 + 0.01x$ , where  $x$  is the number of pounds of steel shipped on the truck. Currently, Alloy Steel ships orders on the day they are received. Allowing for two days in transit, this policy allows Alloy to achieve a response time of two days. Daily demand at Alloy Steel over a two-week period is shown in Table 14-8.

The general manager at Alloy Steel believes that customers do not really value the two-day response time and would be satisfied with a four-day response. What are the cost advantages of increasing the response time?

#### Analysis:

As the response time increases, Alloy Steel has the opportunity to aggregate demand over multiple days for shipping. For a response time of three days, Alloy Steel can aggregate demand over two successive days before shipping. For a response time of four days, Alloy Steel can aggregate demand over three days before shipping. The manager evaluates the quantity shipped and transportation costs for different response times over the two-week period, as shown in Table 14-9.

From Table 14-9, observe that the transportation cost for Alloy Steel decreases as the response time increases. The benefit of temporal consolidation, however, diminishes rapidly upon increasing the response time. As the response time increases from two to three days, transportation cost over the two-week window decreases by \$700. Increasing the response time from three to four days reduces the transportation cost by only \$200. Thus, Alloy Steel may be better off offering a three-day response, because the marginal benefit from further increasing the response time is small.

In general, a limited amount of temporal aggregation can be effective in reducing transportation cost in a supply chain. In choosing response time, however, firms must trade off the decrease in transportation cost upon temporal aggregation with the loss of revenue because of poorer responsiveness. Temporal consolidation also improves transportation performance because it results in more stable shipments. For example, in Table 14-9, when Alloy Steel sends daily shipments, the coefficient of variation is 0.44, whereas temporal aggregation across three days (achieved with a four-day response time) has a coefficient of variation of only 0.16. More stable shipments allow both the shipper and the carrier to better plan operations and improve utilization of their assets.

#### Key Point

Temporal aggregation of demand results in a reduction of transportation costs because it entails larger shipments and also reduces the variation in shipment sizes from one shipment to the next. It does, however, hurt customer response time. The marginal benefit of temporal aggregation declines as the time window over which aggregation takes place increases.

In the next section, we discuss how transportation networks can be tailored to supply customers with differing needs.

**Table 14-8** Daily Demand at Alloy Steel over Two-Week Period

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Week 1	19,970	17,470	11,316	26,192	20,263	8,381	25,377
Week 2	39,171	2,158	20,633	23,370	24,100	19,603	18,442



**Table 14-9** Quantity Shipped and Transportation Cost as a Function of Response Time

Day	Demand	Two-Day Response		Three-Day Response		Four-Day Response	
		Quantity Shipped	Cost (\$)	Quantity Shipped	Cost (\$)	Quantity Shipped	Cost (\$)
1	19,970	19,970	299.70	0	—	0	—
2	17,470	17,470	274.70	37,440	474.40	0	—
3	11,316	11,316	213.16	0	—	48,756	587.56
4	26,192	26,192	361.92	37,508	475.08	0	—
5	20,263	20,263	302.63	0	—	0	—
6	8,381	8,381	183.81	28,644	386.44	54,836	648.36
7	25,377	25,377	353.77	0	—	0	—
8	39,171	39,171	491.71	64,548	745.48	0	—
9	2,158	2,158	121.58	0	—	66,706	767.06
10	20,633	20,633	306.33	22,791	327.91	0	—
11	23,370	23,370	333.70	0	—	0	—
12	24,100	24,100	341.00	47,470	574.70	68,103	781.03
13	19,603	19,603	296.03	0	—	0	—
14	18,442	18,442	284.42	38,045	480.45	38,045	480.45
			\$4,164.46			3,464.46	3,264.46

## 14.6 TAILORED TRANSPORTATION

*Tailored transportation* is the use of different transportation networks and modes based on customer and product characteristics. Most firms sell a variety of products and serve many different customer segments. For example, W.W. Grainger sells more than 200,000 MRO supply products to both small contractors and large firms. Products vary in size and value, and customers vary in the quantity purchased, responsiveness required, uncertainty of the orders, and distance from W.W. Grainger branches and DCs. Given these differences, a firm such as W.W. Grainger should not design a common transportation network to meet all needs. A firm can meet customer needs at a lower cost by using tailored transportation to provide the appropriate transportation choice based on customer and product characteristics. In the following sections, we describe various forms of tailored transportation in supply chains.

### Tailored Transportation by Customer Density and Distance

Firms must consider customer density and distance from warehouse when designing transportation networks. The ideal transportation options based on density and distance are shown in Table 14-10.

When a firm serves a high density of customers close to the DC, it is often best for the firm to own a fleet of trucks that are used with milk runs originating at the DC to supply customers, because this scenario makes good use of the vehicles and provides customer contact. If customer density is high but distance from the warehouse is large, it does not pay to send milk runs from the warehouse because empty trucks will travel a long distance on the return trip. In such a situation, it is better to use a public carrier with large trucks to haul the shipments to a cross-dock center close to the customer area, where the shipments are loaded onto smaller trucks that deliver product to customers using milk runs. In this situation, it may not be ideal for a firm to own its own fleet. As customer density decreases, use of an LTL carrier or a third party doing milk runs is more economical because the third-party carrier can aggregate shipments across many firms.

**Table 14-10** Transportation Options Based on Customer Density and Distance

	Short Distance	Medium Distance	Long Distance
High density	Private fleet with milk runs	Cross-dock with milk runs	Cross-dock with milk runs
Medium density	Third-party milk runs	LTL carrier	LTL or package carrier
Low density	Third-party milk runs or LTL carrier	LTL or package carrier	Package carrier

If a firm wants to serve an area with a low density of customers far from the warehouse, even LTL carriers may not be feasible and the use of package carriers may be the best option as long as loads are small. Boise Cascade Office Products, an industrial distributor of office supplies, has designed a transportation network consistent with the suggestion in Table 14-10.

Customer density and distance should also be considered when firms decide on the degree of temporal aggregation (which affects response time) to use when supplying customers. Firms should serve areas with high customer density more frequently because these areas are likely to provide sufficient economies of scale in transportation, making temporal aggregation less valuable. To lower transportation costs, firms should use a higher degree of temporal aggregation and aim for somewhat lower responsiveness when serving areas with a low customer density.

### Tailored Transportation by Size of Customer

Firms must consider customer size and location when designing transportation networks. Large customers can be supplied using a TL carrier, whereas smaller customers will require an LTL carrier or milk runs. When using milk runs, a shipper incurs two types of costs:

- Transportation cost based on total route distance
- Delivery cost based on number of deliveries

The transportation cost is the same whether going to a large or small customer. If a delivery is to be made to a large customer, including other small customers on the same truck can save on transportation cost. For each small customer, however, the delivery cost per unit is higher than for large customers. Thus, it is not optimal to deliver to small and large customers with the same frequency at the same price. One option firms have is to charge a higher delivery cost for smaller customers. Another option is to tailor milk runs so that they visit larger customers with a higher frequency than smaller customers. Firms can partition customers into large (L), medium (M), and small (S) based on the demand at each. The optimal frequency of visits can be evaluated based on the transportation and delivery costs (see Section 11.2). If large customers are to be visited every milk run, medium customers every other milk run, and low-demand customers every third milk run, suitable milk runs can be designed by combining large, medium, and small customers on each run. Medium customers would be partitioned into two subsets ( $M_1$ ,  $M_2$ ), and small customers would be partitioned into three subsets ( $S_1$ ,  $S_2$ ,  $S_3$ ). The firm can sequence the following six milk runs to ensure that each customer is visited with the appropriate frequency: ( $L$ ,  $M_1$ ,  $S_1$ ), ( $L$ ,  $M_2$ ,  $S_2$ ), ( $L$ ,  $M_1$ ,  $S_3$ ), ( $L$ ,  $M_2$ ,  $S_1$ ), ( $L$ ,  $M_1$ ,  $S_2$ ), ( $L$ ,  $M_2$ ,  $S_3$ ). This tailored sequence has the advantage that each truck carries about the same load and larger customers are provided more frequent delivery than smaller customers, consistent with their relative costs of delivery.

### Tailored Transportation by Product Demand and Value

The degree of inventory aggregation and the modes of transportation used in a supply chain network should vary with the demand and value of a product, as shown in Table 14-11. The cycle inventory for high-value products with high demand is disaggregated to save on transportation costs because this allows replenishment orders to be transported less expensively. Safety

**Table 14-11** Aggregation Strategies Based on Value/Demand

Product Type	High Value	Low Value
High demand	Disaggregate cycle inventory. Aggregate safety inventory. Inexpensive mode of transportation for replenishing cycle inventory and fast mode when using safety inventory.	Disaggregate all inventories and use inexpensive mode of transportation for replenishment.
Low demand	Aggregate all inventories. If needed, use fast mode of transportation for filling customer orders.	Aggregate only safety inventory. Use inexpensive mode of transportation for replenishing cycle inventory.

inventory for such products can be aggregated to reduce inventories (see Chapter 12), and a fast mode of transportation can be used if the safety inventory is required to meet customer demand. For high-demand products with low value, all inventories should be disaggregated and held close to the customer to reduce transportation costs. For low-demand, high-value products, all inventories should be aggregated to save on inventory costs. For low-demand, low-value products, cycle inventories can be held close to the customer and safety inventories aggregated to reduce transportation costs while taking some advantage of aggregation. Cycle inventories are replenished using an inexpensive mode of transportation to save costs.

### Key Point

Tailoring transportation based on customer density and distance, customer size, or product demand and value allows a supply chain to achieve appropriate responsiveness and low cost.

## 14.7 THE ROLE OF IT IN TRANSPORTATION

The complexity and scale of transportation makes it an excellent area within the supply chain for the use of IT systems. The use of software to determine transportation routes has been the most common IT application in transportation. This software takes the location of customers, shipment size, desired delivery times, information on the transportation infrastructure (such as distances between points), and vehicle capacity as inputs. These inputs are formulated into an optimization problem whose solution is a set of routings and a packing list for each vehicle that minimize costs while meeting delivery constraints.

Along with routing, vehicle load optimization software helps improve fleet utilization. By accounting for the size of the container and the size and sequence of each delivery, this software develops a plan to pack the vehicle efficiently while allowing for the greatest ease of unloading and/or loading along the route. Synchronization between the packing and routing software is important because how much is packed on a truck affects the routing, while the routing obviously affects what is packed on a truck.

IT also comes into play in the use of global positioning systems (GPS) for tracking real-time location of vehicles and electronic notification of impending arrivals. The availability of current information also allows for real-time dynamic optimization of transportation routes and deliveries. Electronic notifications and tracking improve customer service and preparedness throughout the supply chain.

The Internet has also been used by companies such as Freightzone and Echo Global Logistics to help match shipper loads with available capacity with carriers in the trucking industry.

The most common problems in the use of IT in transportation relate to cross-enterprise collaboration and the narrow view taken by some transportation software. Given that transportation

is often outsourced, successful collaboration in transportation requires three or more firms to work together, making it much more difficult. Other problems arise because much of the transportation software is focused on efficient routings. The software often overlooks other factors such as customer service and promised delivery times, which should constrain the route selected.

IT in transportation has been around for the longest and has the largest number of vendors in supply chain software. There has also been a large amount of in-house development that has focused on transportation management.

## 14.8 RISK MANAGEMENT IN TRANSPORTATION

There are three main types of risk to consider when transporting a shipment between two nodes on the network:

1. The risk that the shipment is delayed
2. The risk that the shipment does not reach its destination because intermediate nodes or links are disrupted by external forces
3. The risk of hazardous material

In each case, it is important to identify the sources of risk and their consequences and plan suitable mitigation strategies.

Delay arises either because of congestion along links such as roads or nodes such as ports and airports. When congestion is the cause of delay, mitigation strategies for the shipper include moving inventories closer to the destination, using alternative lanes, and building a buffer into the lead time. Congestion delays can be mitigated by designing a network with multiple routes to the destination and changing routes in real time based on congestion. Congestion delays can also be mitigated through the use of congestion pricing by the owner of the transportation node or link. Delay may also arise because of the limited availability of transportation or infrastructure capacity. Such delays are more likely when the assets are owned by a third party that is serving multiple customers. These delays may be mitigated by owning some transportation capacity or by signing long-term contracts for transportation capacity with the third party. Given the high cost of owning these assets, it is best to do so for parts of the network where utilization is high.

Disruption at transportation links or nodes may occur because of natural events such as hurricanes or human-made events such as terrorism. The best mitigation strategy in this case is to design alternative routings into the transportation network. For example, the 2011 earthquake and tsunami in Japan disrupted the flow of product in many supply chains. As a result of the earthquake, Toyota announced the delay of two new additions to the Prius line, a wagon and a minivan. Companies such as UPS and FedEx helped clients design alternative routes if there were other factories they could move production to. Similarly, during the California dockworkers' strike in 2002, many companies arranged for alternative ports to bring in product.

When considering both delay and disruption risk, it is important to identify sources that are likely to be correlated across the network. For example, the events on September 11, 2001, caused a disruption in air transportation across the entire United States. Alternative routings were useless as mitigation strategies in this case because no alternative route was available. For such correlated sources of risk, the only option is to decrease the probability of such a disruption.

Hazardous material can be harmful when people and the environment are exposed. The goal of risk mitigation here is to minimize the probability of exposure, and in the event of exposure, to minimize the impact. Mitigation strategies include using modified containers and low-risk transportation modes, selecting routes with low accident probability or reduced population and environmental exposure, and modifying the physical or chemical properties of the material being transported to make it less dangerous.

## 14.9 MAKING TRANSPORTATION DECISIONS IN PRACTICE

**1. *Align transportation strategy with competitive strategy.*** Managers should ensure that a firm's transportation strategy supports its competitive strategy. They should design functional incentives that help achieve this goal. Historically, the transportation function within firms has been evaluated based on the extent to which it can lower transportation costs. Such a focus leads to decisions that lower transportation costs but hurt the level of responsiveness provided to customers and may raise the firm's total cost. If the dispatcher at a DC is evaluated based solely on the extent to which trucks are loaded, he or she is likely to delay shipments and hurt customer responsiveness to achieve a larger load. Firms should evaluate the transportation function based on total cost and the level of responsiveness achieved with customers.

**2. *Consider both in-house and outsourced transportation.*** Managers should consider an appropriate combination of company-owned and outsourced transportation to meet their needs. This decision should be based on a firm's ability to handle transportation profitably as well as the strategic importance of transportation to the success of the firm. In general, outsourcing is a better option when shipment sizes are small, whereas owning the transportation fleet is better when shipment sizes are large and responsiveness is important. For example, Wal-Mart uses responsive transportation to reduce inventories in its supply chain. Given the importance of transportation to the success of its strategy, it owns and manages its transportation fleet itself. This is made easier by the fact that it achieves good utilization from its transportation assets because most of its shipments are large. In contrast, firms such as W.W. Grainger and McMaster-Carr send small shipments to customers; inventory management rather than transportation is the key to their success. A third-party carrier can lower costs for them by aggregating their shipments with those of other companies. As a result, both companies use third-party carriers for their transportation.

**3. *Use technology to improve transportation performance.*** Managers must use information technology to decrease costs and improve responsiveness in their transportation networks. Software helps managers do transportation planning and modal selection and build delivery routes and schedules. Real-time tracking allows carriers to communicate with each vehicle and identify its precise location and contents. These technologies help carriers lower costs and become more responsive to changes.

**4. *Design flexibility into the transportation network.*** When designing transportation networks, managers should take into account uncertainty in demand as well as availability of transportation. Ignoring uncertainty encourages a greater use of inexpensive and inflexible transportation modes that perform well when everything goes as planned. Such networks, however, perform poorly when plans change. When managers account for uncertainty, they are more likely to include flexible, though more expensive, modes of transportation within their network. Although these modes may be more expensive for a particular shipment, including them in the transportation options allows a firm to reduce the overall cost of providing a high level of responsiveness.

## 14.10 SUMMARY OF LEARNING OBJECTIVES

**1. *Understand the role of transportation in a supply chain.*** Transportation refers to the movement of product from one location to another within a supply chain. The importance of transportation has grown with the increasing globalization in supply chains and the growth in online sales because both trends increase the distance products travel. Transportation decisions impact supply chain profitability and influence both inventory and facility decisions within a supply chain.

**2. *Evaluate the strengths and weaknesses of different modes of transportation.*** The various modes of transportation include water, rail, intermodal, truck, air, pipeline, and package carriers. Water is typically the least expensive mode but is also the slowest, whereas air and

package carriers are the most expensive and the fastest. Rail and water are best suited for low-value, large shipments that do not need to be moved in a hurry. Air and package carriers are best suited for small, high-value, emergency shipments. Intermodal and TL carriers are faster than rail and water but somewhat more expensive. LTL carriers are best suited for small shipments that are too large for package carriers but much smaller than a TL.

**3. Discuss the role of infrastructure and policies in transportation.** Infrastructure such as ports, roads, and airports has a significant impact on transportation. Given its inherent monopolistic nature, most transportation infrastructure requires public ownership or regulation. In the case of public ownership, pricing based on average cost leads to overutilization and congestion. It is important to use some form of congestion pricing under which users are forced to internalize the increase in network cost they cause.

**4. Identify the relative strengths and weaknesses of various transportation network design options.** Networks are designed to either ship directly from origin to destination or move the product through a consolidation point. Direct shipments are most effective when large quantities are to be moved. When shipments are small, use of an intermediate warehouse or DC lowers transportation cost by aggregating smaller shipments even though it takes longer and is more complex. Shipments may also be consolidated with milk runs either picking up from multiple locations or dropping off in multiple locations.

**5. Identify trade-offs that shippers need to consider when designing a transportation network.** When designing transportation networks, shippers need to consider the trade-offs among transportation cost, inventory cost, operating cost, and customer responsiveness. The supply chain goal is to minimize the total cost while providing the desired level of responsiveness to customers.

---

## Discussion Questions

1. What modes of transportation are best suited for large, low-value shipments? Why?
2. Why is it important to account for congestion when pricing the use of transportation infrastructure?
3. Wal-Mart designs its networks so that a DC supports several large retail stores. Explain how the company can use such a network to reduce transportation costs while replenishing inventories frequently.
4. Compare the transportation costs for an online business such as Amazon and a retailer such as Home Depot when selling home-improvement materials.
5. What transportation challenges does online grocer Peapod face? Compare transportation costs at online grocers and supermarket chains.
6. Do you expect aggregation of inventory at one location to be more effective when a company such as Dell sells computers or when a company such as Amazon sells books? Explain by considering transportation and inventory costs.
7. Discuss key drivers that may be used to tailor transportation. How does tailoring help?

---

## Exercises

1. A power plant in California uses coal at the rate of 100,000 pounds each day. It also uses MRO material at the rate of 1,000 pounds each day. The coal comes from Wyoming and the MRO material comes from Chicago. Coal costs \$0.01 per pound, whereas MRO material costs \$10 per pound, on average. Holding costs at the power plant are 25 percent. Transportation choices available are as follows:

### Train

Lead time = 15 days  
 Carload (100,000 pounds) at \$400 per carload  
 Full train (70 cars) at \$15,000 per train

### Truck

Lead time = 4 days  
 Minimum cost = \$100  
 Up to 10,000 pounds at \$0.08 per pound  
 Between 10,000 and 20,000 pounds at \$0.07 per pound for entire load  
 Between 25,000 and 40,000 pounds at \$0.06 per pound for entire load  
 Small TL (40,000 pounds) for \$2,000  
 Large TL (60,000 pounds) for \$2,600

Safety inventory of coal and MRO materials is kept at twice the consumption during the lead time of supply. What mode of transport do you recommend for each of the two products? Why?

2. Books-On-Line, an online bookseller, charges its customers a shipping charge of \$4 for the first book and \$1 for each additional book. The average customer order contains four books. Books-On-Line currently has one warehouse in Seattle and ships all orders from there. For shipping purposes, Books-On-Line divides the United States into three zones—Western, Central, and Eastern. Shipping cost incurred by Books-On-Line per customer order (average four books) is \$2 within the same zone, \$3 between adjacent zones, and \$4 between nonadjacent zones.

Weekly demand from each zone is independent and normally distributed, with a mean of 50,000 and a standard deviation of 25,000. Each book costs on average \$10, and the holding cost incurred by Books-On-Line is 25 percent. Books-On-Line replenishes inventory every week and aims for a 99.7 percent CSL. Assume a replenishment lead time of one week.

A warehouse is designed to carry 50 percent more than the replenishment order + safety stock. The fixed cost of a warehouse is \$200,000 +  $x$ , where  $x$  is its capacity in books. The weekly operating cost of a warehouse is \$0.01  $y$ , where  $y$  is the number of books shipped. Books-On-Line is planning its network strategy. Which zones should have warehouses? Detail all costs involved.

3. A European manufacturer of industrial furniture has a factory located in Munich and four warehouses in Western Europe.

The warehouses collect customer orders, which are then shipped from the factory. Upon receipt, the warehouse distributes customer orders using small trucks. Daily demand at each of the four warehouses along with distance from Munich is as shown following:

Warehouse	Daily Demand (kg)	Distance (km)
Milan	25,000	800
Paris	35,000	1,000
Copenhagen	20,000	600
Madrid	20,000	1,300

All shipments are by truck. Three truck sizes are available, with capacities of 40,000 kg (small), 60,000 kg (medium), and 80,000 kg (large). Transportation costs for the three types of trucks are as follows:

Small:  $100 + 0.1x$  euros

Medium:  $125 + 0.1x$  euros

Large:  $150 + 0.1x$  euros

where  $x$  is the distance to be traveled in kilometers. For replenishment frequency varying between one and four days for each warehouse, identify the optimal transportation option and the associated cost. What other factors should be considered before deciding on the replenishment frequency?

## Bibliography

- Ampuja, Jack, and Ray Pucci. "Inbound Freight: Often a Missed Opportunity." *Supply Chain Management Review* (March–April 2002): 50–57.
- Ballou, Ronald H. *Business Logistics Management*. Upper Saddle River, NJ: Prentice Hall, 1999.
- Bowersox, Donald J., David J. Closs, and Omar K. Helferich. *Logistical Management*. New York: Macmillan, 1986.
- Button, Kenneth J., and Erik T. Verhoef. *Road Pricing, Traffic Congestion and the Environment*. Northampton, MA: Edward Elgar, 1998.
- Coyle, John J., Edward J. Bardi, and Robert A. Novack. *Transportation*. Cincinnati, OH: South-Western College Publishing, 2000.
- Ellison, Anthony P. *Entrepreneurs and the Transformation of the Global Economy*. Northampton, MA: Edward Elgar, 2002.
- Hammond, Janice H., and John E. P. Morrison. "Note on the U.S. Transportation Industry." Harvard Business School Note 688080, 1988.
- Levinson, David M. "Road Pricing in Practice." In *Road Pricing, Traffic Congestion and the Environment*, Kenneth J. Button and Robert A. Novack, eds. Northampton, MA: Edward Elgar, 1998.
- Levinson, Marc. *The Box: How the Shipping Container Made the World Smaller and the World Economy Bigger*. Princeton, NJ: Princeton University Press, 2006.
- Robeson, James F., and William C. Copacino. *The Logistics Handbook*. New York: The Free Press, 1994.
- Shapiro, Roy D., and James L. Heskett. *Logistics Strategy: Cases and Concepts*. St. Paul, MN: West, 1985.
- Transportation in America 1998*. Washington, DC: Eno Transportation Foundation, 1998.
- Tyworth, John E., Joseph L. Cavinato, and C. John Langley Jr. *Traffic Management: Planning, Operations, and Control*. Prospect Heights, IL: Waveland, 1991.

## CASE STUDY

### Designing the Distribution Network for Michael's Hardware

Ellen Lin, vice president of supply chain at Michael's Hardware, was looking at the financial results from the past quarter and thought that the company could significantly

improve its distribution costs, especially given the recent expansion into Arizona. Transportation costs had been very high, and Ellen believed that moving away from LTL

shipping to Arizona would help lower transportation costs without significantly raising inventories.

Michael's had 32 stores each in Illinois and Arizona and sourced its products from eight suppliers located in the Midwest. The company began in Illinois and its stores in the state enjoyed strong sales. Each Illinois store sold on average 50,000 units a year of product from each supplier (for annual sales of 400,000 units per store). The Arizona operation was started about five years ago and still had plenty of room to grow. Each Arizona store sold 10,000 units a year from each supplier (for annual sales of 80,000 units per store). Given large sales at its Illinois stores, Michael's followed a direct ship model and shipped small truckloads (with a capacity of 10,000 units) from each supplier to each of its Illinois stores. Each small truck cost \$450 per delivery from a supplier to an Illinois store and could carry up to 10,000 units. In Arizona, however the company wanted to keep inventories low and used LTL shipping that required a minimum shipment of only 500 units per store but cost \$0.50 per unit. Holding costs for Michael's were \$1 per unit per year.

Ellen asked her staff to propose different distribution alternatives for both Illinois and Arizona.

### Distribution Alternatives for Illinois

Ellen's staff proposed two alternative distribution strategies for the stores in Illinois:

1. Use direct shipping with even larger trucks that had a capacity of 40,000 units. These trucks charged only \$1,150 per delivery to an Illinois store. Using larger trucks would lower transportation costs but increase inventories because of the larger batch sizes.
2. Run milk runs from each supplier to multiple stores in Illinois to lower inventory cost even if the cost of transportation increased. Large trucks (capacity of 40,000 units) would charge \$1,000 per shipment and a charge of \$150 per delivery. Small trucks (capacity of 10,000 units) would charge \$400 per shipment and a charge of \$50 per delivery.

### Distribution Alternatives for Arizona

Ellen's staff had three alternatives for the stores in Arizona:

1. Use direct shipping with small trucks (capacity of 10,000 units) as was currently being done in

Illinois. Each small truck charged \$2,050 for a shipment of up to 10,000 units from a supplier to a store in Arizona. This was a significantly lower transportation cost than was currently being charged by the LTL carrier. This alternative, however, would increase inventory costs in Arizona given the larger batch sizes.

2. Run milk runs using small trucks (capacity of 10,000 units) from each supplier to multiple stores in Arizona. The small truck carrier charged \$2,000 per shipment and \$50 per delivery. Thus, a milk run from a supplier to four stores would cost \$2,200. Milk runs would incur higher transportation costs than direct shipping but would keep inventory costs lower.
3. Use a third-party cross-docking facility in Arizona that charged \$0.10 per unit for this cross-docking service. This would allow all suppliers to ship product (destined for all 32 Arizona stores) using a large truck to the cross-dock facility, where it would be cross-docked and sent to stores in smaller trucks (each smaller truck would now contain product from all eight suppliers). Large trucks (capacity of 40,000 units) charged \$4,150 from each supplier to the cross-dock facility. Small trucks (capacity of 10,000 units) charged \$250 from the cross-dock facility to each retail store in Arizona.

Ellen wondered how best to structure the distribution network and whether the savings would be worth the effort. If she used milk runs in either region, she also had to decide on how many stores to include in each milk run.

### QUESTIONS

1. What is the annual distribution cost of the current distribution network? Include transportation and inventory costs.
2. How should Ellen structure distribution from suppliers to the stores in Illinois? What annual savings can she expect?
3. How should Ellen structure distribution from suppliers to the stores in Arizona? What annual savings can she expect?
4. What changes in the distribution network (if any) would you suggest as both markets grow?





# Sourcing Decisions in a Supply Chain

## LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Understand the role of sourcing in a supply chain.
2. Discuss factors that affect the decision to outsource a supply chain function.
3. Identify dimensions of supplier performance that affect total cost.
4. Structure successful auctions and negotiations.
5. Describe the impact of risk sharing on supplier performance and information distortion.
6. Design a tailored supplier portfolio.

In this chapter, we explore various factors that influence decisions about whether a supply chain activity is performed within the firm or outsourced. We also discuss performance characteristics of suppliers that affect total cost. Our goal is to enable managers to consider all the trade-offs involved when making sourcing decisions to maximize value extracted from every stage of a sourcing relationship.

## 15.1 THE ROLE OF SOURCING IN A SUPPLY CHAIN

Purchasing, also called procurement, is the process by which companies acquire raw materials, components, products, services, or other resources from suppliers to execute their operations. Sourcing is the entire set of business processes required to purchase goods and services. For any supply chain function, the most significant decision is whether to outsource the function or perform it in-house. *Outsourcing* results in the supply chain function being performed by a third party. Outsourcing is one of the most important issues facing a firm, and actions across industries tend to be varied. For example, W.W. Grainger, an MRO distributor, has consistently owned and managed its distribution centers. In contrast, outbound transportation of packages from distribution centers to customers has consistently been outsourced to a third party. For less-than-truckload (LTL) outbound transportation, Grainger is moving from a scenario under which it was all outsourced to a third party to a hybrid model under which Grainger owns some trucks. What factors can explain Grainger's decisions?

Until 2005, Dell was credited with improving profits by keeping the retail function in-house and selling directly to customers. Since 2007, however, Dell has started to outsource retailing to firms such as Wal-Mart. Dell

has also increased the fraction of assembly that it outsources to contract manufacturers. Why was vertical integration into retailing a good idea for Dell until about 2005 but not after 2007? Was Dell right in outsourcing a greater fraction of assembly to contract manufacturers? In contrast to Dell, Apple has significantly expanded the insourcing of retailing during the same period by growing Apple retail stores. Procter & Gamble (P&G) has never attempted to sell detergent directly to customers, and nobody is calling on it to bring the retail function in-house. What made vertical integration into retailing a good idea for Dell but a bad idea for P&G? Motorola uses a distributor for the sale of its cell phones in most of Latin America. In contrast, most of its sales in the United States do not go through distributors. Why is the outsourcing of distribution for Motorola beneficial in Latin America but not in the United States?


It is important to clarify the distinction between outsourcing and offshoring before we proceed. A firm *offshores* a supply chain function if it moves the production facility offshore (even if it maintains ownership). In contrast, a firm *outsources* if the firm hires an outside firm to perform an operation rather than executing the operation within the firm. The offshoring decision has been discussed in detail in Chapter 6. In this chapter, our focus is on the issue of outsourcing rather than offshoring. We address the outsourcing of supply chain activities by a firm based on the following three questions:

1. Will the third party increase the supply chain surplus relative to performing the activity in-house?
2. How much of the increase in surplus does the firm get to keep?
3. To what extent do risks grow upon outsourcing?

Recall that the supply chain surplus is the difference between the value of a product for the customer and the total cost of all supply chain activities involved in bringing the product to the customer. The supply chain surplus is the total size of the pie that all supply chain participants (including the customer) get to share. Our basic premise is that outsourcing makes sense if it increases the supply chain surplus (assuming we get to keep some of the increase) without significantly affecting risks. We go further and claim that a supply chain participant can survive in the long term only if its presence increases the supply chain surplus. One can then argue that each party's profit in a supply chain is correlated with the extent to which it increases the surplus.

Once a decision to outsource has been made, sourcing processes include the selection of suppliers, design of supplier contracts, product design collaboration, procurement of material or services, and evaluation of supplier performance, as shown in Figure 15-1.

*Supplier scoring and assessment* is the process used to rate supplier performance. Suppliers should be compared based on their impact on the supply chain surplus and total cost. Unfortunately, sourcing decisions are often driven based solely on the price charged by a supplier. Many other supplier characteristics, such as lead time, reliability, quality, and design capability also affect the total cost of doing business with a supplier. A good supplier scoring and assessment process must identify and track performance along all dimensions and evaluate the impact on the total cost of using a supplier. *Supplier selection* uses the output from supplier scoring and assessment to identify the appropriate supplier(s). A supply contract is then negotiated with the supplier. A good contract should account for all factors that affect supply chain performance and should be designed to increase supply chain profits in a way that benefits both the supplier and the buyer.



**FIGURE 15-1** Key Sourcing-Related Processes

Given that about 80 percent of the cost of a product is determined during design, it is crucial that suppliers be actively involved at this stage. *Design collaboration* allows the supplier and the manufacturer to work together when designing components for the final product. Design collaboration also ensures that any design changes are communicated effectively to all parties involved with designing and manufacturing the product. Once the product has been designed, *procurement* is the process whereby the supplier sends product in response to orders placed by the buyer. The goal of procurement is to enable orders to be placed and delivered on schedule at the lowest possible overall cost. Finally, the role of *sourcing planning and analysis* is to analyze spending across various suppliers and component categories to identify opportunities for decreasing the total cost.

Cost of goods sold (COGS) represents well over 50 percent of sales for most major manufacturers. Within COGS, purchased parts are now a much higher fraction than they were several decades ago. This change has occurred because companies have reduced vertical integration and outsourced the manufacture of many components. Companies such as Cisco have gone further and also outsourced a significant fraction of the assembly capacity. As there is greater pressure on firms to achieve lower costs and the suppliers' share of the COGS grows, good sourcing decisions will have greater impact on the cost leadership and competitive advantage enjoyed by a firm.

Effective sourcing processes within a firm can improve profits for the firm and total supply chain surplus in a variety of ways. It is important that the drivers of improved profits be clearly identified when making sourcing decisions. Some of the benefits from effective sourcing decisions follow:

- Better economies of scale can be achieved if orders within a firm are aggregated.
- More efficient procurement transactions can significantly reduce the overall cost of purchasing. This is most important for items for which a large number of low-value transactions occur.
- Design collaboration can result in products that are easier to manufacture and distribute, resulting in lower overall costs. This factor is most important for components that contribute a significant amount to product cost and value.
- Good procurement processes can facilitate coordination with the supplier and improve forecasting and planning. Better coordination lowers inventories and improves the matching of supply and demand.
- Appropriate supplier contracts can allow for the sharing of risk, resulting in higher profits for both the supplier and the buyer.
- Firms can achieve a lower purchase price by increasing competition through the use of auctions.

When designing a sourcing strategy, it is important for a firm to be clear on the factors that have the greatest influence on performance and target improvement on those areas. For example, if most of the spending for a firm is on materials with only a few high-value transactions, improving the efficiency of procurement transactions will provide little value, whereas improving design collaboration and coordination with the supplier will provide significant value. In contrast, when sourcing items with many low-value transactions, increasing the efficiency of procurement transactions will be valuable.

In the next section, we discuss factors that influence the outsourcing decision.

## 15.2 IN-HOUSE OR OUTSOURCE

The decision to outsource is based on the growth in supply chain surplus provided by the third party and the increase in risk incurred by using a third party. A firm should consider outsourcing if the growth in surplus is large with a small increase in risk. Performing the function in-house is preferable if the growth in surplus is small or the increase in risk is large.

## How Do Third Parties Increase the Supply Chain Surplus?

Third parties increase the supply chain surplus if they either increase value for the customer or decrease the supply chain cost relative to a firm performing the task in-house. Third parties can increase the supply chain surplus effectively if they are able to aggregate supply chain assets or flows to a higher level than a firm itself can. We discuss various mechanisms that third parties can use to grow the surplus.

**1. Capacity aggregation.** A third party can increase the supply chain surplus by aggregating demand across multiple firms and gaining production economies of scale that no single firm can on its own. This is the most common reason for outsourcing production in a supply chain. One of the reasons that Dell (and every other PC manufacturer) outsources design and production of the processors in its PCs to Intel is that Intel supplies many computer manufacturers and gains economies of scale that are not available to Dell if it designs and produces its own processors. The growth in surplus from outsourcing is highest when the needs of the firm are significantly lower than the volumes required to gain economies of scale. A good example in this context is Magna Steyr, a third party that has taken over assembly of automobiles for several manufacturers. Magna Steyr has developed flexible capacity and labor that allows it to produce economically cars that sell in low volumes. It has produced the X3 for BMW, the G class for Mercedes, and the Grand Cherokee for Chrysler. In each case, the models had relatively low demand volume. Each firm would not have gained sufficient economies of scale for assembling its model. There is a cost to this flexibility that cannot be justified based on one model, but Magna Steyr gains economies of scale by serving many auto firms. A third party is unlikely to increase the surplus through capacity aggregation if the volume requirements of a firm are large and stable. This is substantiated by the fact that no auto manufacturer outsources production of its best-selling cars to a third party.

**2. Inventory aggregation.** A third party can increase the supply chain surplus by aggregating inventories across a large number of customers. W.W. Grainger and McMaster-Carr are MRO suppliers that provide value primarily by aggregating inventory for hundreds of thousands of customers. Aggregation allows them to significantly lower overall uncertainty and improve economies of scale in purchasing and transportation. As a result, these MRO distributors carry significantly less safety and cycle inventory than would be required if each customer decided to carry inventory on its own. Another example of inventory aggregation is provided by Brightstar, a distributor that facilitates postponement for cell phones. These phones are manufactured in the Far East and shipped to the Brightstar warehouse in Miami, where software and accessories are added as customer orders arrive from South America. High product variety and many small customers allow Brightstar to increase the supply chain surplus through inventory aggregation and postponement. The third party performing inventory aggregation adds most to the supply chain surplus when demand from customers is fragmented and uncertain. When demand is large and predictable, an intermediary adds little to the surplus by holding inventory. The consolidation of retailing and the resulting scale and predictability of demand for retailers explain why distributors play a much smaller role in the United States compared to developing countries.

**3. Transportation aggregation by transportation intermediaries.** A third party may increase the surplus by aggregating the transportation function to a higher level than any shipper can on its own. UPS, FedEx, and a host of LTL carriers are examples of transportation intermediaries that increase the supply chain surplus by aggregating transportation across a variety of shippers. The value provided in each case is driven by the inherent economies of scale in transportation. Each shipper wants to send less than the capacity of the transportation mode. The transportation intermediary aggregates shipments across multiple shippers, thus lowering the cost of each shipment below what could be achieved by the shipper alone. A transportation intermediary increases the supply chain surplus when shippers are sending packages or LTL quantities to customers that are geographically distributed. A transportation intermediary can also grow the surplus for TL shipping by aggregating across multiple firms having unbalanced

transportation flows, with the quantity coming into a region very different from the quantity leaving the region. An excellent example of a transportation intermediary increasing the supply chain surplus is provided by a pilot program involving Chrysler and Ford. Exel, a third-party logistics (3PL) provider, operated a dedicated fleet for the distribution of spare parts for Chrysler. In tests in Michigan and Mexico, Ford added its own truck parts for delivery on the same fleet. Given the relatively low density of dealers in Northern Michigan and Mexico (outside Mexico City), the aggregation provided by Exel was a benefit for both Ford and Chrysler. A transportation intermediary is likely to add the least to the supply chain surplus for a company such as Wal-Mart, for which shipment sizes are large and the company also achieves aggregation across the many retail stores that it owns. The only possibility for a transportation intermediary in such a setting would be to obtain better backhauls than Wal-Mart.

**4. Transportation aggregation by storage intermediaries.** A third party that stores inventory can also increase the supply chain surplus by aggregating inbound and outbound transportation. Storage intermediaries such as W.W. Grainger and McMaster-Carr stock products from more than a thousand manufacturers each and sell to hundreds of thousands of customers. On the inbound side, they are able to aggregate shipments from several manufacturers onto a single truck. This results in a lower transportation cost than could be achieved by each manufacturer independently. On the outbound side, they aggregate packages for customers at a common destination, resulting in a significantly lower transportation cost than can be achieved by each customer separately. For example, the Chicago distribution center for Grainger fills separate trucks with packages destined for each adjacent state. As soon as a truck destined for Michigan (for instance) is filled, it is sent to the UPS sorting facility in Michigan. This level of aggregation cannot be achieved by customers on their own. Thus, the storage of goods by Grainger and McMaster-Carr increases the supply chain surplus by aggregating inbound and outbound transportation. A similar service is provided by distributors in countries such as India. Given the small size of retail outlets, a distributor aggregates delivery for several manufacturers, significantly lowering the outbound transportation cost. This form of aggregation is most effective if the intermediary stocks products from many suppliers and serves many customers, each ordering in small quantities. This form of aggregation becomes less effective as the scale of shipment from a supplier to customer grows. This is seen in the decreased use of distributors by U.S. supermarket chains. The supermarkets typically get full trucks delivered on their own and do not need a distributor for further aggregation.

**5. Warehousing aggregation.** A third party may increase the supply chain surplus by aggregating warehousing needs over several customers. The growth in surplus is achieved in terms of lower real estate costs and lower processing costs within the warehouse. Savings through warehousing aggregation arise if a supplier's warehousing needs are small or if its needs fluctuate over time. In either case, the intermediary with the warehouse can exploit economies of scale in warehouse construction and operation by aggregating across multiple customers. An example is Safexpress, a third-party logistics provider in India. Safexpress owns warehouses distributed throughout the country that are used by many of its customers. Most of its customers do not have warehousing needs that are large enough to justify a warehouse of their own in each region. Warehousing aggregation by an intermediary adds a lot to the surplus for small suppliers and for companies that are starting out in a geographic location. Warehousing aggregation is unlikely to add much to the surplus for a large supplier or customer whose warehousing needs are large and relatively stable over time. The warehousing needs of Wal-Mart, Amazon, and Grainger are sufficiently large and stable to justify their own warehouse, and a third party is unlikely to increase the surplus.

**6. Procurement aggregation.** A third party increases the supply chain surplus if it aggregates procurement for many small players and facilitates economies of scale in ordering, production, and inbound transportation. Procurement aggregation is most effective across many small buyers. A good example is FleetXchange, a firm that offers small truck fleets lower prices for truck equipment and services through aggregate buying. Procurement aggregation is not likely to be a big factor with a few large customers. For example, contract manufacturers in the

electronics industry have not convinced their large customers, such as HP and Motorola, to outsource the procurement function. Both HP and Motorola are large enough that little marginal benefit can be expected from further aggregation, whereas there is a potential downside in that they would cede the relationship with the supplier to the contract manufacturer if they outsourced procurement. For a small electronics company, however, the procurement aggregation offered by a contract manufacturer could add significantly to the supply chain surplus.

**7. Information aggregation.** A third party may increase the surplus by aggregating information to a higher level than can be achieved by a firm performing the function in-house. All retailers aggregate information on products from many manufacturers in a single location. This information aggregation reduces search costs for customers. eBags is an example of a retailer that primarily provides information aggregation. eBags holds little inventory but is a single point of display for information on bags from many manufacturers. By aggregating product information, eBags significantly reduces search costs for the online customer. Relative to eBags, if each manufacturer set up its own Web site and online store, search costs for the customer would be higher, and each manufacturer would have to invest in the information infrastructure. Thus, eBags increases the supply chain surplus through information aggregation by making search cheaper and reducing investment in information technology. Two other examples of companies using information aggregation are W.W. Grainger and McMaster-Carr. Both provide a product catalog and a detailed Web site. This simplifies search by the customer and aggregates product information for more than a thousand manufacturers. Another excellent example of information aggregation is provided by the various online sites, such as Freight Zone and Echo Global Logistics, that bring together shippers and truckers looking for shipments. Information aggregation reduces search costs and allows better matching of truckers and shipments. Information aggregation increases the surplus if both buyers and sellers are fragmented and buying is sporadic. Information aggregation is not likely to be a big factor for a car manufacturer that regularly buys steel from a single supplier.

**8. Receivables aggregation.** A third party may increase the supply chain surplus if it can aggregate the receivables risk to a higher level than the firm or it has a lower collection cost than the firm. Brightstar is a distributor for Motorola in most Latin American countries other than Brazil. Cell phones in the area are sold through many small, independently owned retail outlets. Collecting receivables from each retail outlet is an expensive proposition for a manufacturer. Given that a retailer buys from many manufacturers, the power of each manufacturer to collect is also reduced. Brightstar, as a distributor, is able to aggregate collection across all manufacturers (that it serves), reducing the collection cost. By aggregating collection to a greater extent than any one manufacturer can, Brightstar also lowers the default risk. Reduced collection cost and risk allow Brightstar to increase the supply chain surplus relative to having this activity performed by manufacturers. The same is true with distributors in India that often distribute for a large number of manufacturers to the same retailer. Given their ability to aggregate across many manufacturers and small retailers, distributors in India typically take responsibility for managing receivables from the retailers. Receivables aggregation is likely to increase the supply chain surplus if retail outlets are small and numerous and each outlet stocks products from many manufacturers that are all served by the same distributor. Such a scenario is more likely in developing countries where retailing is fragmented. It is less likely in developed countries such as the United States and most of Western Europe, where retailing is consolidated.

**9. Relationship aggregation.** An intermediary can increase the supply chain surplus by decreasing the number of relationships required between multiple buyers and sellers. Without an intermediary, connecting a thousand sellers to a million buyers requires a billion relationships. The presence of an intermediary lowers the number of relationships required to just over a million. Most retailers and MRO distributors such as W.W. Grainger improve supply chain surplus through relationship aggregation. Relationship aggregation increases the supply chain surplus by increasing the size of each transaction and decreasing their number. Relationship aggregation is most effective when many buyers sporadically purchase small amounts at a time,

but each order often has products from multiple suppliers. Thus, Grainger can increase the surplus by being a relationship aggregator for MRO products. A third party, however, does not increase the surplus by being a relationship aggregator between a few buyers and sellers for which the relationships are longer term and large. For example, Covisint has failed to become a relationship aggregator in the automotive industry, especially for direct materials.

**10. Lower costs and higher quality.** A third party can increase the supply chain surplus if it provides lower cost or higher quality relative to the firm. If these benefits come from specialization and learning, they are likely to be sustainable over the longer term. A specialized third party that is further along the learning curve for some supply chain activity is likely to maintain its advantage over the long term. A common scenario, however, is one in which the third party has a low-cost location that the firm does not. In such a situation, lower labor and overhead costs are temporary reasons for outsourcing, because if the wage differential is persistent and the third party offers none of the other advantages discussed earlier, it is best for the firm to maintain ownership and offshore production to the low-cost location.

### Key Point

A third party may be able to provide a sustainable growth of the surplus by aggregating to a higher level than the firm itself. The growth in surplus comes from aggregating capacity, inventory, inbound or outbound transportation, warehousing, procurement, information, receivables, or relationships to a level that the firm cannot on its own. A growth in surplus may also occur if the third party has lower costs or higher quality because of specialization or learning.

### Factors Influencing Growth of Surplus by a Third Party

Three important factors affect the increase in surplus that a third party provides: scale, uncertainty, and the specificity of assets. If the scale is large, it is likely that sufficient economies of scale are achieved internal to the firm itself. In this case, it is unlikely that a third party can achieve further scale economies and increase the surplus. Wal-Mart has sufficient scale in terms of its transportation needs that it achieves economies of scale on trucking by itself. Going to a third party would not increase the surplus and would result in some loss of control. In contrast, if a firm's needs do not provide sufficient economies of scale, the third party can increase the surplus by a large amount. Even though Grainger has a large number of outbound packages, given their geographical dispersion, it would not be able to achieve economies of scale for door-to-door delivery. A third-party package carrier adds to the surplus in this case.

The second important factor is the uncertainty of a firm's needs. If the needs are predictable, the increase in surplus from a third party is limited, especially if the firm has sufficient scale. In contrast, if the firm's needs are highly variable over time, the third party can increase the surplus through aggregation with other customers. For example, Grainger has predictable needs in terms of warehouse space required. Given sufficient scale, it owns and operates its own distribution centers. In contrast, most firms have very uncertain demand for MRO products. They prefer not to hold these items in stock and use Grainger as an intermediary.

Finally, the growth in surplus is influenced by the specificity of assets required by the third party. If the assets required are specific to a firm and cannot be used for others, a third party is unlikely to increase the surplus because all it does is move the assets from one firm to another. The third party has no opportunity to aggregate across other customers. For example, if a distributor holds inventory that is specific to a customer, the distributor is unable to aggregate it to a higher level than the customer. The presence of the distributor does not increase the surplus in this case. Similarly, if a third-party logistics provider manages a warehouse exclusively for a single firm, it has few opportunities to increase the surplus unless it can aggregate the use of management or information systems across other warehouses. In contrast, if assets (inventory or warehouses in the previous examples) are less specific and can be used across multiple firms,

**Table 15-1** Growth in Surplus by Third Party as a Function of Scale, Uncertainty, and Specificity

		Specificity of Assets Involved in Function	
		Low	High
Firm scale	Low	High growth in surplus	Low to medium growth in surplus
	High	Low growth in surplus	No growth in surplus unless cost of capital is lower for third party
Demand uncertainty for firm	Low	Low to medium growth in surplus	Low growth in surplus
	High	High growth in surplus	Low to medium growth in surplus

a third party can increase the surplus by aggregating uncertainty across multiple customers or improving economies of scale.

One instance wherein a firm may outsource to a third party even when none of the mentioned factors suggests outsourcing is shortage of capital or a third party with a much lower cost of capital. In either of these scenarios, the third party can grow the surplus by bringing lower cost capital to the supply chain. This discussion on how and when a third party can increase the supply chain surplus is summarized in Table 15-1.

### Key Point

A firm gains the most by outsourcing to a third party if its needs are small, highly uncertain, and shared by other firms sourcing from the same third party.

### Risks of Using a Third Party

Firms must evaluate the following risks when they move any function to a third party:

**1. The process is broken.** The biggest problems arise when a firm outsources supply chain functions simply because it has lost control of the process. Keep in mind that introducing a third party into a broken supply chain process only makes it worse and harder to control. The first step should be to get the process under control, then do a cost-benefit analysis, and only then decide on outsourcing.

**2. Underestimation of the cost of coordination.** A common mistake when outsourcing is to underestimate the effort required to coordinate activities across multiple entities performing supply chain tasks. This is especially true if a firm plans to outsource specific supply chain functions to different third parties. Outsourcing functions to many third parties is feasible (and can be very effective) if the firm views being a coordinator as one of its core strengths. A good example of a strong coordinator is Cisco. However, even Cisco ran into trouble in the early 2000s and was left with a lot of surplus inventory because of coordination problems. An example of when coordination caused problems was between Nike and i2 Technologies in 2000. Nike blamed its loss of \$100 million on inventory management glitches that it attributed to the supply chain planning software from i2; i2 in turn blamed the problems on Nike's execution of the software. Clearly, insufficient coordination between the two firms played a role in this failure.

**3. Reduced customer/supplier contact.** A firm may lose customer/supplier contact by introducing an intermediary. The loss of customer contact is particularly significant for firms that sell directly to consumers but decide to use a third party to either collect incoming orders or deliver outgoing product. A good example is Boise Cascade, which outsourced all its outbound



distribution to third parties. This led to a significant loss of customer contact. Boise Cascade decided to bring outbound delivery for customers located close to its distribution centers in-house. Given the high density of customers around its distribution centers, the additional gain in surplus that a third party could provide was minimal, while the gain from improved customer contact was significant. Boise Cascade did not bring distribution beyond this point in-house because the gain in surplus provided by a third party was significant.

**4. Loss of internal capability and growth in third-party power.** A firm may choose to keep a supply chain function in-house if outsourcing will significantly increase the third party's power. An example can be found in the electronics industry. Companies such as HP and Motorola have moved most of their manufacturing to contract manufacturers but are reluctant to move either procurement or design, even though contract manufacturers have developed both capabilities. Given the commonality of components, it can be argued that a contract manufacturer can achieve a higher level of aggregation in procurement as well as design assets. HP and Motorola, however, are reluctant to move procurement to contract manufacturers because the potential loss in power is large, whereas the aggregation gains are small given the relatively large size of both firms. Keeping part of a supply chain function in-house is also important if a complete loss of capability significantly strengthens the third party's bargaining position. The in-house capability then serves as an option that can be exercised when the need arises. The option also limits how much of the supply chain surplus the third party can keep for itself.

**5. Leakage of sensitive data and information.** Using a third party requires a firm to share demand information and in some cases intellectual property. If the third party also serves competitors, leakage is always a danger. Firms have often insisted on firewalls within the third party, but a firewall increases the specificity of assets, limiting the growth in surplus that the third party can provide. When leakage is an issue, especially with regard to intellectual property, firms often choose to keep the function in-house.

**6. Ineffective contracts.** Contracts with performance metrics that distort the third party's incentives often significantly reduce any gains from outsourcing. For example, cost-plus pricing of third-party services presents incentive problems even if the third party opens its books. This form of pricing eliminates incentives for the third party to innovate further to reduce costs. The onus for improvement falls back on the firm. Another example occurs when firms require suppliers or distributors to maintain a certain number of days of inventory as part of the contract. Such a contract reduces the third party's incentive to take actions that reduce inventories. In such a situation, it is better for the firm to contract on a desired service level and leave the third party more freedom with regard to the amount of inventory. The third party then has an incentive to work on reducing the inventory required to provide a given level of service.

**7. Loss of supply chain visibility.** Introducing third parties reduces the visibility of supply chain operations, making it harder for the firm to respond quickly to local customer and market demands. This loss of visibility can be particularly harmful for long supply chains.

**8. Negative reputational impact.** In many instances, actions regarding labor or the environment taken by the third party can have a significant negative impact on the reputation of the firm. Nike has had difficulty with several of its suppliers regarding labor practices and the environment. In 2008, Nike produced its first supply chain report on suppliers in China and reported several questionable labor practices, including underage workers, unpaid wages, and falsified documents. The reputational loss from actions by a supplier can be particularly damaging to firms like Nike with strong brands.

### 15.3 THIRD- AND FOURTH-PARTY LOGISTICS PROVIDERS

A *third-party logistics* (3PL) provider performs one or more of the logistics activities relating to the flow of product, information, and funds that could be performed by the firm itself. Traditionally, 3PLs focused on specific functions such as transportation, warehousing, and

**Table 15-2** Services Provided by 3PLs

Service Category	Basic Service	Some Specific Value-Added Services
Transportation	Inbound, outbound by ship, truck, rail, air	Tendering, track/trace, mode conversion, dispatch, freight pay, contract management
Warehousing	Storage, facilities management	Cross-dock, in-transit merge, pool distribution across firms, pick/pack, kitting, inventory control, labeling, order fulfillment, home delivery of catalog orders
Information technology	Provide and maintain advanced information/computer systems	Transportation management systems, warehousing management, network modeling and site selection, freight bill payment, automated broker interfaces, end-to-end matching, forecasting, EDI, worldwide track and trace, global visibility
Reverse logistics	Handle reverse flows	Recycling, used-asset disposition, customer returns, returnable container management, repair/refurbish
Other 3PL services		Brokering, freight forwarding, purchase-order management, order taking, loss and damage claims, freight bill audits, consulting, time-definite delivery
International		Customs brokering, port services, export crating, consolidation
Special skills/handling		Hazardous materials, temperature controlled, package/parcel delivery, food-grade facilities/equipment, bulk

information technology within the supply chain. *Armstrong's Guide to 3PLs & Global Logistics Services* (Armstrong & Associates, Inc., 2001) describes some of the services offered by 3PLs, as shown in Table 15-2.

Most 3PLs started out by focusing on one of the functions in the supply chain. For example, UPS started out as a small-package carrier. Schneider started out as a truckload carrier. Over the years, however, as the basic functions have become commoditized, 3PLs have expanded their range of services. Several customers still use 3PLs to perform a specific function. For example, Grainger handles most of the order-to-delivery cycle itself, except for outbound transportation, which is outsourced to UPS. UPS clearly increases the surplus in this case given the geographic dispersion of Grainger's customers and the small order sizes. UPS has now expanded to include warehousing, information technology, international, and a variety of other services and aims to perform a broader range of functions for its customers. The wider range of service allowed UPS to sign a contract to manage the global supply chain for National Semiconductor Corporation. UPS manages the movement of chips from National Semiconductor's plants to a global distribution center and on to customers around the world.

Similarly, Schneider Logistics offers a wide variety of services beyond truckload transportation. For the General Motors Spare Parts Operations (GMSPO), Schneider provides comprehensive logistics services from order placement to final payment. Several 3PLs such as UPS and FedEx have also added minor repairs and simple assembly to the set of services they offer their clients. Managing simple PC repairs at a UPS hub significantly cuts down on the supply chain effort when the product is under warranty because the product never has to travel beyond the UPS hub.

The trend of outsourcing a broader range of supply chain services has been growing since the late 1990s. With the increased globalization of supply chains, customers are looking for players that can manage virtually all aspects of their supply chain. This has led to the concept of a *fourth-party logistics* (4PL) provider. A 4PL was first defined by Andersen Consulting (now Accenture) as "an integrator that assembles the resources, capabilities and technology of its own organization and other organizations to design, build and run

comprehensive supply chain solutions.”<sup>1</sup> Whereas a 3PL targets a function or a set of functions, a 4PL targets management of the entire process. Some have described a 4PL as a general contractor who manages other 3PLs, truckers, forwarders, custom brokers, and others, essentially taking responsibility of a complete process for the customer. When the idea was first formulated, Andersen conceived a neutral 4PL that did not own any logistics assets itself but only managed various logistics providers. The reality has been somewhat different. Hardly any neutral 4PLs have managed to establish themselves. Many 3PLs, however, have started providing integrated services by which they serve as a 4PL and a lead logistics provider, covering some of the functions themselves.

One example of a lead logistics provider is Kuehne & Nagel AG, a Swiss freight forwarder. It has formed Kuehne & Nagel Lead Logistics (K&N), which is positioned as a 4PL. In 2002, Nortel Networks hired K&N to handle all its outbound logistics from factories to customers. K&N now manages 35 to 40 forwarders, warehouse managers, truckers, and other logistics providers worldwide for Nortel. K&N itself provides some of these services to Nortel.

A fundamental question is how a 4PL adds value relative to a firm managing its own logistics providers. Another related question is the extent of resources that the 4PL is dedicating to a particular firm (asset specificity) and if these resources can be used elsewhere. This is particularly relevant in the case of K&N and Nortel because K&N took on nearly 100 Nortel employees who were managing the supply chain earlier. One answer often put forth is that outsourcing to K&N allows Nortel to apply its limited capital toward its core business. Keep in mind, however, that outsourcing a noncore activity such as logistics does not guarantee any growth in the supply chain surplus. The K&N and Nortel relationship can survive in the long term only if K&N can increase the surplus in a way that Nortel cannot and K&N does not have significant resources dedicated solely to Nortel. In fact, in 2010, K&N had to lay off 115 employees at its warehouse in Chapel Hill, North Carolina, because of the downsizing of Nortel in that area. In this instance, K&N could not repurpose resources that were earlier dedicated to Nortel.

The fundamental advantage that a 4PL may provide comes from greater visibility and coordination over a firm’s supply chain and improved handoffs between logistics providers. Greater visibility and coordination require the use of sophisticated information technology. Given the high cost of development or purchase of this technology and the expertise required for implementation, a 4PL can increase the surplus by spreading this cost across multiple customers. Many 4PLs have developed their own suite of IT applications, whereas others integrate across IT applications from multiple providers. For example, Schneider Logistics has a suite called SUMIT, whereas Exel plc Americas uses applications from a variety of providers such as i2 Technologies and CAPS. A 4PL can also increase the supply chain surplus by effectively aggregating demands from customers and capacity of logistics providers.

An excellent example of a firm that does both is Li & Fung, which has built a multi-billion-dollar business helping global companies such as Reebok manage sourcing and production across many locations in the developing world. The company has been an intermediary between suppliers in the developing world and global buyers since it was founded in 1906. Li & Fung originally exported jade, porcelain, and silk from China to the United States. In the 1970s, the firm expanded its network of suppliers and is now able to get around regional trade umbrellas such as the European Union and NAFTA by sourcing appropriately. Li & Fung is an information hub that is able to link thousands of factories in 32 countries to almost a thousand customers in an optimal manner. Li & Fung reserves 30 to 70 percent of a supplier’s capacity. These factories are accustomed to reliable repeat business from Li & Fung and are thus willing to commit this capacity. Li & Fung maintains detailed capability information for each factory that is used to match it to appropriate customer orders as they arrive. For its customers, Li & Fung facilitates short lead time production. This allows customers to observe sales trends before committing to

<sup>1</sup> Retrieved from <http://en.wikipedia.org/wiki/4PL> on January 29, 2006.

an order. When an order arrives, Li & Fung procures yarn from one supplier, gets on the production schedule of a weaving mill, and finally farms out production of the garment to ensure that the delivery schedule is met. All of this is done to minimize production cost while meeting delivery schedules. Clearly, Li & Fung is an integrator that adds to the supply chain surplus in ways that no individual customer or supplier could. The firm aggregates demand across hundreds of customers and capacity across thousands of suppliers and uses detailed information on both to match supply and demand in the most cost-effective manner.

As supply chains become more global, 3PLs with a broad range of services are enjoying an advantage in the marketplace. This has led to a series of mergers, with large 3PLs getting even larger. With the increasing use of postponement, especially in the electronics industry, intermediaries are being asked to take on partial manufacturing responsibilities. This has led to a blurring of the distinction between 3PLs and contract manufacturers. The larger 3PLs are increasingly trying to offer some form of final assembly as part of their service. For example, UPS has offered a variety of assembly and basic repair services to its clients. Contract manufacturers in turn are expanding their logistics capabilities by either buying or partnering with logistics providers. Celestica, a contract manufacturer, has partnered with Exel Logistics, FedEx, Kuehne & Nagel, and Panalpina as its logistics providers. Another contract manufacturer, Flextronics, bought a few logistics providers in the early 2000s. In each case, the goal was to provide a complete production and distribution service to the customer.

## 15.4 USING TOTAL COST TO SCORE AND ASSESS SUPPLIERS

When making the outsourcing decision or comparing suppliers, many firms make the fundamental mistake of focusing only on the quoted price, ignoring the fact that many factors affect the total cost of using a supplier. For instance, suppliers have different replenishment lead times. Does it pay to select a more expensive supplier with a shorter lead time? Or consider suppliers that have different on-time performance. Is the more reliable supplier worth the few extra pennies it charges per piece?

In each of these instances, the price charged by the supplier is only one of many factors that affect the supply chain surplus. When scoring and assessing suppliers, one can organize the factors influencing total cost as shown in Table 15-3.

The performance of each potential source (including in-house production) must be rated on each of these factors because all affect the total supply chain cost. It is important to consider

**Table 15-3** Factors Influencing Total Cost and Supplier Performance

Performance Category	Category Components	Quantifiable?
Supplier price	Labor, material, overhead, local taxes, and compliance costs	Yes
Supplier terms	Net payment terms, delivery frequency, minimum lot size, quantity discounts	Yes
Delivery costs	All transportation costs from source to destination, packaging costs	Yes
Inventory costs	Supplier inventory, including raw material, in process and finished goods, in-transit inventory, finished goods inventory in supply chain	Yes
Warehousing cost	Warehousing and material handling costs to support additional inventory	Yes
Quality costs	Cost of inspection, rework, product returns	Yes
Reputation	Reputation impact of quality problems	No
Other costs	Exchange rate trends, taxes, duties	Yes
Support	Management overhead and administrative support	Difficult
Supplier capabilities	Replenishment lead time, on-time performance, flexibility, information coordination capability, design coordination capability, supplier viability	To some extent

trends that may exist especially if some of the sources are located overseas. Trends include exchange rates, local inflation in material and labor cost, transportation costs, and tariffs. This is especially true today given that rapid change in these factors. Goel, Moussavi, and Srivatsan (2008) point out that producing a mid-range server in Asia in 2003 would have produced significant savings in 2003 relative to producing it in the United States. Between 2005 and 2008, ocean freight costs increased by 135 percent, the Chinese yuan appreciated by 18 percent, and Chinese manufacturing wages went up by 44 percent. By 2008, freight and labor costs had increased enough to make production in the United States cheaper than production in Asia. Until 2008, many manufacturers viewed offshoring as a necessity, given that the offshore prices were 25 to 40 percent lower than those of local suppliers. By 2008, however, many executives realized that longer supply chains, lack of visibility, quality problems, growing transportation costs, and rising wages in developing countries made sourcing from local suppliers much more attractive. The lower transportation distance further increases the attractiveness of local suppliers from an environmental perspective. Given that a sourcing decision is unlikely to be changed quickly, it is important to include trends and scenarios (see Chapter 6) in the total cost analysis.

### Key Point

Supplier performance should be compared based on the impact on total cost. In addition to purchase price, the total cost is influenced by supplier terms, delivery costs, inventory costs, warehousing costs, quality costs, reputational impact, support costs, other costs such as exchange rates, taxes, and supplier capabilities.

In Example 15-1, we illustrate a simple comparison of two suppliers with different prices and other performance characteristics. This example considers only some of the quantifiable factors.

### EXAMPLE 15-1 Comparing Suppliers Based on Total Cost

Green Thumb, a manufacturer of lawn mowers and snowblowers has historically purchased a thousand bearings per week from a local supplier who charges \$1.00 per bearing. The purchasing manager has identified another potential source willing to supply the bearings at \$0.97 per bearing. Before making his decision, the purchasing manager evaluates the performance of the two suppliers. The local supplier has an average lead time of two weeks and has agreed to deliver the bearings in batches of 2,000. Based on past on-time performance, the purchasing manager estimates that the lead time has a standard deviation of one week. The new source has an average lead time of six weeks with a standard deviation of four weeks. The new source requires a minimum batch size of 8,000 bearings. Which supplier should the purchasing manager go with (ignore ordering cost and focus on material cost and holding cost when making your decision)? Green Thumb has a holding cost of 25 percent. It currently uses a continuous review policy for managing inventory and aims for a cycle service level of 95 percent. Weekly demand has a mean of 1,000 and a standard deviation of 300.

#### Analysis:

The suppliers' performance along lead time and lead time variability affects the safety inventory that Green Thumb must hold, and the minimum batch-size requirement affects the cycle inventory held. Thus, the purchasing manager should evaluate the total cost of using each supplier. First consider the cost of using the current local supplier:

$$\text{Annual material cost} = 1,000 \times 52 \times 1 = \$52,000$$

$$\text{Average cycle inventory (using Equation 11.1)} = 2,000/2 = 1,000$$

$$\text{Annual cost of holding cycle inventory} = 1,000 \times 1 \times 0.25 = \$250$$

$$\begin{aligned} \text{Standard deviation of demand} \\ \text{during lead time (using Equation 12.11)} &= \sqrt{2 \times 300^2 + 1,000^2 \times 1^2} = 1,086.28 \\ \text{Safety inventory required with} \\ \text{current supplier (using Equation 12.9)} &= \text{NORMSINV}(0.95) \times 1,086.28 = 1,787 \\ \text{Annual cost of holding safety inventory} &= 1,787 \times 1 \times 0.25 = \$447 \\ \text{Annual cost of using current supplier} &= 52,000 + 250 + 447 = \$52,697 \end{aligned}$$

Next consider the cost of using the new supplier:

$$\begin{aligned} \text{Annual material cost} &= 1,000 \times 52 \times 0.97 = \$50,440 \\ \text{Average cycle inventory (using Equation 11.1)} &= 8,000/2 = 4,000 \\ \text{Annual cost of holding cycle inventory} &= 4,000 \times 0.97 \times 0.25 = \$970 \\ \text{Standard deviation of demand} \\ \text{during lead time (using Equation 12.11)} &= \sqrt{6 \times 300^2 + 1,000^2 \times 4^2} = 4,066.94 \\ \text{Safety inventory required with} \\ \text{current supplier (using Equation 12.9)} &= \text{NORMSINV}(0.95) \times 4,066.94 = 6,690 \\ \text{Annual cost of holding safety inventory} &= 6,690 \times 0.97 \times 0.25 = \$1,622 \\ \text{Annual cost of using new supplier} &= 50,440 + 970 + 1,622 = \$53,032 \end{aligned}$$

Observe that the new supplier has a lower annual material cost but a higher annual total cost. Taking all performance characteristics into account, the purchasing manager should continue to use the current supplier.

## 15.5 SUPPLIER SELECTION—AUCTIONS AND NEGOTIATIONS

Before selecting suppliers, a firm must decide whether to use single sourcing or multiple suppliers. Single sourcing guarantees the supplier sufficient business when the supplier has to make a significant buyer-specific investment. The buyer-specific investment may take the form of plant and equipment designed to produce a part that is specific to the buyer or may take the form of expertise that needs to be developed. Single sourcing is also used in the automotive industry for parts such as seats that must arrive in the sequence of production. Coordinating such sequencing is impossible with multiple sources. As a result, auto companies have a single seat source for each plant but multiple seat sources across their manufacturing network. Having multiple sources ensures a degree of competition and also lowers risk by providing a backup should a source fail to deliver.

A good test of whether a firm has the right number of suppliers is to analyze what impact deleting or adding a supplier will have. Unless each supplier has a somewhat different role, it is likely that the supply base is too large. In contrast, unless adding a supplier with a unique and valuable capability clearly adds to total cost, the supply base may be too small.

The selection of suppliers is done using a variety of mechanisms, including offline competitive bids, reverse auctions, or direct negotiations. No matter what mechanism is used, supplier selection should be based on the total cost of using a supplier and not just the purchase price. Next, we discuss some auction mechanisms that are often used in practice and highlight some of their properties.

### Auctions in the Supply Chain

When outsourcing to a third party, firms have historically obtained competitive bids and in recent years have used reverse auctions on the Internet. Competitive bids are a form of auction in which the bids are not revealed to the other bidders. In the following discussion, we treat them as

auctions. An excellent discussion on auctions can be found in Krishna (2002) and Milgrom (2004). Much of the following discussion is a summary of their ideas.

In many supply chain settings, a buyer looks to outsource a supply chain function such as production or transportation. Potential suppliers are first qualified and then allowed to bid on how much they would charge to perform the function. The qualification process is important because there are multiple attributes of performance (as outlined in Table 15-3) that the buyer cares about. When conducting an auction based primarily on unit price, it is thus important for the buyer to specify performance expectations along all dimensions other than price. In reality, a buyer may be better off with a multi-attribute auction, but in most cases buyers end up with specifications on various attributes and a price-only auction. The qualification process is used to identify suppliers that meet performance expectations along the non-price attributes. From the buyer's perspective, the purpose of the auction is to get bidders to reveal their underlying cost structure so that the buyer can select the supplier with the lowest costs. Commonly used mechanisms for these auctions are as follows:

- *Sealed-bid first-price auctions* require each potential supplier to submit a sealed bid for the contract by a specified time. These bids are then opened and the contract is assigned to the lowest bidder.
- In *English auctions*, the auctioneer starts with a price and suppliers can make bids as long as each successive bid is lower than the previous bid. The supplier with the last (lowest) bid receives the contract. The difference in this case is that all suppliers get to see the current lowest bid as the auction unfolds.
- In *Dutch auctions*, the auctioneer starts with a low price and then raises it slowly until one of the suppliers agrees to the contract at that price.
- In *second-price (Vickrey) auctions*, each potential supplier submits a bid. The contract is assigned to the lowest bidder but at the price quoted by the second-lowest bidder.

When identifying the auction to use, the firm wants to minimize the price it pays. It may also care about ending up with the supplier with the lowest underlying costs because it makes it more likely that the supplier will actually be able to supply at the price it has committed to. A related issue is whether suppliers have any incentive to make false bids that are not consistent with their cost structure. Such bids may increase what the firm pays and also lead to the contract being given to a firm that does not have the lowest costs.

An important issue with the sealed-bid first-price auction is what is known as the “winner’s curse.” Once selected based on sealed bids, the winner quickly realizes that it could have raised its bid slightly and still won, because other suppliers bid at a higher level. In this sense, winning the bid leads the winner to realize that it left money on the table. Thus, bidders adjust their initial sealed bids upward, taking this phenomenon into account. This issue does not arise in any open auction, where bidders see the current best bid when planning their next bid. This issue also does not arise in the second-price auction because the winner gets the price quoted by the second-lowest bidder and thus has no incentive to hide its true cost.

The following factors influence the performance of an auction:

- Is the supplier’s cost structure private (not affected by factors that are common to other bidders)?
- Are suppliers symmetric or asymmetric; that is, ex ante, are they expected to have similar cost structures?
- Do suppliers have all the information they need to estimate their cost structure?
- Does the buyer specify a maximum price it is willing to pay?

Let us start with the cost structures for suppliers. In most instances, it is reasonable to assume that part of the supplier’s cost arises from how it has structured its processes and part of its cost arises from market factors such as raw material and labor costs that are common across suppliers. In other words, the suppliers’ cost structure is likely to be interdependent and correlated to some extent. This interdependence and correlation are likely to be higher for suppliers with

similar processes located in similar markets. If suppliers are symmetric with costs that are interdependent and correlated, the expected price that a firm has to pay using an English auction is no more than that in a second-price auction, which is no more than in a sealed-bid first-price auction. In other words, under these conditions the English auction is likely to fetch the lowest price for the firm. If suppliers are asymmetric, however, it is possible that a second-price auction may do better than an English auction.

If the buyer firm has some information that has a direct bearing on suppliers' costs, and the suppliers are aware that the firm has this information but do not know the information themselves, it is in the best interest of the firm to reveal this information. Under all auction mechanisms (with symmetric bidders), the buyer pays less with all information revealed than with less information revealed. Thus, it is in the best interest of the buyer to specify its needs clearly and reveal all information related to the supply chain task of which it is aware. Not revealing this information leads the bidders to shade their bids to guard against the winner's curse, resulting in an increase in the price paid by the buyer. Thus, it is in the buyer's interest not only to reveal all public information before bidding but also to convince potential suppliers that all information has been revealed.

A significant factor that must be accounted for when designing an auction is the possibility of collusion among bidders. Second-price auctions are particularly vulnerable to collusion among bidders. Consider an agreement among bidders under which the bidder with the lowest cost agrees to bid its true cost, with all other bidders bidding a high number (say, the cost of the most expensive bidder or the reserve price of the buyer). In a second-price auction, the lowest-cost bidder gets to perform the supply chain function but the buyer has to pay a higher price than the cost of the second-lowest-cost supplier. This collusion strategy results in an equilibrium because none of the other bidders has anything to gain by deviating from the collusion agreement. Observe that this collusion strategy can be avoided with any first-price auction, either sealed bid or English. In either case, a collusion agreement with a high price will not hold, because many bidders will have the temptation to join the bidding if they have a lower cost. Ultimately, any first-price auction will bring more than the lowest-cost bidder into the auction.

Collusion results in suppliers suppressing their desire to provide the supply chain function and raising their bids from what would be appropriate given their cost. This is often the case in multiunit auctions, in which the buyer wants suppliers to bid on a certain quantity of the supply chain function. In *multiunit Dutch auctions*, the buyer starts by announcing a low price and then raises it slowly until a supplier is willing to provide one unit of the goods or services. The price is raised slowly until suppliers have committed to all units of goods or services desired by the buyer. In this auction, each unit is supplied at a different price. In a *multiunit English auction*, the buyer starts at a high price and bidders announce the quantity they are willing to supply. If the total quantity that suppliers are willing to supply exceeds the desired quantity, the buyer lowers the price until the quantity for which suppliers bid equals the desired quantity. All suppliers then get to supply at this price. This auction is also referred to as the *uniform-price auction*. Suppliers in either auction can raise the final price by colluding and forming a bidding ring that assigns only one bidder to enter the auction process for the entire ring. After the initial auction, the ring then has a separate auction to divide up the quantity it has been assigned among its members. An excellent discussion on collusion can be found in Porter (2004).

### Key Point

Buyers should structure auctions to minimize their cost and have the lowest-cost supplier(s) win with their bid. Open auctions such as the English auction are likely to achieve this outcome. Sealed first-price auctions are subject to the winner's curse because the winner knows ex post that it could have lowered its bid and still won. This causes it to adjust its initial bid higher. Auctioneers must take care to avoid collusion among bidders and make an effort to detect collusion if it has occurred.



## Basic Principles of Negotiation

In some instances, the third party that will perform a given supply chain function has been identified, and the firm enters into a negotiation to set the terms of the contract. Negotiation is likely to result in a positive outcome only if the value the buyer places on outsourcing the supply chain function to this supplier is at least as large as the value the supplier places on performing the function for the buyer. The value that a supplier places on performing a function is influenced by its cost as well as other alternatives that are available for its existing capacity. Similarly, the value that the buyer places is influenced by the cost of performing the function in-house and the price available from alternative suppliers. The difference between the values of the buyer and seller is referred to as the *bargaining surplus*. The goal of each negotiating party is to capture as much of the bargaining surplus as possible.

An excellent discussion on negotiations is available in Thompson (2005). We mention some of the highlights from her discussion. The first recommendation is to have a clear idea of your own value and as good an estimate of the third party's value as possible. A good estimate of the bargaining surplus improves the chance of a successful outcome. Suppliers of Toyota have often mentioned that "Toyota knows our costs better than we do," which leads to better negotiations. The second recommendation is to look for a fair outcome based on equally or equitably dividing the bargaining surplus or dividing it based on needs. Equity here refers to a division of the surplus in proportion to the contribution by each party.

The key to a successful negotiation, however, is to make it a win-win outcome. It is impossible to obtain a win-win outcome if the two parties are negotiating on a single dimension such as price. In this setting, one party can only "win" at the expense of the other. To create a win-win negotiation, the two parties have to identify more than one issue to negotiate. Identifying multiple issues allows the opportunity to expand the pie if the two parties have different preferences. This is often easier than it seems in a supply chain setting. A buyer typically cares not just about the price of performing the supply chain function but also about the responsiveness and quality (two of the dimensions identified in Table 15-3). If the supplier finds it harder to lower the price but easier to reduce the response time, there is an opportunity for a win-win resolution in which the supplier offers better responsiveness without changing the price. Thompson discusses many hurdles in the negotiation process and also suggests effective strategies.

## 15.6 CONTRACTS, RISK SHARING, AND SUPPLY CHAIN PERFORMANCE

A supply contract specifies parameters governing the buyer-supplier relationship. In addition to making the terms of the buyer-supplier relationship explicit, contracts have significant impact on the behavior and performance of all stages in a supply chain. Contracts should be designed to facilitate desirable supply chain outcomes by growing the supply chain surplus and minimizing actions that hurt performance. A manager should ask the following three questions when designing a supply chain contract:

1. How will the contract affect the firm's profits and total supply chain profits?
2. Will the incentives in the contract introduce any information distortion?
3. How will the contract influence supplier performance along key performance measures?

Ideally, a contract should be structured to increase the firm's profits and supply chain profits, discourage information distortion, and offer incentives to the supplier to improve performance along key dimensions. Many shortcomings in supply chain performance occur because the buyer and supplier are different entities, each trying to optimize its own profits.

### Contracts for Product Availability and Supply Chain Profits

Independent actions taken by two parties in a supply chain often result in profits that are lower than those that could be achieved if the supply chain were to coordinate its actions with a

common objective of maximizing supply chain profits. As discussed in Chapter 11, double marginalization reduces supply chain profits because the supply chain margin is divided between the two parties, and each stage makes its decisions considering only its own margin. We now discuss several other instances in which double marginalization leads to a loss in supply chain performance in the presence of demand uncertainty.

Given demand uncertainty, a manufacturer wants the retailer to carry a large inventory of its product to ensure that any surge in demand can be satisfied. The retailer, on the other hand, loses money on any unsold inventory. As a result, the retailer prefers to carry a lower level of inventory. This tension leads to a supply chain outcome that is suboptimal.

In a contract in which the supplier specifies a fixed price and the buyer decides on the quantity to be purchased, the most common cause for suboptimal supply chain performance is double marginalization. The retailer makes its buying decision before demand is realized and thus bears all the demand uncertainty. If demand is less than the retailer's inventory, the retailer has to liquidate unsold product at a discount. Given uncertain demand, the retailer decides on the purchase quantity based on its margin and the cost of overstocking as discussed in Chapter 13. The retailer's margin, however, is lower than the contribution margin for the entire supply chain, whereas its cost of overstocking is higher than that for the entire supply chain. As a result, the retailer is conservative and aims for a lower level of product availability than is optimal for the supply chain leading to a loss of supply chain surplus.

Consider a music store that sells compact discs. The supplier buys (or manufactures) compact discs at \$1 per unit and sells them to the music store at \$5 per unit. The retailer sells each disc to the end consumer at \$10. At this retail price, market demand is normally distributed, with a mean of 1,000 and a standard deviation of 300. The retailer has a margin of \$5 per disc and can potentially lose \$5 for each unsold disc. Using Equation 13.1, it is optimal for the retailer to aim for a service level of 0.5 and order 1,000 discs. From Equation 13.3, the retailer's expected profits are \$3,803, and the manufacturer makes \$4,000 from selling 1,000 discs. For the supply chain, however, the supplier and the retailer together have a margin of \$9 and can lose a maximum of only \$1 per unsold disc. For the entire supply chain, it is thus optimal to aim for a service level of 0.9 and stock 1,384 discs. The expected supply chain profit in this case is \$8,474. The music store is thus conservative and carries fewer discs than are optimal for the supply chain. As a result, the supply chain makes \$670 less than it would expect to if the retailer and the supplier worked together.

To improve overall profits, the supplier must design a contract that encourages the buyer to purchase more and increase the level of product availability. This requires the supplier to share in some of the buyer's demand uncertainty. Three contracts that increase overall profits by making the supplier share some of the buyer's demand uncertainty are as follows:

1. Buyback or returns contracts
2. Revenue-sharing contracts
3. Quantity flexibility contracts

We illustrate each of the three contracts using the example of the music store and discuss their performance in terms of the three questions raised earlier.

**BUYBACK CONTRACTS** A buyback or returns clause in a contract allows a retailer to return unsold inventory up to a specified amount, at an agreed-upon price. In a *buyback contract*, the manufacturer specifies a wholesale price  $c$  along with a buyback price  $b$  at which the retailer can return any unsold units at the end of the season. We assume that the manufacturer can salvage  $\$s_M$  for any units that the retailer returns. The manufacturer has a cost of  $v$  per unit produced. The retail price is  $p$ .

The optimal order quantity  $O^*$  for a retailer in response to a buyback contract is evaluated using Equations 13.1 and 13.2, where the salvage value for the retailer is  $s = b$ . The cost of overstocking for the retailer is given by  $C_o = c - b$ , and the cost of understocking for the retailer is given by  $C_u = p - c$ . Using Equation 13.1, the optimal service level that the retailer

targets is thus given by  $CSL^* = (p-c) / (p-b)$ . Using Equation 13.2, the optimal order size by the retailer is given by  $O^* = NORMINV(CSL^*, \mu, \sigma)$ . The expected retailer profit is evaluated using Equation 13.3 with the salvage value  $s$  equal to the buyback price  $b$ . The expected profit at the manufacturer depends on the overstock at the retailer (evaluated using Equation 13.4) that is returned. We obtain

$$\begin{aligned} \text{Expected manufacturer profit} &= O^*(c - v) - (b - s_M) \\ &\quad \times \text{expected overstock at retailer} \end{aligned}$$

Continuing with the example of the music store, we have production cost  $v = \$1$ , wholesale price  $c = \$5$ , retail price  $p = \$10$ , and the manufacturer's salvage value of unsold items  $s_M = 0$ . Retail demand at a retail price of \$10 is assumed to be normally distributed, with a mean of  $\mu = 1,000$  and a standard deviation of  $\sigma = 300$ . Recall that without a buyback clause, that is  $b = 0$ , the retailer finds it optimal to target a service level of  $CSL^* = 0.5$  and order  $O^* = 1,000$  units because the cost of overstocking is  $C_o = c - b = 5 - 0 = \$5$ , and the cost of understocking is  $C_u = p - c = 10 - 5 = \$5$ . If the supplier to the music store agrees to buy back discs that have not sold at  $b = \$3$  per disc, the cost of overstocking for the retailer for each unsold disc decreases from \$5 to \$2 ( $5 - 3$ ) while the cost of understocking stays at \$5. The presence of the buyback clause makes it optimal for the retailer to increase the service level from 0.5 to  $5 / (5 + 2) = 0.71$  and the order size from 1,000 to 1,170. This change results in higher product availability and higher profits for both the retailer (\$4,286 instead of \$3,803) and the supplier (\$4,009 instead of \$4,000) as shown in Table 15-4 (constructed using worksheet *Table15-4* in spreadsheet *Ch15Contracts*). It is clear that the retailer's profits increase because his cost of overstocking has decreased. Despite buying back unsold inventory at \$3, the supplier's profits increase because the retailer, on average, sells more product (on which the supplier makes \$4 per unit) as shown in Table 15-4. Buyback contracts are most effective for products with a low variable cost. Examples include music, software, books, magazines, and newspapers.

From Table 15-4, observe that the use of buyback contracts increases total supply chain profits by about 20 percent when the wholesale price is \$7 per disc. For a fixed wholesale price, increasing the buyback price always increases retailer profits. In general, there exists a positive buyback price that is a fraction of the wholesale price, at which the manufacturer makes a higher profit compared to offering no buyback. Also observe that buybacks increase profits for the manufacturer more as the manufacturer's margin increases. In Table 15-4, buybacks are found to be more helpful to the manufacturer when the wholesale price is \$7 relative to when the wholesale price is \$5. Thus, the greater the manufacturer's margin, the more she stands to benefit through the use of some mechanism such as buybacks.

**Table 15-4** Order Sizes and Profits in Music Supply Chain Under Different Buyback Contracts

Wholesale Price $c$	Buyback Price $b$	Optimal Order Size for Music Store	Expected Profit for Music Store	Expected Returns to Supplier	Expected Profit for Supplier	Expected Supply Chain Profit
\$5	\$0	1,000	\$3,803	120	\$4,000	\$7,803
\$5	\$2	1,096	\$4,090	174	\$4,035	\$8,125
\$5	\$3	1,170	\$4,286	223	\$4,009	\$8,295
\$6	\$0	924	\$2,841	86	\$4,620	\$7,461
\$6	\$2	1,000	\$3,043	120	\$4,761	\$7,804
\$6	\$4	1,129	\$3,346	195	\$4,865	\$8,211
\$7	\$0	843	\$1,957	57	\$5,056	\$7,013
\$7	\$4	1,000	\$2,282	120	\$5,521	\$7,803
\$7	\$6	1,202	\$2,619	247	\$5,732	\$8,351

For a fixed wholesale price, as the buyback price increases, the retailer orders more and also returns more. In our analysis in Table 15-4, we have not considered the cost associated with a return. As the cost associated with a return increases, buyback contracts become less attractive because the cost of returns reduces supply chain profits. If return costs are high, buyback contracts can reduce the total profits of the supply chain far more than is the case without any buyback.

In 1932, Viking Press was the first book publisher to accept returns. Today, buyback contracts are common in the book industry, and publishers accept unsold books from retailers. To minimize the cost associated with a return, retailers do not have to return the book, only the cover. When publishers can verify retailer sales electronically, nothing has to be returned. The goal in either case is for the publisher to get proof that the book did not sell while reducing the cost of the return. Over the years, considerable debate has taken place about the impact of publishers' returns policy on profits in the industry. Our discussion provides some justification for the approach taken by the publishers.

### Key Point

Manufacturers can use buyback contracts to increase their own profits as well as total supply chain profits. Buybacks encourage retailers to increase the level of product availability.

In some instances, manufacturers use holding-cost subsidies or price protection to encourage retailers to order more. With *holding-cost subsidies*, manufacturers pay retailers a certain amount for every unit held in inventory over a given period. Holding-cost subsidies are prevalent in automotive supply chains. In the high-tech industry, in which products lose value rapidly, manufacturers share the risk of product becoming obsolete by providing *price support* to retailers. Many manufacturers guarantee that in the event they drop prices, they will also lower prices for all inventories that the retailer is currently carrying and compensate the retailer accordingly. As a result, the cost of overstocking at the retailer is limited to the cost of capital and physical storage and does not include obsolescence, which can be more than 100 percent a year for high-tech products. The retailer thus increases the level of product availability in the presence of price support. Both holding-cost subsidies and price support are forms of buyback.

A downside to the buyback clause (or any equivalent practice such as holding-cost subsidy or price support) is that it leads to surplus inventory that must be salvaged or disposed. The task of returning unsold product increases supply chain costs. The cost of returns can be eliminated if the manufacturer gives the retailer a markdown allowance and allows it to sell the product at a significant discount. Publishers today generally do not ask retailers to return unsold books. Instead, they give a markdown allowance for them. Retailers mark them down and sell them for a considerable discount.

For a given level of product availability at the retailer, the presence of a buyback clause can also hurt sales because it leads the retailer to exert less effort to sell than it would without buybacks. The reduction in retailer effort in the presence of buyback occurs because its loss from unsold inventory is higher when there is no buyback, leading to a higher sales effort for products with no buyback. The supplier can counter the reduction in sales effort by limiting the amount of buyback permitted.

The structure of a buyback clause leads to the entire supply chain reacting to the order placed by the retailer and not actual customer demand. If a supplier is selling to multiple retailers, it produces based on the orders placed by each retailer. Each retailer bases its order on its cost of overstocking and understocking (see Chapter 13). After actual sales materialize, unsold inventory is returned to the supplier separately from each retailer. As a result, the structure of the buyback clause increases information distortion when a supplier is selling to multiple retailers. At the end of the sales season, however, the supplier does obtain information on actual sales. Information distortion is driven primarily by the fact that inventory is disaggregated at the retailers. If inventory

is centralized at the supplier and sent out only as needed to the retailers, information distortion can be reduced. With centralized inventory, the supplier can exploit independence of demand across retailers to carry a lower level of inventory. In practice, however, most buyback contracts have decentralized inventory at retailers. As a result, there is a high level of information distortion.

### Key Point

Buyback contracts lead to a lower retailer effort in case of overstocking and increased information distortion within the supply chain. Buybacks are best limited to products with small per unit production cost.

**REVENUE-SHARING CONTRACTS** In *revenue-sharing* contracts, the manufacturer charges the retailer a low wholesale price  $c$ , and shares a fraction  $f$  of the retailer's revenue. Even if no returns are allowed, the lower wholesale price decreases the cost to the retailer in case of an overstock. The retailer thus increases the level of product availability resulting in higher profits for both the manufacturer and the retailer.

Assume that the manufacturer has a production cost  $v$ ; the retailer charges a retail price  $p$  and can salvage any leftover units for  $s_R$ . The optimal order quantity  $O^*$  ordered by the retailer is evaluated using Equations 13.1 and 13.2, where the cost of understocking is  $C_u = (1 - f)p - c$  and the cost of overstocking is  $C_o = c - s_R$ . We thus obtain

$$CSL^* = \text{probability}(\text{demand} \leq O^*) = \frac{C_u}{C_u + C_o} = \frac{(1 - f)p - c}{(1 - f)p - s_R}$$

The manufacturer obtains the wholesale price  $c$  for each unit purchased by the retailer and a share of the revenue for each unit sold by the retailer. The expected overstock at the retailer is obtained using Equation 13.4. The manufacturer's profits are thus evaluated as

$$\begin{aligned} \text{Expected manufacturers profits} &= (c - v) O^* \\ &+ fp(O^* - \text{expected overstock at retailer}) \end{aligned}$$

The retailer pays a wholesale price  $c$  for each unit purchased and obtains a revenue of  $(1 - f)p$  for each unit sold and a revenue of  $s_R$  for each unit overstocked. The retailer's expected profit is thus evaluated as

$$\begin{aligned} \text{Expected retailer profit} &= (1 - f)p(O^* - \text{expected overstock at retailer}) \\ &+ s_R \times \text{expected overstock at retailer} - cO^* \end{aligned}$$

We return to the example of the music store. The supplier agrees to sell each disc to the music store at  $c = \$1$ , but the music store agrees to share 45 percent of the revenue from each disc sold. If each disc is priced at \$10, the supplier gets \$4.5 for each disc sold and the music store keeps \$5.5. Recall that at a retail price of \$10, demand for discs is normally distributed, with a mean of  $\mu = 1,000$  and a standard deviation of  $\sigma = 300$ . The music store has a cost of overstocking of  $C_o = c - s_R = 1 - 0 = \$1$  and a cost of understocking of  $C_u = (1 - f)p - c = (1 - 0.45) \times 10 - 1 = \$4.5$ . The music store targets a service level of  $CSL^* = 4.5 / (4.5 + 1) = 0.818$  or 81.8 percent (see Equation 13.1) and orders 1,273 discs. Observe that this is much larger than when the wholesale price was \$5 and there was no revenue sharing. The increase in order size occurs because the retailer loses only \$1 per unsold disc (instead of \$5 per disc without revenue sharing), while making a margin of \$4.5 for each disc that sells.

Table 15-5 (constructed using worksheet *Table15-5* in spreadsheet *Ch15Contracts*) provides the outcome in terms of order sizes and profits for different wholesale prices and

**Table 15-5** Order Sizes and Profits in Music Supply Chain Under Different Revenue-Sharing Contracts

Wholesale Price $c$	Revenue-Sharing Fraction $f$	Optimal Order Size for Music Store	Expected Overstock at Music Store	Expected Profit for Music Store	Expected Profit for Supplier	Expected Supply Chain Profit
\$1	0.30	1,320	342	\$5,526	\$2,934	\$8,460
\$1	0.45	1,273	302	\$4,064	\$4,367	\$8,431
\$1	0.60	1,202	247	\$2,619	\$5,732	\$8,350
\$2	0.30	1,170	223	\$4,286	\$4,009	\$8,295
\$2	0.45	1,105	179	\$2,881	\$5,269	\$8,150
\$2	0.60	1,000	120	\$1,521	\$6,282	\$7,803

revenue-sharing fractions  $f$ . From Tables 15-4 and 15-5, observe that revenue sharing allows both the manufacturer and retailer to increase their profits in the absence of buybacks compared to the case in which the wholesaler sells for a fixed price of \$5 without buybacks. When charging a wholesale price of \$5, the supplier makes profit of \$4,000 and the music store makes a profit of \$3,803 (see Table 15-4). With a revenue-sharing contract that has a wholesale price of  $c = \$1$  and the supplier shares 45 percent of the revenue (the supplier gets revenue of \$4.5 for each jacket sold), however, the supplier makes a profit of \$4,367 and the retailer makes a profit of \$4,064.

Revenue-sharing contracts also result in lower retailer effort compared to when the retailer pays an up-front wholesale price and keeps the entire revenue from a sale. The drop in effort results because the retailer gets only a fraction of the revenue from each sale. One advantage of revenue-sharing contracts over buyback contracts is that no product needs to be returned, thus eliminating the cost of returns. Revenue-sharing contracts are best suited for products with low variable cost and a high cost of return. A good example of revenue-sharing contracts was implemented between Blockbuster video rentals and movie studios for videos. A studio sold each cassette to Blockbuster at a low price and then shared in the revenue generated from each rental. Given the low price, Blockbuster purchased many copies, resulting in more rentals and higher profits for both Blockbuster and the studio.

The revenue-sharing contract does require an information infrastructure that allows the supplier to monitor sales at the retailer. Such an infrastructure can be expensive to build. As a result, revenue-sharing contracts may be difficult to manage for a supplier selling to many small buyers.

As in buyback contracts, revenue-sharing contracts also result in the supply chain producing to retailer orders rather than actual consumer demand. This information distortion results in excess inventory in the supply chain and a greater mismatch of supply and demand. The information distortion increases as the number of retailers to which the supplier sells grows. As with buyback contracts, information distortion from revenue-sharing contracts can be reduced if retailers reserve production capacity or inventory at the supplier rather than buying product and holding it in inventory themselves. This allows aggregation of the variability across multiple retailers, and the supplier has to hold a lower level of capacity or inventory. In practice, however, most revenue-sharing contracts are implemented with the retailer buying and holding inventory.

### Key Point

Revenue-sharing contracts counter double marginalization by decreasing the cost per unit charged to the retailer, thus effectively decreasing the cost of overstocking. Revenue-sharing contracts increase information distortion and lead to a lower retailer effort in case of overstocking, just as buyback contracts do.

**QUANTITY FLEXIBILITY CONTRACTS** Under *quantity flexibility contracts*, the manufacturer allows the retailer to change the quantity ordered (within limits) after observing demand. If a retailer orders  $O$  units, the manufacturer commits to providing up to  $Q = (1 + \alpha)O$  units, whereas the retailer is committed to buying at least  $q = (1 - \beta)O$  units. Both  $\alpha$  and  $\beta$  are between 0 and 1. The retailer can purchase anywhere between  $q$  and  $Q$  units, depending on the demand it observes. These contracts are similar to buyback contracts in that the manufacturer now bears some of the risk of having excess inventory. Because no returns are required, these contracts can be more effective than buyback contracts when the cost of returns is high. When the supplier is selling to multiple retailers, these contracts are more effective than buyback contracts because they allow the supplier to aggregate uncertainties across multiple retailers and thus lower the level of excess inventory. Quantity flexibility contracts increase the average amount the retailer purchases and may increase total supply chain profits when structured appropriately.

Assume that the manufacturer incurs a production cost of  $\$v$  per unit and charges a wholesale price of  $\$c$  from the retailer. The retailer in turn sells to customers for a price of  $\$p$ . The retailer salvages any leftover units for  $s_R$ . The manufacturer salvages any leftover units for  $s_M$ . If retailer demand is normally distributed, with a mean of  $\mu$  and a standard deviation of  $\sigma$ , we can evaluate the impact of a quantity flexibility contract. If the retailer orders  $O$  units, the manufacturer is committed to supplying  $Q$  units. As a result, we assume that the manufacturer produces  $Q$  units. The retailer purchases  $q$  units if demand  $D$  is less than  $q$ ,  $D$  units if demand  $D$  is between  $q$  and  $Q$ , and  $Q$  units if demand  $D$  is greater than  $Q$ . Note that in the following formulas,  $F_S$  is the standard normal cumulative distribution function and  $f_S$  is the standard normal density function discussed in Appendix 12A of Chapter 12. We thus obtain

$$\begin{aligned} \text{Expected quantity purchased by retailer, } Q_R &= qF(q) + Q[1 - F(Q)] \\ &\quad + \mu \left[ F_S \left( \frac{Q - \mu}{\sigma} \right) - F_S \left( \frac{q - \mu}{\sigma} \right) \right] \\ &\quad - \sigma \left[ f_S \left( \frac{Q - \mu}{\sigma} \right) - f_S \left( \frac{q - \mu}{\sigma} \right) \right] \end{aligned}$$

$$\begin{aligned} \text{Expected quantity sold by retailer, } D_R &= Q[1 - F(Q)] \\ &\quad + \mu F_S \left( \frac{Q - \mu}{\sigma} \right) - \sigma f_S \left( \frac{Q - \mu}{\sigma} \right) \end{aligned}$$

$$\text{Expected overstock at manufacturer} = Q_R - D_R$$

$$\text{Expected retailer profit} = D_R \times p + (Q_R - D_R)s_R - Q_R \times c$$

$$\text{Expected manufacturer profit} = Q_R \times c + (Q - Q_R)s_M - Q \times v$$

In our example, the music store would place an initial order for, say, 1,000 discs. Closer to the release date, as the store got a better idea of actual demand, it would be allowed to modify its order to any number between (say) 950 and 1,050. In this contract, the retailer modifies its order as it gains better market intelligence over time. The supplier in turn sends only the modified order quantity. The amount ordered by the retailer is more in line with actual demand, resulting in higher profits for the supply chain. For a supplier, the quantity flexibility contract makes sense if it has flexible capacity that can be used to produce at least the uncertain part of the order after the retailer has decided on the modification. A quantity flexibility contract is also effective if a supplier is selling to multiple retailers with independent demand because it allows uncertainties to be aggregated by the supplier.

In Table 15-6, we show the impact of different quantity flexibility contracts on profitability for the music supply chain when demand is normally distributed, with a mean of  $\mu = 1,000$  and a standard deviation of  $\sigma = 300$  (see worksheet *Table 15-6* in spreadsheet *Ch15Contracts*). We assume a wholesale price of  $c = \$5$  and a retail price of  $p = \$10$ . All contracts considered are such that  $\alpha = \beta$ . The results in Table 15-6 are built in two steps. We

**Table 15-6** Profits at Music Supply Chain Under Different Quantity Flexibility Contracts

$\alpha$	$\beta$	Wholesale Price $c$	Order Size $O$	Expected Purchase by Retailer	Expected Sale by Retailer	Expected Profits for Retailer	Expected Profits for Supplier	Expected Supply Chain Profit
0.00	0.00	\$5	1,000	1,000	880	\$3,803	\$4,000	\$7,803
0.05	0.05	\$5	1,017	1,014	966	\$4,038	\$4,004	\$8,416
0.20	0.20	\$5	1,047	1,023	967	\$4,558	\$3,858	\$8,416
0.00	0.00	\$6	924	924	838	\$2,841	\$4,620	\$7,461
0.20	0.20	\$6	1,000	1,000	955	\$3,547	\$4,800	\$8,347
0.30	0.30	\$6	1,021	1,006	979	\$3,752	\$4,711	\$8,463
0.00	0.00	\$7	843	843	786	\$1,957	\$5,056	\$7,013
0.20	0.20	\$7	947	972	936	\$2,560	\$5,666	\$8,226
0.40	0.40	\$7	1,000	1,000	987	\$2,873	\$5,600	\$8,473

first fix  $\alpha$  and  $\beta$  (say  $\alpha = \beta = 0.2$ ). The next step is to identify the optimal order size for the retailer. This is done using Excel by selecting an order size that maximizes expected retailer profits given  $\alpha$  and  $\beta$ . For example, when  $\alpha = \beta = 0.05$  and  $c = \$5$ , retailer profits are maximized for an order size of  $O = 1,017$ . For this order size, we obtain a supplier commitment to deliver up to  $Q = (1 + 0.05) \times 1,017 = 1,067$  and a retailer commitment to buy at least  $q = (1 - 0.05) \times 1,017 = 966$  discs. In our analysis, we assume that the supplier produces  $Q = 1,067$  discs and sends the precise number (between 966 and 1,067) demanded by the retailer. Such a policy results in retailer profits of \$4,038 and supplier profits of \$4,004.

From Table 15-6, observe that quantity flexibility contracts allow both the manufacturer and the retailer to increase their profits. Observe that as the manufacturer increases the wholesale price, it is optimal for it to offer greater quantity flexibility to the retailer.

Quantity flexibility contracts are common for components in the electronics and computer industry. In the previous discussion, we considered fairly simple quantity flexibility contracts. Benetton has used sophisticated quantity flexibility contracts with its retailers successfully to increase supply chain profits. We describe such a contract in the context of colored knit garments.<sup>2</sup>

Seven months before delivery, Benetton retailers were required to place their orders. Consider a retailer placing an order for 100 sweaters each in red, blue, and yellow. One to three months before delivery, retailers could alter up to 30 percent of the quantity ordered in any color and assign it to another color. The aggregate order, however, could not be adjusted at this stage. Potentially, the retailer could change the order to 70 red, 70 blue, and 160 yellow sweaters. After the start of the sales season, retailers were allowed to order up to 10 percent of their previous order in any color. Potentially, the retailer could order another 30 yellow sweaters. In this quantity flexibility contract, Benetton retailers had a flexibility of up to 10 percent on the aggregate order across all colors and of about 40 percent for individual colors. Retailers could increase the aggregate quantity ordered by up to 10 percent and the quantity for any individual color could be adjusted by up to 40 percent. This flexibility is consistent with the fact that aggregate forecasts are more accurate than forecasts for individual colors. As a result, retailers could better match product availability with demand. The guaranteed portion of the order was manufactured by Benetton using an inexpensive but long lead time production process. The flexible part of the order (about 35 percent) was manufactured using postponement. The result was a better matching of supply and demand at lower cost than in the absence of such a contract. The quantity flexibility contract allowed both the retailers and Benetton to increase their profits.

<sup>2</sup> See Heskett and Signorelli (1984).



If the supplier has flexible capacity, a quantity flexibility contract increases profits for the entire supply chain and also each party. The quantity flexibility contract requires either inventory or excess flexible capacity to be available at the supplier. If the supplier is selling to multiple retailers with independent demand, the aggregation of inventory leads to a smaller surplus inventory (see Chapter 12) with a quantity flexibility contract compared to either a buyback or revenue-sharing contract. Inventories can be further reduced if the supplier has excess flexible capacity. Quantity flexibility contracts are thus preferred for products with high marginal cost or when surplus capacity is available. To be effective, quantity flexibility contracts require the retailer to be good at gathering market intelligence and improving its forecasts closer to the point of sale.

Relative to buyback and revenue-sharing contracts, quantity flexibility contracts have less information distortion. Consider the case with multiple retailers. With a buyback contract, the supply chain must produce based on the retailer orders that are placed well before actual demand arises. This leads to surplus inventory being disaggregated at each retailer. With a quantity flexibility contract, retailers specify only the range within which they will purchase, well before actual demand arises. If demand at various retailers is independent, the supplier does not need to plan production to the high end of the order range for each retailer. It can aggregate uncertainty across all retailers and build a lower level of surplus inventory than would be needed if inventory were disaggregated at each retailer. Retailers then order closer to the point of sale, when demand is more visible and less uncertain. The aggregation of uncertainty results in less information distortion with a quantity flexibility contract.

Like the other contracts discussed, quantity flexibility contracts result in lower retailer effort. In fact, any contract that gets retailers to provide a higher level of product availability by not making them fully responsible for overstocking will result in a lowering of retailer effort for a given level of inventory.

### Key Point

Quantity flexibility contracts counter double marginalization by giving the retailer the ability to modify the order based on improved forecasts closer to the point of sale. These contracts result in lower information distortion than buyback or revenue-sharing contracts when a supplier sells to multiple buyers or the supplier has excess, flexible capacity.

## Contracts to Coordinate Supply Chain Costs

Differences in costs at the buyer and supplier also lead to decisions that increase total supply chain costs. An example is the replenishment lot size decision typically made by the buyer as discussed in Chapter 11. The buyer decides on its optimal lot size based on its fixed cost per lot and the cost of holding inventory. The buyer does not account for the supplier's costs. If the supplier has a high fixed cost per lot, the optimal lot size for the buyer increases total cost for the supplier and the supply chain. In such a situation, the supplier can use a quantity discount contract to encourage the buyer to order in lot sizes that minimize total costs (see Chapter 11). The objective of such a contract is to encourage the retailer to buy in larger lot sizes that lower cost for the supplier and the entire supply chain.

A quantity discount contract decreases overall costs but leads to higher lot sizes and thus higher levels of inventory in the supply chain. It is typically justified only for commodity products for which the supplier has high fixed costs per lot. It is important to modify the terms of the contract as operational improvements are made at the supplier, resulting in lower fixed costs per batch.

Quantity discounts increase information distortion in the supply chain because such contracts increase order batching. Retailers order less frequently, and any demand variations are exaggerated when orders are placed. The supplier receives information less frequently and all variations are increased because of this batching. This information distortion is discussed in greater detail in Chapter 10.

## Key Point

Quantity discounts can coordinate supply chain costs if the supplier has large fixed costs per lot. Quantity discounts, however, increase information distortion as a result of order batching.

## Contracts to Increase Agent Effort

In many supply chains, agents act on behalf of a principal and the agents' efforts affect the reward for the principal. As an example, consider a car dealer (the agent) selling cars for Chrysler (the principal). The dealer also sells other brands and used cars. Every month, the dealer allocates its sales effort (advertising, promotions, etc.) across all brands it sells and the used cars. Earnings for Chrysler are based on sales of its brands, which in turn are affected by the effort exerted by the dealer. Sales can be observed directly, whereas effort is hard to observe and measure. Given double marginalization, the dealer always exerts less effort than is optimal from the perspective of Chrysler and the supply chain. Thus, Chrysler must offer an incentive contract that encourages the dealer to increase effort.

In theory, a two-part tariff offers the right incentives for the dealer to exert the appropriate amount of effort. In a two-part tariff, Chrysler extracts its profits up front as a franchise fee and then sells cars to the dealer at cost. The dealer's margin is then the same as the supply chain margin, and the dealer exerts the right amount of effort.

Another contract, observed more frequently in practice, increases the margin for the dealer as sales cross certain thresholds. Chrysler offered such a contract to dealers in the first quarter of 2001, which was structured roughly as follows. Dealers would keep the margin made from customers if sales for the month were less than 75 percent of an agreed-upon target. However, if sales reached or exceeded 75 percent but were less than 100 percent, the dealer would get an additional \$150 per car sold. If sales reached or exceeded 100 percent but were less than 110 percent, the dealer would get an additional \$250 per car sold. If sales reached or exceeded 110 percent, the dealer would get an additional \$500 per car sold. Chrysler's hope was that by increasing the margin for higher thresholds, the dealer would have an incentive to increase effort on sales of Chrysler cars.

Although threshold contracts clearly encourage the dealer to try to reach higher thresholds, they can significantly increase information distortion by encouraging the agent to exacerbate demand variability. The first month after the new contract was announced, the U.S. car industry saw sales drop. Chrysler, however, saw sales drop by twice the industry average. There are two potential causes for this behavior. First, under the contract, the dealer makes more money selling 900 cars one month and 1,100 the next month compared to selling a thousand cars each month. The dealer has an incentive to shift demand over time to achieve such an outcome, thus increasing information distortion and observed demand variation. The second cause is that within the first week of the month, the dealer has an idea of the threshold range it is likely to reach. For example, if the dealer believes that it can easily cross the 75 percent threshold but has little chance of crossing the 100 percent threshold, it will decrease its effort for the month and save it for later, because the marginal benefit of selling an additional car is only \$150. In contrast, if demand for the month is high and the dealer believes it can easily cross the 100 percent threshold, it is likely to exert additional effort to reach the 110 percent threshold because the marginal benefit from reaching that threshold is high. Thus, Chrysler's incentive contract increases variation in dealer effort, further exaggerating any existing demand variation.

Information distortion is also observed in threshold contracts offered by companies to their sales staff. Under these contracts, staff is offered rewards for crossing sales thresholds during a specified period of time (e.g., a quarter). The problem observed is that sales effort and orders peak during the last week or two of the quarter, as salespeople try to cross the threshold. Observed sales are thus highly uneven during the quarter. This information distortion arises

because the incentive is offered over a fixed time period, making the last week or two of each quarter a period of intense activity for all sales staff.

Given the information distortion arising from threshold contracts, a key question is how a firm can decrease information distortion while maintaining the incentive for the agent to exert extra effort. One approach is to offer threshold incentives over a rolling horizon. For example, if a firm offers its sales staff weekly incentives based on sales over the past 13 weeks, each week becomes the last week of a 13-week period. Sales effort thus becomes more even compared to when the entire sales staff has the same last week for their bonus evaluation. Given the presence of enterprise resource planning (ERP) systems, implementing a rolling horizon contract is much easier today than it once was.

### Key Point

Two-part tariffs and threshold contracts can be used to counter double marginalization and increase agent effort in a supply chain. Threshold contracts, however, increase information distortion and are best implemented on a rolling horizon.

### Contracts to Induce Performance Improvement

In many instances, a buyer wants performance improvement from a supplier that has little incentive to do so. A buyer with sufficient power in the supply chain may be able to force the supplier to comply. A buyer without sufficient power requires an appropriate contract to induce the supplier to improve performance. Even for a powerful buyer, however, an appropriate contract designed to encourage supplier cooperation results in a better outcome.

As an example, consider a buyer that wants the supplier to improve performance by reducing lead time for a seasonal item. This is an important component of all quick response (QR) initiatives in a supply chain. With a shorter lead time, the buyer hopes to have better forecasts and be better able to match supply and demand. Most of the work to reduce lead time has to be done by the supplier, whereas most of the benefit accrues to the buyer in terms of reduced inventories and overstocking. In fact, the supplier will lose sales because the buyer will now carry less safety inventory because of shorter lead times and better forecasts. To induce the supplier to reduce lead time, the buyer can use a *shared-savings contract*, with the supplier getting a fraction of the savings that result from reducing lead time. As long as the supplier's share of the savings compensates for any effort it has to put in, its incentive will be aligned with that of the buyer, resulting in an outcome that benefits both parties.

A similar issue arises when a buyer wants to encourage the supplier to improve quality. Improving supply quality improves the buyer's costs but requires additional effort from the supplier. Once again, a shared-savings contract is a good way to align incentives between the buyer and supplier. The buyer can share savings from improved quality with the supplier. This will encourage the supplier to improve quality to a higher level than what the supplier would choose in the absence of the shared savings.

Another example arises in the context of toxic chemicals that may be used by a manufacturer. The manufacturer would like to decrease the use of these toxic chemicals. Generally, the supplier is better equipped to identify ways of reducing use of these chemicals because this is its core business. It has no incentive to work with the buyer on reducing use of these chemicals because that will reduce the supplier's sales. A shared-savings contract can be used to align incentives between the supplier and the manufacturer. If the manufacturer shares the savings that result from a reduction in the use of toxic chemicals with the supplier, the supplier will make the effort to reduce use of the chemicals as long as its share of the savings compensates for the loss in margin from reduced sales.

In general, shared-savings contracts are effective in aligning supplier and buyer incentives when the supplier is required to improve performance along a particular dimension and most of the benefits of improvement accrue to the buyer. A powerful buyer may couple shared savings with penalties for a lack of improvement to further encourage the supplier to improve performance. Such contracts will increase profits for both the buyer and the supplier while achieving outcomes that are beneficial to the supply chain.

### Key Point

Shared-savings contracts can be used to induce performance improvement from a supplier along dimensions, such as lead time, where the benefit of improvement accrues primarily to the buyer but the effort for improvement comes primarily from the supplier.

## 15.7 DESIGN COLLABORATION

Two statistics highlight the importance of design collaboration between a manufacturer and suppliers. Today, typically between 50 and 70 percent of the spending at a manufacturer comes from procurement, compared to only about 20 percent several decades ago. Second, it is generally accepted that about 80 percent of the cost of a purchased part is fixed during the design stage. Thus, it is crucial for a manufacturer to collaborate with suppliers during the design stage if product costs are to be kept low. Design collaboration can lower the cost of purchased material and also lower logistics and manufacturing costs. Design collaboration is also important for a company trying to provide variety and customization, because failure to do so can significantly raise the cost of variety.

Working with suppliers can speed up product development time significantly. This is crucial in an era when product life cycles are shrinking and bringing a product to market before the competition offers a significant advantage. Finally, integrating the supplier into the design phase allows the manufacturer to focus on system integration, resulting in a higher quality product at lower cost. For example, auto manufacturers are increasingly playing the role of system integrators rather than component designers. This is an approach that has been used even more extensively in the high-tech industry.

Billington and Jager (2008) provide an excellent example of innovation through collaboration. They discuss Goldcorp Inc., one of the world's largest gold producers, whose mines were performing poorly. The company broadcast its entire geological data record and offered companies a prize for the most effective way of mining the gold. Two Australian companies collaborated to come up with a three-dimensional depiction of the mine. The 3D data allowed Goldcorp to improve production from 53,000 ounces at a cost of \$360 an ounce in 1996 to 504,000 ounces at a cost of \$59 per ton in 2001. The risk that Goldcorp took when sharing its data with potential suppliers clearly paid off handsomely.

As suppliers take on a bigger design role, it is important for manufacturers also to become design coordinators for the supply chain. Common part descriptions should be available to all parties involved in the design, and any design changes by one party should be communicated to all suppliers affected. A good database of existing parts and designs can save significant amounts of money and time. For example, when Johnson Controls finds a seat frame from its database that fulfills all customer requirements, it saves the customer about \$20 million on the design, development, tooling, and prototyping expense.

A survey by the Procurement and Supply Chain Benchmarking Consortium at Michigan State University dramatically demonstrated the impact of successfully integrating suppliers in product design. The most successful integration efforts have seen costs decrease by 20 percent, quality improve by 30 percent, and time to market decrease by 50 percent.

Key themes that must be communicated to suppliers as they take greater responsibility for design are design for logistics and design for manufacturability. Design for logistics attempts to reduce transportation, handling, and inventory costs during distribution by taking appropriate actions during design. To reduce transportation and handling costs, the manufacturer must convey expected order sizes from retailers and the end consumer to the designer. Packages can then be designed so that transportation costs are lowered and handling is minimized. To reduce transportation cost, packaging is kept as compact as possible and is also designed to ensure easy stacking. To reduce handling costs, package sizes are designed to minimize the need to break open a pack to fulfill an order.

To reduce inventory costs, the primary approach is to design the product for postponement and mass customization (see Chapters 12 and 13). Postponement strategies aim to design a product and production process so that features that differentiate end products are introduced late in the manufacturing phase. As discussed in Chapter 12, Dell designed its PCs so that all components about which customers have a choice are assembled after the customer order arrives. This allowed Dell to lower inventories by aggregating them as components. Mass customization strategies use a similar approach by designing the product so that inventory can be carried in a form that aggregates across multiple end products. The goal is to design a product so that customization occurs along a combination of three customization categories: modular, adjustable, and dimensional. To provide *modular customization*, the product is designed as an assembly of modules that fit together. All inventory is then maintained as modules that are assembled to order. A good example of modular customization is the design of tables and bookshelves at IKEA, where the customer typically assembles the modules. An example of *adjustable customization* is a washing machine designed by Matsushita that can automatically select from among 600 cycles. All inventory is thus maintained as a single product, and each customer uses the machine to match its specific needs. An example of *dimensional customization* given by Joseph Pine (1999) is a machine that makes onsite custom house gutters that can then be cut to fit the dimensions of the house. Another example is National Bicycle, which cuts the frame tubing to fit the body size of the customer.

*Design for manufacturability* attempts to design products for ease of manufacture. Some of the key principles used include part commonality, eliminating right-hand and left-hand parts, designing symmetrical parts, combining parts, using catalog parts rather than designing a new part, and designing parts to provide access for other parts and tools.

### Key Point

Design collaboration with suppliers can help a firm reduce cost, improve quality, and decrease time to market. As design responsibility moves to suppliers, it is important to ensure that design for logistics and design for manufacturability principles are followed. To be successful, manufacturers must become effective design coordinators in the supply chain.

A good area in which to view design collaboration efforts is the automotive industry. Car manufacturers all over the world are asking suppliers to participate in every aspect of product development, from conceptual design to manufacturing. Ford asked suppliers for the Thunderbird not only to manufacture the components and subsystems, but also to be responsible for their design. Solid integration throughout the supply chain allowed Ford to bring the new model to market within 36 months of program approval. To ensure effective communication, Ford required all its vendors to be on the same software platform for design. Ford also opened all its internal databases to its suppliers and located many of the suppliers at its offices. Ford engineers were in constant communication with the suppliers and helped coordinate the overall design. The result was a significant improvement in cost, time, and quality.

## 15.8 THE PROCUREMENT PROCESS

Once suppliers have been selected, contracts are in place, and the product has been designed, the buyer and suppliers engage in procurement transactions that begin with the buyer placing the order and end with the buyer receiving and paying for the order. In designing the procurement process, it is important to consider goods that the process will be used to purchase. There are two main categories of purchased goods: direct and indirect materials. *Direct materials* are components used to make finished goods. For example, memory, hard drives, and CD drives are direct materials for a PC manufacturer. *Indirect materials* are goods used to support the operations of a firm. PCs are examples of indirect materials for an automotive manufacturer. All procurement processes within a company relate to the purchase of direct and indirect materials. Important differences between direct and indirect materials that affect procurement are shown in Table 15-7.

Given the direct link to production, the procurement process for direct materials should be designed to ensure that components are available in the right place, in the right quantity, and at the right time. The primary goal of the procurement process for direct materials is to coordinate the entire supply chain and ensure matching of supply and demand (as discussed in Chapters 9 and 10). The procurement process should thus be designed to make production plans and current levels of component inventory at the manufacturer visible to the supplier. This visibility allows suppliers to schedule component production to match the needs of the manufacturer. The available capacity at the suppliers should be made visible to the manufacturer so that orders for components may be allocated to the appropriate supplier to ensure on-time delivery. The procurement process should also have alerts built into it that warn both the buyer and the supplier of potential mismatches between supply and demand.

A good example of a procurement process that focuses on these objectives is the eHub initiative at Cisco. eHub is designed to provide synchronized planning and end-to-end supply chain visibility. Another example is the relationship between Johnson Controls and Chrysler for the 2002 Jeep Liberty. Johnson Controls integrated components from 35 suppliers and delivered the assembly to Chrysler as a cockpit module. As soon as Chrysler notified it of an order for a Jeep, Johnson Controls had 204 minutes in which to build and deliver the module. This was done 900 times every day for about 200 color and interior combinations. The focus of the procurement process was to completely synchronize production at Chrysler and Johnson Controls. The result was a significant reduction in inventory and a better matching of product supply with end customer demand.

Given the focus on numerous low-value transactions, the procurement process for indirect materials should focus on reducing the transaction cost of each order. Transaction costs for indirect materials are high because of the difficulty of selecting goods (many catalogs, which are often out of date), getting approval, and creating and sending a purchase order. The problem is

**Table 15-7** Differences Between Direct and Indirect Materials

	<b>Direct Materials</b>	<b>Indirect Materials</b>
Use	Production	Maintenance, repair, and support operations
Accounting	Cost of goods sold	Selling, general, and administrative expenses (SG&A)
Impact on production	Any delay will delay production	Less direct impact
Processing cost relative to value of transaction	Low	High
Number of transactions	Low	High

often exaggerated because companies do not have one system for indirect materials. Instead, they use several processes that are not streamlined or integrated. A good online procurement process that makes search easy and automates approval and transmission of the purchase order can help reduce transaction costs. The online process should also update other interested parties such as accounts payable and receiving. Clearly this is possible only with suppliers that implement online catalogs and automate all transactions with the buyer. Successful examples of online procurement implementations for indirect materials include Johnson Controls and Pfizer. Both firms built their online solutions by integrating existing software. Johnson Controls integrated a Commerce One solution with existing Oracle accounting software, whereas Pfizer integrated an Ariba system with an American Express corporate purchasing card program. Both claim to have seen significant savings as a result.


Another important requirement for the procurement process for both direct and indirect materials is the ability to aggregate orders by product and supplier. For direct materials, the consolidation of orders improves economies of scale at the supplier and during transport and allows the firm to take advantage of any quantity discounts that may be offered by the supplier. For indirect materials, the consolidation of spending with a supplier often allows the firm to negotiate better purchasing discounts.

### Key Point

The procurement process for direct materials should focus on improving coordination and visibility with the supplier. The procurement process for indirect materials should focus on decreasing the transaction cost for each order. The procurement process in both cases should consolidate orders to take advantage of economies of scale and quantity discounts.

In addition to the categorization of materials into direct and indirect, all products purchased may also be categorized as shown in Figure 15-2, based on their value/cost and how critical they are.

Most indirect materials are included in general items. The goal of procurement in this case should be to lower the cost of acquisition or the transaction cost. Direct materials can be further classified into bulk purchase, critical, and strategic items. For most bulk purchase items, such as packaging materials and bulk chemicals, suppliers tend to have the same selling price. It is thus important for purchasing to make a distinction between suppliers based on the services they



**FIGURE 15-2** Product Categorization by Value and Criticality

provide and their performance along all dimensions that affect the total cost of ownership. The use of well-designed auctions is likely to be most effective for bulk purchase items. Critical items include components with long lead times and specialty chemicals. The key sourcing objective for critical items is not low price but ensuring availability. In this case, purchasing should work to improve coordination of production plans at both the buyer and the supplier. The presence of a responsive, even if high-cost, supply source as an alternative can be valuable for critical items. The last category, strategic items, includes examples such as electronics for an auto manufacturer. For strategic items, the buyer-supplier relationship is long term. Thus suppliers should be evaluated based on the lifetime cost/value of the relationship. Purchasing should look for suppliers that can collaborate in the design phase and coordinate design and production activities with other players in the supply chain.

## 15.9 DESIGNING A SOURCING PORTFOLIO: TAILORED SOURCING

When structuring a supplier portfolio, firms have many options with regard to whom to source from and where to source from. With regard to the “whom,” a company must decide on whether to produce in-house or outsource to a third party. The company must also decide whether the supply source will be cost efficient or responsive. With regard to the “where,” a company can choose between onshoring, near-shoring, and offshoring. Onshoring refers to producing the product in the market where it is sold, even when it is a high-cost location. Near-shoring refers to producing the product at a lower cost location near the market. For the U.S. market, producing in Mexico is near-shoring. For the market in Europe, producing in Eastern Europe is near-shoring. Offshoring refers to producing the product at a low-cost location that may be far from the market. In this section, we discuss a variety of factors that influence the design of the sourcing portfolio.

Most companies need to tailor their supplier portfolio based on a variety of product and market characteristics. For example, Zara uses responsive sources out of Europe to produce trendy products that must be in stores quickly to meet customer demand. In contrast, basics such as a white t-shirt are sourced out of lower-cost facilities in Asia. Table 15-8 identifies factors that favor the selection of a responsive or low-cost source.

As with Zara, a tailored portfolio consists of a combination of responsive and low-cost suppliers. To use a tailored portfolio effectively, demand should be allocated among suppliers in a way that is consistent with their capabilities. Low-cost suppliers should be given large, steady orders of mature, low-value products that do not require significant engineering or design support. Responsive suppliers, in contrast, should be responsible for high-value, volatile products that are often early in their life cycle and need significant engineering/design support.

In general, responsive sources will tend to be located onshore or near-shore to facilitate a quick response. Low-cost sources could be located anywhere but low cost is often the main reason for going offshore or near-shore. In Table 15-9, we identify some factors that influence the sourcing location decision.

**Table 15-8** Factors Favoring Selection of a Responsive or Low-Cost Source

	Responsive Source	Low-Cost Source
Product life cycle	Early phase	Mature phase
Demand volatility	High	Low
Demand volume	Low	High
Product value	High	Low
Rate of product obsolescence	High	Low
Desired quality	High	Low to medium
Engineering / design support	High	Low



**Table 15-9** Factors Favoring Onshoring, Near-shoring, or Offshoring

	Onshore	Near-shore	Offshore
Rate of innovation/product variety	High	Medium to High	Low
Demand volatility	High	Medium to High	Low
Labor content	Low	Medium to High	High
Volume or weight-to-value ratio	High	High	Low
Impact of supply chain disruption	High	Medium to High	Low
Inventory costs	High	Medium to High	Low
Engineering/management support	High	High	Low

Large, bulky items such as washing machines and refrigerators are best onshored or near-shored because they have high transportation costs relative to value. In contrast, small items like consumer electronics, especially those that sell in large amounts (say the iPad), can be offshored. As transportation costs increase, the onshore and near-shore options become more attractive relative to offshoring. High-value routers with high demand volatility, high inventory costs, and the need for significant management support are outsourced by Cisco to an onshore supplier. Low value routers with stable designs and low demand volatility, in contrast, are offshored to low-cost countries. As these examples illustrate, it is important for a firm to plan a tailored sourcing strategy whereby the product and market characteristics match with the responsiveness and location of the source.

China and other parts of Asia were popular offshore sources for the two decades between 1990 and 2010. Some trends currently in place, however, are making American managers rethink their offshoring choices. One is the change in Chinese wages and the strengthening yuan, both of which diminish the labor cost advantage of China, especially when compared to near-shore locations such as Mexico. The other is the increase in oil prices and transportation cost that acts like a tariff barrier making offshoring somewhat less attractive. Finally, the increase in volatility and the need to mitigate risk have also encouraged supply chain designers to include an onshore or near-shore source to complement a low-cost offshore source.

### Key Point

Firms must consider a tailored sourcing strategy that couples responsive onshore or near-shore sources with low-cost offshore sources. The responsive onshore sources should focus on high-value products with high demand volatility, while the low-cost, offshore sources should focus on lower-value, high-volume products with high labor content.

## 15.10 RISK MANAGEMENT IN SOURCING

Sourcing risks may result in an inability to meet demand on time, an increase in procurement costs, or the loss of intellectual property. It is important to develop mitigation strategies that help mitigate a significant part of the risk.

An inability to meet demand on time arises because of disruption or delay from the supply source. The risk of supply disruption may be serious, especially with a single or few sources. This was particularly evident after the earthquake and tsunami in Japan in early 2011. Supply chains with a single source based in the tsunami-affected region faced significant disruption. Disruption risk can be mitigated by developing multiple sources. Given the high cost of developing multiple sources and the resulting loss of economies of scale, it is best to do so for products with relatively high demand. Developing multiple sources is expensive for products with low demand. Carrying inventory or developing a backup source that is more responsive can mitigate delays from a supply source.

Carrying inventory is best for low-value products that do not become obsolete quickly, whereas developing a responsive backup source is preferred for high-value, short life cycle products.

The risk of higher procurement costs can be significant when industry-wide demand for the product exceeds available supply, exchange rates are unfavorable, or there is a single supply source. For example, commodity prices for steel and crude oil were very high in 2004–2005 because of high global demand in the face of limited supply capacity. A portfolio of long- and short-term contracts can help mitigate the risk of higher procurement costs. For example, a significant contributor to the profits at Southwest Airlines in 2004–2005 was the long-term contracts it had in place for the purchase of fuel. Exchange-rate risk can be mitigated using financial hedges or by developing a global supply network that is flexible enough to be reconfigured based on exchange-rate fluctuations. The risk of holdup because of a single source can be countered by developing alternative sources or bringing part of the supply capability in-house.

Intellectual property risk can be mitigated by bringing or keeping sensitive production in-house. Even when production is outsourced, firms can maintain ownership of part of the equipment if it is viewed as having significant intellectual property value. This is a reason that Motorola owns some testing equipment at its contract manufacturers.

## 15.11 MAKING SOURCING DECISIONS IN PRACTICE

**1. Use multifunctional teams.** Effective strategies for sourcing result from multifunctional collaboration within the firm. A sourcing strategy from the purchasing group is likely to be relatively narrow and focus on purchase price. A strategy developed with the collaboration of purchasing, manufacturing, engineering, and planning is much more likely to identify the correct drivers of total cost. The collaboration must be continued beyond strategy formulation to the procurement phase, because that is where manufacturing and engineering are most likely to realize the full benefits of good sourcing strategy.

**2. Ensure appropriate coordination across regions and business units.** Coordination of purchasing across all regions and business units allows a firm to maximize economies of scale in purchasing and also to reduce transaction costs. Other opportunities from improved sourcing, such as better supply chain coordination and design collaboration, however, may require strong involvement at the business-unit level to be effective. Mandating global coordination across all business units may complicate these efforts. Items such as MRO supplies, for which transaction costs and total purchase volume have a significant impact on total cost, benefit most from coordinated purchasing across geography and business units. On the other hand, items for which most of the value is extracted from better design collaboration and coordinated supply chain forecasting and fulfillment are better served with somewhat more decentralized sourcing.

**3. Always evaluate the total cost of ownership.** An effective sourcing strategy should not make price reduction its sole objective. All factors that influence the total cost of ownership should be identified and used in selecting suppliers. Supplier performance along all relevant dimensions should be measured, and its impact on total cost should be quantified. Focusing on the total cost of ownership also allows a buyer to better identify opportunities for better collaboration in design, planning, and fulfillment.

**4. Build long-term relationships with key suppliers.** A basic principle of good sourcing is that a buyer and supplier working together can generate more opportunities for savings than the two parties working independently. Solid cooperation is likely to result only when the two parties have a long-term relationship and a degree of trust. A long-term relationship encourages the supplier to expend greater effort on issues that are important to a particular buyer. This includes investment in buyer-specific technology and design collaboration. A long-term relationship also improves communication and coordination between the two parties. These capabilities are very important when sourcing direct materials. Thus, long-term relationships should be nurtured with suppliers of critical and strategic direct materials.

## 15.12 SUMMARY OF LEARNING OBJECTIVES

**1. Understand the role of sourcing in a supply chain.** Sourcing encompasses all processes required for a firm to purchase goods from suppliers. Over the past two decades, manufacturing firms have increased the fraction of purchased parts. Effective sourcing decisions thus have a significant impact on financial performance. Good sourcing decisions can improve supply chain performance by aggregating orders, making procurement transactions more efficient, achieving design collaboration with suppliers, facilitating coordinated forecasting and planning with suppliers, designing supply chain contracts that increase profitability while minimizing information distortion, and decreasing the purchase price through increased competition among suppliers.

**2. Discuss factors that affect the decision to outsource a supply chain function.** A supply chain function should be outsourced if the third party can increase the supply chain surplus without significant risk. A third party may increase the surplus by aggregating capacity, inventory, warehousing, transportation, information, receivables, and other factors to a higher level than the firm can on its own. Outsourcing generally makes sense if a firm's needs are small and highly uncertain and can be served using resources that can serve other firms as well. Outsourcing also makes sense if the firm is short of capital or the third party has a lower cost of capital.

**3. Identify dimensions of supplier performance that affect total cost.** In addition to the supplier price, the total cost of using a supplier is affected by the supplier terms; delivery costs; inventory costs; warehousing costs; quality costs; costs of management effort and administrative support; impact on reputation; supplier capabilities, such as replenishment lead time, on-time performance, and flexibility; and other costs such as exchange rate trends, taxes, and duties.

**4. Structure successful auctions and negotiations.** Buyers may use sealed-bid first-price, Dutch, English, or second-price (Vickrey) auctions. Successful auctions minimize the cost for the buyer and result in the lowest-cost supplier winning the bid. Under many circumstances, open English auctions achieve this outcome. When running an auction, buyers must work to avoid collusion among bidders. Successful negotiations are most likely when both parties are well informed about each other's positions and have multiple dimensions they can use to increase the size of the pie, resulting in a win-win outcome.

**5. Describe the impact of risk sharing on supplier performance and information distortion.** Supply contracts must take into account the desired objective of the buyer and supplier and the resulting impact on supply chain performance. Contracts can be designed to increase product availability, coordinate supply chain costs, increase agent effort, and induce performance improvement from the supplier. Contracts to increase product availability include buyback, revenue-sharing, and quantity flexibility contracts. They are designed to counter the problem of double marginalization. Buyback and revenue-sharing contracts increase information distortion relative to quantity flexibility contracts. Quantity discounts coordinate supply chain costs when the supplier has significant fixed costs per lot. Quantity discounts increase information distortion because of order batching. Two-part tariffs and threshold contracts are designed to increase agent effort. Threshold contracts can significantly increase information distortion and are best implemented over a rolling horizon. Shared-savings contracts are most effective when a buyer wants the supplier to improve performance along dimensions such as lead time and quality.

**6. Design a tailored supplier portfolio.** Firms should select a combination of responsive and low-cost sources that may be onshore, near-shore, or offshore. Responsive, onshore sources are best suited for high-value products with volatile demand and relatively low labor content. Low-cost, offshore sources are best suited for products with high labor content, large predictable demand, and low transportation cost relative to product value.

## Discussion Questions

1. What are some ways that a firm such as Wal-Mart benefits from good sourcing decisions?
2. What factors led Wal-Mart to own its trucks although many retailers outsource all their transportation?
3. How can a supplier with a lower price end up costing the buyer more than a supplier with a higher price?
4. Explain why, for the same inventory level, a revenue-sharing contract results in a lower sales effort from the retailer than if the retailer has paid for the product and is responsible for all remaining inventory.
5. For a manufacturer that sells to many retailers, why does a quantity flexibility contract result in less information distortion than a buyback contract?
6. Most firms offer their sales force monetary incentives based on exceeding a specified target. What are some pros and cons of this approach? How would you modify these contracts to rectify some of the problems?
7. An auto manufacturer sources both office supplies and sub-systems such as seats. What, if any, difference in sourcing strategy would you recommend for the two types of products?
8. Why do you think assembly in the consumer electronics industry is performed by third parties, whereas assembly in the auto industry is almost never outsourced?
9. For products such as home appliances, toys, garments, and consumer electronics, what factors would influence selecting an onshore, near-shore, or offshore supplier?

## Exercises

1. A publisher sells books to Barnes & Noble at \$12 each. The marginal production cost for the publisher is \$1 per book. Barnes & Noble prices the book to its customers at \$24 and expects demand over the next two months to be normally distributed, with a mean of 20,000 and a standard deviation of 5,000. Barnes & Noble places a single order with the publisher for delivery at the beginning of the two-month period. Currently, Barnes & Noble discounts any unsold books at the end of two months down to \$3, and any books that did not sell at full price sell at this price.
  - a. How many books should Barnes & Noble order? What is its expected profit? How many books does it expect to sell at a discount?
  - b. What is the profit that the publisher makes given Barnes & Noble's actions?
  - c. A plan under discussion is for the publisher to refund Barnes & Noble \$5 per book that does not sell during the two-month period. As before, Barnes & Noble will discount them to \$3 and sell any that remain. Under this plan, how many books will Barnes & Noble order? What is the expected profit for Barnes & Noble? How many books are expected to be unsold? What is the expected profit for the publisher? What should the publisher do?
2. A movie studio sells the latest movie on DVD to VideosRUs at \$10 per DVD. The marginal production cost for the movie studio is \$1 per DVD. VideosRUs prices each DVD at \$19.99 to its customers. DVDs are kept on the regular rack for a one-month period, after which they are discounted down to \$4.99. VideosRUs places a single order for DVDs. Its current forecast is that sales will be normally distributed, with a mean of 10,000 and a standard deviation of 5,000.
  - a. How many DVDs should VideosRUs order? What is its expected profit? How many DVDs does it expect to sell at a discount?
  - b. What is the profit that the studio makes given VideosRUs' actions?
  - c. A plan under discussion is for the studio to refund VideosRUs \$4 per DVD that does not sell during the one-month period. As before, VideosRUs will discount them to \$4.99 and sell any that remain. Under this plan, how many DVDs should VideosRUs order? What is the expected profit for VideosRUs? How many DVDs are expected to be unsold at the end of the month? What is the expected profit for the studio? What should the studio do?
3. Topgun Records and several movie studios have decided to sign a revenue-sharing contract for CDs. Each CD costs the studio \$2 to produce. The CD will be sold to Topgun for \$3. Topgun in turn prices a CD at \$15 and forecasts demand to be normally distributed, with a mean of 5,000 and a standard deviation of 2,000. Any unsold CDs are discounted to \$1, and all sell at this price. Topgun will share 35 percent of the revenue with the studio, keeping 65 percent for itself.
  - a. How many CDs should Topgun order?
  - b. How many CDs does Topgun expect to sell at a discount?
  - c. What is the profit that Topgun expects to make?
  - d. What is the profit that the studio expects to make?
  - e. Repeat parts (a)–(d) if the studio sells the CD for \$2 (instead of \$3) but gets 43 percent of revenue.
4. Benetton has entered into a quantity flexibility contract with a retailer for a seasonal product. If the retailer orders  $O$  units, Benetton is willing to provide up to another 35 percent if needed. Benetton's production cost is \$20, and it charges the retailer a wholesale price of \$36. The retailer prices to customers at \$55 per unit. Any unsold units can be sold by the retailer at a salvage value of \$25. Benetton can salvage only \$10 per unit for its leftover inventory. The retailer forecasts demand to be normally distributed, with a mean of 4,000 and a standard deviation of 1,600.
  - a. How many units  $O$  should the retailer order?
  - b. What is the expected quantity purchased by the retailer (recall that the retailer can increase the order by up to 35 percent after observing demand)?

- c. What is the expected quantity sold by the retailer?
  - d. What is the expected overstock at the retailer?
  - e. What is the expected profit for the retailer?
  - f. What is the expected profit for Benetton?
5. You are a purchasing manager in charge of stocking a certain type of transformer for a large electric utility. Weekly demand among your field crews for these transformers is normally distributed, with a mean of 100 and a standard deviation of 50. Holding costs are 25 percent, and you must hold a level of inventory corresponding to a cycle service level of 95 percent. You are faced with two suppliers, Reliable Components and Value Electric, who offer the following terms. Reliable sells the transformer for \$5,000 with a minimum order of 100, and a lead time of 1 week with a standard deviation of 0.1 week. Value sells the transformer for \$4,800, has a minimum batch of 1,000, a lead time of 5 weeks, and a lead-time standard deviation of 4 weeks.
- a. What is the annual cost of using Reliable Components as a supplier?
  - b. What is the annual cost of using Value Electric as a supplier?
  - c. Which supplier would you choose?
  - d. If you could use both suppliers, how would you structure your orders?
6. In Exercise 5, imagine that you have chosen Reliable as your supplier. Value Electric very much wants your business and offers you the choice of three mutually exclusive alternatives: a reduced lead time of 1 week, a reduced minimum batch of 800, or a reduction in standard deviation of lead time by 1 week.
- a. What are the expected annual costs of undertaking each of these options?
  - b. What is the expected annual cost if all three could be put into effect?
  - c. Would you change your decision to go with Reliable for any of these options?
7. Consider the retailer's position in the quantity flexibility contract problem discussed in the chapter with results in Table 15-6. Consider the base contract in which  $\alpha = \beta = 0.2$ , the order size is 1,000, and the wholesale price is \$6. For the following questions, you will need to build a quantity flexibility model. Assume that salvage value is zero for both the retailer and the manufacturer.
- a. How much will profit increase for the retailer if  $\alpha$  increases to 0.5?
  - b. How much will profit increase for the retailer if  $\beta$  increases to 0.5 (keeping  $\alpha$  at 0.2)?
  - c. Why would you expect these to be different?
8. Imagine that you have acquired both the retailer and manufacturer discussed in Exercise 7. Your interests now are in maximizing profitability for your new firm and in setting up an incentive system to make this happen. You have chosen to keep the quantity flexibility contract in place to provide incentive to both your retailer and your manufacturer.
- a. How does increasing  $\alpha$  to 0.5 affect your firm's profitability?
  - b. How does increasing  $\beta$  to 0.5 affect your firm's profitability?
  - c. Why does one of these changes have no effect on profitability?

## Bibliography

- Armstrong & Associates, Inc. *Who's Who in Logistics? Armstrong's Guide to 3PLs & Global Logistics Services*. Stoughton, WI: Author, 2001.
- Banfield, Emiko. *Harnessing Value in the Supply Chain: Strategic Sourcing in Action*. New York: Wiley, 1999.
- Billington, Corey, and Francois Jager. "Procurement: The Missing Link in Innovation." *Supply Chain Management Review* (January–February 2008): 22–28.
- Cavinato, Joseph L., and Ralph Kauffman. *The Purchasing Handbook: A Guide for the Purchasing and Supply Professional*. New York: McGraw-Hill, 2000.
- Chopra, Sunil, Darren Dougan, and Gareth Taylor. "B2B E-Commerce Opportunities." *Supply Chain Management Review* (May–June 2001): 50–58.
- Ellram, Lisa S., and Arnold B. Maltz. "The Use of Total Cost of Ownership Concepts to Model the Outsourcing Decision." *The International Journal of Logistics Management* 6 (1995): 55–66.
- Evans, Wayne S., and Sven Blawatt. "The Growth Potential in Managing Supplier Risk." *Supply Chain Management Review* (September–October 2010): 30–35.
- Favre, Donavon, and John McCreery. "Coming to Grips with Supplier Risk." *Supply Chain Management Review* (September 2008): 26–32.
- Ferreira, John, and Len Prokopets. "Does Offshoring Still Make Sense?" *Supply Chain Management Review* (January–February 2009): 20–27.
- Goel, Ajay, Nazgol Moussavi, and Vats N. Srivatsan. "Time to Rethink Offshoring?" *McKinsey on Business Technology* 14 (Winter 2008): 32–35.
- Grosvenor, Franklin, and Terrence A. Austin. "Cisco's eHub Initiative." *Supply Chain Management Review* (July–August 2001): 18–26.
- Heskett, James L., and Sergio Signorelli. "Benetton (A)." Harvard Business School Case 685014, 1984.
- Jacoby, David, and Bruna Figueiredo. "The Art of High-Cost Country Sourcing." *Supply Chain Management Review* (May–June 2008): 32–38.
- Krishna, Vijay. *Auction Theory*. San Diego, CA: Academic Press, 2002.
- Laseter, Timothy M. *Balanced Sourcing: Cooperation and Competition in Supplier Relationships*. San Francisco, CA: Jossey-Bass, 1998.
- Martin, Lisa. "Charting Pfizer's Path to e-Procurement." *Supply Chain Management Review* (May–June 2002): 20–26.
- Milgrom, Paul. *Putting Auction Theory to Work*. Cambridge, UK: Cambridge University Press, 2004.

- Monczka, Robert H., Gary L. Ragatz, Robert B. Handfield, Robert J. Trent, and David J. Frayer. "Executive Summary: Supplier Integration into New Product Development: A Strategy for Competitive Advantage." The Global Procurement and Supply Chain Benchmarking Initiative, Michigan State University, The Eli Broad Graduate School of Management, 1997.
- Monczka, Robert, Robert Trent, and Robert Handfield. *Purchasing and Supply Chain Management*. Cincinnati, OH: South-Western, 2002.
- Murphy, Sean. "Will Sourcing Come Closer to Home?" *Supply Chain Management Review* (September 2008): 33–37.
- Neef, Dale. *e-Procurement: From Strategy to Implementation*. Upper Saddle River, NJ: Prentice Hall, 2001.
- Pierson, John C. "Johnson Controls' Journey to e-Procurement." *Supply Chain Management Review* (January–February 2002): 56–62.
- Pine, Joseph B. *Mass Customization: The New Frontier in Business Competition*. Boston: Harvard Business School Press, 1999.
- Porter, Robert H. "Detecting Collusion." Working Paper #0051, The Center for the Study of Industrial Organization, Northwestern University, 2004.
- Smeltzer, Larry R., and Joseph R. Carter. "How to Build an e-Procurement Strategy." *Supply Chain Management Review* (March–April 2001): 76–83.
- Thompson, Leigh L. *The Mind and Heart of the Negotiator*. Upper Saddle River, NJ: Prentice Hall, 2005.
- Toupin, Laurie. "Needed: Suppliers Who Can Collaborate Throughout the Supply Chain." Special Advertising Section: Automotive. *Supply Chain Management Review* (July–August 2002): 5–8.



# Pricing and Revenue Management in a Supply Chain

## LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Understand the role of revenue management in a supply chain.
2. Identify conditions under which revenue management tactics can be effective.
3. Describe trade-offs that must be considered when making revenue management decisions.

Given that most supply chain assets are fixed but demand fluctuates, the matching of supply and demand is a constant challenge. In this chapter, we discuss how managers may use pricing as a lever to better match supply and demand and grow revenue derived from supply chain assets.

## 16.1 THE ROLE OF PRICING AND REVENUE MANAGEMENT IN A SUPPLY CHAIN

In Chapter 9, we discussed how short-term price promotions could be an effective tool to more profitably meet seasonal demand. In this chapter, we further build on the idea of using pricing as an important lever to increase supply chain profits by better matching supply and demand, especially when there are multiple customer types willing to pay different prices (based on attributes such as response time) for an asset. *Revenue management* is the use of pricing to increase the supply chain surplus and profit generated from a limited availability of supply chain assets. Supply chain assets exist in two forms—capacity and inventory. Capacity assets in the supply chain exist for production, transportation, and storage. Inventory assets exist throughout the supply chain and are carried to improve product availability. In the presence of multiple customer types, revenue management aims to grow profits by selling the right asset to the right customer at the right price. Besides varying capacity and inventory, revenue management suggests varying price to grow profits by better matching supply and demand. An excellent discussion of revenue management techniques in theory and practice can be found in Talluri and Van Ryzin (2004).

Consider a trucking company that owns 10 trucks. One approach that the firm can take is to set a fixed price for its services and use advertising to spur demand in case surplus capacity is available. Using revenue management, however, the firm could do much more as long as there are customers whose willingness to pay varies with some dimension of the service such as response time. One approach is to charge a lower price to customers willing to commit their orders far in advance and a higher price to customers looking for transportation capacity at the last minute. Another approach is to charge a lower price to customers with long-term contracts and a higher price to customers looking to purchase capacity at the last minute. A third approach is to charge a higher price during periods of high demand and lower prices during periods of low demand. Consider a retailer that purchases seasonal apparel for sale. A strategy that adjusts prices based on product availability, customer demand, and remaining duration of the sales season will result in higher supply chain profits than a strategy that fixes price for the duration of the sales season.

All of these revenue management strategies use differential pricing as a critical lever to maximize earnings. Revenue management may also be defined as the use of differential pricing based on customer segment, time of use, and product or capacity availability to increase supply chain surplus and profits. The impact of revenue management on supply chain performance can be significant. One of the most often cited examples is the successful use of revenue management by American Airlines to counter and finally defeat PeopleExpress in the mid-1980s. PeopleExpress started in Newark, New Jersey, and offered fares that were 50 to 80 percent lower than those of other carriers. At first, the other airlines ignored PeopleExpress because they were not interested in the low-fare market segment. By 1983, however, PeopleExpress was flying 40 aircraft and achieving load factors of more than 74 percent. PeopleExpress and other new entrants were making significant inroads into the turf of existing airlines. The existing airlines could not compete by cutting prices to the level of PeopleExpress because they had higher operating costs. American Airlines was the first to come up with an effective countermeasure using revenue management. Rather than lower the price of all its seats, American lowered prices of a portion of the seats to prices at or below those of PeopleExpress. The number of low-price seats was larger on flights likely to have empty seats, which would otherwise have produced no revenue. This strategy allowed American to attract customers who valued the low prices without losing revenue from customers who were willing to pay more. Soon other airlines, such as United, followed suit, attracting many of PeopleExpress's passengers. This was sufficient to drive down load factors for PeopleExpress to below 50 percent, a level at which the airline could not survive. Before the end of 1986, PeopleExpress collapsed.

American Airlines succeeded primarily because it used differential pricing to lower prices for a fraction of the seats and attract passengers who would otherwise have flown PeopleExpress. American did not lower prices for the fraction of seats used by business travelers who were not flying with PeopleExpress. Targeted differential pricing is at the heart of successful revenue management.

Revenue management adjusts the pricing and available supply of assets and has a significant impact on supply chain profitability when one or more of the following four conditions exist:

1. The value of the product varies in different market segments.
2. The product is highly perishable or product wastage occurs.
3. Demand has seasonal and other peaks.
4. The product is sold both in bulk and on the spot market.

Airline seats are a good example of a product whose value varies by market segment. A business traveler is willing to pay a higher fare for a flight that matches his or her schedule. In contrast, a leisure traveler will often alter his or her schedule to get a lower fare. An airline that can extract a higher price from the business traveler compared to the leisure traveler will always do better than an airline that charges the same price to all travelers. Similar ideas can be applied in the context of hotel rooms and car rentals, for which there is a significant difference between the business traveler and the leisure traveler.



Fashion and seasonal apparel are examples of highly perishable products because they lose value over time. Customers typically value high-fashion apparel more at the start of the season because they want to be the first people seen wearing it. By the end of the season, customers are willing to buy the product only if it is deeply discounted. Similarly, production, storage, and transportation capacity loses all value if it is not used at a given time because the lost capacity cannot be recovered. If a truck is not used for a day, its transportation capacity for that day is gone forever without producing revenue. Thus, all capacity is also a highly perishable asset. The goal of revenue management in such a setting is to adjust the price over time to maximize the profit obtained from the available inventory or capacity.

Demand for hotel rooms in many tourist destinations shows a highly seasonal pattern. For example, resorts in Phuket, Thailand, charge a significantly lower rate during the off-season summer months compared to the peak winter months. Such a pricing pattern allows them to attract customers with some time flexibility during the lower-cost summer months, leaving the winter capacity for customers who are willing to pay more to enjoy Phuket in the winter. Some commuter railroads use a similar strategy to deal with the distinct peaks in passenger travel. They charge higher fares during peak periods and lower fares for off-peak travel. It is important to keep in mind that differential pricing for peak and off-peak periods increases profits in a manner that is consistent with customer priorities. In the absence of peak pricing, peak periods, being the most desirable, would have excess demand, whereas off-peak periods would have significant idle capacity. With differential pricing, customers who really value the peak period would pay the higher price, whereas those that were not time constrained would shift to the off-peak period to take advantage of lower prices. The outcome of such a move is a higher supply chain surplus with higher profits for the firm and a utilization of assets by customers that is consistent with their needs.

Every product and every unit of capacity can be sold both in bulk and in the spot market. For example, the owner of a warehouse must decide whether to lease the entire warehouse to customers willing to sign long-term contracts or to save a portion of the warehouse for use in the spot market. The long-term contract is more secure but typically fetches a lower average price than the unpredictable spot market. Revenue management increases profits by finding the right portfolio of long-term and spot-market customers.

Revenue management can be a powerful tool for every owner of assets in a supply chain. Owners of any form of capacity (production, transportation, or storage) can use revenue management if there is seasonal demand or if there are segments that are willing to pay different prices for different lead times to use the capacity. Revenue management can be effective if a segment wants to use capacity at the last minute and is willing to pay a higher price for this privilege, and another segment wants a lower price and is willing to commit far in advance. Revenue management is essential for owners of any perishable inventory. Most successful examples of the use of revenue management are from the travel and hospitality industry and include airlines, car rentals, and hotels. American Airlines has stated that revenue management techniques increase its revenues by more than \$1 billion each year. Revenue management techniques at Marriott raise annual revenues by more than \$100 million. Revenue management can have a similar impact on all stages of a supply chain that satisfy one or more of the four conditions identified earlier.

In the following sections, we discuss various situations in which revenue management is effective and the techniques used in each case.

## 16.2 PRICING AND REVENUE MANAGEMENT FOR MULTIPLE CUSTOMER SEGMENTS

A classic example of a market with multiple customer segments is the airline industry, wherein business travelers are willing to pay a higher fare to travel a specific schedule, whereas leisure travelers are willing to shift their schedule to take advantage of lower fares. Many similar instances arise in a supply chain. Consider ToFrom, a trucking firm that has purchased six trucks,

with a total capacity of 6,000 cubic feet, to use for transport between Chicago and St. Louis. The monthly lease charge, driver, and maintenance expense is \$1,500 per truck. Market research has indicated that the demand curve for trucking capacity is


$$d = 10,000 - 2,000p$$

where  $d$  is the demand across all segments and  $p$  is the transport cost per cubic foot. A price of \$2 per cubic foot results in a demand of 6,000 cubic feet (all customers willing to pay \$2 or more), revenue of \$12,000, and a profit of \$3,000, whereas a price of \$3.50 per cubic foot results in a demand of 3,000 (only those customers willing to pay \$3.50 or more), revenue of \$10,500, and a profit of \$1,500. The real question is whether the 3,000 cubic feet of demand at a price of \$3.50 can be separated from the 3,000 additional cubic feet of demand generated at a price of \$2 per cubic foot. If ToFrom assumes that all demand comes from a single segment and cannot be separated, the optimal price is \$2.50 per cubic foot, resulting in a demand of 5,000 cubic feet and revenue of \$12,500, as shown in Figure 16-1.


However, if ToFrom can differentiate the segment that buys 3,000 cubic feet at \$3.50 from the segment that buys 3,000 cubic feet only at \$2.00, the firm can use revenue management to improve revenues and profits. ToFrom should charge \$3.50 for the segment willing to pay that price and \$2.00 for the 3,000 cubic feet that sells only at that price. The firm thus extracts revenue of \$10,500 from the segment willing to pay \$3.50 and revenue of \$6,000 from the segment willing to pay only \$2.00 per cubic foot for total revenue of \$16,500, as shown in Figure 16-2. In the presence of different segments that have different values for trucking capacity, revenue management increases the revenue from \$12,500 to \$16,500 and results in a significant improvement in profits.

In theory, the concept of differential pricing increases total profits for a firm. Two fundamental issues, however, must be handled in practice. First, how can the firm differentiate between the two segments and structure its pricing to make one segment pay more than the other? Second, how can the firm control demand such that the lower-paying segment does not utilize the entire availability of the asset?

To differentiate between the various segments, the firm must create barriers by identifying product or service attributes that the segments value differently. For example, business travelers on an airline want to book at the last minute and stay only as long as they must.



**FIGURE 16-1** Revenue Generated by ToFrom Pricing for One Segment



**FIGURE 16-2** Revenue Generated by ToFrom Pricing for Two Segments

Leisure travelers, on the other hand, are willing to book far in advance and adjust the duration of their stay. Plans for business travelers are also subject to change. Thus, advance booking, a required Saturday-night stay, and a penalty for changes on the lower fare separate the leisure traveler from the business traveler. For a transportation provider such as ToFrom, the segments can be differentiated based on how far in advance a customer is willing to commit and pay for the transportation capacity. Similar separation can also occur for production- and storage-related assets in a supply chain.

In the presence of multiple segments that can be separated, the firm must solve the following two problems:

1. What price to charge each segment?
2. How to allocate limited capacity among the segments?

### Pricing to Multiple Segments

Let us start by considering the simple scenario in which the firm has identified criteria on which it can separate the various customer segments. One such criterion may be an airline requiring a Saturday-night stay over. Another might be a trucking company separating customers based on the advance notice with which they are willing to commit to a shipment. The firm now wishes to identify the appropriate price for each segment. Consider a supplier (of product or some other supply chain function) that has identified  $k$  distinct customer segments that can be separated. Assume that the demand curve for segment  $i$  is given by (we assume linear demand curves to simplify the analysis)

$$d_i = A_i - B_i p_i$$

The supplier has a cost  $c$  of production per unit and must decide on the price  $p_i$  to charge each segment;  $d_i$  is the resulting demand from segment  $i$ . The goal of the supplier is to price so as to maximize its profits. The pricing problem can be formulated as follows:

$$\text{Max} \sum_{i=1}^k (p_i - c)(A_i - B_i p_i)$$

Without a capacity constraint, the problem separates by segment, and for segment  $i$ , the supplier attempts to maximize

$$(p_i - c)(A_i - B_i p_i)$$

The optimal price for each segment  $i$  is given by

$$p_i = \frac{A_i}{2B_i} + \frac{c}{2} \quad (16.1)$$

If the available capacity is constrained by  $Q$ , the optimal prices are obtained by solving

$$\text{Max} \sum_{i=1}^k (p_i - c)(A_i - B_i p_i) \quad (16.2)$$

subject to

$$\sum_{i=1}^k (A_i - B_i p_i) \leq Q$$

$$A_i - B_i p_i \geq 0 \quad \text{for } i = 1, \dots, k$$

Both formulations are simple enough to be solved in Excel. Example 16-1 illustrates the benefit of differential prices to multiple segments.

### EXAMPLE 16-1 Pricing to Multiple Segments

A contract manufacturer has identified two customer segments for its production capacity—one willing to place an order more than one week in advance and the other willing to pay a higher price as long as it can provide less than one week's notice for production. The customers that are unwilling to commit in advance are less price sensitive and have a demand curve  $d_1 = 5,000 - 20p_1$ . Customers willing to commit in advance are more price sensitive and have a demand curve of  $d_2 = 5,000 - 40p_1$ . Production cost is  $c = \$10$  per unit. What price should the contract manufacturer charge each segment if its goal is to maximize profits? If the contract manufacturer were to charge a single price over both segments, what should it be? How much increase in profits does differential pricing provide? If total production capacity is limited to 4,000 units, what should the contract manufacturer charge each segment?

#### Analysis:

Without capacity constraints, the differential prices to be charged each segment are given by Equation 16.1. We thus obtain

$$p_1 = \frac{5,000}{2 \times 20} + \frac{10}{2} = 125 + 5 = \$130 \quad \text{and} \quad p_2 = \frac{5,000}{2 \times 40} + \frac{10}{2} = 62.5 + 5 = \$67.5$$

The demand from the two segments is given by

$$d_1 = 5,000 - 20 \times 130 = 2,400 \quad \text{and} \quad d_2 = 5,000 - 40 \times 67.5 = 2,300$$

The total profit is

$$\text{Total profit} = 130 \times 2,400 + 67.5 \times 2,300 - 10 \times 4,700 = \$420,250$$

If the contract manufacturer charges the same price  $p$  to both segments, he is attempting to maximize

$$(p - 10)(5,000 - 20p) + (p - 10)(5,000 - 40p) = (p - 10)(10,000 - 60p)$$

The optimal price in this case is given by

$$p = \frac{10,000}{2 \times 60} + \frac{10}{2} = \$88.33$$

The demand from the two segments is given by

$$d_1 = 5,000 - 20 \times 88.33 = 3,233.40 \quad \text{and} \quad d_2 = 5,000 - 40 \times 88.33 = 1,466.80$$

The total profit is

$$\text{Total profit} = (88.33 - 10) \times (3,233.40 + 1,466.80) = \$368,166.67$$

Differential pricing thus raises the profits by more than \$50,000 relative to offering a fixed price.

Now let us consider the case in which total production capacity is limited to 4,000 units. The optimal differential price results in demand that exceeds total production capacity. Thus, we resort to the formulation in Equation 16.2 and solve

$$\text{Max}(p_1 - 10)(5,000 - 20p_1) + (p_2 - 10)(5,000 - 40p_2)$$

Subject to

$$(5,000 - 20p_1) + (5,000 - 40p_2) \leq 4,000$$

$$(5,000 - 20p_1), (5,000 - 40p_2) \geq 0$$

The results of the constrained optimization are shown in Figure 16-3. Observe that the limited capacity leads the contract manufacturer to charge a higher price to each of the two segments relative to when there was no capacity limit.

The methodology we have described has two important assumptions that are unlikely to hold in practice. The first assumption is that nobody from the higher-price segment decides to shift to the lower-price segment after prices are announced. In other words, we have assumed that the attribute such as lead time used to separate the segments works perfectly. In practice, this is unlikely to be the case. Our second assumption is that once prices are decided, customer demand is predictable. In practice, uncertainty will always be associated with demand. Talluri and Van Ryzin (2004) have an excellent discussion of several models for revenue management that account for uncertainty and a few models that account for customers being strategic and deciding on their actions after prices are announced.

	A	B	C	D
3	Production Capacity =	4000		
4		<b>Segment</b>	<b>Price</b>	<b>Demand</b>
5		1	\$ 141.7	2166.67
6		2	\$ 79.2	1833.33
7	Total			4000
				\$ 412,083.3

Cell	Cell Formula	Copied to
C5	= 5000 - 20*B5	
C6	= 5000 - 40*B6	
D5	= (B5 - 10)*C5	D6
C7	= sum(C5:C6)	
D7	= sum(D5:D6)	

FIGURE 16-3 Solver Spreadsheet for Example 16-1

### Allocating Capacity to a Segment Under Uncertainty

In most instances of differential pricing, demand from the segment paying the lower price arises earlier in time than demand from the segment paying the higher price. A supplier may charge a lower price to a buyer willing to commit far in advance and a higher price to buyers wanting to place their orders at the last minute. To take advantage of revenue management, the supplier must limit the amount of capacity committed to lower-price buyers even if sufficient demand exists from the lower-price segment to use the entire available capacity. This raises the question of how much capacity to save for the higher-price segment. The answer would be simple if demand were predictable. In practice, demand is uncertain and firms must make this decision taking uncertainty into account.

The basic trade-off to be considered by the supplier with production capacity is between committing to an order from a lower-price buyer or waiting for a higher-price buyer to arrive later on. The two risks in such a situation are spoilage and spill. *Spoilage* occurs when the capacity reserved for higher-price buyers is wasted because demand from the higher-price segment does not materialize. *Spill* occurs if higher-price buyers have to be turned away because the capacity has already been committed to lower-price buyers. The supplier should decide on the capacity to commit for the higher-price buyers so as to minimize the expected cost of spoilage and spill. A current order from a lower-price buyer should be compared with the expected revenue from waiting for a higher-price buyer. The order from the lower-price buyer should be accepted if the expected revenue from the higher-price buyer is lower than the current revenue from the lower-price buyer.

We now develop this trade-off in terms of a formula that can be used when the supplier is working with two customer segments. Let  $p_L$  be the price charged to the lower-price segment and  $p_H$  be the price charged to the higher-price segment. Assume that the anticipated demand for the higher-price segment is normally distributed, with a mean of  $D_H$  and a standard deviation of  $\sigma_H$ . If we reserve a capacity  $C_H$  for the higher-price segment, the expected marginal revenue  $R_H(C_H)$  from reserving more capacity is given by

$$R_H(C_H) = \text{Prob}(\text{demand from higher-price segment} > C_H) \times p_H$$

The reserved quantity for the higher-price segment should be chosen so that the expected marginal revenue from the higher-price segment equals the current marginal revenue from the lower-price segment; that is,  $R_H(C_H) = p_L$ . In other words, the quantity  $C_H$  reserved for the higher-price segment should be such that

$$\text{Prob}(\text{demand from higher-price segment} > C_H) = p_L/p_H \quad (16.3)$$

If demand for the higher-price segment is normally distributed, with a mean of  $D_H$  and a standard deviation of  $\sigma_H$  we can obtain the quantity reserved for the higher-price segment as

$$C_H = F^{-1}(1 - p_L/p_H, D_H, \sigma_H) = \text{NORMINV}(1 - p_L/p_H, D_H, \sigma_H) \quad (16.4)$$

If there are more than two customer segments, the same philosophy can be used to obtain a set of nested reservations. The quantity  $C_1$  reserved for the highest-price segment should be such that the expected marginal revenue from the highest-priced segment equals the price of the next-highest-priced segment. The quantity  $C_2$  reserved for the two highest-priced segments should be such that the expected marginal revenue from the two highest-priced segments equals the price of the third-highest-priced segment. This sequential approach can be used to obtain a set of nested reservations of capacity for all but the lowest-priced segment.

An important point to observe is that the use of differential pricing increases the level of asset availability for the high-priced segment. Capacity is being saved for these customers because of their willingness to pay more for the asset. Thus, effective use of revenue management increases firm profits and also improves service for the more valuable customer segment. Example 16-2 illustrates how profits can be increased by reserving capacity for the higher paying segment.

**EXAMPLE 16-2 Allocating Capacity to Multiple Segments**

ToFrom Trucking serves two segments of customers. One segment (A) is willing to pay \$3.50 per cubic foot but wants to commit to a shipment with only 24 hours notice. The other segment (B) is willing to pay only \$2.00 per cubic foot and is willing to commit to a shipment with up to one-week notice. With two weeks to go, demand for segment A is forecast to be normally distributed, with a mean of 3,000 cubic feet and a standard deviation of 1,000. How much of the available capacity should be reserved for segment A? How should ToFrom change its decision if segment A is willing to pay \$5 per cubic foot?

**Analysis:**

In this case we have

Revenue from segment A,  $p_A = \$3.50$  per cubic foot

Revenue from segment B,  $p_B = \$2.00$  per cubic foot

Mean demand for segment A,  $D_A = 3,000$  cubic feet

Standard deviation of demand for segment A,  $\sigma_A = 1,000$  cubic feet

Using Equation 16.4, the capacity to be reserved for segment A is given by

$$\begin{aligned} C_A &= \text{NORMINV}(1 - p_B/p_A, D_A, \sigma_A) = \text{NORMINV}(1 - 2.00/3.50, 3,000, 1,000) \\ &= 2,820 \text{ cubic feet} \end{aligned}$$

Thus, ToFrom should reserve 2,820 cubic feet of truck capacity for segment A when customers from this segment are willing to pay \$3.50 per cubic foot. If the amount customers are willing to pay increases from \$3.50 to \$5.00, the reserved capacity should be increased to

$$\begin{aligned} C_A &= \text{NORMINV}(1 - p_B/p_A, D_A, \sigma_A) = \text{NORMINV}(1 - 2.00/5.00, 3,000, 1,000) \\ &= 3,253 \text{ cubic feet} \end{aligned}$$

Ideally, the demand forecast for all customer segments should be revised and a new reservation quantity calculated each time a customer order is processed. In practice, such a procedure would be difficult to implement. It is more practical to revise the forecast and the reservation quantity after a period of time over which either the forecast demand or the forecast accuracy has changed by a significant amount.

Another approach to differential pricing is to create different versions of a product targeted at different segments. Publishers introduce new books from best-selling authors as hardcover editions and charge a higher price. The same books are introduced later as paperback editions at a lower price. The two versions are used to charge a higher price to the segment that wants to read the book as soon as it is introduced. Different versions can also be created by bundling different options and services with the same basic product. Automobile manufacturers create a high-end, a mid-level, and a low-end version of the most popular models based on the options provided. This policy allows them to charge differential prices to different segments for the same core product. Many contact lens manufacturers sell the same lens with a one-week, one-month, and six-month warranty. In this instance, the same product with different services in the form of warranty is used to charge differential prices.

To use revenue management successfully when serving multiple customer segments, a firm must use the following tactics effectively:

- Price based on the value assigned by each segment
- Use different prices for each segment
- Forecast at the segment level

Freight railroads and trucking firms have not used revenue management with multiple segments effectively. Airlines, in contrast, have been much more effective in using this approach. A major hindrance for railroads is the lack of scheduled freight trains. Without scheduled trains, it is hard to separate the higher-price and lower-price segments. To take advantage of revenue management opportunities, owners of transportation assets in the supply chain have to offer some scheduled services as a mechanism for separating the higher- and lower-price segments. Without scheduled services, it is difficult to separate customers that are willing to commit early from those that want to use the service at the last minute.

### Key Point

If a supplier serves multiple customer segments with a fixed asset, it can improve revenues by setting different prices for each segment. Prices must be set with barriers such that the segment willing to pay more is not able to pay the lower price. The amount of the asset reserved for the higher-price segment is such that the expected marginal revenue from the higher-price segment equals the price to the lower-price segment.

## 16.3 PRICING AND REVENUE MANAGEMENT FOR PERISHABLE ASSETS

Any asset that loses value over time is perishable. Clearly, fruits, vegetables, and pharmaceuticals are perishable. This list also includes products such as computers and cell phones that lose value as new models are introduced. High-fashion apparel is perishable because it cannot be sold at full price once the season is past. Perishable assets also include all forms of production, transportation, and storage capacity that is wasted if not fully utilized. Unused capacity from the past has no value. Thus, all unutilized capacity is equivalent to perished capacity.

A well-known example of revenue management in retailing of apparel was the original Filene's Basement in Boston. Merchandise was first sold at the main store at full price. Leftover merchandise was moved to the basement and its price reduced incrementally over a 35-day period until it sold. Any unsold merchandise was then given away to charity. Today, most department stores progressively discount merchandise over the sales season and then sell any remaining inventory to an outlet store, which follows a similar pricing strategy.

Another example of revenue management for a perishable asset is the use of overbooking by the airline industry. An airplane seat loses all value once the plane takes off. Given that people often do not show up for a plane even when they have a reservation, airlines sell more reservations than the capacity of the plane, to maximize expected revenue.

The two revenue management tactics used for perishable assets are

1. Vary price dynamically over time to maximize expected revenue
2. Overbook sales of the asset to account for cancellations

### Dynamic Pricing

Dynamic pricing, the tactic of varying price over time, is suitable for assets such as fashion apparel that have a clear date beyond which they lose a lot of their value. Apparel designed for the winter does not have much value by April. A retailer that has purchased 100 ski jackets in October has many options with regard to its pricing strategy. It can charge a high price initially. This strategy will result in fewer sales early in the season (though at a higher price), leaving more jackets to be sold later during the season, when they have lower value to customers. Another option is to charge a lower price initially, selling more jackets early in the season (though at a lower price) and leaving fewer jackets to be sold at a discount. This trade-off determines the profits for the retailer. To vary price effectively over time for a perishable asset, the asset owner must be able to estimate the value of the asset over time and forecast the impact of price on customer demand effectively.



Effective differential pricing over time generally increases the level of product availability for the consumer willing to pay full price and also increases total profits for the retailer.

We now discuss a simple methodology for dynamic pricing when the seller has a specified quantity  $Q$  of a single product at the start of the season. We assume that the seller is able to divide the selling season into  $k$  periods and can forecast the demand curve for each period. The underlying assumptions here are that customers' response to pricing can be predicted over time and customers will not change their behavior in response to anticipated price changes. For simplicity, we assume that given a price  $p_i$  in period  $i$ , the demand  $d_i$  in period  $i$  is given by

$$d_i = A_i - B_i p_i$$

This is a linear demand curve, but in general the demand curve need not be linear. We present the linear case here because it is easier to understand and solve. The retailer wants to vary the price over time to maximize the revenue it can extract from the  $Q$  units it has on hand at the beginning of the season. The dynamic pricing problem faced by the retailer can then be formulated as follows:

$$\text{Max } \sum_{i=1}^k p_i (A_i - B_i p_i) \quad (16.5)$$

subject to

$$\sum_{i=1}^k (A_i - B_i p_i) \leq Q$$

$$A_i - B_i p_i \geq 0 \quad \text{for } i = 1, \dots, k$$

As formulated, the dynamic pricing problem is simple enough that it can be solved directly using Excel as illustrated in Example 16-3.

### EXAMPLE 16-3 Dynamic Pricing

A retailer has purchased 400 ski parkas before the start of the winter season at a cost of \$100 each. The season lasts three months, and the retailer has forecast demand in each of the three months to be  $d_1 = 300 - p_1$ ,  $d_2 = 300 - 1.3p_2$ , and  $d_3 = 300 - 1.8p_3$ . How should the retailer vary the price of the parka over the three months to maximize revenue? If the retailer charges a constant price over the three months, what should it be? How much gain in revenue results from dynamic pricing?

#### Analysis:

Observe that customers who buy at the beginning of the season are forecast to be less price sensitive and customers who buy toward the end of the season are more price sensitive. Using Equation 16.5, the retailer's problem can be formulated as follows:

$$\text{Max } p_1(300 - p_1) + p_2(300 - 1.3p_2) + p_3(300 - 1.8p_3)$$

subject to

$$(300 - p_1) + (300 - 1.3p_2) + (300 - 1.8p_3) \leq 400$$

$$300 - p_1, 300 - 1.3p_2, 300 - 1.8p_3 \geq 0$$

This problem can be formulated using Solver in Excel as shown in Figure 16-4. The cells B5:B7 contain the price variables, cells C5:C7 contain the resulting demand from the respective demand curves, and cells D5:D7 contain the revenue in each period. The total demand across the three periods is in cell C8 and the total revenue is in cell D8. The quantity at the beginning of the season is in cell B3.

	A	B	C	D
3	Quantity at beginning of season =	400		
4		<b>Period</b>	<b>Price</b>	<b>Demand</b>
5		1	\$ 162.20	137.80
6		2	\$ 127.58	134.15
7		3	\$ 95.53	128.05
8	Total			400

Cell	Cell Formula	Copied to
C5	= 300 - B5	
C6	= 300 - 1.3*B6	
C7	= 300 - 1.8*B7	
D5	= B5*C5	D6:D7
C8	= sum(C5:C7)	
D8	= sum(D5:D7)	

**FIGURE 16-4** Solver Spreadsheet for Example 16-3 for Dynamic Pricing

	A	B	C	D
3	Quantity at beginning of season =	400		
4		<b>Period</b>	<b>Price</b>	<b>Demand</b>
5		1	\$ 121.95	178.05
6		2	\$ 121.95	141.46
7		3	\$ 121.95	80.49
8	Total			400

Cell	Cell Formula	Copied to
B6	= B5	B7

**FIGURE 16-5** Solver Spreadsheet for Example 16-3 for Fixed Price over Season

As shown in Figure 16-4, the optimal strategy for the retailer is to price at \$162.20 in the first month, \$127.58 in the second month, and \$95.53 in the third month. This gives total revenue of \$51,697.94 for the retailer.

The problem of obtaining the optimal fixed price over the three-month season can be formulated in Excel as shown in Figure 16-5. All cell formulas except B6 and B7 are as in Figure 16-4.

If the retailer wants to have a fixed price over the three months, it should price the jackets at \$121.95 for resulting revenue of \$48,780.49. We can see that dynamic pricing allows the retailer to increase profits by almost \$3,000, from \$8,780 to \$11,698.

Once we have understood how to price the product dynamically over the season, we can go back and ask how many units the retailer should purchase at the beginning of the season to maximize profits, as described in Example 16-4.

#### **EXAMPLE 16-4** Evaluating Quantity with Dynamic Pricing

Return to the retailer in Example 16-3. How many parkas should the retailer purchase at the beginning of the season, and how should they be priced over the three months of the season to maximize profits?

	A	B	C	D
2	Cost per unit =	\$ 100.00		
3	Quantity at beginning of season =	245		
4	<b>Period</b>	<b>Price</b>	<b>Demand</b>	<b>Revenue</b>
5	1	\$ 200.00	100.00	\$ 20,000.00
6	2	\$ 165.38	85.00	\$ 14,057.70
7	3	\$ 133.33	60.00	\$ 8,000.01
8	Total		245.0002	\$ 42,057.71
9			Profit =	\$ 17,557.69

Cell	Cell Formula	Copied to
D9	= D8-B2*B3	

**FIGURE 16-6** Solver Spreadsheet for Example 16-4 for Optimal Quantity and Dynamic Prices

### Analysis:

In this case, the quantity at the beginning of the season is also a decision variable. The retailer's problem can now be formulated as follows:

$$\text{Max } p_1(300 - p_1) + p_2(300 - 1.3p_2) + p_3(300 - 1.8p_3) - 100Q$$

subject to

$$(300 - p_1) + (300 - 1.3p_2) + (300 - 1.8p_3) \leq Q$$

$$300 - p_1, 300 - 1.3p_2, 300 - 1.8p_3, Q \geq 0$$

The problem can be formulated in Excel as shown in Figure 16-6 to obtain the optimal initial quantity and dynamic prices over the season. All cell formulas except cell B3 and D9 are as in Figure 16-4.

It is optimal for the retailer to order 245 jackets at the beginning of the season. They are then priced at \$200 for the first month, \$165.38 for the second month, and \$133.33 for the third month. The total profit for the retailer with the optimal order quantity and dynamic pricing is \$17,557.69.

In reality, the dynamic pricing problem is more complicated because demand is unpredictable and customers behave strategically in that they may decide to delay their purchase if they know that prices will drop over time. An excellent discussion of models that can be used in this more complex setting can be found in Talluri and Van Ryzin (2004).

The issue of unpredictable demand and strategic customers is illustrated effectively in decisions made by the high-end retailer Saks Fifth Avenue in November 2008. In 2007, luxury goods from brands such as Prada, Gucci, and Dolce & Gabbana had become especially important for high-end retailers such as Saks because they maintained strong sales into mid-2008 even though retailing overall was starting to drop by then. As a result, Saks placed its orders for the holiday season of 2008 hoping for strong sales of these brands. By November, however, a huge disconnect existed between inventories at Saks and customer demand. At Saks's annual "private sale nights" in early November for top customers, the usual 40 percent discounts got no response. By mid-November, competitors such as Neiman Marcus had also dropped prices by 40 percent and some designers were offering 90 percent discounts on "sample sales." As Thanksgiving approached, Saks decided to offer 70 percent discounts. Such a decision with luxury goods makes the best customers who paid full price feel duped. Next time, they are more likely to wait for prices to drop or even shift to a competitor. Frequent discounts over the selling season have the impact of affecting customer behavior, making it harder for the retailer to effectively manage these discounts. As a result, they should be used carefully, especially for high-value goods.

## Key Point

Dynamic pricing can be a powerful tool to increase profits if the customers' sensitivity to price changes in the course of the season. This is often the case for fashion products, for which customers are less price sensitive early in the season but become more price sensitive toward the end of the season. Dynamic pricing should, however, carefully consider strategic behavior by customers who may anticipate future price drops.

## Overbooking

The tactic of overbooking or overselling of the available asset is suitable in any situation in which customers are able to cancel orders and the value of the asset drops significantly after a deadline. Examples include airline seats, items designed specially for Christmas, and production capacity. In each case, a limited amount of the asset is available, customers are allowed to cancel orders, and the asset loses value beyond a certain date. If the cancellation or the return rate can be predicted accurately, the overbooking level is easy to determine. In practice, however, the cancellation or return rate is uncertain.

The basic trade-off to consider during overbooking is between having wasted capacity (or inventory) because of excessive cancellations or having a shortage of capacity (or inventory) because of few cancellations, in which case an expensive backup needs to be arranged. The cost of wasted capacity is the margin that would have been generated if the capacity had been used for production. The cost of a capacity shortage is the loss per unit that results from having to go to a backup source. The goal when making the overbooking decision is to maximize supply chain profits by minimizing the cost of wasted capacity and the cost of capacity shortage.

We now develop this trade-off in terms of a formula that can be used to set overbooking levels for an asset. Let  $p$  be the price at which each unit of the asset is sold, and let  $c$  be the cost of using or producing each unit of the asset. In case of asset shortage, let  $b$  be the cost per unit at which a backup can be used. Thus, the marginal cost of having wasted capacity is  $C_w = p - c$ , and the marginal cost of having a capacity shortage is  $C_s = b - p$ . If the cost of backup capacity is less than the sale price, there is no reason to limit the overbooking. The interesting case arises when the cost of backup capacity exceeds the sale price. The trade-off to obtain the optimal overbooking level is similar to the trade-off described in Chapter 13 to obtain the optimal cycle service level for seasonal items given by Equation 13.1. Let  $O^*$  be the optimal overbooking level, and let  $s^*$  be the probability that cancellations will be less than or equal to  $O^*$ . Similar to the derivation of Equation 13.1, the optimal overbooking level is obtained as

$$s^* = \text{Prob}(\text{cancellations} \leq O^*) = \frac{C_w}{C_w + C_s} \quad (16.6)$$

If the distribution of cancellations is known in absolute terms to be normally distributed, with a mean of  $\mu_c$  and a standard deviation of  $\sigma_c$ , the optimal overbooking level is evaluated as

$$O^* = F^{-1}(s^*, \mu_c, \sigma_c) = \text{NORMINV}(s^*, \mu_c, \sigma_c) \quad (16.7)$$

If the cancellation distribution is known only as a function of the booking level (capacity  $L$  + overbooking  $O$ ) to have a mean of  $\mu(L + O)$  and a standard deviation of  $\sigma(L + O)$ , the optimal overbooking level is obtained as a solution to the following equation:

$$O = F^{-1}(s^*, \mu(L + O), \sigma(L + O)) = \text{NORMINV}(s^*, \mu(L + O), \sigma(L + O)) \quad (16.8)$$

Observe that the optimal level of overbooking should increase as the margin per unit increases, and the level of overbooking should decrease as the cost of replacement capacity goes up. Also observe that the use of overbooking increases asset utilization by customers. The use of

overbooking decreases the number of customers that are turned away and thus improves asset availability to the customer, while improving profits for the asset owner. The evaluation of overbooking is illustrated in Example 16-5.

### EXAMPLE 16-5 Overbooking

Consider an apparel supplier that is taking orders for dresses with a Christmas motif. The production capacity available from the supplier is 5,000 dresses, and it makes \$10 for each dress sold. The supplier is currently taking orders from retailers and must decide on how many orders to commit to at this time. If it has orders that exceed capacity, it has to arrange for backup capacity that results in a loss of \$5 per dress.

Retailers have been known to cancel their orders near the winter season as they have better visibility into expected demand. How many orders should the supplier accept if cancellations are normally distributed, with a mean of 800 and a standard deviation of 400? How many orders should the supplier accept if cancellations are normally distributed, with a mean of 15 percent of the orders accepted and a coefficient of variation of 0.5?

#### Analysis:

The supplier has the following parameters:

Cost of wasted capacity,  $C_w = \$10$  per dress

Cost of capacity shortage,  $C_s = \$5$  per dress

Using Equation 16.6, we thus obtain

$$s^* = \frac{C_w}{C_w + C_s} = \frac{10}{10 + 5} = 0.667$$

If cancellations are normally distributed, with a mean of 800 and a standard deviation of 400, the optimal overbooking level is obtained using Equation 16.7 as

$$O^* = \text{NORMINV}(s^*, \mu_c, \sigma_c) = \text{NORMINV}(0.667, 800, 400) = 973$$

In this case, the supplier should overbook by 973 dresses and take orders for a total of 5,973 dresses.

If cancellations are normally distributed with a mean of 15 percent of the booking level and a coefficient of variation of 0.5, the optimal overbooking level is obtained using Equation 16.8 to be the solution of the following equation:

$$O = \text{NORMINV}(0.667, 0.15(5000 + O), 0.075(5000 + O))$$

This equation can be solved using the Excel tool Solver to obtain the optimal overbooking level:

$$O^* = 1,115$$

In this case, the supplier should overbook by 1,115 dresses and take an order for up to 6,115 dresses.

Overbooking as a tactic has been used in the airline, passenger rail, and hotel industries. It has not, however, been used to the extent it should be in many supply chain scenarios including production, warehousing, and transportation capacity. There is no reason that a third-party warehouse that rents to multiple customers should not sell total space that exceeds the available space. A backup will clearly be needed if all customers use warehouse space to capacity. In all other cases, the available warehouse capacity will cover the need for space. Overbooking in this case will improve revenues for the warehouse while allowing more customers to use the available warehouse space.

**Key Point**

Overbooking or overselling of a supply chain asset is a valuable tactic if order cancellations occur and the asset is perishable. The level of overbooking is based on the trade-off between the cost of wasting the asset if too many cancellations lead to unused assets and the cost of arranging a backup if too few cancellations lead to committed orders being larger than the available capacity.

**16.4 PRICING AND REVENUE MANAGEMENT FOR SEASONAL DEMAND**

Seasonal peaks of demand are a common occurrence in many supply chains. Most retailers in the United States achieve a significant fraction of their annual sales during the month of December. One such example is Amazon. As a result of the seasonal peak, the requirement for picking and packing and transportation capacity at Amazon significantly increases. Bringing in short-term capacity is expensive and decreases Amazon's margins. As discussed in Chapter 9, off-peak discounting is an effective method of shifting demand from the peak to the off-peak period. Amazon typically offers free shipping for orders that are placed in November. The price discount encourages some customers to shift their demand from December to November, thereby reducing the December peak for Amazon and allowing it to extract a higher profit. Simultaneously, this strategy offers a price break to customers who are willing to order early.

Faced with seasonal peaks, an effective revenue management tactic is to charge a higher price during the peak period and a lower price during off-peak periods. The result is a demand shift from peak to off-peak periods. Such an outcome is beneficial if the discount given during the off-peak period is more than offset by the decrease in cost because of a smaller peak and the increase in revenue during the off-peak period. See Chapter 9 for a detailed discussion of the trade-offs involved when a firm uses pricing to deal with seasonal peaks.

The hotel industry uses differential pricing by day of week and time of year. Here the goal is not to shift demand but to increase demand during periods of low demand by attracting price-sensitive customers, such as vacationing families, with a price discount. The Marriott Corporation has been quite successful in this effort. Demand for hotel rooms is known to vary by day of the week. For Marriott, which targets business customers, peak demand days occur in the middle of the week. Marriott offers lower rates during the weekend to encourage families to use the hotel during that time. Another revenue management tactic that Marriott uses is to charge customers a lower rate if they stay over a longer period that also covers low-demand days.

An interesting example of peak pricing is the Next restaurant started by star chef Grant Achatz in Chicago in 2010. The restaurant sells advance tickets for seatings at different times. Ticket prices vary based on the menu but also on the time a customer signs up for. Thus, a Saturday night seating at 8 P.M. is more expensive than a Tuesday night seating at 9.30 P.M. Similarly, many sports teams charge more for games involving popular opponents and less for weaker opponents and less popular times.

Off-peak discounting can be an effective revenue management tactic for owners of production or transportation capacity in any supply chain facing seasonal peak demand, because changing capacity over time is expensive. This tactic increases profits for the owner of assets, decreases the price paid by a fraction of customers, and also brings in potentially new customers during the off-peak discount period.

**16.5 PRICING AND REVENUE MANAGEMENT FOR BULK AND SPOT CONTRACTS**

Most firms face a market in which some customers purchase in bulk at a discount and others buy single units or small lots at a higher price. Consider an owner of warehousing capacity in a supply chain. Warehousing capacity may be leased in bulk to a large company or in small amounts to

large companies for their emergency needs or to small companies. The large company leasing space in bulk typically gets a discount compared to the others. The owner of warehousing space thus faces the following trade-off: It could lease the space to the bulk buyer at a discount or save some of the space for higher price demand for small amounts of warehouse space that may or may not arise.

In most instances, owners of supply chain assets prefer to fulfill all demand that arises from bulk sales and try to serve small customers only if any assets are left over. In contrast, a firm such as McMaster-Carr targets only customers with emergency demand for MRO goods. McMaster-Carr will turn down any bulk buyer seeking a discount. Using this strategy, McMaster-Carr is a very profitable firm. For a firm that wants to be a niche player, targeting one of the two extremes is a sensible strategy. It allows the firm to focus its operations on serving either only the bulk segment or only the spot market. For other firms, however, a hybrid strategy of serving both segments is appropriate. In this case, firms must decide what fraction of the asset to sell in bulk and what fraction of the asset to save for the spot market. The fundamental trade-off is similar to a firm serving two market segments (see Section 16.2). The firm needs to decide on the prices to the bulk and spot segments and the amount of the asset to reserve for the spot market. The prices to each segment can be determined using Equations 16.1 and 16.2. The amount reserved for the spot market should be such that the expected marginal revenue from the spot market equals the current revenue from a bulk sale. The reserved quantity is affected by the difference in margin between the spot market and the bulk sale and also the distribution of demand from the spot market. If we consider the spot market to be the higher-price segment and the bulk purchasers to be the lower-price segment, the amount of asset to be saved for the spot market can be obtained using Equations 16.3 and 16.4.

A similar decision needs to be made by each purchaser of production, warehousing, and transportation assets in a supply chain. Consider a company looking for shipping capacity for global operations. One option is for it to sign a long-term bulk contract with a shipping firm. Another option is to purchase shipping capacity on the spot market. The long-term bulk contract has the advantage of a fixed, low price but has the disadvantage of being wasted if it is not utilized. The spot market has the disadvantage of a higher average price but has the advantage of never being wasted. The purchaser must consider this trade-off when deciding the amount of long-term bulk shipping contracts to sign.

Given that both the spot market price and the purchaser's need for the asset are uncertain, a decision tree approach as discussed in Chapter 6 should be used to evaluate the amount of long-term bulk contract to sign. For the simple case in which the spot market price is known but demand is uncertain, the extent of the bulk contract can be evaluated using a formula. Let  $c_B$  be the bulk rate, and let  $c_S$  be the spot market price for the asset. Let  $Q^*$  be the optimal amount of the asset to be purchased in bulk and let  $p^*$  be the probability that demand for the asset does not exceed  $Q^*$ . The marginal cost of purchasing another unit in bulk is  $c_B$ . The expected marginal cost of not purchasing another unit in bulk and then purchasing it in the spot market is  $(1 - p^*)c_S$ . If the optimal amount of the asset is purchased in bulk, the marginal cost of the bulk purchase should equal the expected marginal cost of the spot market purchase; that is,  $c_B = (1 - p^*)c_S$ . Thus, the optimal value  $p^*$  is obtained as

$$p^* = \frac{c_S - c_B}{c_S} \quad (16.9)$$

If demand is normally distributed, with a mean of  $\mu$  and a standard deviation of  $\sigma$  the optimal amount,  $Q^*$ , of the asset purchased in bulk is obtained as

$$Q^* = F^{-1}(p^*, \mu, \sigma) = \text{NORMINV}(p^*, \mu, \sigma) \quad (16.10)$$

Observe that the amount of bulk purchase increases if either the spot market price increases or the bulk price decreases. Evaluation of bulk contract purchases is illustrated in Example 16-6.

**EXAMPLE 16-6 Long-Term Bulk Contracts versus the Spot Market**

A manufacturer sources several components from China and has monthly transportation needs that are normally distributed, with a mean of  $\mu = 10$  million units and a standard deviation of  $\sigma = 4$  million units. The manufacturer must decide on the portfolio of transportation contracts to carry. A long-term bulk contract costs \$10,000 per month for a million units. Transportation capacity is also available in the spot market at an average price of \$12,500 per million units. For how much transportation capacity should the manufacturer sign a long-term bulk contract?

**Analysis:**

In this case we have

Bulk contract cost,  $c_B = \$10,000$  per million units

Spot market cost,  $c_S = \$12,500$  per million units

Using Equation 16.9, we obtain

$$p^* = \frac{c_S - c_B}{c_S} = \frac{12,500 - 10,000}{12,500} = 0.2$$

The optimal amount to be purchased using the long-term bulk contract is thus obtained using Equation 16.10 to be

$$Q^* = \text{NORMINV}(p^*, \mu, \sigma) = \text{NORMINV}(0.2, 10, 4) = 6.63$$

Thus, the manufacturer should sign a long-term bulk contract for 6.63 million units per month and purchase any transportation capacity beyond that on the spot market.

**Key Point**

Most consumers of production, warehousing, and transportation assets in a supply chain face the problem of constructing a portfolio of long-term bulk contracts and spot market contracts. The basic decision is the size of the bulk contract. The fundamental trade-off is between wasting a portion of a low-cost bulk contract and paying more for the asset on the spot market.

**16.6 USING PRICING AND REVENUE MANAGEMENT IN PRACTICE**

**1. Evaluate your market carefully.** The first step in revenue management is to identify the customer segments being served and their needs. The goal is to understand what the customer is buying, as opposed to what you are selling. If an airline thinks of itself as only selling seats, it cannot use revenue management. It has to think of itself as selling seats, the ability to book at the last minute, the ability to alter flight plans, and the ability to pick a convenient flight schedule. Only then do revenue management opportunities present themselves.

Having identified the market needs, it is crucial to gather accurate and complete data relating to products offered; prices; competition; and, most important, customer behavior. Information about customer behavior is a valuable asset that helps identify consumer preferences. Ultimately, a proper understanding of customer preferences and a quantification of the impact of various tactics on consumer behavior are at the core of successful revenue management.

**2. Quantify the benefits of revenue management.** It is critical to quantify the expected benefits from revenue management before starting the project. Ideally, historical data and a good model of customer preferences should be used to estimate the benefits



through a simulation. The outcome of this step should be explicit revenue targets that are to be achieved as a result of revenue management. The revenue targets should be such that all people involved believe in them. The revenue management effort should then be compared to the expected benefit.

**3. Implement a forecasting process.** The foundation of any revenue management system is the forecasting function. To use overbooking with any degree of success, an airline must be able to forecast cancellation patterns. By forecasting, we do not mean obtaining an estimate that is always accurate. Forecasting involves estimating demand and also attributing an expected error to the forecast itself. Both the estimated value and the expected error are important inputs into any revenue management model.

It is generally difficult to forecast at a micro level, where all behavior is essentially idiosyncratic. For example, an airline with 100 fare classes will find it difficult to forecast demand for each class and also forecast the behavior of customers when they find a fare class full. It is thus important to ensure that revenue management tactics are planned over a level that is aggregated enough so that effective forecasting is possible.

Finally, as new information becomes available, reforecast to see if the revenue management tactics currently in place are still appropriate. The frequency of forecasting will depend on the amount of market activity. Ideally, the forecast and the revenue management decision should be evaluated after every transaction.

**4. Keep it simple.** Most of the benefits of revenue management are realized through a few dimensions for differential pricing. Additional complexity adds to the effort required without necessarily adding much value. An airline, for example, can achieve most of the benefits from revenue management using a few fare classes. Further complexity will only make forecasting more difficult without necessarily enhancing revenue.

**5. Involve both sales and operations.** Salespeople must understand the revenue management tactic in place so they can align their sales pitch accordingly. It makes no sense for a firm to offer an off-peak discount if the sales force continues to push people toward the period with highest prices. The sales force must differentiate between those customers that truly need the supply chain asset during the peak period and those that will benefit from moving their order to the off-peak period. Such an approach will increase profits for the firm while also satisfying customers. Operations must understand the potential outcomes of the revenue management tactics in place and be informed of actual outcomes taking place. For example, operations in an airline using overbooking must be ready to book passengers who are unable to depart on the full flight onto other feasible flights.

**6. Understand and inform the customer.** Customers will have a negative perception of revenue management tactics if they are simply presented as a mechanism for extracting maximum revenue. Such a perception is likely to diminish customer loyalty in the long term and encourage the customer to try and game the process. Thus, it is important for the firm to structure its revenue management program in a way that revenue increases while improving service along some dimension that is important to customers that pay the highest price. As discussed earlier in the chapter, a proper implementation of revenue management tactics should achieve both outcomes. It is important for the firm to convey this information to its most valuable customers. Remember, a change in behavior by this set of customers can destroy any potential benefit of a revenue management program!

**7. Integrate supply planning with revenue management.** Although the supply planning and revenue management ideas we discuss in this book are valuable in their own right, combining them can create significantly more value. The point here is not to use revenue management in isolation, but rather to combine it with decisions on the supply side. For instance, if, after applying revenue management, a manufacturer finds that the production of a short lead time facility provides the majority of its profit, it should look into adding more short lead time capacity.

Understanding and acting on the interactions among supply, demand, and pricing can bring about powerful results.

## 16.7 SUMMARY OF LEARNING OBJECTIVES

**1. Understand the role of revenue management in a supply chain.** Revenue management uses differential pricing to better match supply and demand and increase supply chain profits. Traditionally, firms have changed the availability of assets to match supply and demand. Revenue management aims to reduce any supply/demand imbalance by using pricing as a lever. A big advantage of using revenue management is that a change in pricing is much easier to reverse compared to an investment in supply chain assets. When it is used properly, revenue management increases firm profits while leaving valuable customers more satisfied through greater asset availability.

**2. Identify conditions under which revenue management tactics can be effective.** Revenue management tactics can be effective if the firm serves multiple segments, each placing a different value on the supply chain asset, or the asset is perishable and loses value over time, or demand for the asset has distinct seasonal peaks, or the asset can be bought and sold both using long-term bulk contracts and on the spot market.

**3. Describe trade-offs that must be considered when making revenue management decisions.** When serving multiple customer segments, the basic revenue management decision is the amount of the asset to save for the higher-price segment. The trade-off is between saving too much and spoiling the asset if the higher-price demand does not materialize and turning away higher-price customers because too little of the asset was saved. When the asset is perishable, the basic revenue management decisions are about how to change the asset price over time and the degree to which the asset should be overbooked or oversold. When changing the asset price over time, the trade-off is between charging a higher price initially and having too much inventory left over to discount later on, and charging a low initial price and having little inventory left over. When overbooking, the trade-off is between not overbooking enough and wasting the available asset and overbooking too much and having to arrange for backup capacity at high cost. When demand has distinct seasonal peaks, the basic revenue management decision is the timing and extent of the off-peak discount. The trade-off is between the additional cost of serving the seasonal peak, and the impact on demand and thus revenue from offering an off-peak discount. For a seller using both long-term bulk contracts and the spot market, the basic revenue management decision is the fraction of the asset to save for the spot market. The basic trade-off is between getting a committed demand at a lower price with the bulk contract and potentially getting a high price on the spot market. For a buyer, the basic decision is the fraction of anticipated demand to purchase from a long-term bulk contract. The basic trade-off is between getting a long-term bulk contract at a low price that may not be fully used and purchasing only the amount required from the spot market but at a higher price.

---

## Discussion Questions

1. In what ways can a retailer such as Nordstrom take advantage of revenue management opportunities?
2. What revenue management opportunities are available to a manufacturer? How can it take advantage of these opportunities?
3. What revenue management opportunities are available to a trucking firm? How can it take advantage of these opportunities?
4. What revenue management opportunities are available to the owner of a warehouse? How can it take advantage of them?
5. Explain the use of outlet stores by retailers such as Saks Fifth Avenue in the context of revenue management. How does the presence of outlet stores help Saks? How does it help its more valuable customer, who is willing to pay full price?
6. Demand for hairdressers is much higher over the weekend, when people are not at work. What revenue management techniques can be used by such a business?
7. How can a golf course use revenue management to improve financial performance?

## Exercises

1. Felgas, a manufacturer of felt gaskets, has production capacity of 1,000 units per day. Currently, the firm sells production capacity for \$5 per unit. At this price, all production capacity gets booked about one week in advance. Some customers have said that they would be willing to pay twice as much (\$10 per unit) if Felgas had capacity available on the last day. About 10 days in advance, demand for the high-price segment is normally distributed, with a mean of 250 and a standard deviation of 100. How much production capacity should Felgas reserve for the last day?
2. The GoGo Bunny is a hot toy this Christmas, and the manufacturer has decided to ration supply to all retailers. A large retail chain owns two channels—a discount channel and a high-service channel. The retailer plans to sell the toy at a margin of \$4 in the discount channel and a margin of \$8 in the high-service channel. The manufacturer sends 100,000 GoGo Bunnies to the retailer. The retailer has forecast that the demand for the toy at the high-service channel is normally distributed, with a mean of 400,000 and a standard deviation of 150,000. How many toys should the retailer send to the high-service channel?
3. A small warehouse has 100,000 square feet of capacity. The manager at the warehouse is in the process of signing contracts for storage space with customers. The contract has an up-front monthly fee of \$200 per customer and then a fee of \$3 per square foot based on actual usage. The warehouse guarantees the contracted amount even if it has to arrange for extra space at a price of \$6 per square foot. The manager believes that customers are unlikely to use the full contracted amount at all times. Thus, he is thinking of signing contracts that exceed 100,000 square feet. He forecasts that unused space will be normally distributed, with a mean of 20,000 square feet and a standard deviation of 10,000 square feet. What is the total size of the contracts he should sign? If he forecasts that unused space will be normally distributed with a mean of 15 percent of the contracted amount and a coefficient of variation of 0.6, what is the total space that he should sign contracts for?
4. A trucking firm has current capacity of 200,000 cubic feet. A large manufacturer is willing to purchase the entire capacity at \$0.10 per cubic foot per day. The manager at the trucking firm has observed that on the spot market, trucking capacity sells for an average of \$0.13 per cubic foot per day. Demand, however, is not guaranteed at this price. The manager forecasts daily demand on the spot market to be normally distributed, with a mean of 60,000 cubic feet and a standard deviation of 20,000. How much trucking capacity should the manager save for the spot market?
5. The manager at a large manufacturer is planning warehousing needs for the coming year. She predicts that warehousing needs will be normally distributed, with a mean of 500,000 square feet and a standard deviation of 150,000. The manager can obtain a full-year lease at \$0.50 per square foot per month or purchase storage space on the spot market. Spot market rates have averaged \$0.70 per square foot per month. How large an annual contract should the manager sign?
6. NatBike, a bicycle manufacturer, has identified two customer segments, one that prefers a customized bicycle and is willing to pay a higher price and another that is willing to take a standardized bicycle but is more price sensitive. Assume that the cost of manufacturing either bicycle is \$200. Demand from the customized segment has a demand curve of  $d_1 = 20,000 - 10p_1$  and demand from the price-sensitive standard segment is  $d_2 = 40,000 - 30p_2$ . What price should NatBike charge each segment if there is no capacity constraint? What price should NatBike charge each segment if the total available capacity is 20,000 bicycles? What is the total profit in each case?
7. Return to the bicycle manufacturer NatBike in Exercise 6. Now assume that a customized bicycle costs \$300 to manufacture, whereas a standardized bicycle costs \$200 to manufacture, with all other data as in Exercise 6. What price should NatBike charge each segment if there is no capacity constraint? What price should NatBike charge each segment if the total available capacity is 20,000 bicycles? What is the total profit in each case?
8. Return to the bicycle manufacturer NatBike in Exercise 6. Assume that the plant has a capacity of 20,000 bicycles. If additional capacity can be added at a cost of \$25 per bicycle, how should NatBike price to each of the two segments and how much capacity should it add? How are profits affected relative to Exercise 6?
9. A department store has purchased 5,000 swimsuits to be sold during the summer sales season. The season lasts three months, and the store manager forecasts that customers buying early in the season are likely to be less price sensitive and those buying later in the season are likely to be more price sensitive. The demand curves in each of the three months are forecast to be as follows:  $d_1 = 2,000 - 10p_1$ ,  $d_2 = 2,000 - 20p_2$ , and  $d_3 = 2,000 - 30p_3$ . If the department store is to charge a fixed price over the entire season, what should it be? What is the resulting revenue? If the department store wants dynamic prices that vary by month, what should they be? How does this affect profits relative to charging fixed prices? If each swimsuit costs \$40 and the store plans to charge dynamic prices, how many swimsuits should it purchase at the beginning of the season?

## Bibliography

- Cross, Robert G. *Revenue Management*. New York: Bantam Doubleday Dell, 1997.
- Cross, Robert G., Jon A. Higbie, and Zachary N. Cross. "Milestones in the Application of Analytical Pricing and Revenue Management." *Journal of Revenue and Pricing Management* (2010), 1–11.
- Daudel, Sylvain, and Georges Vialle. *Yield Management: Applications to Air Transport and Other Service Industries*. Paris: Institut du Transport Aerien, 1994.
- O'Connell, Vanessa, and Rachel Dodes. "Saks Upends Luxury Market with Strategy to Slash Prices." *The Wall Street Journal*, February 9, 2009.
- Phillips, Robert. *Pricing and Revenue Optimization*. Stanford, CA, Stanford University Press, 2005.
- Talluri, Kalyan T., and Garrett J. Van Ryzin. *The Theory and Practice of Revenue Management*. Boston: Kluwer Academic, 2004.
- Tayur, Sridhar, Ram Ganeshan, and Michael Magazine, eds. *Quantitative Models for Supply Chain Management*. Boston: Kluwer Academic, 1999.
- Wells, Pete. "In Chicago, the Chef Grant Achatz Is Selling Tickets to His New Restaurant." *New York Times*, May 5, 2010.

Arunai Engineering College



# Information Technology in a Supply Chain

## LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Understand the importance of information and information technology in a supply chain.
2. Know at a high level how each supply chain driver uses information.
3. Understand the major applications of supply chain information technology and the processes that they enable.

Information is crucial to the performance of a supply chain because it provides the basis on which supply chain managers make decisions. Information technology consists of the tools used to gain awareness of information, analyze this information, and execute on it to improve the performance of the supply chain. In this chapter, we explore the importance of information, its uses, and the technologies that enable supply chain managers to use information to make better decisions.

## 17.1 THE ROLE OF IT IN A SUPPLY CHAIN

Information is a key supply chain driver because it serves as the glue that allows the other supply chain drivers to work together with the goal of creating an integrated, coordinated supply chain. Information is crucial to supply chain performance because it provides the foundation on which supply chain processes execute transactions and managers make decisions. Without information, a manager cannot know what customers want, how much inventory is in stock, and when more product should be produced or shipped. In short, information provides supply chain visibility, allowing managers to make decisions to improve the supply chain's performance.

IT consists of the hardware, software, and people throughout a supply chain that gather, analyze, and execute upon information. IT serves as the eyes and ears (and sometimes a portion of the brain) of management in a supply chain, capturing and analyzing the information necessary to make a good decision. For instance, an IT system at a PC manufacturer may show the finished goods inventory at different stages of the supply chain and also provide the optimal production plan and level of inventory based on demand and supply information.

Using IT systems to capture and analyze information can have a significant impact on a firm's performance. For example, a major manufacturer of computer workstations and servers found that most of its information on

customer demand was not being used to set production schedules and inventory levels. The manufacturing group lacked this demand information, which essentially forced it to make inventory and production decisions blindly. By installing a supply chain software system, the company was able to gather and analyze demand data to produce recommended stocking levels. Using the IT system enabled the company to cut its inventory in half, because managers could now make decisions based on customer demand information rather than manufacturing's educated guesses. Large impacts like this underscore the importance of IT as a driver of supply chain performance.

Availability and analysis of information to drive decision making is a key to the success of a supply chain. Companies that have built their success on the availability and analysis of information include Seven-Eleven Japan, Walmart, Amazon, UPS, and Netflix. To support effective supply chain decisions, information must have the following characteristics:

1. **Information must be accurate.** Without information that gives a true picture of the state of the supply chain, it is difficult to make good decisions. That is not to say that all information must be 100 percent correct, but rather that the data available paint a picture that is at least directionally correct.
2. **Information must be accessible in a timely manner.** Accurate information often exists, but by the time it is available, it is either out of date or it is not in an accessible form. To make good decisions, a manager needs to have up-to-date information that is easily accessible.
3. **Information must be of the right kind.** Decision makers need information that they can use. Often companies have large amounts of data that are not helpful in making a decision. Companies must think about what information should be recorded so that valuable resources are not wasted collecting meaningless data while important data go unrecorded.
4. **Information must be shared.** A supply chain can be effective only if all its stakeholders share a common view of the information that they use to make business decisions. Different information with different stakeholders results in misaligned action plans that hurt supply chain performance.

Information is used when making a wide variety of decisions about each supply chain driver, as discussed next.

1. **Facility.** Determining the location, capacity, and schedules of a facility requires information on the trade-offs among efficiency and flexibility, demand, exchange rates, taxes, and so on (see Chapters 4, 5, and 6). Walmart's suppliers use the demand information from Walmart's stores to set their production schedules. Walmart uses demand information to determine where to place its new stores and cross-docking facilities.
2. **Inventory.** Setting optimal inventory policies requires information that includes demand patterns, cost of carrying inventory, costs of stocking out, and costs of ordering (see Chapters 11, 12, and 13). For example, Walmart collects detailed demand, cost, margin, and supplier information to make these inventory policy decisions.
3. **Transportation.** Deciding on transportation networks, routings, modes, shipments, and vendors requires information about costs, customer locations, and shipment sizes to make good decisions (see Chapter 14). Walmart uses information to tightly integrate its operations with those of its suppliers. This integration allows Walmart to implement cross-docking in its transportation network, saving on both inventory and transportation costs.
4. **Sourcing.** Information on product margins, prices, quality, delivery lead times, and so on, are all important in making sourcing decisions. Given sourcing deals with inter-enterprise transactions, a wide range of transactional information must be recorded in order to execute operations, even once sourcing decisions have been made.
5. **Pricing and revenue management.** To set pricing policies, one needs information on demand, both its volume and various customer segments' willingness to pay, and on

many supply issues, such as the product margin, lead time, and availability. Using this information, firms can make intelligent pricing decisions to improve their supply chain profitability.

In summary, information is crucial to making good supply chain decisions at all three levels of decision making (strategy, planning, and operations) and in each of the other supply chain drivers (facilities, inventory, transportation, sourcing, and pricing). IT enables not only the gathering of these data to create supply chain visibility, but also the analysis of these data so that the supply chain decisions made will maximize profitability.

## 17.2 THE SUPPLY CHAIN IT FRAMEWORK

We develop a framework that managers can use to understand the role of IT within the supply chain. At its core, IT provides access and reporting of supply chain transaction data. More advanced IT systems then layer on a level of analytics that uses transaction data to proactively improve supply chain performance. For example, as a baseline, good IT systems will record and report demand, inventory, and fulfillment information for Amazon. IT systems that provide analytics then allow Amazon to decide whether to open new distribution centers and how to stock them.


Given that both reporting and analysis require the availability of accurate transaction data, enterprise software forms the foundation of a supply chain IT system. This is a space that has matured from the early 1990s to the early 2000s with SAP and Oracle as the two major players. During this period, enterprise software providers such as SAP and Oracle worked to extend their analytics capabilities while best of breed analytics providers such as i2 and Manugistics attempted to provide transaction level capability. The winners were the enterprise software providers, and the first decade of the 21<sup>st</sup> century saw significant consolidation across the industry. We propose that further evolution of supply chain IT can be viewed in the context of the supply chain macro processes discussed in Chapter 1.

### The Supply Chain Macro Processes

The emergence of supply chain management has broadened the scope across which companies make decisions. This scope has expanded from trying to optimize performance across the division, to the enterprise, and now to the entire supply chain. This broadening of scope emphasizes the importance of including processes all along the supply chain when making decisions. From an enterprise's perspective, all processes within its supply chain can be categorized into three main areas: processes focused downstream, processes focused internally, and processes focused upstream. We use this classification to define the three macro supply chain processes (see Chapter 1) as follows:

- **Customer relationship management (CRM).** Processes that focus on downstream interactions between the enterprise and its customers.
- **Internal supply chain management (ISCM).** Processes that focus on internal operations within the enterprise. Note that the software industry commonly calls this “supply chain management” (without the word “internal”), even though the focus is entirely within the enterprise. In our definition, supply chain management includes all three macro processes, CRM, ISCM, and SRM.
- **Supplier relationship management (SRM).** Processes that focus on upstream interactions between the enterprise and its suppliers.

All operation and analytics related to the macro processes rest on the *transaction management foundation (TMF)*, which includes basic enterprise resource planning (ERP) systems (and its components, such as financials and human resources), infrastructure software, and integration software. TMF software is necessary for the three macro processes to function and to communicate with one another. The relationship between the three macro processes and the transaction management foundation can be seen in Figure 17-1.



**FIGURE 17-1** The Macro Processes in a Supply Chain

### Why Focus on the Macro Processes?

As the performance of an enterprise becomes more closely linked to the performance of its supply chain, it is crucial that firms focus on these macro processes. As we have emphasized in this book, good supply chain management is not a zero-sum game in which one stage of the supply chain increases profits at the expense of another. Good supply chain management instead attempts to grow the supply chain surplus, which requires each firm to expand the scope beyond internal processes and look at the entire supply chain in terms of the three macro processes to achieve breakthrough performance. A good supply chain coordinates all the macro processes across all stages. Apple is an example of a company that has coordinated all macro processes to introduce and sell blockbuster products such as the iPad2. Apple has been very successful in its interactions with customers both in designing products that meet their needs but also in operating Apple retail as a successful and profitable endeavor. All its products are designed in-house but manufactured by a third party. Despite this, Apple managed the release of the iPad2 to effectively meet huge demand. Strong coordination across all the macro processes has been fundamental for the level of success achieved by Apple.

We now discuss each of the macro processes and the role played by IT.

## 17.3 CUSTOMER RELATIONSHIP MANAGEMENT

The CRM macro process consists of processes that take place between an enterprise and its customers downstream in the supply chain. The goal of the CRM macro process is to generate customer demand and facilitate transmission and tracking of orders. Weakness in this process results in demand being lost and a poor customer experience because orders are not processed and executed effectively. The key processes under CRM are as follows:

- **Marketing.** Marketing processes involve decisions regarding which customers to target, how to target customers, what products to offer, how to price products, and how to manage the actual campaigns that target customers. Good IT systems in the marketing area within CRM provide analytics that improve the marketing decisions on pricing, product profitability, and customer profitability, among other functions.
- **Sell.** The sell process focuses on making an actual sale to a customer (compared to marketing, in which processes are more focused on planning whom to sell to and what to sell). The sell process includes providing the sales force with the information it needs to make a sale and then to execute the actual sale. Executing the sale may require the salesperson (or the customer) to build and configure orders by choosing among a variety of options and features. The sell process also requires such functionality as the ability to quote due dates and access information related to a customer order. Good IT systems support sales force automation, configuration, and personalization to improve the sell process.



- **Order management.** The process of managing customer orders as they flow through an enterprise is important for the customer to track his order and for the enterprise to plan and execute order fulfillment. This process ties together demand from the customer with supply from the enterprise. Good IT systems enable visibility of orders across the various stages that an order flows through before reaching the customer.
- **Call/service center.** A call/service center is often the primary point of contact between a company and its customers. A call/service center helps customers place orders, suggests products, solves problems, and provides information on order status. Good IT systems have helped improve call/service center operations by facilitating and reducing work done by customer service representatives and by routing customers to representatives who are best suited to service their request.

Amazon has done an excellent job of using IT to enhance its CRM process. The company customizes the products presented to suit the individual customer (based on an analysis of customer preferences from past history and current clicks). Quick ordering is facilitated by systems that allow one-click orders. The order is then visible to the customer until it is delivered. In the rare instances when a customer uses the call center, systems are in place to support a positive experience including offering a callback in case the call center is heavily loaded.

The five largest CRM software providers in 2008 (as reported by Gartner) were SAP (22.5 percent), Oracle (16.1 percent), Salesforce.com (10.6 percent), Microsoft (6.4 percent), and Amdocs (4.9 percent).

## 17.4 INTERNAL SUPPLY CHAIN MANAGEMENT

ISCM, as we discussed earlier, is focused on operations *internal* to the enterprise. ISCM includes all processes involved in planning for and fulfilling a customer order. The various processes included in ISCM are as follows:

- **Strategic planning.** This process focuses on the network design of the supply chain. Key decisions include location and capacity planning of facilities. For more details on strategic planning decisions see Chapters 5 and 6.
- **Demand planning.** Demand planning consists of forecasting demand and analyzing the impact on demand of demand management tools such as pricing and promotions. For more discussion of this process, see Chapter 7 on demand forecasting as well as Chapters 9 and 15 on pricing.
- **Supply planning.** The supply planning process takes as an input the demand forecasts produced by demand planning and the resources made available by strategic planning; then it produces an optimal plan to meet this demand. Factory planning and inventory planning capabilities are typically provided by supply planning software. For more discussion of this process, see Chapters 8 and 9 on sales and operations planning and Chapters 11 and 12 on inventory management.
- **Fulfillment.** Once a plan is in place to supply the demand, it must be executed. The fulfillment process links each order to a specific supply source and means of transportation. The software applications that typically fall into the fulfillment segment are transportation and warehousing management applications. For more discussion of this process, see Chapter 14 on transportation.
- **Field service.** Finally, after the product has been delivered to the customer, it eventually must be serviced. Service processes focus on setting inventory levels for spare parts as well as scheduling service calls. Some of the scheduling issues here are handled in a similar manner to aggregate planning, and the inventory issues are the typical inventory management problems.

Given that the ISCM macro process aims to fulfill demand that is generated by CRM processes, strong integration is needed between the ISCM and CRM macro processes. When

forecasting demand, interaction with CRM is essential, as the CRM applications are touching the customer and have the most data and insight on customer behavior. Similarly, the ISCM processes should have strong integration with the SRM macro process. Supply planning, fulfillment, and field service are all dependent on suppliers and therefore the SRM processes. It is of little use for your factory to have the production capacity to meet demand if your supplier cannot supply the parts to make your product. Order management, which we discussed under CRM, must integrate closely with fulfillment and be an input for effective demand planning. Again, extended supply chain management requires that we integrate across the macro processes.

Successful ISCM software providers have helped improve decision making within ISCM processes. Good integration with CRM and SRM, however, is still largely inadequate at both the organizational and software levels. Future opportunities are likely to arise partly in improving each ISCM process, but even more so in improving integration with CRM and SRM.

The top five ISCM vendors in 2007 (as reported by Gartner) were SAP, Oracle, JDA, Ariba, and Manhattan Associates. SAP (22.4 percent) and Oracle (16 percent) had a significantly larger market share than the other three (9.2 percent combined).

## 17.5 SUPPLIER RELATIONSHIP MANAGEMENT

SRM includes those processes focused on the interaction between the enterprise and suppliers that are upstream in the supply chain. There is a natural fit between SRM processes and the ISCM processes, as integrating supplier constraints is crucial when creating internal plans. The major SRM processes are as follows:

- **Design collaboration.** This software aims to improve the design of products through collaboration between manufacturers and suppliers. The software facilitates the joint selection (with suppliers) of components that have positive supply chain characteristics such as ease of manufacturability or commonality across several end products. Other design collaboration activities include the sharing of engineering change orders between a manufacturer and its suppliers. This eliminates the costly delays that occur when several suppliers are designing components for the manufacturer's product concurrently.
- **Source.** Sourcing software assists in the qualification of suppliers and helps in supplier selection, contract management, and supplier evaluation. An important objective is to analyze the amount that an enterprise spends with each supplier, often revealing valuable trends or areas for improvement. Suppliers are evaluated along several key criteria, including lead time, reliability, quality, and price. This evaluation helps improve supplier performance and aids in supplier selection. Contract management is also an important part of sourcing, as many supplier contracts have complex details that must be tracked (such as volume-related price reductions). Successful software in this area helps analyze supplier performance and manage contracts.
- **Negotiate.** Negotiations with suppliers involve many steps, starting with a request for quote (RFQ). The negotiation process may also include the design and execution of auctions. The goal of this process is to negotiate an effective contract that specifies price and delivery parameters for a supplier in a way that best matches the enterprise's needs. Successful software automates the RFQ process and the execution of auctions.
- **Buy.** "Buy" software executes the actual procurement of material from suppliers. This includes the creation, management, and approval of purchase orders. Successful software in this area automates the procurement process and helps decrease processing cost and time.
- **Supply collaboration.** Once an agreement for supply is established between the enterprise and a supplier, supply chain performance can be improved by collaborating on forecasts, production plans, and inventory levels. The goal of collaboration is to ensure a common plan across the supply chain. Good software in this area should be able to facilitate collaborative forecasting and planning in a supply chain.

SRM	ISCM	CRM
Design Collaboration	Strategic Planning	Market
Source	Demand Planning	Sell
Negotiate	Supply Planning	Call Center
Buy	Fulfillment	Order Management
Supply Collaboration	Field Service	
TMF		

**FIGURE 17-2** The Macro Processes and Their Processes

Significant improvement in supply chain performance can be achieved if SRM processes are well integrated with appropriate CRM and ISCM processes. For instance, when designing a product, incorporating input from customers is a natural way to improve the design. This requires inputs from processes within CRM. Sourcing, negotiating, buying, and collaborating tie primarily into ISCM, as the supplier inputs are needed to produce and execute an optimal plan. However, even these segments need to interface with CRM processes such as order management. Again, the theme of integrating the three macro processes is crucial for improved supply chain performance.

The SRM space is highly fragmented in terms of software providers and not as well defined as CRM and ISCM. Among the larger players, SAP and Oracle have SRM functionality in their software. There are many niche players, however, who focus on different aspects of SRM.


All three macro processes and their processes can be seen in Figure 17-2.

## 17.6 THE TRANSACTION MANAGEMENT FOUNDATION

The transaction management foundation is the historical home of the largest enterprise software players. In the early 1990s, when much of the thinking in supply chain management was just getting off the ground and ERP systems were rapidly gaining popularity, there was little focus on the three macro processes we discussed earlier. In fact, there was little emphasis on software applications focused on improving decisions through analysis. Instead, the focus at that time was on building transaction management and process automation systems that proved to be the foundation for future decision support applications. These systems excelled at the automation of simple transactions and processes and the creation of an integrated way to store and view data across the division (and sometimes the enterprise).

The huge demand for these systems during the 1990s drove the ERP players to become the largest enterprise software companies. According to Gartner, the top five ERP software vendors in 2010 were SAP, Oracle, Sage Group, Infor Global Solutions, and Microsoft.

The real value of the transaction management foundation can be extracted only if decision making within the supply chain is improved. Thus, most recent growth in enterprise software has come from companies focused on improving decision making in the three macro processes. This has set the stage for what we are seeing today and will continue to see in the future—the realignment of the ERP companies into CRM, ISCM, and SRM companies.



**FIGURE 17-3** The Goal of Supply Chain IT: From Silos to Coordination

Already, the majority of ERP players' revenue comes from applications in the three macro processes. A major advantage that ERP players have relative to best-of-breed providers is the inherent ability to integrate across the three macro process, often through the transaction management foundation. ERP players that focus on integrating across the macro processes along with developing good functionality in one or more macro process will continue to occupy a position of strength. The goal of a successful IT system is ultimately to help coordinate decisions and actions across the supply chain. This can happen only if IT supports the macro processes to coordinate and run as one rather than as disparate silos, as shown in Figure 17-3.

## 17.7 THE FUTURE OF IT IN THE SUPPLY CHAIN

At the highest level, we believe that the three SCM macro processes will continue to drive the evolution of supply chain IT. While there is still plenty of room to improve the visibility and reporting of supply chain information, the relative focus on improved analysis to support decision making will continue to grow. The following three important trends will impact IT in the supply chain:

1. The growth in software as a service (SaaS)
2. Increased availability of real-time data
3. Increased use of mobile technology

SaaS is defined as software that is owned, delivered, and managed remotely. Salesforce.com is one of the best-known pure SaaS supply chain software providers (in CRM). Gartner has predicted that SaaS (which comprised about 10 percent of the enterprise software market in 2009) will grow to about 16 percent of global software sales by 2014. This shift is likely to occur because SaaS provides lower startup and maintenance costs compared to applications that are deployed onsite. These factors are particularly important for small and mid-sized companies. Traditional enterprise software vendors such as SAP, Oracle, and Microsoft are increasing the availability of their software using the SaaS model.

The availability of real-time information has exploded in most supply chains. Whereas current supply chain software is primarily focused on improving strategy and planning decisions (often at the corporate level) that are revisited infrequently, significant opportunity exists to devise software that will use real-time information to help frontline supply chain staff (such as in transportation and warehousing) make smarter and faster decisions that are revisited frequently. The opportunity is to design systems that enable rapid insight based on real-time data.

The increased use of mobile technology coupled with real-time information offers some supply chains an opportunity to better match demand to supply using differential pricing. An

example is an initiative by Groupon titled Groupon Now, which offers mobile users deals that are time and location specific. Businesses can improve profitability by offering deals when business is slow at specific locations. Consumers benefit from getting a deal when and where they want it. Such an approach is likely to be applicable in many supply chain settings.

## 17.8 RISK MANAGEMENT IN IT

Several risks are associated with the use of IT in the supply chain, and the process of adding new supply chain capabilities with IT can be fraught with danger. The larger the change in the IT system, the greater is the risk of a negative impact on operations. The more ingrained IT becomes in companies, the greater is the risk that the firm will not be able to function properly if IT suffers a major failure. Here we discuss some of the major risks posed by using IT in the supply chain and some ideas for mitigating these risks.

The major areas of risk in IT can be divided into two broad categories. The first, and potentially the greater, is the risk involved with installing new IT systems. During the process of getting new IT systems running, a firm is forced to transition from the old processes it used in its operations to the new processes in its IT system. Here trouble can be found in both business processes and in technical issues. On the business process side, new IT systems often require employees to operate according to new processes. These may be difficult to learn, take training to execute correctly, or may even be resisted outright by employees who prefer the old way of doing business. Getting the entire organization on board with the changes brought about by a new IT system is particularly difficult because top management is often not actively involved in making this transition. In addition to business process adjustments, tremendous technical hurdles need to be overcome in getting new IT systems operational. The amount of integration that needs to take place between disparate systems is often overwhelming. When a firm switches to a new system without proper integration, the new system is often unable to perform all that was promised and sometimes even performs worse than the system it replaced. Even when the employees are brought into the new process and all the technical hurdles are overcome, it is often a delicate balance to actually make the transition over to the new system.

The second category of risk is that the more a firm relies on IT to make decisions and execute processes, the higher is the risk that any sort of IT problem, ranging from software glitches to power outages to viruses, can completely shut down a firm's operations. These are serious risks that a firm must plan to face. IT also poses a risk in that it tends to set processes in stone. Perhaps a system allows a process to be executed only one way. Then the firm settles into a pattern of always doing this process that way. Obviously, there are great efficiency benefits to this, but the firm also runs the risk that the process is not of the performance level of its competitors and that its systems make it difficult to change to newer, more effective processes.

Each of the major risk categories has its own mitigation strategies. With regard to implementing IT systems, keep three ideas in mind. The first is to install new IT systems in an incremental fashion rather than in a "big bang" approach. This allows a firm to limit the damage should things go wrong and to pinpoint problem areas during the installation process. Second, firms can run duplicate systems to make sure the new system is performing well. By this, we mean that the firm can keep its old system running at the same time the new one is running. If the new system runs into trouble or if the results seem too far off from the old one, the old system can be utilized as it still exists. In fact, even before the new system is actually executing, it can be simulating (in parallel with the existing system) all the actions it would take. These proposed actions can be monitored to test how the new system will perform when it is actually activated. Finally, implement only the level of complexity that is needed. If certain capabilities or added complexities are unnecessary, they should be left out, as they can often increase the risk of the project without increasing the potential benefits. In essence, we want to tailor our IT systems to our supply chain needs, with risk reduction being one of those needs.

On the operational side, mitigation strategies include data backup systems, systems running in parallel in case one should suffer a problem, and a range of security software products that can help keep a company's systems safe. In addition, picking systems that have the flexibility to change if need be can be important.

## 17.9 SUPPLY CHAIN IT IN PRACTICE

In addition to the sets of practical suggestions for each supply chain macro process discussed earlier, managers need to keep in mind several general ideas when they are making a decision regarding supply chain IT.

**1. Select an IT system that addresses the company's key success factors.** Every industry and even companies within an industry can have different key success factors. By key success factors, we mean the two or three elements that really determine whether or not a company is going to be successful. It is important to select supply chain IT systems that are able to give a company an advantage in the areas most crucial to its success. For instance, the ability to set inventory levels optimally is crucial in the PC business, where product life cycles are short and inventory becomes obsolete quickly. However, inventory levels are not nearly as crucial for a chemical company, where demand is fairly stable and the product has a long life cycle. For the chemical company, the key to success depends more on utilization of the production facility. Given these success factors, a PC company might pick a package that is strong in setting inventory levels even if it is weak in maximizing utilization of production capacity. However, the chemical company should choose a different product, one that excels at maximizing utilization even if its inventory components are not especially strong.

**2. Take incremental steps and measure value.** Some of the worst IT disasters result when companies try to implement IT systems in a wide variety of processes at the same time and end up with their projects being failures (often called the "big bang" approach). The impact of these failures is amplified by the fact that many of a company's processes are tied up in the same debugging cycle all at once, causing productivity to come to a standstill. One way to help ensure success of IT projects is to design them so that they have incremental steps. For instance, instead of installing a complete supply chain system across your company all at once, start first by getting your demand planning up and running and then move on to supply planning. Along the way, make sure each step is adding value through increases in the performance of the three macro processes. This incremental approach does not mean that one should not take a big-picture perspective (in fact, one *must* take a big-picture perspective) but rather that the big-picture perspective should be implemented in digestible pieces.

**3. Align the level of sophistication with the need for sophistication.** Management must consider the depth to which an IT system deals with the firm's key success factors. There is a trade-off between the ease of implementing a system and the system's level of complexity. Therefore, it is important to consider just how much sophistication a company needs to achieve its goals and then ensure that the system chosen matches that level. Erring on the less sophisticated side leaves the firm with a competitive weakness, whereas trying to be too sophisticated leads to a higher possibility of the entire system failing.

**4. Use IT systems to support decision making, not to make decisions.** Although the software available today can make many supply chain decisions for management, this does not mean that IT applications can make all of the decisions. A mistake companies can make is installing a supply chain system and then reducing the amount of managerial effort it spends on supply chain issues. Management must keep its focus on the supply chain because as the competitive and customer landscape changes, there needs to be a corresponding change in the supply chain.

**5. Think about the future.** Although it is more difficult to make a decision about an IT system with the future rather than the present in mind, managers need to include the future state

of the business in the decision process. If trends in a company's industry indicate that insignificant characteristics will become crucial in the future, managers need to make sure their IT choices take these trends into account. As IT systems often last for many more years than was originally planned, managers need to spend time exploring how flexible the systems will be if, or rather when, changes are required in the future. This exploration can go so far as to include the viability of the supply chain software developer itself. If it is unclear whether a company will be able to get support from a software company in the future, management needs to be sure that the other advantages of this product outweigh this disadvantage. The key here is to ensure that the software not only fits a company's current needs but also, and even more important, that it will meet the company's future needs.

## 17.10 SUMMARY OF LEARNING OBJECTIVES

**1. Understand the importance of information and information technology in a supply chain.** Information is essential to making good supply chain decisions because it provides the broad view needed to make optimal decisions. IT provides the tools to gather this information and analyze it to make the best supply chain decisions.

**2. Know at a high level how each supply chain driver uses information.** Each of the supply chain drivers that we have discussed in previous chapters (facilities, inventory, transportation, sourcing, and pricing) requires information for decisions to be made. Information is the factual component on which decisions about each of the other drivers are based. In essence, information is the glue that holds the entire supply chain together and allows it to function, making information the most important supply chain driver.

**3. Understand the major applications of supply chain information technology and the processes that they enable.** A company's supply chain processes can be grouped into three main macro processes. CRM includes processes that enable interaction between an enterprise and its customers. ISCM includes processes focused on the internal operations of an enterprise. SRM includes processes that enable interaction between an enterprise and its suppliers. IT enables these processes as well as the integration across these processes. Good IT systems allow not only the collection of data across the supply chain, but also the analysis of decisions that maximize supply chain profitability.

---

## Discussion Questions

- Which processes within each macro process are best suited to being enabled by IT? Which processes are least suited?
- What are some advantages of the software as a service (SaaS) model? Why has it been successful in the CRM space?
- Why is supply chain management software dominated by the ERP players like SAP and Oracle?
- Identify a few examples of when the availability of real-time information has been used to improve supply chain performance.
- Discuss why the high-tech industry has been the leader in adopting supply chain IT systems.

---

## Bibliography

- Chopra, Sunil, and Peter Meindl. "What Will Drive the Enterprise Software Shakeout?" *Supply Chain Management Review* (January–February 2003): 50–56.
- Chopra, Sunil, and ManMohan Sodhi. "Managing Supply Chain Risk." *Sloan Management Review* (Fall 2004): 53–61.
- Davenport, Thomas H., and Jeanne G. Harris. *Competing on Analytics*. Boston: Harvard Business School Press, 2007.
- Drayer, Ralph, and Robert Wright. "Getting the Most from Your ERP System." *Supply Chain Management Review* (May–June 2002): 44–52.

- Escalle, Cedric X., Mark Cotteleer, and Robert D. Austin. "Enterprise Resource Planning, Technology Note." Harvard Business School Note 9-699-020, 1999.
- Fawcett, Stanley E., Paul Osterhaus, Gregory M. Magnan, and Amydee M. Fawcett. "Mastering the Slippery Slope of Technology." *Supply Chain Management Review* (October 2008): 16-25.
- Fontanella, John, and Eric Klein. "Supply Chain Technology Spending Outlook." *Supply Chain Management Review* (April 2008): 14-20.
- Gartner, Inc., "Gartner Says Worldwide CRM Market Grew 12.5 Percent in 2008." Press release, July 15, 2009.
- Hoffman, Debra. "Supply Chain Management: Turning Data into Action." *Supply Chain Management Review* (November 2007): 20-26.
- Meyer, Michelle M. "Why IBM Is Linking Logistics and Information." *Supply Chain Management Review* (September-October 2001): 56-62.
- O'Dwyer, Jerry, and Ryan Renner. "The Promise of Advanced Supply Chain Analytics." *Supply Chain Management Review* (January 2011): 32-37.
- Rutner, Stephen M., Brian J. Gibson, Kate L. Vitasek, and Craig M. Gustin. "Is Technology Filling the Information Gap?" *Supply Chain Management Review* (March-April 2001): 58-64.
- Shankar, Venkatesh, and Tony O'Driscoll. "How Wireless Networks Are Reshaping the Supply Chain." *Supply Chain Management Review* (July-August 2002): 44-51.
- Soni, Ashok, M. A. Venkataramanan, and Vincent A. Mabert. "Enterprise Resource Planning: Common Myths vs. Evolving Reality." *Business Horizons* 44(3) (2001): 69-76.
- White, Andrew. "Want to Be Agile? Master Your Data." *CSCMP's Supply Chain Quarterly* (Q2, 2007): 67-71.





# Sustainability and the Supply Chain

## LEARNING OBJECTIVES

After reading this chapter, you will be able to

1. Understand the importance of sustainability in a supply chain.
2. Discuss the challenge to sustainability posed by the tragedy of the commons.
3. Describe key metrics that can be used to measure sustainability for a supply chain.
4. Identify opportunities for improved sustainability in various supply chain drivers.

Sustainability has become a key priority in the design and operation of supply chains in the 21<sup>st</sup> century. A focus on sustainability allows a supply chain to better serve more environmentally conscious customers while often improving supply chain performance. In this chapter, we explore the importance of sustainability, some challenges to designing and operating more sustainable supply chains, and the role of different supply chain drivers in improving sustainability.

## 18.1 THE ROLE OF SUSTAINABILITY IN A SUPPLY CHAIN

This book has focused on designing and operating supply chains with a goal of growing the supply chain surplus. Each supply chain, however, is only a small part of the world in which it resides. Ultimately, the health and survival of every supply chain and every individual depends on the health of the surrounding world. It is thus important to expand the goal of a supply chain beyond the interests of its participants (which the supply chain surplus represents) to others that may be affected by supply chain decisions. It is in this context that the 21<sup>st</sup> century has seen a growing focus on sustainability. The Brundtland Commission of the United Nations defined sustainable development as “development that meets the needs of the present without compromising the ability of future generations to meet their own needs.” The 2005 World Summit of the United Nations introduced a framework identifying economic, environmental, and social sustainability as the “three pillars” of sustainable development. All three pillars must be reconciled for sustainability to occur.

The focus on sustainability has increased as the economies in large countries such as Brazil, China, and India have grown. On the one hand, the growth of emerging markets is improving global living standards in a way that perhaps has not happened before in human history. On the other hand, this growth puts pressure on resources and

the environment in a way that has also never happened. It has become increasingly clear that if supply chains do not become more sustainable than they have been in the past, the world's resources and environment cannot maintain this level of growth.

The factors driving an increased focus on sustainability can be divided into three distinct categories:

1. Reducing risk and improving the financial performance of the supply chain
2. Attracting customers who value sustainability
3. Making the world more sustainable

Even though there has been a lot of talk about all three categories, most concrete action has been observed in reducing risk for the supply chain and improving financial performance. Much less success has been driven by customer demand or the desire to make the world more sustainable. It is interesting to note that significant opportunity exists even if supply chains focus only on reducing risk and improving financial performance. A McKinsey report focused on greenhouse gas emissions reported that “Almost 40 percent of [greenhouse gas] abatement could be achieved at negative marginal costs, meaning that investing in these options would generate positive economic returns over their lifecycle.”

While much needs to be done, many companies have reported success in improving sustainability. Unilever, the Dutch-British consumer goods giant, has invested significant effort to help emerging economies such as Brazil and India wrestle with poverty, water scarcity, and climate change. In Brazil, the company helped tomato growers convert to drip irrigation to save water. The company sees almost half of its sales and the majority of its growth coming from emerging economies. It buys roughly “10 percent of the world's crops of tea and 30 percent of all spinach.”<sup>1</sup> A focus on sustainability helps Unilever improve the environment and economic health of markets where it is likely to see most of its future growth, while simultaneously ensuring supply of products it needs to feed this growth.

Wal-Mart started its focus on sustainability as a defensive move given the criticism it was taking from environmental activists. The company, however, has seen many benefits to the bottom line. Switching to more efficient light bulbs at its stores and adding skylights for natural light have helped significantly reduce its energy costs. Reducing packaging has helped reduce material costs and transportation costs. Another example is the redesign of the one-gallon milk jug by Wal-Mart and Costco to use less material and increase packing density during transportation. Even though it took the public some time to accept the new design, the effort saved “10 to 20 cents a gallon compared to old jugs.”<sup>2</sup>

Starbucks is another example of a company that has focused on sustainability for significant business reasons. In the late 1990s, the company realized that its growth plans could not be sustained without helping coffee growers increase their production in a sustainable manner. The company started its coffee and farmer equity (C.A.F.E.) practices, which evaluate the sustainable production of coffee along four dimensions: product quality, economic accountability, social responsibility, and environmental leadership. According to the company, “the first two categories are prerequisites to participation in the program and ensure basic coffee quality and financial transparency, equity, and the viability of the coffee supply chain.” Social responsibility measures the extent to which the working conditions are safe and humane. Environmental leadership measures the actions that suppliers are taking to “manage waste, protect water quality, conserve water and energy, preserve biodiversity and reduce agrochemical use.” Applicants are given “preferred supplier” status based on the score they achieve across the four categories. Preferred suppliers get a pricing premium of \$0.05 per pound and favorable contract terms. The company claims that it sourced 84 percent of its coffee in 2010 from sources that were “third-party verified

<sup>1</sup> “Beyond the Green Corporation,” *Business Week*, January 29, 2007.

<sup>2</sup> “Solution, or Mess? A Milk Jug for a Green Earth,” *New York Times*, June 30, 2008.

or certified through C.A.F.E. practices, Fairtrade or another externally audited system.” Besides helping attract customers who care about sustainability, these efforts have helped Starbucks reduce supply risk and ensure an ongoing supply of high-quality coffee, the most critical input for its business.

Sustainability has presented more of a challenge when it requires efforts that do not provide obvious return on investment for a company. In fact, customers themselves have not always backed up words about the importance of sustainability with a willingness to pay more for sustainable products. In a survey, business leaders identified insufficient return on investment, customers’ unwillingness to pay a premium for green products, and difficulty evaluating sustainability across a product life cycle as the major barriers to an increased focus on sustainability.<sup>3</sup> When the business rationale for an increased focus on sustainability is not clearly defined for individual firms, maintaining the focus needed for building more sustainable supply chains is much harder. As we discuss in the next section, one of the biggest challenges to building sustainable supply chains is that in the short to medium term, an improved focus on sustainability provides benefits that are shared but costs that may be local to a firm, whereas the current status quo provides benefits that are local to firms but a cost that is global.

## 18.2 THE TRAGEDY OF THE COMMONS

In an influential article, Hardin (1968) described the *tragedy of the commons* as a dilemma arising when the common good does not align perfectly with the good of individual entities. It is useful to study his example in somewhat greater detail. Consider a pasture that is open to all herdsmen with cattle. Each herdsman attempts to maximize his gain from this public asset. When his cattle feed in the pasture, he gains from their growth and all the gains accrue only to him. Any cost of overgrazing, however, is spread over all herdsmen whose cattle feed at the pasture. Thus, overgrazing by the cattle of any herdsman provides a positive utility of +1 for the herdsman but a negative utility of only a fraction of –1 for the herdsman because the negative utility of –1 is spread over all herdsmen. Thus, each rational herdsman continues to increase his herd because the positive utility to him of adding another animal exceeds the negative utility that he experiences from over grazing. As Hardin writes, “Therein is the tragedy. Each man is locked into a system that compels him to increase his herd without limit—in a world that is limited. Ruin is the destination toward which all men rush, each pursuing his own best interest in a society that believes in the freedom of the commons. Freedom in a commons brings ruin to all.”

Hardin then describes how the issue of environmental pollution is essentially the tragedy of the commons. Every individual and every company releases waste and pollution into the environment in the form of sewage, chemicals, and carbon dioxide. The individual or the company would incur the entire cost of reducing the amount of waste it discards, whereas the cost of throwing waste into the environment is shared by the entire world. The common environment available to all at no cost makes it difficult to get every company to invest in waste reduction efforts even though this waste hurts everybody.

This issue also shows up at the country level. The Intergovernmental Panel on Climate Change, a United Nations body that has been assessing global warming since 1990, has written that even though most of the buildup of carbon dioxide in the atmosphere has come from the United States and Western Europe, it is poorer countries closer to the equator that are likely to pay the biggest price. The risk of drought, disrupted water supplies, and the swelling of oceans from melting ice sheets as a result of global warming will mostly be experienced in Africa and the “crowded river deltas in southern Asia and Egypt, along with small island nations.”<sup>4</sup> In such an environment, getting any agreement on action is difficult because the optimal joint action is

<sup>3</sup> “Gibbs & Soell Survey,” accessed on May 1, 2011, at [www.cnn.com/id/42432191/](http://www.cnn.com/id/42432191/)

<sup>4</sup> Revkin, Andrew C. “Poor Nations to Bear Brunt as World Warms.” *New York Times*, April 1, 2007.

not individually optimal, whether at the company or country level. No wonder that it has been almost impossible to negotiate a climate change agreement that every country is willing to adhere to! Other examples of the tragedy of the commons come from the overuse of natural resources such as fish, water, and forests. Overfishing of sturgeon in Russia and the destruction of salmon runs in rivers that have been dammed are well documented.

Every company and supply chain faces the challenge of the tragedy of the commons as it operates in a global environment. They must compete against others that may be extracting benefits from the environmental or resource commons without spending to maintain these commons. They must compete in a market where customers often value low cost and are not willing to pay the price of a more sustainable solution, either in the form of a higher price or reduced consumption. Unless all consumers suddenly change their mind-set, it is difficult to imagine a sustainable solution emerging without some intervention. Whereas everyone agrees about the need for intervention, there is considerable disagreement on the required form of intervention.

### What Are Some Solutions to This “Tragedy”?

In his article, Hardin focused on the problem arising from the fact that the commons are “free” to all. As he put it, no solution could be found without taking away some of the freedom that participants enjoyed in the commons. Regarding the national parks in the United States, he wrote, “We might sell them off as private property. We might keep them as public property, but allocate the right to enter them. The allocation might be on the basis of wealth, by the use of an auction system. It might be on the basis of merit, as defined by some agreed upon standards. It might be by lottery. Or it might be on a first-come, first-served basis, administered to long queues. These, I think, are all objectionable. But we must choose—or acquiesce in the destruction of the commons that we call our National Parks.” Rather than focus on Hardin’s many ideas, it is important to realize the point he makes is the need for us to choose from options that are unlikely to be supported by all of their own free will.

In the article, Hardin introduces the idea of “mutual coercion,” whereby social arrangements or mechanisms coerce all participants to behave in a way that helps the common good. Mutual coercion can be attempted through a command-and-control approach or market mechanisms. In a command-and-control approach, the government or regulators set standards that everybody must adhere to. An example is carbon monoxide emission standards set by the United States for new automobiles. Another example is the waste electrical and electronic equipment (WEEE) directive from the European Union that is geared at proper recycling and landfill avoidance in the electrical and electronics industry. The challenge with command-and-control approaches is that they tend to be inflexible and rarely cost effective.

We give a couple of examples of market mechanisms that have been debated (but not yet implemented in the United States as of October 2011!) in the context of greenhouse gases, a problem that is only getting worse as supply chains become more global. Currently, there is no “charge” for emitting greenhouse gases and no explicit limits that are strictly enforced. The commons here is the environment, and the lack of any “mutual coercion” leads to excessive emission of greenhouse gases into the atmosphere. The hope is to set mechanisms in place that can sustainably address the problem.

One mechanism has been referred to as “cap-and-trade,” which constrains the aggregate emissions by creating a limited number of tradeable emission allowances that emission sources must secure and surrender in proportion to their emissions. Any failure to surrender the appropriate number of allowances leads to a significant fine. The mechanism starts with the government creating a limited number of total allowances that are distributed among all players in the economy. If players generate fewer emissions than the allowances they own, they can sell their surplus allowances to others that may be polluting above their limit and need additional allowances. The “price” of allowances in this mechanism will be created by the supply and demand for allowances. Such a mechanism offers companies an incentive to reduce their emissions because they get a financial reward for this improvement by selling their additional allowances to those

that cannot (or are unable to) reduce their emissions. The hope with this mechanism is that firms will choose the least expensive way to comply with the emissions limit by either implementing emissions reduction plans or buying allowances on the open market. This mechanism has several challenges, however. The first relates to the method that is used to evaluate the initial allowances awarded to each entity. Should they be in proportion to current pollution levels or desired pollution levels? How are the desired pollution levels to be calculated? How should the fine be evaluated if a company is not able to provide allowances for its emissions in a given year?

A second mechanism to control emissions is an emission tax. Each entity generating greenhouse gases is charged a tax proportional to the size of the emissions. This is similar in principle to the congestion-based toll we discussed to manage traffic congestion (see Chapter 14). A charge for emissions will encourage companies to reduce their emissions using all ideas whose marginal costs is less than the charge. As a result of an emission tax, the total amount of greenhouse gases produced will decrease. This mechanism has several challenges as well. What should this charge for emissions be? To what extent will the charge hurt the economy?

Answers to each question have a significant impact on the performance of either mechanism. There is still considerable debate among experts on each issue, given the uncertainty in being able to estimate the cost to society from these emissions. The significant challenge of whether these mechanisms can be implemented at the country level or need to be coordinated globally still exists. This is a particularly important issue given that most of the existing emissions have come from the developed world, whereas with global growth, an increasing share of future emissions is likely to come from economies that are still developing.

### 18.3 KEY METRICS FOR SUSTAINABILITY

As we mentioned earlier many actions taken in a supply chain can improve both sustainability and supply chain surplus. For example, the use of modular design by IKEA allows the company to tightly pack its parts when they are shipped from the production location to its retail stores. Modular design allows the company to simultaneously reduce emissions as well as its transportation costs. SC Johnson, a manufacturer of cleaning supplies and other consumer goods, has reported that between 1990 and 1999 the company used its eco-efficiency efforts to cut more than 420 million pounds of waste and save \$125 million. In scenarios like these, in which sustainability improvements also improve the financial performance of the supply chain, one can focus on financial metrics to evaluate sustainability efforts. The majority of sustainability-related efforts, however, have a cost that the supply chain incurs for a benefit that may be more universal. In such situations, defining explicit metrics that can be used to judge sustainability-related efforts in the supply chain is important. In this section, we identify some important categories and metrics that supply chains can focus on.

A look at various corporate social responsibility (CSR) reports shows some commonality but also a lot of divergence in terms of the metrics they chose to report. All companies report some social and environmental metrics. A large variation exists, however, in terms of the precise metrics reported. For example, transportation companies tend to report on greenhouse emissions, fuel consumption, and transportation efficiency whereas pharmaceutical firms have a greater focus on waste management and water consumption. From an environmental perspective, all firms should measure and report on these four categories:

1. Energy consumption
2. Water consumption
3. Greenhouse gas emissions
4. Waste generation

Two fundamental challenges exist in a supply chain in the measurement and reporting of the four categories. The first challenge relates to the scope over which a category is measured. Consider a company that reports only energy consumption within its own operations. If it

decides to outsource some production to an offshore supplier, its own energy consumption will show a decline even though the energy consumption in the entire supply chain may have increased. If it decides to bring some production in-house and onshore, the energy consumption within its operations will show an increase even if the energy consumption for the entire supply chain has decreased. Thus, it is important to clearly define the scope across which all metrics are measured and reported. In the context of greenhouse gas emission, the Greenhouse Gas Protocol (GHG Protocol) initiative<sup>5</sup> defines three scope levels. Scope 1 refers to emissions from GHG sources that are owned or controlled by the reporting entity, also referred to as direct emissions. Scope 2 refers to indirect emissions from grid-sourced electricity and other utility services including heat, steam, and cooling. Scope 3 refers to the inclusion of other indirect emissions coming from the production of purchased materials, outsourced activities, contractor-owned vehicles, waste disposal, and employee business travel. For most firms, the extent of direct emissions is typically only a small fraction of the extent of indirect emissions in the supply chain. For example, a detailed analysis by the pharmaceutical company Abbott indicated that its indirect emissions were about 6 to 14 times its direct emissions. Ideally, all categories should be measured across the entire supply chain from the consumer to the lowest tier supplier to capture the full impact of the supply chain on the environment.

The second challenge in measurement and reporting relates to the use of absolute or relative measures of performance. An absolute measure reports the total amount of energy consumption, whereas a relative measure may report the energy consumed per unit of output. The advantage of using an absolute measure is that it reports the full impact of the supply chain (assuming we use scope 3) along the category being measured. The disadvantage is that a drop in supply chain sales and production (e.g., in a downturn) will show an improved absolute measure of energy consumption even though the company may not have changed anything. A relative measure of performance is more effective at capturing improvement. The challenge with using a relative measure is the choice of basic unit because each category can be measured relative to dollars of sales, kilograms of output, or a variety of other units. In general, it is better for firms to measure and report both absolute and relative measures to get a true picture of their performance.

## 18.4 SUSTAINABILITY AND SUPPLY CHAIN DRIVERS

Opportunities for improving supply chain sustainability can be identified by matching the four categories we have described (energy consumption, water consumption, greenhouse gas emissions, waste generation) with the various supply chain drivers discussed in the book. The goal is for every firm to measure its environmental impact for each driver along each of the four categories. In this section, we discuss some of the opportunities available for each driver and provide some examples.

### Facilities

Facilities tend to be significant consumers of energy and water and emitters of waste and greenhouse gases and thus offer significant opportunities for profitable improvement. Once a firm measures the direct impact of each facility in terms of energy, water, emissions, and waste, it should separate the improvement opportunities into those that generate positive cash flows and those that do not. Successful companies start by identifying and implementing the profitable projects first. According to its 2011 CSR report, Walmart has designed and opened a viable store prototype that is up to 25 to 30 percent more energy efficient and produces up to 30 percent fewer greenhouse gas emissions compared to the 2005 baseline. Using more energy efficient light bulbs and building skylights for natural light has cut energy consumption at its existing stores. Walmart has also worked to convert waste management at its stores from a cost to a profit

<sup>5</sup> Accessed on May 2, 2011, from [www.ghgprotocol.org/](http://www.ghgprotocol.org/).

generator. The company reported that in California, more than 80 percent of waste has been diverted from landfills and recycled to produce revenue.

Another example of profitable improvement comes from using technology to balance the peak load for energy across a chain of convenience stores. By suitably staggering the time that air conditioners and freezers at its stores are turned on, the chain can reduce the peak demand for energy across the store network, resulting in lower costs for the chain and a reduced demand for peak load in the grid.

Production facilities often have significant opportunity to reuse heat energy generated and reduce water usage during the process. Coca-Cola has worked hard to reuse heat energy from boilers in its production process and reduce its total water footprint. Lee (2010) gives the example of Posco, which worked with its equipment supplier, Siemens VAI, to create a new production process that cut costs and emissions without hurting product quality by using local iron ore that was of lower quality but less expensive. As a result, Posco reduced the cost of a new mill by 6 percent to 17 percent and decreased its operating costs by 15 percent while producing lower levels of greenhouse gases and other waste. As these examples illustrate, facilities often offer the best opportunity to simultaneously improve the environmental and financial performances through innovation.

### Inventory

Most supply chains focus on raw materials, work in process, and finished goods inventory as we have in this book, but few focus on the inventory sitting in a typical landfill. While the inventory in the landfill may not show up in a firm's balance sheet, it does show up as one of the most damaging aspects from a sustainability perspective. The damage may be in the form of harmful additives or in the form of valuable energy and materials that are still locked in the landfill. Arguably, the most significant waste in any supply chain occurs when a product is thrown into the landfill because both materials and energy used to produce the product are now lost forever, potentially doing harm. The goal of every supply chain should be to track its landfill inventory and separate it in terms of harmful additives and unused value. Life cycle assessment (LCA) can be used to assess the environmental impacts associated with a product's life from cradle to grave. The goal should be to reduce (or at least limit) the harmful inventory and unlock the unused value in products when they are discarded.

McDonough and Braungart (2002) discuss the importance of "cradle to cradle" design if we are to truly limit the landfill inventory generated by a supply chain. They suggest designing products "that, when their useful life is over, do not become useless waste but can be tossed onto the ground to decompose and become food for plants and animals and nutrients for soil; or, alternately, they can return to industrial cycles to supply high quality raw materials for new products." Walmart, for example, reduced the amount of harmful phosphates in laundry and dish detergents in the Americas by 14.5 percent in 2011, with a goal of reaching a reduction of 70 percent. The company also redesigned packaging to eliminate 91 percent of jewelry pallets and make all its jewelry boxes from recycled materials.

### Transportation

Transportation is another driver wherein firms are likely to find several positive cash flow opportunities. Any supply chain design innovation that lowers transportation costs also tends to reduce emissions and waste generated from transportation. In its 2011 CSR report, Walmart reported that in the United States, it decreased the amount of fuel used to deliver a case of product by 65 percent between 2005 and 2010. This improvement through increased aggregation, a more efficient loading of transportation vehicles, and an increase in their fuel efficiency cuts both cost as well as environmental damage. Lee (2010) cites four companies—Hewlett-Packard, Electrolux, Sony, and Braun—that have formed a joint venture, the European Recycling Platform, to gain better economies of scale in their recycling efforts. Lee reports that HP's cost of recycling digital cameras is only 1 or 2 euro cents in countries with the environmental platform compared to 7 euro cents to 1.24 euros in countries without the platform.

Product design can also play a significant role in reducing transportation cost and emissions by reducing packaging and allowing greater density during transportation. IKEA has always worked hard to design products that can be shipped flat to achieve high volume and weight density during transportation. As a result, the company not only lowers its transportation costs, it also reduces emissions and energy use.

## Sourcing

For most firms, the majority of energy and water use and waste and emissions occurs in the extended supply chain outside their own enterprise. Thus, to truly have an impact on sustainability, powerful players must look at the extended supply chain and work with their suppliers to improve performance. As we have mentioned earlier, the C.A.F.E. program at Starbucks encourages suppliers to improve their environmental and social responsibility scores by providing a price premium. Walmart and IKEA have also set aggressive targets for their suppliers to improve overall supply chain sustainability. Failure to work with suppliers on sustainability should also be viewed as a potential source of risk that can cause considerable damage to the reputation and sales of a firm. The presence of lead paint in some of its most popular toys forced Mattel to recall hundreds of thousands of toys sold between April and July of 2007.<sup>6</sup> Verifying and tracking supplier performance with regard to sustainability, however, continues to be a major challenge for most firms. This effort has become more difficult as supply chains have become increasingly global and fragmented.

## Information

Good information continues to be one of the biggest challenges to improved supply chain sustainability. The absence of standards for measurement and reporting has led to claims of improvement that are often not verifiable. In the short term, this has led to company-specific standards and an explosion of certifications and certifying agencies. Companies talk of working toward a common set of standards, but it is unlikely that such standards will emerge because incentives are not aligned across different firms. This poses a challenge both within firms and across supply chains when it comes to improving sustainability. The C.A.F.E. standards and supplier rating are an effort by Starbucks to encourage suppliers to focus on sustainability. Plambeck (2007) describes efforts within Walmart to measure and motivate both suppliers and associates. To reduce packaging, Walmart implemented a Web-based scorecard that evaluated the packaging of each product along nine metrics such as cube utilization and recycled content. This scorecard was used to measure and recognize improvements in packaging. Even though universal standards may not be possible, the use of consistent scorecards within a supply chain can go a long way toward aligning the sustainability efforts of all members of the extended supply chain.

## Pricing

Consumption visibility and differential pricing by load or time of day have the potential to make a significant difference in the usage of energy by consumers. Some studies have found that when people can see how much electricity they are using and the impact of turning off different appliances, their usage decreases by between 10 to 15 percent. If this visibility is simultaneously coupled with lower price off-peak electricity, there is a potential to reduce peak load demand. In general, increasing the visibility of the environmental impact of products can help customers make more informed choices, especially when the sustainable option costs more.

One of the biggest challenges to improved sustainability of a supply chain is changing the customer's willingness to pay for a product that is produced and distributed by a supply chain in a more sustainable manner but ends up costing more. Even a company such as Walmart, which is focused on improved sustainability, has not hit its targets for the use of renewable energy because

<sup>6</sup> Story, Louise, "Lead Paint Prompts Mattel to Recall 967,000 Toys." *New York Times*, August 2, 2007.



these sources have higher costs compared to other sources of energy. In the short term, government incentives supporting some sustainable products can help. For example, in 2011, the Nissan Leaf electric vehicle qualified for a federal tax credit of \$7,500 in the United States. In the long term, however, sustainability cannot be improved in a supply chain simply by focusing on reducing costs or the use of incentives. The efforts toward increased sustainability will pick up greater speed once customers place greater value on it, allowing supply chains to grow the supply chain surplus by being sustainable.

## 18.5 CLOSED-LOOP SUPPLY CHAINS

As we have discussed earlier, supply chains typically cause significant harm to the environment when their output ends up in a landfill. One of the biggest opportunities to improve sustainability is for firms to design products that can be reused and recycled. In practice, it is not sufficient to design a recyclable product. The product has to be supported by a supply chain that ensures recycling. Without the support of the supply chain, even products that can be recycled end up in the landfill! In this section, we raise some challenges in developing closed-loop supply chains that can profitably take back product from customers and recover value by reusing the entire product or some part of it. Guide and Van Wassenhove (2009) provide an excellent discussion of closed-loop supply chains.

Guide and Van Wassenhove describe three scenarios wherein a supply chain may handle returns. In the first, a customer returns a product either because it is defective or because he or she has decided during the return period that the product is not needed. If the product is defective, the supply chain has to be able to perform any light repair (which may be as simple as cleaning) and reintroduce it into the market. When a customer has used the product over its useful life and is ready to throw it away, the product is either trashed or can be picked up by the supply chain. Trashing the product hurts the environment. Even if the product is returned to the supply chain, several issues need to be addressed if environmental gains are to be realized. Some of the returned parts can potentially be remanufactured and used in making other products. The other parts will need to be successfully recycled. The following three pairings result: Consumer returns are to be repaired, end-of-use returns are to be remanufactured, and end-of-life returns are to be recycled for sustainability. Besides any technical challenges of performing each task, one of the most significant challenges is to design products and supply chains in which these tasks can be performed economically. In fact, many cities in the United States (including New York) cut back their recycling efforts in the early part of the 21<sup>st</sup> century because the cost of recycling was high and the market for recycled products was weak.

Whether products are to be repaired, remanufactured, or recycled, the economic interests of all the parties involved must be understood and aligned for the activities to be performed. For example, does a company gain or lose economically by selling remanufactured products along with new ones? How can a firm ensure sufficient access to used products if it plans to remanufacture? Who should be responsible for collecting used products (the retailer, the manufacturer, or a third party)? What incentives need to be in place for the economic interests of the entire supply chain to be aligned in such a setting? Do any decisions change if the product has a short or long life cycle? Another issue arises with regard to the design of durable components if they are to be remanufactured. Suppliers often have little interest in increasing durability of components because that may cut back on the sales of their own products. What incentives need to be in place for them to design and produce durable products? The answers to these questions determine the extent to which supply chains will be sustainable.

## 18.6 SUMMARY OF LEARNING OBJECTIVES

**1. Understand the importance of sustainability in a supply chain.** As supply chains have globalized and emerging countries have grown, it has become increasingly clear that the world's resources and environment will not be able to support this growth unless supply chains

become more sustainable. Besides the need to make the world more sustainable, an increased focus on sustainability has allowed some supply chains to reduce risk, become more efficient, and also attract some customers who value these efforts.

**2. Discuss the challenge to sustainability posed by the tragedy of the commons.** Many actions that improve sustainability of a supply chain impose costs that are local (to an individual, a firm, supply chain, or country) but provide common benefits that are more global. In contrast, a disregard for sustainability provides benefits that are local but costs that are shared globally. As a result, encouraging sustainability without some external pressure either in the form of a public mandate or economic incentive can be difficult.

**3. Describe key metrics that can be used to measure sustainability for a supply chain.** Supply chain sustainability can be measured in terms of energy consumption, water consumption, greenhouse gas emission, and waste generation. It is important that these metrics be tracked across as wide a scope of the supply chain as possible.

**4. Identify opportunities for improved sustainability in various supply chain drivers.** Facilities can be redesigned to reduce both energy use and emissions. Products should be designed with a “cradle to cradle” philosophy to decrease landfill inventory and increase the reuse of material. Designing products to limit packaging and improve transportation density helps reduce costs as well as emissions during transportation. Given that any one firm is only a small fraction of a supply chain’s impact on the environment, it is critical that powerful players work with the extended supply chain to improve sustainability. Clearly defined standards for measurement and reporting of performance are important if sustainability is to improve across supply chains. Finally, a significant driver of improved sustainability will be customers’ willingness to reward successful supply chains.

---

## Discussion Questions

1. What are some benefits to improved sustainability of a supply chain?
2. What are some challenges that limit the effort put in by supply chains to improve sustainability?
3. Describe the “tragedy of the commons” in the context of supply chain sustainability. What are some “mutually coercive” mechanisms that could be implemented to encourage supply chain sustainability?
4. What are some problems with firms reporting their sustainability performance based on metrics that do not consider their extended supply chain?
5. Study the CSR reports for a couple of firms. Identify actions across a few supply chain drivers that have improved sustainability. Which areas has the company found challenging to improve?
6. Even if a product is designed to be recyclable, discuss some challenges in designing a closed-loop supply chain that can recycle sustainably.

---

## Bibliography

- Creys, Jon, Anton Derkach, Scott Nyquist, Ken Ostrowski, and Jack Stephenson. *Reducing U.S. Greenhouse Gas Emissions: How Much at What Cost?* McKinsey & Company, December 2007.
- Guide, V. Daniel R., Jr., and Luk N. Van Wassenhove. “The Evolution of Closed Loop Supply Chains.” *Operations Research* 57 (January–February 2009): 10–18.
- Hardin, Garrett. “The Tragedy of the Commons” *Science* 162 (1968): 1243–1248.
- Hawken, Paul, Amory Lovins, and L. Hunter Lovins. *Natural Capitalism*. New York: Little, Brown and Company, 1999.
- Horne, Ralph, Tim Grant, and Karli Varghese. *Life Cycle Assessment: Principles, Practice and Prospects*. Collingwood, Australia: CSIRO Publishing, 2009.
- Lee, Hau L. “Don’t Tweak Your Supply Chain—Rethink It End to End.” *Harvard Business Review* (October 2010): 61–69.
- McDonough, William, and Michael Braungart. *Cradle to Cradle*. New York: North Point Press, 2002.
- Plambeck, Erica. “Wal-Mart’s Sustainability Strategy.” Stanford Graduate School of Business Case OIT-71.
- Prokesch, Steven. “The Sustainable Supply Chain.” *Harvard Business Review* (October 2010): 70–72.

# INDEX

- Absolute deviation, 194
- Actual average flow/cycle time, 46
- Adaptive forecasting, 188–193
- Adjustable customization, 456
- Advanced shipping notices (ASN), 281
- Agent effort, contracts for, 453–454
- Aggregate forecasts, 179
- Aggregate planning, 211–229
  - bibliography, 231
  - case studies, 231–233
  - discussion questions, 229
  - Excel and, 224–226
  - exercises, 229–231
  - implementation of, 228
  - information technology, 227–228
  - learning objectives summary, 228–229
  - linear programming, 216–224
  - master production schedule (MPS), 226–227
  - problem of, 213–215
  - production units, 214–215
  - role of, 211–213
  - strategies, 215–216
- Aggregate supply planning, 431
- Aggregation
  - capacity, 431
  - capacity constraint, 285
  - coefficient of variation and, 334–335
  - information, 431–432
  - inventory, 414–418, 431
  - multiple products, 280–281
  - procurement, 432–433
  - receivables, 433
  - relationship, 433–434
  - safety inventory and, 329–341
  - temporal, 418
  - transportation, 432
  - value and demand, 421–422
  - warehousing, 432
- Agile intercompany interfunctional scope, 33–34
- Air transportation, 423
- All unit quantity discounts, 289–291
- Analysis
  - CPFR, 264
  - sourcing decisions, 428–430
- Apparel manufacturing and retail, 14–15
- Assessment, of suppliers, 439–441
- Assets, perishable, 475–481
- Asset specificity, 435t
- Auctions, for supplier selection, 441–444
- Auto manufacturing, 15–16
- Average inbound transportation cost, 51
- Average inbound transportation cost per shipment, 51
- Average incoming shipment size, 51
- Average inventory, 49
- Average order size, 58
- Average outbound shipment size, 51
- Average outbound transportation cost, 51
- Average outbound transportation cost per shipment, 51
- Average price paid per unit purchased, 273
- Average production batch size, 46
- Average purchase price, 55
- Average purchase quantity, 56
- Average replenishment batch size, 49
- Average safety inventory, 49
- Average sale price, 58
- Backlogged demand, 368–370
- Bargaining surplus, 444
- Batch size, 271–272
- Behavioral obstacles, to supply chain
  - coordination, 258
- Bellman's principle, 154
- Bias, 195
- Book supply chains, online sales and, 92–94
- Bulk contracts, 481–483
- Bullwhip effect, 170, 250–252, 267, 269
- Business environment, changes in, 35
- Buyer time, 275
- Buy software, 493
- Call centers, 494
- Capacitated plant location model, 118–120, 125–130
- Capacity
  - aggregate planning and, 215, 473–475
  - chase strategy and, 215
  - dedicated, 150–151
  - facilities, 45–46
  - flexible, 153–155
  - management of, 236–237
  - revenue management and, 473
  - safety, 223
  - time flexibility from, 235–236
- Capacity aggregation, 431
- Capacity allocation, selection of, 108, 109
- Capacity allocation models, 116–132
  - gravity location models, 120–124
  - network optimization models, 117–120, 124–132
  - taxes, tariffs, and customer requirements, 132
- Capacity constraints, 219, 384–386
- Capital, cost of, 249–250
- Carrier delivery, distributor storage with, 77–79
- Carriers, package, 400
- Case studies
  - aggregate planning, 231–233
  - cycle inventory, 311–313
  - demand forecasting, 208–210
  - distribution network design, 102–107
  - global supply chain network design, 174–177
  - predictable variability management, 248–249
  - safety inventory, 351–354
  - supply chain network design, 139–142
  - supply chain performance drivers, 60–67
  - transportation in supply chain, 426–427
- Cash-to-cash cycle time, 49
- Causal forecasting methods, 180–181
- Central DC, shipments via, 410
- Chaining, 150–151
- Chase strategy, 215
- Clicks-and-mortar networks, 100
- Coefficient of variation, aggregation value and, 306, 307
- Collaborative assortment planning, 266
- Collaborative forecasting, 205, 259
- Collaborative planning, 259
- Collaborative Planning, Forecasting, and Replenishment (CPFR), 264–265
- Commoditization, 100
- Commodity products, quantity discounts for, 294–296
- Communication, in supply chain coordination, 268
- Competitive changes, over time, 19–20, 22–23
- Competitive factors, in supply chain network design, 112–113
- Competitive strategy, 19–21, 30
  - facilities and, 45
  - information, 51–52
  - inventory and, 47
  - pricing, 56
  - sourcing, 55
  - transportation, 50, 424
- Complete information, 250
- Complexity, information decisions and, 53
- Component commonality, 338–340
- Computer-assisted ordering (CAO), 261
- Conflict resolution mechanisms, 263
- Connectivity, in supply chain coordination, 268
- Constraints, 219–223. *See also* Capacity constraints
- Containment, 150–151
- Contingency plans, 193
- Continuously stocked items, cycle service level for, 367–369
- Continuous replenishment programs (CRP), 263
- Continuous review policies, 318, 341–342
- Contracts
  - agent effort and, 453–454
  - buybacks, 445–448
  - bulk and spot, 481–483
  - cost coordination, 452–453
  - performance improvement, 454–455
  - product availability, 444–452
  - quantity flexibility, 450–452
  - revenue sharing, 448–449
  - risk sharing, and performance, 444–455
  - supply chain costs, 452
  - third parties and, 436
- Coordination. *See* Supply chain coordination
- Cost of capital, 274–275
- Cost-responsiveness efficient frontier, 26
- Costs
  - aggregate planning and, 217
  - contracts for, 452–453
  - cycle inventory, 273, 274–288
  - facility, 114
  - fixed, 276–288
  - inbound transportation, 414–415
  - inventory, 252
  - labor, 253
  - manufacturing, 252
  - marginal, 291
  - minimization of, 32
  - online business and, 86–87, 90–91, 92
  - optimal level of product availability and, 386
  - overstocking, 359
  - sourcing, 434
  - stockouts, 368–369, 386
  - suppliers and, 440–441
  - supply chain coordination, 252–253
  - total, 145–146
  - transportation, 412–419
  - understocking, 359
- Criticality, 100
- Cross-docking, line haul with, 408, 410
- Cultural implications, of supply chain network designs, 133
- Customer demands, increase in, 22–23
- Customer density and distance, tailored transportation by, 420–421
- Customer-driven substitution, 336
- Customer-driven two-way substitution, 337
- Customer experience
  - distribution network design, 75
  - online business, 86–87
- Customer order cycles, 8, 9, 11

- Customer pickup
  - manufacturer or distributor storage with, 81–83
  - retail storage with, 83–84
- Customer preferences, for distribution networks, 100
- Customer relationship management (CRM), 12, 13, 490, 491–492, 494
- Customer requirements, in network optimization models, 132
- Customer response time, in supply chain network design, 113
- Customer responsiveness, 418–420
- Customers
  - distribution networks and, 100
  - lot sizing for, 281–288
  - revenue management and, 483–484
  - supply chain surplus and, 436
- Customer segments
  - multiple, 30–31
  - revenue management and, 468–470
  - understanding and identifying, 182
- Customer service, online business and, 86–87, 90–91, 92–99
- Customer size, tailored transportation by, 421
- Customer uncertainty, 22–25
- Customization, 456
- Cycle inventory, 48, 271–313
  - bibliography, 310–311
  - case study, 311–313
  - cost estimation, 274–276
  - discussion questions, 308
  - exercises, 308–310
  - fixed costs, economies of scale exploiting, 276–288
  - learning objectives summary, 307
  - multiechelon, 305–307
  - quantity discounts, economies of scale exploiting, 289–299
  - role of, 271–274
  - trade promotions, 300–304
- Cycle service level (CSL), 317
  - continuously stocked items, 367–370
  - monitoring, 347
  - quantity discounts and, 366–367
  - replenishment policy and, 318–322
  - safety inventory and, 322–324
  - seasonal items, 362–366
- Cycle view of supply chain processes, 8–10
- Days payable outstanding, 55
- Days sales outstanding, 58
- DC central shipments, 407–408, 409
- DC milk-run shipments, 409, 410
- DC replenishment collaboration, 265
- Decision making
  - information technology and, 497
  - sourcing, 461–462
  - transportation, 424
- Decisions. *See* Facilities decisions; Global supply chain network design decisions; Supply chain decisions
- Decision trees, 153–161
  - case study, 161–162
- Decision variables, in aggregate planning, 217
- Dedicated capacity, 31, 45, 150, 154
- Deliveries
  - case study, 311–313
  - distribution network design and, 77–79
  - independent, 282–283
  - joint, 283–288
- Delivery frequency/minimum lot size, 439
- Demand
  - backlogged, 367–368
  - CPFR and, 264
  - cycle inventory and, 279
  - demand forecasts and, 182, 205
  - management of, 237–244
  - seasonal, 346, 481
  - stockouts and, 368–369
  - tailored transportation by, 421–422
- Demand allocation, to production facilities, 124–125
- Demand forecasting, 234
  - basic approach to, 181–183
  - bibliography, 208
  - case study, 208–210
  - characteristics of, 179
  - components and methods, 180–181
  - discussion questions, 206
  - error measures, 193–195
  - exercises, 206–207
  - information technology in, 203
  - learning objectives summary, 205
  - practice of, 205
  - risk management in, 204–205
  - role of, 178–179
  - Tahoe Salt example, 197–203
  - time-series forecasting methods, 183–193
- Demand lumpiness, 346
- Demand planning, 203, 492–493
- Demand planning integration, 182
- Demand planning module, 203
- Demand risk, 111
- Demand uncertainty, 23, 316–317, 326
- Demand variability, 54
- Deseasonalized demand, 185
- Design. *See* Distribution network design; Global supply chain network design; Supply chain network design
- Design collaboration, 429, 455–456, 493
- Design for manufacturability, 456
- Design options, for transportation network, 406–411
- Design phase of supply chain relationships, 455
- Design trade-offs, in transportation networks, 411–419
- Developing countries, tariffs and tax incentives in, 111
- Diamond retailing case study, 102–107
- Dimensional customization, 456
- Direct materials, 457
- Direct sales, 87
- Direct sales manufacturing, 13
- Direct shipment network, 406, 410
- Direct shipment with milk runs, 407, 410
- Direct shipping, manufacturer storage with, 73–76
- Disaggregate forecasts, 179
- Discounted cash flows, 152–153
- Discounts/discounting
  - quantity, 257, 262, 289–299, 366–367
  - short-term, 300–304
- Distribution, 68
- Distribution network design
  - bibliography, 101–102
  - case study, 102–107
  - clicks-and-mortar network, 100
  - customer preferences and, 100
  - discussion questions, 101
  - distribution strategy and, 100
  - factors influencing, 69–73
  - learning objectives summary, 100–101
  - online business, 86–99
  - options, 73–86
  - ownership structure, 99
  - role of, 68–69
  - selection of, 85–86, 99–100
- Distribution strategy, 100
- Distributor storage
  - carrier delivery, 77–79
  - customer pickup, 81–83
  - last-mile delivery, 79–81
- Double marginalization, 297
- Down time, 46
- Drop-shipping, 73–76
- Dual facilities, 236
- Dutch auctions, 442
- Duties, 110–111
- Dynamic pricing, 475–478
- Echelon inventory, 344–345
- Economic order quantity (EOQ), 276–280
- Economies of scale
  - fixed costs and, 276–288
  - pricing and, 57
  - quantity discounts, 289–299*See also* Cycle inventory
- Efficiency. *See* Supply chain efficiency
- Electronic data interchange (EDI), 53
- English auctions, 442
- Enterprise resource planning (ERP), 53
- Environmental concerns, 35
- Equity, 274
- Error analysis. *See* Forecast error
- Everyday low pricing, 57
- Exchange rates, 111, 162–163
- Exclusive distribution strategy, 100
- Exponential smoothing
  - Holt's model, 190–191
  - simple, 189–190
  - Winter's model, 192–193
- Externalities, positive, 112
- Facilities, 41, 44–47
  - dual, 236
  - information technology and, 490
  - online business, 88, 90, 93, 96, 98
- Facilities decisions, components of, 45–46
- Facility configuration, in supply chain network design, 115
- Facility costs, in supply chain network design, 114
- Facility life span, 132
- Facility location
  - selection of, 108, 109, 116
  - tariffs and tax incentives, 133
- Facility location models, 116
  - gravity location models, 120–124
  - network optimization models, 117–120, 124–132
  - taxes, tariffs, and customer requirements, 132
- Facility-related metrics, 46
- Facility role, 108
- Fast-moving items, 335
- Field service, 492
- Fill rate, 49
  - replenishment policy and, 318–322
  - safety inventory and, 322–324
- Financial statements
  - Amazon.com's data (2008–2010), 39–41
  - Seven-Eleven Japan Co. (2008–2010), 61
  - Tiffany & Co. (2008–2009), 106
  - Wal-Mart Stores Inc. (2008–2009), 67
- Firms, supply chain macro processes, 12–13
- Fixed costs, economies of scale exploiting, 276–288
- Fixed lease option, 158–160
- Fixed ordering cost, 273
- Fixed price, 57–58
- Flexibility
  - aggregate planning and, 228
  - dual facilities, 236
  - predictable variability management and, 237

- Flexibility (*Continued*)  
 risk management, 150–151  
 supply, 431  
 time, 215, 235  
 transportation networks, 424  
 Trips Logistics example, 155–156
- Flexible capacity, 170
- Flexible lease option, 160–161
- Flow time efficiency, 46
- Forecast error, 54  
 aggregate planning and, 223  
 measures of, 183, 193–194
- Forecast horizon, 53
- Forecasting, 54  
 collaborative, 259  
 optimal level of product availability and, 372  
 revenue management, 483  
 supply chain coordination, 254–255, 259
- Forecasting error, measurement, 193–195  
 mean absolute deviation (MAD) method, 194  
 mean absolute percentage error (MAPE) method, 194–195  
 mean squared error (MSE), method, 194  
 reasons, 193  
 smoothing constant selection, 195–197
- Forward buying, 239, 300–303
- Fourth-party logistics (4PLs), 436–439
- Fraction of time out of stock, 49
- Fraction on-time deliveries, 56
- Fraction transported by mode, 51
- Free trade zones, 111
- Frequency of update, 54
- Fulfillment, 492
- Functional costs, minimization of, 32
- Functions, incentives aligned across, 258
- Funds transfer, 87
- Globalization  
 competitive changes and, 34–35  
 global supply chain network and, 143–145  
 strategic fit and, 36
- Global supply chain network design, 143  
 bibliography, 173  
 case study, 141–142, 174–177  
 discussion questions, 171  
 evaluation of, 152–153  
 exercises, 171–172  
 globalization, 143–145  
 learning objectives summary, 170  
 offshoring decisions, 145–147  
 risk management, 147–151
- Global supply chain network design decisions  
 decision trees, 153–161  
 practice, 170  
 uncertainty, 161–170
- Goals, alignment of, 258–259
- Gravity location models, 120–124
- Grocery industry, online business and, 95–97
- Hard infrastructure requirements, 116
- High-demand products, inventory of, 237
- High-low pricing, 57
- Hiring constraints, 219
- Hiring costs, 218
- Holding cost, 273, 275, 279
- Holt's model, 190–191
- Idle time, 46
- Implied demand uncertainty, 23–26
- Inbound transportation costs, 71, 414–415
- Incentive obstacles, to supply chain coordination, 254
- Incentives  
 alignment of, 258–259  
 sales force, 254, 259
- Incremental fixed cost per order, 58
- Incremental variable cost per unit, 58
- Independent demand, 317
- Independently ordered and delivered lots, 282–283
- India, retailing in, 4
- Indirect materials, 457
- Information, 42, 51–54  
 complete, 250  
 distribution network design and, 74  
 information technology and, 488–489  
 online business and, 88, 90, 93, 96
- Information accuracy, improvement of, 259–260
- Information aggregation, 431–432
- Information centralization, 333
- Information coordination capability, 439
- Information decisions, components of, 52–54
- Information leaks, 436
- Information-processing obstacles, to supply chain coordination, 254–255
- Information-related metrics, 53
- Information sharing, 52–53  
 lack of, 255  
 point-of-sale data, 259
- Information technology (IT), 488–499  
 In aggregate planning, 227–228  
 bibliography, 498–499  
 in customer relation management (CRM), 491–492  
 Dell's investment in, 91  
 discussion question, 498  
 forecasting and, 203–204  
 fourth party logistic providers (4PL), 438  
 framework, 490–491  
 future of, 495–496  
 Information aggregation through, 433  
 in internal supply, 492–493  
 in inventory management, 345–346  
 in practice, 497–498  
 related expenses, 42  
 retailer discount and, 304  
 Risk management, 496–497  
 role in supply chain, 488–490  
 supplier relationship management, 494–495  
 in supply chain performance, 43  
 transportation performance, 422–424  
 in value chain, 20  
 Wal-Mart's investment in, 44
- Infrastructure  
 supply chain network design, 112  
 transportation, 403–405
- In-house sourcing, 54, 430–436
- In-house transportation, 424
- Integration, of demand planning and forecasting, 182
- Intercept coefficient, 186, 191
- Intercompany interfunctional scope, 33
- Intermediate evaluation, of optimal level of product availability, 391
- Intermodal transportation, 399, 402
- Internal supply chain management (ISCM), 12, 490, 491, 492–493, 494
- Internet, 53, 100. *See also* E-business; Information technology; Online business
- Intracompany intrafunctional scope, 32
- Intracompany intraoperational scope, 32–33
- In-transit merge, manufacturer storage with, 76–77
- Inventory, 47–49, 237  
 cost of, 218  
 forecasting and, 372  
 information technology and, 489  
 level strategy and, 215  
 management of, 235, 237  
 online business and, 88, 414–415  
 postponement and, 378–382  
 quick response and, 373–378  
 safety, 223  
 tailored sourcing, 383–384  
 vendor-managed, 263  
*See also* Cycle inventory; Optimal level of product availability; Safety inventory
- Inventory aggregation, 414–418, 431
- Inventory balance constraints, 219
- Inventory costs, 252, 412–418
- Inventory decisions, components of, 48–49
- Inventory holding cost, 274–276
- Inventory profile, 272
- Inventory-related metrics, 49
- Inventory turns, 49
- Jointly ordered and delivered lots, 283–288
- Just-in-time (JIT) manufacturing system, 407
- Labor costs, 218, 253
- Last-mile delivery, distributor storage with, 79–81
- Layoff constraints, 219
- Layoff costs, 218
- Lead time, 316  
 replenishment, 48, 252, 256, 260  
 supplier, 326  
 uncertainty, 327–328  
*See* Replenishment lead time
- Level, 181, 185–186
- Level strategy, 215
- Lever, 215–216
- Line haul with cross-decking, shipping via, 410
- Linear programming, 216–224
- Little's law, 47
- Local costs, minimization of, 32
- Local optimization, in supply chain coordination, 254
- Local presence, in supply chain network design, 113
- Location, of facilities, 45–46
- Logistics, in supply chain network design, 114
- Logistics providers, third- and fourth-party, 436–439
- Long-term bulk contracts, 483
- Long-term forecasts, 179
- Lost demand, 369
- Lot, 271
- Lot size  
 minimum, 439  
 multiple products or customers, 280–288  
 product, 276–280  
 production, 280  
 reduction of, 260–261  
 supply chain coordination and, 255–256, 258, 262  
 trade promotions and, 302
- Lot size–based discounts, 289, 299, 257, 262
- Lumpiness of demand, 346
- Macroeconomic factors, in supply chain network design, 110–111
- Macro processes, 12–13, 490–491
- Maintenance, repair, and operations (MRO) suppliers, 15–16, 332
- Management commitment, for supply chain coordination, 267
- Management phase of supply chain relationships, 6–7
- Managerial levers  
 optimal level of product availability, 370–371  
 supply chain coordination, 258–263
- Manufacturability, design for, 456
- Manufacturer-driven one-way substitution, 336
- Manufacturer-driven substitution, 336

- Manufacturer storage
  - customer pickup, 81–83
  - direct shipping, 73–76
  - in-transit merge, 76–77
- Manufacturing cost, 252
- Manufacturing cycles, 8, 11
- Marginal cost, 291
- Marginal unit quantity discounts, 291–293
- Market allocation, 108
- Market growth, 239
- Marketing, customer relationship management and, 491
- Market power, quantity discounts and, 296–299
- Markets
  - pricing and revenue management, 466–486
  - splitting, 113
- Market share, stealing, 239
- Material cost, 273
- Material flow time, 47
- Material requirements planning (MRP), 52
- Materials
  - cost of, 218–219
  - direct and indirect, 457
- Mean absolute deviation (MAD), 194
- Mean absolute percentage error (MAPE), 194
- Mean squared error (MSE), 194
- Menu price, 57–58
- Metrics
  - facilities-related, 46
  - information-related, 53
  - inventory-related, 49
  - pricing-related, 58
  - sourcing-related, 55–56
  - transportation-related, 51
- Milk runs, 407, 409, 410
- Miscellaneous costs, 275
- Mix flexibility, 150
- Modular customization, 456
- Moving average, 188–189
- Multiblock tariffs, 291
- Multiechelon cycle inventory, 305–308
- Multiechelon supply chains, 344–345
- Multifunctional teams, 461
- Multimodal transportation, 399, 403
- Multiple customer segments, revenue management and, 468–475
- Multiple customers, lot sizing for, 281–288
- Multiple products
  - aggregation of, 281
  - capacity constraints and, 384–385
  - lot sizing for, 281–288
- Multiunit Dutch auctions, 443
- Multiunit English auctions, 443
- Negotiation
  - information technology and, 493
  - supplier selection, 441–444
- Network design. *See* Distribution network design;
  - Global supply chain network design;
  - Supply chain network design
- Network design decisions, 108
- Network optimization models, 117
  - capacitated plant location model, 118–120, 125–128
  - plant and warehouse location, 130–132
  - plant location model with single sourcing, 128–129
  - production facilities, demand allocation to, 124–125
- New product flexibility, 150
- Objective function, 218–219
- Objectives, in demand forecasting, 181–182
- Obsolescence cost, 275
- Obsolete inventory, 49
- Occupancy cost, 275
- Offshoring, 145–147, 429
- Offshore decisions, uncertainty, 161–170
  - decision tree, evaluation, 163
  - discounted cash flow, evaluation, 162–163
  - onshore option, 163
  - period 0, 168–170
  - period 1, 167–168
  - period 2, 167
- Online business, 68–107
  - Amazon's, 16–17
  - of bricks-and-mortar stores, 336
  - case study, 102–107
  - customer substitution, 337
  - cycle inventory, 48
  - failure of, 5
  - information aggregation in, 433
  - inventory aggregation and, 414–415
  - liquidators of, 370
  - network distribution, 86–99
  - order cycle, 9
  - package carriers, 400
  - postponement, orders, 341, 378
  - procurement process, 458
  - product availability, 359
  - retail, 332
- Onshore Option, uncertainty
  - period 0, 166
  - period 1, 165–166
  - period 2, 163–165
- One-time orders, quantity discounts and, 366–368
- On-time performance, 401
- Operation. *See* Supply chain operation
- Operational obstacles, to supply chain
  - coordination, 255–258
- Operational performance, improvement
  - of, 260–262
- Operations, revenue management and, 484
- Operations planning, 244
- Optimal cycle service level
  - seasonal items, 362–365
  - unmet demand and, 370
- Optimal level of product availability, 358–362, 391
  - bibliography, 390
  - discussion questions, 387
  - exercises, 388–390
  - factors affecting, 359–369
  - implementation of, 386
  - importance of, 358–359
  - intermediate evaluation, 391
  - learning objectives summary, 387
  - multiple products under capacity constraints, 384–385
  - overstock from orders, 393
  - profitability, managerial levers for, 370–371
  - profitability, orders and, 392
  - spreadsheet simulations, 394–395
  - understock from orders, 394
- Optimization
  - revenue management decisions, 483
  - supply chain coordination, 254
- Order cost, 275, 279–280
- Order fill rate, 317, 318
- Order management, 492
- Orders
  - independent, 282–283
  - joint, 283–288
  - multiple products aggregation in, 281
  - one-time, 366–367
  - overstock from, 393
  - pricing and, 262
  - profitability and, 392
  - seasonal, 362–366
  - supply chain coordination and, 254–258
  - understock from, 394
- Order-up-to level (OUL), 342
- Order variability, 54
- Order visibility, 87
- Organizational requirements, for CPFR, 266
- Outbound transportation costs, 71
- Outsourcing, 54, 424, 428, 429, 430–436
- Overbooking, 479–480
- Overstock
  - cost of, 359
  - evaluation of, 365–366
  - orders and, 393
- Overtime labor cost, 218
- Overtime limit constraints, 219–220
- Ownership, total cost of, 461–462
- Ownership structure, of distribution networks, 99
- Package carriers, 400, 412
- Perfectly negatively correlated demand, 317
- Perfectly positively correlated demand, 317
- Performance, online business and, 91, 94, 96, 99.
  - See also* Strategic fit; Supply chain performance drivers
- Performance characteristics, of transportation
  - modes, 399–403
- Performance improvement, contracts for, 454–455
- Performance measures, for demand forecasts, 183
- Periodic review policies, 318, 342–344
- Perishable assets, 475–480
- Personal computer industry, online business
  - and, 90–92
- Pilot programs, 346
- Pipeline transportation, 399, 402
- Planning
  - collaborative, 259
  - collaborative assortment, 266
  - CPFR, 264
  - internal supply chain management, 492–493
  - sourcing decisions, 429, 430
  - supply, 485
  - See also* Aggregate planning; Cycle inventory; Demand forecasting; Optimal level of product availability; Predictable variability management; Safety inventory; Supply chain planning
- Planning horizon, 213
- Plant and warehouse location model, 130–132
- Plant location model with single sourcing, 128–129
- Point-of-sale data, 259
- Political factors, in supply chain network design, 112
- Positive externalities, 112
- Postponement, 339–340, 371, 378–381
  - benefits, 378–381
  - see also* Tailored postponement
- Predictable-demand products, inventory of, 237
- Predictable variability management, 237, 234
  - bibliography, 248
  - case study, 248–249
  - demand, management of, 237–244
  - discussion questions, 245
  - exercises, 246–247
  - learning objectives questions, 245
  - responses, 234–235
  - sales and operations planning, 244
  - supply, management of, 235–237
- Preset levels, of product availability, 386
- Price discrimination, 299
- Price fluctuations, 257
- Pricing, 42, 56–58, 466
  - assets, perishable, 475–480
  - bibliography, 487
  - contracts, bulk and spot, 481–483

- Pricing (*Continued*)  
 customer segments, multiple, 468–475  
 demand, seasonal, 481  
 discussion questions, 485  
 distribution networks and, 100  
 dynamic, 475–479  
 exercises, 486  
 information technology, 489  
 learning objectives summary, 485  
 online business and, 87  
 practice of, 483–484  
 role of, 466–468  
 supply chain coordination and, 257, 258–259, 262
- Pricing decisions, components of, 57–58  
 Pricing-related metrics, 58  
 Processing time, 46  
 Process views of supply chains, 8–13  
 Procurement, 55  
 Procurement aggregation, 432  
 Procurement cycles, 8, 9, 10, 11  
 Procurement process, 457–459  
 Product availability, 86  
 contracts for, 444–452  
 level of, 49  
 measurement of, 317–318  
 safety inventory and, 325–326  
 supply chain coordination and, 253  
*See also* Optimal level of product availability  
 Product-based tailored sourcing, 383–384  
 Product components, 237  
 Product demand, tailored transportation by, 421–422  
 Product development, 20  
 Product fill rate, 317, 318  
 Product flexibility, in production processes, 236  
 Production, lot sizing for, 280  
 Production capacity. *See* Capacity  
 Production cost per unit, 46  
 Production facilities, demand allocation to, 124–125  
 Production processes, product flexibility in, 236  
 Production service levels, 46  
 Product launches (time to market)  
 distribution network design, 75  
 online business, 87  
 Product life cycle, 33–34  
 Product lifestyles, decrease in, 33  
 Product portfolio, 87  
 Product pricing. *See* Pricing  
 Products  
 aggregation of, 281  
 capacity constraints and, 384–386  
 demand forecasts and, 182  
 lot sizing for, 276–280  
 multiple, 30  
 quantity discounts for, 294–299  
 seasonal, 362–365  
 Product subsets, jointly ordered and delivered lots for, 286–288  
 Product substitution, 336–337  
 Product variety  
 distribution network design and, 75  
 facilities and, 46  
 increase in, 37  
 online business and, 86  
 Profitability  
 forecasting and, 371–372  
 increasing, 58  
 managerial levers for, 370–384  
 optimal level of product availability and, 386  
 orders and, 392  
 postponement and, 378–382  
 price discrimination and, 299  
 quantity discounts and, 293–299  
 quick response and, 373–378  
 supply chain, 4  
 tailored sourcing, 383–384  
 Profit margin, 58  
 Profit maximization, 36  
 Promotions, 87, 300–304  
 Pull systems, 52  
 Push/pull boundary, 10  
 Push/pull view of supply chain processes, 10–12  
 Push systems, 52
- Qualitative forecasting methods, 180  
 Quality  
 sourcing and, 433  
 supply, 56  
 Quality losses, 46  
 Quality-of-life issues, in supply chain network designs, 133  
 Quantification  
 bullwhip effect, 267–269  
 revenue management benefits, 483  
 Quantity, dynamic pricing and, 477  
 Quantity discounts  
 economies of scale exploiting, 289–299  
 lot size–based, 257, 462  
 one-time orders and, 366–367  
 Quick response, 371, 373–378
- Radio frequency identification (RFID), 53–54  
 Rail transportation, 399, 401, 412  
 Random component measures, 205  
 Range of periodic sales, 58  
 Range of purchase price, 55  
 Range of sale price, 58  
 Rationing, 256–257, 262  
 Ratio of demand variability to order variability, 54  
 Reactive processes, 10  
 Receivables aggregation, 433  
 Receiving, labor cost for, 253  
 Receiving costs, 276  
 Reciprocal interdependence, 442–443  
 Regional facility configuration, 115  
 Regular-time labor cost, 218  
 Relationship aggregation, 433  
 Relationship-oriented levers, 262–263  
 Replenishment  
 continuous, 263  
 single-stage control of, 259–260  
 Replenishment cycles, 8, 9, 10, 11, 317  
 Replenishment lead time, 41, 252, 256, 260  
 Replenishment policies, 318–322, 341–344  
 Resources, for supply chain coordination, 268  
 Response time, 86, 113  
 Responsiveness. *See* Supply chain responsiveness  
 Retail event collaboration, 465–466  
 Retail storage, with customer pickup, 83–84  
 Retail store supply chain networks  
 books, 94  
 PCs, 91–92  
 Returnability, 87  
 Revenue management, 466–485  
 assets, perishable, 475–481  
 bibliography, 487  
 contracts, bulk and spot, 481–483  
 customer segments, multiple, 468–475  
 demand, seasonal, 481  
 discussion questions, 485  
 exercises, 486  
 information technology, 488–490  
 learning objectives summary, 485  
 practice of, 483–485  
 role of, 466–468  
*See also* Pricing  
 Review interval, 342  
 Risk management  
 demand forecasting, 203–204  
 global supply chains, 148–151  
 information technology, 495–496  
 sourcing, 460  
 transportation, 423  
 Risks  
 CPFR, 266–267  
 third parties, 435–436  
 Risk sharing, 444–455  
 Role, of facilities, 45
- Safety capacity, 223  
 Safety inventory, 48, 223, 272, 314  
 aggregation and, 329–341  
 bibliography, 351  
 case study, 351–354  
 discussion questions, 348  
 estimation and management of, 346–347  
 exercises, 348–351  
 information technology and, 345–346  
 learning objectives summary, 347  
 level of, 316–327  
 multiechelon supply chains and, 344–346  
 packing cost, case study, 353–354  
 replenishment policies and, 341–344  
 role of, 347–348  
 supply uncertainty and, 327–329  
 Sales  
 customer relationship management and, 490–491  
 demand forecasting and, 205  
 revenue management and, 483  
 Sales force incentives, 254, 259  
 Sales planning, 244  
 S&OP process, 245  
 Scale, supply chain surplus and, 434  
 Scoring, of suppliers, 439–441  
 Sealed-bid first-price auctions, 442  
 Seasonal demand, 346, 481  
 Seasonal factors, 54  
 Seasonal inventory, 48–49  
 Seasonality, 181, 186–187  
 Seasonality-corrected exponential smoothing, 192–193  
 Seasonal products, optimal cycle service level for, 362–365  
 Seasonal workforce, use of, 236  
 Second-price auctions, 442  
 Sell-in, 304, 259  
 Sell-through, 305, 259  
 Service centers, 492  
 Setup time, 46  
 Shared-savings contract, 454  
 Shareholder's perspectives on financial performance, 38–41  
 Shipments  
 central DC, 408–409, 411  
 DC using milk runs, 409–411  
 direct, 406–407, 411  
 Shippers, 398  
 Shipping, labor cost for, 253. *See also* Direct shipping  
 Shortage gaming, 256–257  
 Short-term discounting, 300–304  
 Simple exponential smoothing, 189–190  
 Simulation  
 inventory policies and, 346  
 spreadsheet, 394–395  
 Simulation forecasting methods, 181  
 Single sourcing, plant location model with, 128–129  
 Slow-moving items, 334  
 Soft infrastructure requirements, 116  
 Software evolution, macro processes and, 490–492

- Sophistication, of information technology, 497
- Sourcing, 42, 54–56  
 information technology and, 489  
 tailored, 371, 383–384
- Sourcing decisions, 55–56, 428  
 bibliography, 464–465  
 components of, 55–56  
 contracts, risk sharing, and performance, 444–455  
 decision making, 460–461  
 design collaboration, 455–456  
 discussion questions, 463  
 exercises, 463–464  
 information technology, 437–438  
 in-house sourcing or outsourcing, 430–436  
 learning objectives summary, 462–463  
 logistics providers, third- and fourth-party, 436–439  
 planning and analysis, 430  
 procurement process, 457–459  
 risk management, 460  
 role of, 462–464  
 supplier scoring and assessment, 429–430  
 supplier selection, 441–444
- Sourcing-related metrics, 55–56
- Sourcing software, 493
- Specialization, 333–335
- Specialized facilities, 236
- Speculative processes, 10
- Spill, 473
- Spoilage, 473
- Spoilage cost, 275
- Spot contracts, 481–483
- Spot market, 482–483
- Spot market option, 156–158, 161
- Spreadsheet simulations, 394–395
- Square-root law, 332
- Static forecasting methods, 183–186
- Stealing share, 239
- Stockouts, 317, 347  
 cost of, 218, 368–369, 386  
 demand and, 368–369
- Storage. *See* Distributor storage; Manufacturer storage; Retail storage
- Storage intermediaries, transportation aggregation by, 432
- Store replenishment collaboration, 266
- Strategic decision making, predictable variability and, 245
- Strategic factors, in supply chain network design, 109–111
- Strategic fit, 19  
 achieving, 21–34  
 bibliography, 37  
 competitive and supply chain strategies, 19–21  
 discussion questions, 36  
 learning objectives summary, 36  
 obstacles to, 34–36  
 optimal level of product availability and, 386  
 scope of, 32–34
- Strategic partnerships, 262–263
- Strategic planning, 492
- Strategic scope, 32–36
- Subcontracting, 218–219, 236
- Substitution, 336–337
- Success factors, information technology and, 497
- Supplier lead time, 326
- Supplier profitability, price discrimination and, 299–300
- Supplier relationship management (SRM), 12, 490, 491, 493–494
- Supplier reliability, 56
- Suppliers  
 long-term relationships with, 461  
 scoring and assessment, 429, 429–430
- supply chain surplus and, 436  
 total cost and, 440–441
- Supplier selection, 55, 429, 441–444
- Supplier viability, 498
- Supply  
 demand forecasts and, 182  
 management of, 235–237
- Supply allocation, 108
- Supply chain aggregate planning. *See* Aggregate planning
- Supply chain capabilities, 22, 25–27
- Supply chain coordination, 25–252, 294–299, 250  
 bibliography, 270  
 bullwhip effect, 250–252  
 Collaborative Planning, Forecasting, and Replenishment (CPFR), 264–267  
 continuous replenishment and vendor-managed inventories, 264  
 costs of, 435  
 discussion questions, 269  
 information technology, 268  
 lack of, 250–252  
 learning objectives summary, 269  
 managerial levers for, 258–263  
 obstacles to, 254–258  
 performance and, 252–253  
 practice of, 267–269  
 strategic partnerships and trust, 262–263
- Supply chain costs, contracts for, 452–453
- Supply chain decisions  
 facilities, 45–46  
 importance of, 4–6  
 information, 52–54  
 inventory, 48–49  
 phases of, 6–7  
 pricing, 57–58  
 sourcing, 55–56  
 transportation, 50–51  
*See also* Global supply chain network design decisions
- Supply chain demand forecasting. *See* Demand forecasting
- Supply chain design, 6, 114
- Supply chain efficiency, 26, 46–47, 49, 51
- Supply chain inventory management. *See* Cycle inventory; Optimal level of product availability; Safety inventory
- Supply chain macro processes, 12–13, 490–491
- Supply chain management (SCM), 6, 53, 490, 491, 492–493, 494. *See also* Predictable variability management
- Supply chain metrics. *See* Metrics
- Supply chain network design, 67, 108, 133  
 bibliography, 139  
 case study, 139–142  
 coordination in, 267–269  
 cultural implications, 133  
 discussion questions, 134  
 exercises, 134–138  
 facility life span, 132  
 facility location and capacity allocation models, 116–132  
 factors influencing, 109–114  
 framework for, 114–116  
 globalization and, 143–145  
 information technology, 145  
 learning objectives summary, 133–134  
 quality-of-life issues, 133  
 role of, 108–109  
 tariffs and tax incentives, 133  
*See also* Distribution network design; Global supply chain network design
- Supply chain operation, 7
- Supply chain ownership, fragmentation of, 35
- Supply chain performance. *See* Strategic fit; Supply chain performance drivers
- Supply chain performance drivers, 41–43  
 case study, 60–67  
 discussion questions and bibliography, 59–60  
 facilities, 44–47  
 information, 51–54  
 inventory, 47–49  
 learning objectives summary, 58–59  
 pricing, 56–58  
 sourcing, 54–56  
 structural framework, 43–44  
 transportation, 49–51  
*See also* Information technology; Pricing; Revenue management; Sourcing decisions; Supply chain coordination
- Supply chain planning, 7–8
- Supply chain processes, 8–13  
 cycle view, 8–10  
 macro processes, 12–13  
 push/pull view, 10–12
- Supply chain profitability, 4
- Supply chain relationship management, 490
- Supply chain responsiveness  
 facilities decisions and, 46–47  
 inventory decisions and, 49  
 strategic fit and, 25, 29, 31  
 transportation decisions and, 50–51
- Supply chains, 1, 2  
 defined, 2–4  
 discussion questions and bibliography, 17  
 examples of, 13–17  
 facilities and, 45  
 information, 51–54  
 inventory and, 47  
 learning objectives summary, 17  
 objective of, 3–4  
 pricing, 56  
 sourcing, 54  
 transportation, 50  
*See also* Information technology; Pricing; Revenue management; Sourcing decisions; Transportation
- Supply chain strategy, 6, 19–21, 35, 114–115
- Supply chain strategy modules, 114–115
- Supply chain surplus, 3  
 increasing, 56  
 maximization of, 33  
 third parties and, 431–434
- Supply chain uncertainty, 22–25, 34
- Supply collaboration, information technology and, 493
- Supply flexibility, 150–151
- Supply lead time, 56
- Supply management, CPFR, 264
- Supply network, 2
- Supply planning  
 internal supply chain management, 493  
 revenue management and, 484
- Supply quality, 56, 454
- Supply uncertainty, 327–329
- Supply web, 2
- Surplus. *See* Supply chain surplus
- Sustainability  
 bibliography, 509  
 closed-loop supply chains, 508  
 discussion questions, 509  
 facilities, 505–506  
 inventory, 506  
 key metrics, 504–505  
 pricing, 507–508  
 role in supply chain, 500–502  
 sourcing, 507  
 summary, 508–509



- Sustainability (*Continued*)  
 tragedy of the commons and, 502–504  
 transportation, 506–507  
 Systematic component measures, 181
- Tailored postponement, 381–382  
 Tailored sourcing, 371, 383–384  
 Tailored transportation, 409–411, 420–422  
 Tariffs, 110–111, 132, 133  
 multiblock, 291  
 two-part, 297  
 Taxes, 132, 146  
 Tax incentives, 110–111, 133  
 Teams, multifunctional, 461  
 Technology  
 CPFR, 266  
 information decisions and, 52–53  
 supply chain coordination, 269  
 supply chain network design and, 110  
 transportation and, 424  
 Technology. *See also* Information technology  
 Temporal aggregation, 418  
 Theoretical flow/cycle time of production, 46  
 Third parties  
 risks of, 435–436  
 supply chain surplus, 431–434  
 Third-party logistics (3PLs), 436–439  
 Throughput, 47  
 Time flexibility, 215, 235–236  
 Time-series forecasting methods, 180, 183–193  
 Time to market. *See* Product launches  
 Top management commitment, for supply chain  
 coordination, 267  
 Total cost  
 global supply chain design, 143–145  
 ownership, 461  
 suppliers and, 440–441  
 Tracking signal (TS), 195  
 Trade agreements, 110  
 Trade-offs  
 design, 411–418  
 inventory aggregation, 415–418  
 transportation costs and customer  
 responsiveness, 419  
 transportation modes, 412  
 Trade promotions, 300–303  
 Transaction management foundation (TMF), 490,  
 491, 494–495  
 Transportation, 41, 49–51, 334, 397  
 bibliography, 426  
 case study, 426–427  
 decision making, 424  
 design options, 406–411  
 design trade-offs, 411–420  
 discussion questions, 425  
 exercises, 425–426  
 information technology and, 424, 490  
 infrastructure and policies, 403–405  
 learning objectives summary, 397–398  
 modes and performance characteristics,  
 399–403, 412–414  
 online business and, 83, 90, 400  
 risk management in, 423  
 role of, 397–398  
 tailored, 420–422  
 Transportation aggregation, 431–432  
 Transportation costs, 275–276  
 customer responsiveness and, 418–420  
 inbound, 407  
 inventory costs and, 412–418  
 supply chain coordination and, 253  
 Transportation decisions, components of, 50–51  
 Transportation intermediaries, transportation  
 aggregation by, 431  
 Transportation mode, selection of, 50  
 Transportation network, design of, 50  
 Transportation-related metrics, 50–51  
 Trend, 181, 185–186  
 Trend-corrected exponential smoothing  
 Holt's model, 190–191  
 Winter's model, 192–193  
 Truck transportation, 399, 400, 413  
 Trust-based relationships, 461  
 Turn-and-earn, 262  
 Two-part tariff, 297
- Uncertainty  
 customers and supply chains, 22, 23–26  
 demand, 326  
 global supply chain design decisions under,  
 161–170  
 lead time, 327–329  
 representations of, 155  
 revenue management, 473–475  
 safety inventory and, 325–327  
 supply, 327–329  
 supply chain surplus and, 435  
*See also* Safety inventory
- Understock  
 cost of, 359  
 evaluation of, 365  
 orders and, 393–394  
 Uniform-price auction, 443  
 Unmet demand, 370  
 Utilization, 46, 215
- Value, 3  
 aggregation, 335  
 component commonality, 338  
 demand forecast data, 205  
 information decisions and, 53–54  
 information technology and, 498  
 online business, 88  
 tailored transportation by, 421  
 trust-based relationships, 461  
 Variability. *See* Predictable variability  
 management  
 Variance from plan, 54  
 Vendor-managed inventories, 263  
 Vickrey auctions, 442  
 Volume-based discounts, 298  
 Volume-based quantity discounts, 298–299, 262  
 Volume-based tailored sourcing, 383  
 Volume contribution of top 20 percent SKUs  
 and customers, 46  
 Volume flexibility, 150
- Warehouse and plant location  
 model, 130–132  
 Warehousing aggregation, 432  
 Water transportation, 401–402  
 Weighted-average cost of capital (WACC), 274–275  
 Winter's model, 192–193  
 Workforce, seasonal, 235–236  
 Workforce constraints, 219  
 Workforce time flexibility, 235
- X variable coefficient, 191